RAINFALL AT Trovince Reducth 80

		Rain G	auge, by					6.13			
toway 1											1.
Diameter								8			
Height								8			
Altitude								235		240T	
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEAN
January									2.76	3.12	
February									1.54		
March									5.81	4.26	
April								#1.22	2.21	2.33	
May									1.79		
June								.23	3.77	. 73	
July								1.46	6.84	3-41	
August								.90	2.85	3.66	
September								5.74	1.82	1.46	
October									3.26		
November								5.50	8.59	3.88	
December,								4.25	5.66	3-41	
TOTALS									46.90	40.62	

858 Garmief Church 1/4 Mile SSE 24 ouse 30 ft high 30 feel K

RAINFALL AT Redrush Trevence

	Lat.				Lon.		Con	enty of	Cor	nwa	u		
	Lowey of	8. 7	Rain G	lauge, by	Stre	ams	Obser	cer E		auch		Eq	
	Diameter												
	Height	08											
	Altitude												
		1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	MEANS.	
	January	5.60	3.62	7.67	4.05	4.84	8.00	1.34	4.19	.72	6.20	11:132	
	February											2.838	
	March											2-388	
	April											2.579	
	May											2.265	
	June											2.085	
	July											2.698	
	August											3 723	
	September											2.967	
	October											5.118	
SALE.	November	5.22	6.05	4.36	3.74	9.02	6.13	1.75	4.75	4-62	3.12	4.846	
200	December	4.45	5.22	3.05	6.52	4.04	10.73	11.12	6.96	5.06	5.40	6.255	
	Totals	-	100	-	Contract of the Contract of th			-					

1890 Guernap Church 1/3 me SSE

House 30ft high 60ft N

Tries 50 60 W

RAINFALL AT Reduith Trainice

		Rain	Gauge, b	y		Obs	erver E	13.15	eauch	amp	Cag
owey of	8.8	lova	at St	rean	· -	2			101316		
Diameter	8										
Height	08										
Altitude	240 T										
Year	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	MEAN
January	7.44	4.23	2.32	5.76	6.80	2.65	6.30	1.97	1.12	3.18	4.17
February	7.74	2.60	2.67	1.78	7.86	(-41	6.02	1.83	2.21	.69	3.4-8
March											
April											
May	2.50	1.32	1.92	4.12	3.46	.60	4.04	3.51	2.16	.94	2:45
June	3.89	2.24	3.94	2.61	1.74	2.84	1.57	3.53	1.08	2.32	2:57
July	.81	1.65	3.16	4.45	5.54	.87	1.68	2.68	2.92	2.68	264
August	2.68	1.68	2.01	4.74	3-12	5.99	3.02	1.77	5.92	2.15	3:30
September	2.28	4.57	4.04	3.34	3.09	1.71	1.09	2.60	4.41	1.43	2:85
October	3.09	3.25	4.11	9.99	2.45	3.30	6.74	8.32	2.13	8.28	5.16
November	7.48	1.13	6.33	3.58	3.46				1 1		III K
December	6.57	7.98	4.20	8.71	4.87	2.41	4.91	5.46	6.08	6.69	5.78
Totals	50.22	39.02	40-09	57.90	46.61	36.95	43.41	44.88	38.39	38.68	43.61

1900 Garman Church 1/4 mile 5.5.E House 30 phip 30 ph Tree 45. 30. 5. W

1918

Country of Command Observer EB Beauchamp Eng

River Basin Forwers SE Conet Streams 2

glaished Rain Gauge, by

m. 800 glass correct all over

after corr	ection (798	0								
Diameter	8										
Height	08									1 0	
Altitude	240 T										
Year	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	MEANS.
January	5.51	2.18	6.54	9.09	1.93	4.88	1.93	2.78	5.35	7.07	
February											
March											
April	2.96	2.51	. 53	6.04	2.10	2.20	1.33	1.67	2.54	3.28	
May	2.19	1.18	1.42	3.91	1.52	2.91	1.76	2.64	1.09	2.09	
June	2-19	2.81	5.32	1.81	2.84	2.96	2.08	3.65	1.64	1.37	
July	2.66	1.08	4.36	. 47	4.93	4.41	1.31	1.74	4.33	.87	
August										3.86	
September										2.51	
October	6.77	4.74	4.94	4.76	3.91	7.42	7.63	6.77	5.08	1.87	
November										3.88	
December										8.35	
Totals	50.95	44.70	61.51	51-08	54.28	54.43	50.75	38.75	49.90	47.18	
	-	70	D	D	7	10	1	707		2	

910 Home 30 ft hel 30 ft N Jue 40. 5 W

Impacter Co. 6.1×13. Funnel signety distorted but corrected. Stand on grows peter. House goft-high flogt Hov New Goranium end 1 fts in high 4 fts E. Thin palm 2014 high 27 km.

China Control of the	AND RESIDENCE OF THE PARTY OF T	there go	De Calestro			0 0	CONTRACTOR DESCRIPTION OF THE PARTY OF	THE REAL PROPERTY AND ADDRESS OF
Date.	Lat. N.	Long. W	Railway Station.	Distance.	Direction.	Church,	Distance.	Direction.
1910	50-13-10	5.10.40	Redrill, Saymin +	3 miles	WNFE	formenap	1/4 mile	SSE

RAINFALL at Reduit (Herica)

County of Cornerall. Observer E. B. Beauchamps, Esq.

G. H. Beauchamp (1921)

Haiher Estopet. Rain Gauge, by.

River Basin 2

Diameter	8								12		•	1
Height	1.0											
Altitude	240											
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.	
anuary	5.86	3.82	6.40	3.47	6.65	4.60	6.89	7.60	8.17	440	8.67	
ebruary				892			SCHOOL STREET	2.95	CONTRACTOR OF		3.19	
Jarch	4.84	4.02	3.81	2-65	2.70	1.19	.88	445	7.38	.53	3.86	
April	4.89	1.16	4.40	4.04	4.06	3.69	2.42	2.43	3.02	1.41	3.59	1
fay	2.14	2.46	1.34	3.60	3.64	4.73	2.50	1.03	1.81	5.11	2.22	
une	2.75	12	1.44	.57	174	.05	3.67	3 28	2.54	2.87	1-19	1
nly	6.33	2.53	4.36	1.03	4.59	4:19	270	3.29	1.67	1.91	3.16	1
ngust	1.52	3.85	3.92	2.65	3.53	3.99	2.45	3.99	2.32	3.38	6.93	1
eptember	4.79	-91	3.55	2.97	4.40	3.31	1.00	6.96	2.07	.67	6.07	1
ctober					9.76	4.60	3.58	2.74	8.37	8.42	5.66	
ovember	2.48	5.68	2.44	5.25	4.96	4.44					797	
ecember	5.99	2.46							9-100		4.20	-
TOTALS	51.21	29.00	ukan	4600	67.66	42.36	18.74	1.8.13	51.90	55.66	56.71	1

1920 Konge 30ft. 30ft. N.

Her 40. 50. W

1909 House to' Righ bo' NW.
Tree bo' " 90' SW.

Position of Station on reduced Ordnance Survey No. of Map. Map, 2 miles to 1 inch Series Reference No Railway Station. Distance Direction Distance Direction Date. 50 15 10 51030 Redsutt 3 mily N.co. Gevernafo. 1920

RAINFALL at Gwennap (Trevince)

County of Cornerall. Observer C. H. Beauchamp, Esq.

River Basin Fordery & & Coast Streams - 2

Type of Gauge Glassher

Annual Average 45.5 in based on 42 years obs. www.uceighted. Period of average. 1891-1915 Ref. S.

10335/30

Diameter 12

												10	335/3
Diamete	r	 	12.						786				
Height			1.0.										
Altitude	,		240.										
Year			1931	1932	1933	1934	1935	1936	1937	1938	1989	1940	Means
January			4.72	4.60	3 98	4.05	1.83	7.68	8.03	6.23	7.50	3.86	52.48
Februar			3.53			. 38	H·52	7.86	8.01	1.83	2.54	6.48	39.65
March		 	6.76	2.68	5.14	5.08	1.15	4.90	640	.49	2.37	3.16	38.13
April .			2.65		2.48	4.07	5.94	2.74	395	-02	3.68	3.23	31.59
May .		 	3.94	478	3.00	1.97	2.65	1.55	2.25	3.20	1.33	-88	25.55
June .			3.13	3.11	2.31	2.47	3.58	2.10	179	1.92	2.91	1.35	24.67
July .			6.64	3.60	2.99	.95	-65	7.47	1.53	4:44	7.01	2.69	37.97
August			5.00	270	3.41	5.26	3.64	.54	1.07	3.93	2.70	.39	28.70
Septem	ber		3.62	5.75	2.49	4.03	407	3.41	471	2.48	.87	2.55	33.98
October			1.04	7.96	8.74	4.17	6.04	1.75	4-11	4.82	4.65		
Novem	ber	 	10.49	4.66	2.01	3.36	708	5.33	3.36		7.12		
Decemb	er	 	2.09	4.18	2.95	12:55	7.06	4.97	499		3.88		
Тота	LS	 	53,61	46.89	43.96	48:34	48.21	50.30	50.20	42.14	4662	42.91	473-18

1931. House 30' high 30' N.E. Tree 40' " 50' W

Position of Station on reduced Ordnance Survey Map. No. of Map. Reference No.

1 mile to 1 inch Series

Date. Lat. N. Long. Railway Station. Distance Direction from rauge

Redwith 3 miles NW Gwernap to me SE.

M. Form 1003		Air I	vinis	try,	Mete	coro	ogica	ii Oi	nce.			
RAT	NFA	LL a	t	Come	mm ah	(Tre	(mince)	Station	No	1918		4
				0							4Esq.	
		- For									- h	
Type of	Gauge		Glau	her								
Annual Average		based on			-weighted	l. Period	l of avera				Ref S /30	
Diameter	12"			379	372	10"						
Height	1, 0,				1							
Altitude	240				41						225/69m	
Year	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means	Su
January	594	6.36	9.16	4.95	4.67	6.49	5.67	9.31	1.70	2.45		56.
February							3.19	1.60	1.83	8.64		35
March	3.74	4.02	1.22	192	1.4.9	3.11	12.76	2.11	1.69	2.89		33
April	2.00	2.79	2.83	3.07	1.58	1.68	3.54	3.26	1.94	2.84		25
May	383	7.60	4.95	.56	3.68	4.95	3.99	2.21	3.32	2.78		37
June	2.69	.74	2.25	3.39	494	3.17	4.13	2.62	.89	1.45		26
July	.98	3.69	4.18	4.23	5.64	2.37	2.38	204	2.43	3.89		3/
		3.29					.96	4.46	1.76	7.30		37.
September							1.72	2.05	3.20	6.64		38
		4.01					240	7.63	8.56	2.56		45
November							4.26	2.47	5.97	10.02		53
December	3.84	7.17	4.29	4.88	8.52	6.98	3.69	6.83	2.92	7:35		56

479-58 1941 House 30' high 30' N.E Tree 50' ligh 50' S. W. Lime tree 60' high 120' S. W. Trees 60' high 100' N. + N. E. 17/11/41. Gauge moved 150ydoNE. 1943 Tree 60 ft high 120ft No. Tree 60 ft high 120ft NE.

TOTALS 41.98 45 90 50 46 45 58 48 17 56.89 48.69 46.89 36.21 58.81

1946 House 30'high 40'NE. Tree 50'high 51 SW.

Position of Station on reduced Ordnance Survey Map, No. of Map									
Lat. N.	Long.	Railway Station.	Distance Direction from gauge	Parish Church.	Distance Direction from gauge.				
		Rednuth	3 miles N.W.	Guennafi	Anile S.E				
			Lat. N. Long. Railway Station.	Lat. N. Long. Railway Station. Distance Direction from gauge	Lat. N. Long. Railway Station. Distance Direction from gauge Parish Church.				

May ... 4-02 1.58 30-68 4.30 4.14 4.26 1.54 2:88 3.61 1.89 2.46 -74 June ... 1.66 2.82 3.89 6.33 3.08 1-30 1.64 3.05 4-28 July ... 1.30 1.60 4.16 3.82 . 02 3.68 3.73 3-34 2.11 5.11 August ... 5.15 4.35 2.36 .36 6.08 2.25 4.64 3.74 3.65 38.42 September ... 4-68 5-70 6.57 43.75 3.72 5.42 2.10 5.95 4.06 . 11 6.44 2.57 3.29 6.00 2.40 5.61 46.68 October 6.72 3.46 2.94 10.86

TOTALS ... 51-15 49.78 32.87 53.44 46.26 44.88 45.19 58.10 49.62 63.52 1951 House 30 high at no' N.E. Iner 50' high at 50' Apr. Inspected 7.352 N. Deelks. Gauge start detached, no start the Site of strees 5 350 NE 450. Recommendedhum jenge 4 logs trees -not clearly.

9.66 4.15 3.44

5.02 7.67 7.96

2.80

1910-19

7.07

5.09 1.55

> For Birp & angrana Retro.

> > 1931-40

8.86

7-67

9.30 5.74

1941-50

58 93

1951-60

3.50

4:54 6-66

Position of Station on Ordnance One-Inch map : No. of Map 190 National Grid Reference (0/23 Distance Direction from gauge. Distance Direction Date. Lat. N. Long. Rallway Station. Parish Church. from gauge Ranita 1951 Guennah 3 m. N.W. tem. A.E. Summary of Earlier Records from 10-year Sheets: P- accepted 1916-1950

1920-30

(62) Wt. 13072-389 10m 6/50 T.S. 841

Record D, or d

November ... 6.35

December ... 5:50