Rainfall at Outwell Shuice Middle Level

DO horfock.

R. Lum Esq

P. P. return

Diameter of Gauge, in. Height above Ground, ft. in. Above Mean Sex Level, ft.

use - 4.									
YEAR	1852	1853	1854	1855	1856	1857	1858	1859	MEANS
January	The second second second second second					?			
February						18.50			
March	. 72	1.16	.60	1.82	.18	J	.84	1.26	
April						2.47			
May						1.76			
June						2.03			
July	4.15	5.40	2.02	5.26	2.63	1.96	3.44	1.52	
August	7.27	3.06	3.20	2.86	4:52	4.10	3.85	2.50	
September -	8.05	1-62	.60	.79	2.17	4.42	1.33	2.88	
October						4.83			
November -						1.79			
December -	2.08	.64	9.79	1.40	1.21	.56	1.08	1.80	
Totals -	47.40	30.12	23.40	98:57	27.23	28.42	23.03	25.85	

1857. Jan. to Mer: "Gauge under Repair". 1862 August amount rather too large - 5'27 1862 September " about 4 inches too much 7 405

1975an - Ven est a 25/67

horfolk.

Outwell -Middle devel Shrice.

Show Kupor

+ Ground 4th + See Level 16 ps?

YEAR	1060	1061	1862	1863	1864	1065	1866	1867	1868	1069	MEANS
January										1.35	
February										2.23	
March										2. 25	
April										1.79	
May										2.68	
June										1.22	
July "										. 63	
August										1.76	
September -										3.34	
October										1 19	
November -										1.75	
December -	1.83	1.38	1.61	.05	1.03	1.18	1.58	1:57	3.40	2.97	1.74
Totals -	1.83	19.98	22:56	22./3	16.31	27.12	24.61	21.46	16.64	23.16	22.63

1862 In printed retires from is ordized as 1.04 and larguest as 2.56-M. Sum says they are correct and are therefore substitutes for 1.50 and 2.80
1865 Mac 9 all = 1.89

0

RAINFALL AT Downham Market Outwell Shuice

Diameter											
Height											
Altitude											
YEAR		1871	1872	1873	1874	1875	1876	1877	1878	1879	ME
January	1.27	46	1.51	1.56	1.04	1.64	1.73	2.28	1:41	1:06	1.30
February											
March											
April											
May											
June											
July	3.29	1.89	3.92	3.35	.73	5.73	2.53	1.94	.85	4.57	2.8
August											
September											
October	2.37	1.04	3.16	1.97	1.96	2.09	.65	1.14	1.95	.60	1.60
November	.86	1.13	2.74	1.70	1.98	3.70	2.15	3.01	3.38	1.02	2.10
December	2.23	.67	2.58	.38	1.16	1.06	2.51	1.50	1.47	-64	1.44

1872 Nov? 26th the gauge was refixed after braving been refitted. before this the gauge was in a very bad state the funnel being loose and resting at an angle of nearly 45°

RAINFALL AT Outwell Staice Lat.

		Rain G	lauge, by			Obs	erver 🔾	1. OX 1	uuu,	, 61	9.
Diameter	_										
Height	9										
Altitude								16			
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	Мна
January	. 15	.58	1-25	1.57	1.33	1:25	2.01	-97	.47	.67	1.0:
February				-					/		
March	,								2.16		1-12
April	2.18	2.30	2.37	1.03	1.16	.76	1:39	1.46	1.37	1.82	1.58
May	.66	.43	1.05	.84	.74	2.06	2:04	1.39	.64	3.11	1.20
June	2.40	3.20	2.64	3.05	133	1.71	1.07	.63	1.54	1.52	1.90
July	4.60	2.09	307	3.36	2.94	.57	5.06	.42	4.12	3.57	2.9
August	2.22	3.74	1.99	- 58	.75	1.66	2:35	2.46	2.89	2.53	2.11
September	2.63	2.36	292	5.16	2.73	3:57	1:21	2.02	2.37	2.06	2.70
October										3.28	
November	1.53	1.66	275	2.63	1.11	2.69	2:53	1.46	2.44	-61	1.9
December	1.89	2.2/	2.78	1.66	1.94	.92	3 .36	.66	1.60	1.14	1.81
Toras	91/ /-	21/20		2521	16.10	21.20	26-110	1	1151	22.2G	22-14

RAINFALL AT Outwell Sluce

· Lat				Lon		Co	unty of	no	nfol	K	
buse-lf.		_Rain (Gauge, by						inn (0	
Diameter	9										
Height											
Altitude	16										
Year	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	MEANS,
January	1.96	1.78	.66	1.36	1.43	2.34	1.15	1.15	.65	1.89	1.44
February					.90						
March					.71						
April					1.28						
May					1.85						
June					2.78						
July					2.53						
August			2.61		1.82						
September					1.76						
October					2.31						
November					3.20						
December					1.54						
Totals		200	-	-							

RAINFALL AT Outwell Stuce

County of Nortock Observer afund Eg C.E. Rain Gauge, by Ouse - H. Diameter ... 2.6 Height Altitude ... 16 Year 1900 1901 1902 1903 1904 1905 1906 1907 1908 1909 MEANS. January .. 3.06 .64 .65 1.51 1.47 1.08 3.11 1.07 .89 .78 1:426 February .. 2.29 .87 1.05 .42 2.36 1.03 1.78 1.01 1.22 .37 1240 March 61 2.67 1.541 1.53 1.29 2.02 1.11 1.89 1.58 1.03 1.68 April 1.17 .59 1.96 2.71 1.22 1.38 .70 1.85 1.05 1.463 May 1.50 2.48 1.69 3.52 2-62 1.57 1.18 1.11 June 1.78 3.43 2.27 .72 3.38 3.52 1.88 4.63 2:436 July 1.23 2.12 1.84 3.28 2.51 ..82 . 47 2.41 2:06 2 August 3-444 1.79 2.12 1.93 2.29 2.21 1.85 2314 2.41 3.18 1.92

1.05 2.94 1.81 3.57 .86

TOTALS .. 21.53 18-31 20.50 27.95 18-04-21-21 22-81 22-34 18-69 25.16 21-654

5.33 1.35 1.61 3.63 2.14 1.14

.91 1.94 2.75 2.72

1.08 1.74 .74 1.48 2,79 1.27

.65 1.49

.95 .64

1.68

3.18

1.648

1.842

September. . 60

October.... 1.67

November . 2.09

December . 2.09

.98

1.67 1.61

1.13

7.43 1.92

1.00

HUB-

RAINFALL at Outwell Wellbuck Sluce

Diameter	9											1
Height	2 6											1
Altitude	. 16											1
Year	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	MEANS.	7
January	1.63	1.85	2.78	2.31	1.33	2.65	1.14	1.81	1.89	2.91	2.030	1
February	2.28	1.15	1.19	.65	1.00	2.02	2.80	.65	1.03	1.91	1.468	1
March	1 / .			THE STATE OF THE S		1	The Control of	March Control	101.00 (CO.)	2.03	1.835	1
April	Service Control	9 10 40 2 52		Property of the	A CONTRACTOR	100000 (100 H		1 P46500000000		1.25	1.182	1
May	March Control	1 1		Maria Santa				STATE OF STREET	P. Street 1974	100000000000000000000000000000000000000	1.759	1
June			The second second	TO STATE OF		1000000		100000000		. 58	1.522	1
July	The second			100000000000000000000000000000000000000	2-63			1000000000	100000000000000000000000000000000000000	2.84	2.592	1
August	A STATE OF THE PARTY OF THE PAR			11/10/12/2012 00:				The state of the s		1.71	2.804	
September	The second		16	1 2	CONTRACTOR OF THE PARTY OF THE	1000	VID. 23 23 4 25		5000 GRV 20	1.32		ш
October				A SAME OF THE PARTY OF THE PART	1.65	HE SENSON AND AND ADDRESS OF THE PARTY OF TH	PROPERTY AND ADDRESS OF	25-000-05-000		1.08		ш
November											2.252	- 11
December											2.730	1
Totals	24.32	21.92	31.80	19.43	22.68	24.84	26.46	22.80	25.71	20.94	24:090	-

Date.	Lat. N	Long-	Railway Station.	Distance.	Direction.	Church.	Distance.	Direction.
(911			Ordwell JER	12 m	HW S	Ontwell	1 = m	NN S
			0					

Wellowek Since (1922) 20 Odbeck Shine

RAINFALL at Outwell

County of horfolk

River Basin Ouse Ho. 4

Rain Gauge, by___

Observer Capt Ish markens Major R.G. Clark (192) L. g. Blank for middle foul Com

Height 2 6											
Altitude /6											
Year 1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930	
January /.39	1.71	1.25	1.41.	Lan	1.00	2.07	1.63	2.91	1.48	1.93	To
February 56		(2.03)		Section Colors	Charles Services	The second second	2.26	1.06	30		13
March 1.50		(1.87)			Contract of the last			1.12	.04	1.28	12
April2-33		1.95				2.12	1.94	.93	. 83	2.51	18
May 1.75	.72	.83	1-12	3.10	1-91	2:30	.80	1.90	128	3.60	19
June 2-44	. 50	1.34	:41	1.80	.38	1.86	3.50	2.70	- 60	.58	16
July 2. 27	-41	4.17	2.24	1-31	1-29	1.27	2.27	2.19	3.27	3.81	24
Angust 1.53	.49	1.50	2.13	1.28	1.91	1.06	3.13	1.46	1.13	2.14	17
September 1-47	.91	(250)	2.48	2.02	2.90	1.75	3.33	.82	. 26	3.54	2/
October '43	1.25	.77	2.70	4.03	2.17	2.23	2.11	3.21	275	. 69	22
November91	1.17	1.74	130	2.13	1.56	3.53	2.63	2.06	3.74	3.14	23
December 1.76	1.01	194	2.84	1.46	2.04	. 57	1.448	1.68	3.45	1.66	19

1922. Not printed. Jel- marie Sept. partly clinical

Date.	Lat. N.	Long.	Railway Station.	The second second	Direction gauge	Parish Church.	Distance Direction from gauge	
19 20		-	ontwell GERG.	14	NW	onewell	14	NW

RAINFALL at Outwell (Well Creek Sluice)

County of Norfolk. 0	bserver L. I. Clark, Esq.
River Basin Ouse & C -4	9. ME Lead Esq. Msc CE 1940
Type of Gauge	J. M- Lead Esq. 1100 C

Diameter	8.										
Height	1.6.										
Altitude	16.										
Year	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	Means
January	2.09	1.10	1.17	.96	1.91	2.70	2.74	2.16	3.21	(159)	19.62
February	1.91	.32	1.28	64	1-35	1.95	2.18	.47	44	2.02	12.56
March	.29	1.20	1.90	1.34	.39	. 52	2.62	.31	1.54	1.92	12.06
April			1.08	2.48	2.33	וריו	2.64	.31	1.66	1.39	18.11
May	4.06	3.94	1-341	.70	.66	٠٦٢	3.71	1.67	. 66	.98	18.54
June	1.34	65	1.97	.97	2.72	3.30	ורי	.92	2.05	. 22	15.9
July	2.74	2.72	1.26	1.31	-80	591	2.30	2.69	2.62	2-14	24.49
August	A		.50	1.90	-64	.82	3.17	1-34	1.71	-58	16.11
September	3.89	2.43	2.16	1.60	3.15	1.56	1.13	2.11	1.49	.57	20.00
October			2.80	1.76	2.46	1.16	1.83	2.09	3.25	1.48	21.67
November			1.77	1.36	2.55	1.99	1.43	1.58	3.61	4.33	22.40
December	63	.47	. 42	3.13	1.65	1.19	2.58	2.60	1.10	1.30	15.0
Totals	25 hi	22.67	17:72	18-15	20.61	23:50	19.10	18-24	#	18.52	216.51

station terminated owing to lack of apparatus, afternoon restricted 1939

Position o	Position of Station on reduced Ordnance Survey Map, No. of Map										
Date,	Lat. N.	Long.	Railway Station.	Distance Direction from gauge	Parish Church	Distance Direction from gauge					
		-									

R	Al	INFA	LL	at		Gutun	ell	(We	Station	No.	T- Slii	1464	
				Lorfel			Observer				c Level		MS
Ri	iver L	Basin		ande s	x C- 1	4				8		h	
				35									
Innual Ave	rage.	27. cm	. based on	n 35.year	rs obs. ur	n-weighted	l. Period	i of avera					mey .
Diameter		8"		I	100				Pric II.	5"		722170/2	7
Height			-		198	172				1 4			4
Altitude			-				-		100	10			-
Year	-	1041	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means	-
	-				-		1020	1021	1010	1920	1890	Means	1
January				3.18		2.10	1.18	1.32	3.17		1		10
February		2.35	-	. 53		1.80	100	43	.46		2.31		12
March	-	2.85		.57	-	.61	-85	3.7/	51	.88	139		12
April				.84		1.14		1.49	66	1.41	2.27		14
_		188	1	1.78	1.	1.43	1.43	34	3.14	1.58	2.14		17
		1.23		2.08		2.28	2.34	3.25	264	.44	1.90		12
July				1.34		.89	2.50	1.66	1.34	1.35	2.91		2
August	-	1 7	240	1.68	1-56	1.74	3.28	.22	355	1.28	2.01	W. Carlot	21
September			1.63	1.62	3.66	2.13	2.92	.64	1.89	.52	1-83		17
October				1.00	3-27	3.29	1.47	.89	238	3.18	47		19
November			3.0/	1.73	2.72	-44	3.18	1.05	105	1.82	2.34		19
December		.68	1.71	.76	1.12	2.25	1.90	1.69	153	.98	.91		13
Tomore	1	25 20					6		4.4				-
TOTALO		13.00	22941	17:11 1/	22.66	20.03	23.75	16.590	22.32	15.00	20.50	1	20

Gange moter to a lan where there will be no question of orother ping bottogs. 1746. Bounded for will make, 2/3/56. 446 Letter hotel half Exercise, 28. 5.5%.

Position of Station on reduced Ordnance Survey Map, 1 mile to 1 inch Series No. of Map										
Date.	Lat. N.	Long.	Railway Station.	Distance Direction from gauge	Parish Church.	Distance Direction from gauge.				

RAINFA						_	-		Sc. M.	Se. C. E
River Basin	U								n Eg	
Type of Gauge		-							- /	
wal Average 22.0 21.34					l. Peri	od of ave	rage / 8 8 1916 File	No	15 22170	Ref. Surv
Diameter 5	n		198	172						
Height /	6"	1								
Altitude /6	•				1	-				
Year 195	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means
January 2-12	1-42	.91	1-11	1-47	3.29	1.35	1.86	261	3.13	1927
Sebruary 1.47	· · · · · · · · · · · · · · · · · · ·	1.21	1.86	2.17	-75	2.17	2.79	.14	1.24	1454
March 287	2.38	.96	1.73	1.78	-47	1.69	.93	1.83	1.32	1596
April 2.62	1.29	1.57	15.	.69	.96	.24	(-84)	1-00	-28	970
May 3.32	1.35	1.49	2.06	2.62	. 82	1.14	3.12	.52	.59	1703
June /-06	.76	3.61	2.28	1.54	2.36	1. 44	3.01	1.49	2-27	1982
fuly63	.23	2-12	2.98	.27	2.27	2-17	3.12	2.28	2.60	1897
August 3-53	2.25	2.26	498	.77	3.78	1.31	2.66	1-33	2.49	2536
September 2.5	2.63	.92	1.88	1.49	1.04	3.12	2.85	.05	1.89	1837
October 90	1-88	2.41	2.07	1.61	1.38	1.19	1.83	1-37	3.99	1867
November 293	5.34	1-15	8-60	.95	-68	1-19	1.08	1.10	3.22	18 24
December 1-18	1.28	. 68	1:75	1.28	1.61	1.51	2.36	3.45	2.95	1835
TOTALS 25.4	18.85	19.29	26.81	16.6H	19-41	18.52	26.45	17-17	25,97	2/42
spected 31.3.53	m.p.	N. G. De	es. 6	anges	house	easi	e certi	ied. S	ite o/e	SE, gange m
g in (1'8"). Ran 56. Rather low b	ut accept	t. DE	20' NU	M.O. 3	2410.10	easona	04004			
sa April parte										
tion of Station on C	rdnance O	ne-Inch 1	nap:	No. of		129		ional Gr	id Referen	Fice(5.3.) 5.2.
Date. Lat	N. Lo	N. Long. Railway Sta			on. Distance Direction from gauge			Parish Ch	Distance Dir from gau	

(62) Wt. 13072—389 гом 6/50 T.S. 841

Record D, or d

Summary of Earlier Records from 10-year Sheets

1910-19

1920-30

1 but d 21,25,26 18-30

1931-40

/ but d 41 42

1916-1950, 1941-50 accepted

1951-60