

RAINFALL AT *Aberdare Nanthol Reservoir*

Lat.

Lon.

County of *Brecon*

Rain Gauge, by

Observer *T. Lloyd Edwards*

Taff - L. Daily Gauge

Diameter....									.5	.	.	
Height									1.	.	.	
Altitude									860	.	.	
Year	1870	1871	1872	1873	1874	1875	1876	1877	1878	1879	MEANS.	
January									4.83	3.43		
February. . .									4.84	6.68		
March.....									3.08	2.82		
April									2.73	1.94		
May									8.46	3.55		
June									5.07	7.59		
July.....									1.46	5.96		
August									7.75	10.09		
September ..									4.32	6.48		
October									8.57	2.28		
November ..								#12.67	6.74	.73		
December ..								4.96	4.12	4.28		
TOTALS ..						(7300)	(7100)	(85.00)	61.97	55.83		

1879 Wall 7ft high 30ft S.W. Built for purpose of average VIII. 1911.

RAINFALL AT *Nauther Puerrook* [*Aberdare*]

Lat. _____

Lon. _____

County of _____

Preckuock
Barby Rain Gauge, by _____

 Observer *J. L. Edwards, Esq.*
Taff - 4.1

Diameter	58										
Height	1.0										
Altitude	860T										
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January	1.09	1.61	6.70	9.92	10.13	7.33	7.44	5.41	2.90	2.70	5.523
February	8.73	8.23	5.82	10.03	7.05	8.87	2.10	2.17	1.08	4.11	5.819
March	3.66	6.16	4.07	2.35	5.46	2.30	8.96	2.99	5.78	3.73	4.546
April	2.84	1.47	6.45	1.36	1.84	4.99	3.87	2.03	2.38	3.69	3.092
May	2.98	3.53	3.56	2.74	3.60	3.95	5.27	3.00	3.20	3.35	3.518
June	3.83	5.07	6.81	5.74	2.49	3.09	.89	.85	3.92	.51	3.320
July	8.46	2.41	8.73	5.32	4.99	1.52	5.00	2.65	8.61	4.12	5.181
August57	7.41	5.24	3.41	3.64	3.41	2.59	2.91	4.19	4.78	3.815
September	3.94	2.68	3.76	6.08	3.41	8.86	4.98	5.67	1.46	2.02	4.286
October	5.13	4.32	8.06	7.12	2.62	6.21	9.36	2.81	3.56	5.25	5.444
November	8.24	12.36	10.33	8.02	3.32	7.19	6.88	6.56	10.61	2.91	7.662
December	7.95	5.86	9.83	3.29	9.71	3.10	9.25	5.36	9.41	3.95	6.771
TOTALS	57.42	61.11	79.36	65.38	58.40	60.82	66.59	42.41	57.10	41.12	58.977

RAINFALL AT *Nanthir Reservoir [Aberdare]*

Lat.

Lon.

County of *Brecknock*

Rain Gauge, by

Observer *T. L. Edwards, Esq.*

Gaff - 4.

Monthly

Diameter	5											
Height	1 -											
Altitude	860											
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.	
January	1.10	1.61	6.78	10.03	10.23	7.38	7.50	5.41	2.92	2.72	5.568	
February	8.80	8.31	5.86	10.19	7.14	8.98	2.10	2.20	1.08	4.12	5.878	
March	3.69	6.21	4.15	2.38	5.50	2.30	8.98	2.99	5.79	3.73	4.572	
April	2.85	1.49	6.49	1.36	1.84	5.03	3.89	2.04	2.51	3.70	3.120	
May	3.02	3.54	3.60	2.74	3.60	3.95	5.34	3.07	3.32	3.39	3.551	
June	3.88	5.12	6.89	5.78	2.49	3.09	89	85	3.94	.51	3.344	
July	8.54	2.45	8.78	5.36	4.99	1.52	5.08	2.69	8.68	4.17	5.226	
August57	7.48	5.28	3.46	3.64	3.46	2.64	2.96	4.22	4.83	3.854	
September	3.98	2.69	3.76	6.25	3.44	8.94	5.04	5.68	1.47	2.02	4.327	
October	5.16	4.34	8.12	7.16	2.65	6.26	9.42	2.84	3.57	5.30	5.482	
November	8.35	12.48	10.41	8.10	3.58	7.25	6.92	6.61	10.68	2.93	7.731	
December	8.07	5.92	9.83	3.32	9.78	3.11	9.30	5.39	9.50	3.98	6.820	
TOTALS	58.01	61.64	79.95	66.13	58.88	61.27	67.10	42.97	57.68	41.40	59.473	

*St. John's Church 2 3/4 miles N.W. S.S.E.
Wall 7 ft. high 30 ft. S.W.*

RAINFALL AT *Nanther Reservoir [Aberdeen]*Lat. *51° 45'*Lon. *3° 28' W* County of *Brecknock*

Rain Gauge, by

Observer *O. Williams Esq. C.E.**Gaff - 4.*

Diameter	5										
Height	10										
Altitude	860 ft										
Year	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	MEANS.
January	11.80	6.72	3.90	4.25	8.50	6.24	2.03	2.49	2.47	11.95	6.035
February	1.52	.19	3.78	9.39	6.79	.15	1.78	4.40	3.94	7.95	3.989
March	3.73	2.62	1.64	.59	6.42	6.28	7.89	8.71	1.81	2.86	4.255
April	1.86	4.25	1.64	.24	3.06	3.45	1.32	4.75	3.58	6.52	3.067
May	2.38	5.64	2.05	3.81	3.67	.82	1.6	2.53	4.76	4.03	2.985
June	3.97	2.72	2.96	2.01	2.84	1.25	1.83	2.65	2.90	1.68	2.381
July	2.73	3.07	2.85	4.39	4.81	5.92	2.81	2.44	.90	1.22	3.114
August	5.07	10.48	6.35	4.16	4.39	7.08	3.13	9.06	5.07	2.88	5.767
September ...	2.34	4.20	5.16	3.36	2.06	1.52	9.71	5.93	1.57	4.20	4.000
October	3.26	13.76	5.47	5.80	9.00	4.21	7.79	3.74	8.01	4.31	6.514
November	8.15	6.06	5.15	4.38	10.85	12.01	2.00	6.07	6.32	6.91	6.740
December	1.39	13.27	3.36	9.75	5.81	5.70	10.66	15.01	11.83	4.21	1.089
TOTALS	47.10	72.83	44.20	52.13	68.20	54.63	51.11	67.78	53.16	58.72	56.986

*47.10 72.83 44.20*1890 *St. John Church 28 miles 5 furlongs SSE**Stone Wall 7 ft high 30 ft SW*1890-91-92. *Fig. modified by daily amounts recd. 10.8.10*

RAINFALL AT *Nantux Reservoir [Abendare]*

Lat. _____

Lon. _____

County of _____

Bucknock

Rain Gauge, by _____

Observer _____

O. Williams Esq. Ch.

Monthly *Taff-14.*

Diameter				5							
Height				10							
Altitude				860							
Year	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	MEANS.
January				4.11	8.44	6.24	2.09	2.52	2.51	12.03	
February				9.50	6.79	.15	1.80	4.49	4.02	8.01	
March59	6.45	6.31	7.99	8.82	1.84	2.86	
April24	3.09	3.50	1.32	4.83	3.62	6.59	
May				3.81	3.69	.82	.16	2.54	4.82	4.07	
June				2.01	2.84	1.25	1.83	2.68	2.93	1.69	
July				4.42	4.86	5.97	2.81	2.44	.90	1.22	
August				4.18	4.46	7.10	3.18	9.16	5.13	2.90	
September....				3.31	2.06	1.52	9.83	5.99	1.59	4.26	
October				5.85	9.04	4.25	7.85	3.77	8.10	4.35	
November....				4.45	10.91	12.10	2.03	6.12	6.38	6.98	
December				9.81	5.86	5.76	10.76	15.09	11.94	4.26	
TOTALS . . .				52.28	68.49	54.97	51.65	68.45	53.78	59.22	

1893 St. John 2 miles 5 furlongs across plain SSE
from Reservoir
1894 Stone Wall 7 ft high 30 ft S.W.

RAINFALL AT *Nanhi Reservoir [Abertone]*

Lat. *51° 45'*

Lon. *3° 28' W*

County of *Brecknock*

Rain Gauge, by

Observer *O. Williams Esq. C.E.*

Gaff - Lt.

Diameter ..	5										
Height	10										
Altitude ..	860 ft										
Year	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	MEANS.
January ..	7.79	5.83	3.15	10.80	10.76	2.53	11.28	3.78	4.55	4.09	6.456
February ..	8.81	2.04	2.70	6.55	7.96	2.19	5.74	3.53	4.88	.91	4.481
March	1.18	5.52	3.39	11.44	2.76	8.42	4.78	3.32	6.43	6.70	5.394
April	2.55	6.04	3.14	2.36	3.69	6.43	1.22	3.98	3.31	5.27	3.799
May	3.67	1.69	3.00	4.98	3.25	.48	4.22	3.52	4.32	2.28	3.141
June	3.73	2.77	3.89	1.46	2.25	3.65	2.29	5.71	1.04	4.33	3.112
July	1.89	1.29	2.86	3.34	3.39	1.52	1.13	3.17	4.07	3.89	2.655
August	5.11	3.96	2.60	8.18	5.54	7.22	4.49	5.10	9.87	1.97	5.404
September ..	3.04	3.39	2.86	5.97	2.34	3.89	1.69	1.24	3.73	4.91	3.306
October	9.17	3.21	4.78	17.29	2.79	3.51	9.60	8.53	3.94	13.96	7.678
November ..	5.60	3.76	5.49	3.59	5.42	6.20	5.65	3.79	4.55	2.62	4.667
December ..	11.55	8.89	6.18	5.79	5.50	2.27	4.22	9.36	6.59	11.05	7.140
TOTALS ..	64.09	48.39	44.04	81.75	55.65	48.31	56.31	55.03	56.78	61.98	57.233

1906 *Shwydred Station*

4145

RAINFALL AT Nanthis Reservoir [Abendane]

Lat.

Lon.

County of BrecknockRain Gauge, by N+ZObserver O Williams Esq. CL

24 - 11 . M

Diameter ..	5											
Height	10											
Altitude ..	860											
Year	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	MEANS.	
January ..	7.88	5.89	3.21	10.86	10.82	2.53	11.34	3.78	4.58	4.09	6.498	
February ..	8.87	2.04	2.73	6.63	8.01	2.19	5.74	3.53	4.38	.91	4.503	
March	1.18	5.56	3.46	11.55	2.78	8.49	4.78	3.32	6.47	6.73	5.432	
April	2.58	6.04	3.16	2.38	3.72	6.50	1.22	3.98	3.34	5.32	3.824	
May	3.67	1.69	3.04	5.00	3.25	.48	4.28	3.52	4.32	2.28	3.153	
June	3.78	2.79	3.92	1.49	2.25	3.69	2.29	5.78	1.04	4.36	3.139	
July	1.89	1.29	2.89	3.38	3.39	1.52	1.13	3.21	4.07	3.96	2.673	
August	5.11	3.96	2.64	8.24	5.58	7.29	4.52	5.14	9.96	1.97	5.441	
September ..	3.09	3.46	2.88	6.02	2.34	3.94	1.69	1.24	3.79	4.93	3.338	
October	9.26	3.24	4.83	17.38	2.81	3.54	9.68	8.59	3.96	14.02	7.731	
November ..	5.70	3.76	5.52	3.64	5.45	6.27	5.72	3.82	4.59	2.62	4.709	
December ..	11.65	8.96	6.20	5.83	5.56	2.29	4.22	9.38	6.59	11.13	7.181	
TOTALS ..	64.66	48.68	44.48	82.40	55.96	48.73	56.61	55.29	57.09	62.32	5.622	555

1900 St. Johns Church 2 miles SE
 Stone Wall 7 ft high 20 ft S.W.
 1906 Llywycroed 7 furlongs SSE

Hub

RAINFALL at Nanthu Reservoir [abundant]County of BaconObserver O. Williams Esq. cl.River Basin Jaff4

Rain Gauge, by _____

Diameter ...	5											
Height	1.0											
Altitude ...	860 π											
Year ...	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	1916-19 Means Totals	
January ...	8.08	2.38	7.28	9.75	4.79	6.37	6.62	2.14	6.81	8.25	23.82	
February ...	10.24	6.23	5.47	4.33	11.33	11.54	9.22	1.41	5.31	4.07	20.01	
March	2.40	1.94	11.73	10.24	10.14	1.17	2.72	3.28	3.25	7.23	16.48	
April	3.99	3.31	.66	11.60	2.19	2.01	4.14	2.34	2.80	3.81	12.09	
May	2.06	2.68	1.63	3.39	3.29	3.01	3.44	3.02	1.93	1.06	9.45	
June	4.93	4.88	7.56	2.72	1.69	1.85	3.08	2.16	1.67	1.86	8.77	
July	4.55	.21	4.26	.80	5.44	7.87	2.22	3.38	6.31	1.40	13.31	
August	8.71	2.86	10.41	2.75	5.06	3.37	5.92	12.40	2.67	3.76	24.75	
September ..	.32	3.36	1.08	2.96	2.73	.96	3.58	3.27	12.44	3.90	22.19	
October ...	4.89	5.91	7.50	6.43	2.94	3.90	15.33	8.85	4.78	1.77	30.73	
November ...	7.43	11.88	5.15	9.83	8.13	4.73	7.05	4.36	6.25	4.20	21.86	
December ...	12.64	17.72	10.43	3.51	14.03	16.65	4.45	1.47	10.92	13.37	30.21	
TOTALS ...	70.24	63.36	73.26	65.21	71.76	63.43	67.77	48.08	65.14	52.68	233.67	

Date.	Lat. N.	Long.	Railway Station.	Distance.	Direction.	Church.	Distance.	Direction.
1911	51.45.	3.28 W	Elwyddesed			St Johns	2 mi 5 fur.	SSE

RAINFALL at Nanthu Resumi [Aberdare] MCounty of Powell Observer G. Williams Esq. cl.River Basin Taff 4

Rain Gauge, by

AJ 1916-1950 6121

ML

Diameter ...	5										
Height	1.0										
Altitude ...	860 ft										
Year ...	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	MEANS.
January	8.08	2.38	7.35	9.78	4.77	6.41	6.67	2.14	6.81	8.55	
February	10.29	6.28	5.52	4.33	11.39	11.61	9.22	1.41	5.36	4.07	
March	2.40	1.94	11.80	10.29	10.21	1.17	2.72	3.28	3.25	7.23	
April	4.03	3.31	.66	11.63	2.19	2.01	4.14	2.34	2.80	2.81	
May	2.08	2.68	1.63	3.39	3.32	3.01	3.44	3.02	1.93	1.07	
June	4.93	4.88	7.62	2.72	1.69	1.85	3.12	2.16	1.67	1.86	
July	4.55	.21	4.36	.80	5.48	7.93	2.22	3.38	6.35	1.40	
August	8.79	2.86	10.49	2.75	5.06	3.37	5.92	12.46	2.67	3.76	
September	.32	3.36	1.08	2.96	2.73	.96	3.58	3.27	12.49	2.90	
October	4.92	5.91	7.53	6.49	2.94	3.96	15.41	8.89	4.78	1.77	
November	7.48	11.95	5.22	9.89	8.19	4.73	7.05	4.39	6.29	4.20	
December	12.71	17.79	10.51	3.51	14.10	16.65	4.45	1.47	10.96	13.43	
TOTALS ...	70.58 1152	63.55 1040	73.77 1207	68.54 1120	72.09 1180	63.66 1062	67.94	48.21	65.36	52.74	64.644

1912 Stonehill 7 ft high 30 ft 5 ft

Date.	Lat. N.	Long.	Railway Station.	Distance.	Direction.	Church.	Distance.	Direction.
1911	51.45	3.28 W	Ilwedd	1 m 1 ft	S.E.	St Johns	2 m 5 ft	S.S.E.

RAINFALL at Herdgate (Nantwrth Reservoir)County of BreconObserver O. Williams, Esq; 68,River Basin Staff 4Engl. Abendane

M.O. & Snowden Rain Gauge, by _____

Diameter ...	5													
Height	1.0													
Altitude ...	860													
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.	1920-30 TOTAL		
January ...	9.68	9.16	6.78	5.56	7.98	7.97	9.87	7.50	9.19	1.51	11.84	87.04		
February ...	2.99	1.7	8.19	14.60	.58	11.97	4.88	4.64	5.70	1.40	.69	55.81		
March	7.86	7.33	6.71	2.31	2.48	1.61	1.80	5.16	4.53	.97	3.84	44.60		
April	9.98	1.08	4.24	4.28	5.24	3.87	3.42	1.93	1.62	.53	4.25	40.44		
May	3.28	1.70	1.18	3.91	4.62	6.91	3.11	2.28	.63	5.23	2.83	35.68		
June	2.71	.44	1.35	.96	2.85	.04	2.70	4.69	4.49	3.39	1.62	25.24		
July	6.79	2.13	5.74	3.36	6.10	3.12	3.14	5.01	2.51	5.29	4.98	48.22		
August	2.31	4.87	3.64	5.02	6.83	4.84	4.28	8.57	4.50	3.51	7.03	55.40		
September...	5.26	2.90	4.22	5.75	8.67	5.09	1.82	5.36	1.71	1.98	7.11	49.87		
October	6.17	2.27	1.92	13.46	7.21	9.05	4.69	4.96	8.98	9.82	9.94	78.47		
November...	3.81	5.08	3.22	5.79	4.43	3.60	12.52	3.41	7.61	19.73	8.64	77.84		
December...	9.25	5.96	9.12	5.33	12.64	6.23	4.9	3.51	4.47	19.57	7.15	84.02		
TOTALS...	70.09	43.09	56.31	70.33	69.68	64.30	52.72	57.02	56.24	72.93	69.92	682.63		

1921. Stone Wall 78 ft high 30 ft SW.

Position of Station on reduced Ordnance Survey } No. of Map _____
Map, 2 miles to 1 inch Series

Reference No. _____

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1920	51°45'	32°20'	Lloydcead	1m. 1 ft.	S.E.	St. Johns	2m. 5 ft.	S.E.

RAINFALL at Aberdare (Fanthor Reservoir)County of Brecon Observer C. Williams, G.E.River Basin 4-466 J.A. Brynace (1931)Type of Gauge SnowdonAnnual Average 52.6 in. based on 25 years obs. un-weighted. Period of average 1881-1915. Ref. B.O.N.

850769/28

Diameter	5											
Height	1.0											
Altitude	860											
Year	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	Mean	Totals
January	7.26	14.24	8.32	9.28	2.21	9.13	11.69	11.77	10.55	3.83	88.28	
February	5.91	15	6.84	4.9	7.77	3.16	10.70	3.20	5.82	5.53	49.57	
March	9.8	4.32	5.27	4.32	1.62	3.92	4.62	1.32	3.14	4.98	34.49	
April	4.58	5.13	2.07	3.99	7.59	3.27	4.12	4.5	3.75	4.33	39.38	
May	4.69	7.50	1.85	4.08	2.08	1.72	2.09	4.47	1.07	1.87	31.42	
June	5.32	2.66	2.79	1.61	6.31	4.06	2.59	4.18	3.92	9.7	34.41	
July	4.66	5.42	5.50	1.84	1.20	10.29	3.95	5.20	12.05	5.53	55.64	
August	6.59	1.66	1.23	4.97	2.20	1.01	1.18	5.86	3.37	5.0	28.67	
September	2.64	6.24	2.06	4.75	10.85	4.57	2.84	2.43	1.35	3.28	41.01	
October	1.57	11.55	9.39	6.78	9.53	3.92	3.69	9.85	5.14	9.00	70.42	
November	15.18	4.53	1.57	2.23	9.42	7.27	2.32	11.82	12.66	14.05	81.05	
December	4.67	4.42	1.87	15.22	5.32	12.33	4.19	7.29	3.80	4.20	63.31	
TOTALS	64.05	67.82	48.76	59.56	66.10	64.15	53.98	67.84	66.62	58.17	617.65	

1931, Stone wall 7' high, 30' dia.

Position of Station on reduced Ordnance Survey Map, 1 mile to 1 inch Series } No. of Map..... Reference No.....

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1931.			Aberdare	1 1/2 m.	S.S.E.	St John's	2 5/8 m.	S.S.E.

Station No. H.1145RAINFALL at Aberdare (Nanthir Reservoir)

41

County of BreconObserver J. A. Bryant Esq.River Basin 4 - TaffH.W. Crother Green Esq. 1948Type of Gauge SnowdonAnnual Average 59.6 in. based on 35 years obs. un-weighted. Period of average 1881-1915 Ref. B.C.N.File No. 85076928

Diameter	5				489	796					
Height	10					1					
Altitude	800					41					
Year	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means
January	3.94	5.81	11.83	7.90	6.52	10.96	6.03	12.63	3.44	2.03	70.09
February	6.20	.85	4.34	1.63	9.21	5.89	1.81	4.30	3.12	10.33	47.68
March	4.12	4.83	1.16	.56	3.53	2.20	11.01	3.68	2.44	3.80	37.33
April	1.55	3.60	2.13	3.83	3.76	1.74	6.55	3.21	3.38	4.23	35.98
May	2.83	8.71	7.26	1.95	4.33	3.72	3.04	4.76	5.05	3.03	44.68
June	2.89	.17	4.95	3.60	5.51	5.47	2.87	6.63	.98	2.73	35.80
July	2.82	4.40	3.18	3.19	4.61	2.60	3.25	2.22	1.39	7.02	35.08
August	7.35	5.59	5.05	5.05	3.24	9.07	.52	7.18	4.16	9.59	56.80
September	.90	4.54	6.17	6.05	5.13	9.24	3.00	5.15	3.62	8.44	52.30
October	6.20	5.06	5.60	9.87	7.76	1.30	1.35	5.30	11.59	3.46	57.49
November	5.02	.99	4.21	10.83	1.14	15.15	6.96	3.26	6.67	6.87	61.10
December	5.53	9.80	3.29	5.99	9.49	7.36	5.07	13.14	6.23	4.04	69.94
TOTALS	49.35 D	54.35 D	59.17 D	60.45 D	64.23 D	74.70 D	51.86 D	71.46 D	53.13 D	65.57 D	604.27

1941 Stone wall 7' high 30' SW.

538.70

Position of Station on reduced Ordnance Survey Map, }
1 mile to 1 inch Series

No. of Map.....

Reference No.....

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge.	Direction
1941			Hwydcod	1 1/2 ml	SSE	St James Hwydcod	2 1/2 ml	SSE.

BRITISH RAINFALL ORGANIZATION

Station No. 4145

RAINFALL at Aberdare (Nantlle Reservoir)

51

County of Breconshire Observer H.W. Crowthen - Green Esq.River Basin 4-TaffType of Gauge StandardAnnual Average 59.1 in. based on 35 years obs. un-weighted. Period of average 1881-1915 Ref. B of N.
61.21 .. 39 .. (within) 1916-56File No. 555 69128

Diameter ...	5"				489	796					
Height ...	1'0"					1					
Altitude ...	866					51					
Year ...	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means
January ...	8.47	6.37	1.95	3.90	4.32	8.51	8.53	6.25	8.46	7.63	
February ...	7.16	1.63	2.14	5.69	2.71	8.6	9.02	9.55	0.54	8.51	
March ...	5.81	3.48	4.43	5.23	3.94	3.65	7.08	1.36	6.32	2.58	
April ...	4.20	4.23	3.84	1.13	2.85	1.49	0.32	1.51	6.00	5.23	
May ...	3.00	4.47	3.35	3.85	6.38	1.76	2.87	5.10	1.79	1.65	
June ...	1.48	4.17	2.85	5.83	6.59	3.95	1.52	5.26	2.95	3.82	
July ...	1.71	2.79	6.42	4.83	.74	5.44	5.85	5.01	5.06	6.85	
August ...	8.56	6.86	4.52	5.71	1.25	6.13	4.90	5.21	1.00	5.94	
September ...	6.14	2.14	6.65	7.21	2.61	6.38	9.53	10.32	0.36	5.60	
October ...	1.93	6.16	4.54	8.54	4.61	2.44	5.44	8.30	7.44	8.08	
November ...	11.09	3.82	5.31	11.79	6.33	2.72	3.33	2.67	10.92	16.22	
December ...	6.80	5.18	1.73	5.00	9.10	9.17	5.79	6.80	15.60	8.18	
TOTALS ...	66.35	51.30	47.73	68.71	51.43	52.50	64.18	67.34	66.44	80.19	
	D	D	D	D	D	D	D	D	D	D	

Real Stone wall 7' high 30' 30.

* monthly totals obtained by request on 9 Jan 1966 (filed) 41990 also requested - no comment re this in reply - perhaps it will be sent 1/1/60.

Position of Station on Ordnance One-Inch map :

No. of Map

National Grid Reference SM(22)989068

Date.	Lat. N.	Long.	Railway Station.	Distance Direction from gauge	Parish Church.	Distance Direction from gauge.
1911			Llwydcoed	181/ SSE	St James	231/ SSE.

Summary of Earlier Records from 10-year Sheets :

1916-1950 P - Rejected

Record D, or d	1910-19	1920-30	1931-40	1941-50	1951-60
	D	D	D	D	