Roinfall as The Three Counties Asylum. 60

Wm Denne

our-3.				/					
YEAR 1860	1861 1862	1863	1864	1865	1866	1867	1868	1869	Means
January	#	1 2.25				/			
February	THE RESERVE TO SERVE THE PARTY.	34					A CONTRACTOR OF THE PARTY OF TH		
March		65	/						
April	The second second second	.61							
May		3 - 87	1						
June		2.38							
July		.62							
August		9 1.63							
September -		5 1.92							
October		1.74							
November -		2.09					-30-000-00		
December -		2 . 83							
Totals -	21.52	16.13	17.59	28.78	23.64	23:22	22.56	22.53	

RAINFALL AT Stoffold Baldock

county of Bed ford Observer W. Denne tog .5 Height ... Altitude 220. 220 1879 1871 1874 1875 1876 1877 1878 MEANS 1.13 . 89 3.05 2.51 1.19 2.23 1.63 3.25 1.29 1.76 1893 1.26 1.24 .89 1.47 1.04 .76 1.97 2.23 .88 3.02 1446 March....... 2.00 1.13 1.62 1.40 .56 .46 2.34 1.88 .76 .63 1278 April -. 39 2.04 2.34 .65 1.53 1.40 1.882.78 1.98 2.20 1719 -66 90 3.15 1. 98 1.37 1.75 77 2.36 3.75 2.85 1954 June....... 87 2.51 3.00 1.69 1.33 3.04 1.22 60 2.09 4.25 2.060 July 1.24 3.70 2.89 1.70 .58 5.92 68 2.84 .66 4.14 2.435 August 1.16 - 41 1.75 2 35 1.63 1.81 1.643.45 4.73 3.93 2.286

September...... 1.14 4.87 1.09 2.40 2.16 2.50 4.30 1.31 972.57 2.331 October....... 2.73 .78 3.30 2.00 2.86 3.67 1.65 1.17 1.74 ..52 2.037

1874 Measuring glass broken on 9° March new one obtained on the 9° 1875 In Jang there were 2½ wieter a now in Dec 10 inches not measured as rain but . 83 has been added to the Dec amount as compusation

RAINFALL AT Baldock, Stotfold

Lat.				Lon			nunty of	JE	Bed!	nd	asylv
		Rain 6	lauge, by			Obs	erver 2	DE 8	Vai	ul	
ouse-3.											
Diameter	9	+									
Height	9							1.0			
Altitude	220										
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January	30	.93	1.00	1.62	1.64	1.64	2.36	1.60	.67	1.09	1.285
February											1.576
March											
April											
May								/			
June	2.24	1.53	199	2.32	1.67	2.48	.82	.90	1.45	1.85	1.725
July	4.12	202	1.82	3.08	4.66	- 24	1:93	.76	2.71	2.91	2.425
August											1.79:
September	4.67	1.85	191	3.27	1.93	3 37	1.17	3:09	1.69	1.86	2.481
October											
November											
December											1.675
TOTALS	2001	22 26	244	23.91	10:15	25.72	2340	17.57	21.50	23.54	22.850

1862 Stotyold Church 2 miles NOTE
anylum 50ft high 90ft N

RAI	INF.	LL	AT_	St	otfo	ld	[B	aldo	ck]	Thre	e Count
Lat.			lauge, by	Lon.	,	Co	unty of	opeo	xfor vain	d	
Diameter	5										
Height	10										
Altitude	220 T										
Year	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Means.
January	1.93	1.50	.89	1.81	1.67	3.01	.76	2.55	-82	2.40	1. 734
February			1.57	2.73	1.61	.64	-62	2.25	.98	1.44	1.264
March											1.759
April											1.133
May	1.72	3.29	1.68	1.27	1.85	.76	.30	1.18	3.43	1.99	1.756
June											1.857
July											2.620
August											2.841
September											1.767
October											3.020
November											2:412
December											1.967
TOTALS			-	- mariola accessor				-		-	
							1				

1890 Stoefold Church 1/4 Mule. NE

RAINFALL AT Stolfold [Baldock] Hunformter Carfee

Rain Gauge, by Observer D. J. E. As. Lisla.

Diameter	5										
Height	10										
Altitude	220 T										
Year	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	MEANS
January	2.94	.70	-61	2.26	1.33	1.06	2.74	. 86	1.07	.78	143
February	4.04	.95	1.08	. 78	2.95	.89	1.26	1.05	1.11	. 35	1.446
March									2.33		
April									2.48		
May									1.22		
June		100						300	1.00		1 .
July									2.08		
August									2.10		
September									1.19		
October				1			1000		1.27	4.	
November	200						I was a second		.74		Branch Co.
December									1.45		
Totals	22-25	19.54	18:24	34.58	18.49	20.80	21.97	21.64	18.04	25.00	22-15

1900 Storfold Church 1/4 miles NE 1903 Threefounter Staton 100 W asylum 40 phyt 60 gr N this

RAINFALL at Stotfold Thru Guntus Oxylum

County of Bedfordohne	Observer Dr L. O. Fuller	P.D. Flunter M.D. 191
River Basin Quee 3		
Rain Gauge, by		

January 1.39 .99 .3.11 2.00 .82 2.76 .94 1.58 2.17 3.68 February 2.31 .11 1.32 .69 1.67 2.61 4.02 .76 .64 2.51 March84 1.77 2.51 2.04 3.07 1.98 4.83 1.39 .66 2.70 April 2.25 1.08 .10 2.23 .76 .79 1.21 1.50 3.61 2.84 May3.29 1.65 1.36 1.49 1.01 1.77 1.65 2.41 1.95 .37 June1 0.4 1.92 2.89 .63 1.93 .96 2.79 3.03 .62 1.79 July 1.73 .28 3.59 1.58 2.91 3.52 1.29 4.96 1.94 3.28 August 1.94 1.54 6.01 .95 1.21 1.56 2.43 4.93 .78 2.30 September80 1.05 2.08 1.46 .73 1.30 1.09 1.44 5.37 1.16				1							5	Diameter
Year 1910 1911 1912 1913 1914 1915 1916 1917 1918 1919 January 1.39 .99 .3 .11 2.00 .82 2.76 .94 1.58 2.17 3.68 February 2.31 1.11 1.32 .69 1.67 2.61 4.02 .76 .64 2.51 March84 1.77 2.51 2.04 3.07 1.98 4.83 1.39 .66 2.70 April 2.25 1.08 .10 2.23 .76 .79 (.21 1.50 3.61 2.84 May3.29 1.65 1.36 1.49 (.01 1.77 1.65 2.41 1.95 .37 June104 1.92 2.89 .63 1.93 .96 2.79 3.03 .62 1.79 July173 .28 2.59 1.58 2.91 3.52 1.29 4.96 1.94 3.28 August194 1.54 6.01 .95 1.21 1.66 2.48 4.93 .78 2.30 September80 1.05 2.08 1.46 .73 1.30 1.09 1.44 5.37 1.16											10	Height
January 1.39 .99 .3.11 2.00 .82 2.76 .94 1.58 2.17 3.68 February 2.31 .11 1.32 .69 1.67 2.61 4.02 .76 .64 2.51 March84 1.77 2.51 2.04 3.07 1.98 4.43 1.39 .66 2.70 April 2.25 1.08 .10 2.23 .76 .79 1.21 1.50 3.61 2.84 May 3.29 1.65 1.36 1.49 1.01 1.77 1.65 2.41 1.95 .37 June 1.04 1.92 2.89 .63 1.93 .96 2.79 3.03 .62 1.79 July 1.73 .28 3.59 1.58 2.91 3.52 1.29 4.96 1.94 3.28 August 1.94 1.54 6.01 .95 1.21 1.56 2.48 4.93 .78 2.80 September 80 1.05 2.08 1.46 .73 1.30 1.09 1.44 5.37 1.16											2207	Altitude
February 2. 31 1.11 1.32 69 1.68 2.61 4.02 76 64 2.51 March 2.4 1.77 2.51 2.04 3.07 1.98 4.83 1.39 66 2.70 April 2.25 1.08 10 2.23 76 79 1.21 1.50 3.61 2.84 May 3.29 1.65 1.36 1.49 1.01 1.77 1.65 2.41 1.95 37 June 1.04 1.92 2.89 63 1.93 96 2.79 3.03 62 1.79 July 1.73 28 3.59 1.58 2.91 3.52 1.29 4.96 1.94 3.28 August 1.94 1.54 6.01 95 1.21 1.56 2.48 4.93 73 2.30 September 80 1.05 2.08 1.46 73 1.30 1.09 1.44 5.37 1.16	MEANS.	1919	1918	1917	1916	1915	1914	1913	1912	1911	1910	Year
February 2. 31 1.11 1.32 69 1.68 2.61 4.02 76 64 2.51 March 2.4 1.77 2.51 2.04 3.07 1.98 4.83 1.39 66 2.70 April 2.25 1.08 10 2.23 76 79 1.21 1.50 3.61 2.84 May 3.29 1.65 1.36 1.49 1.01 1.77 1.65 2.41 1.95 37 June 1.04 1.92 2.89 63 1.93 96 2.79 3.03 62 1.79 July 1.73 28 3.59 1.58 2.91 3.52 1.29 4.96 1.94 3.28 August 1.94 1.54 6.01 95 1.21 1.56 2.48 4.93 73 2.30 September 80 1.05 2.08 1.46 73 1.30 1.09 1.44 5.37 1.16	1.931	3.5.8	2.17	1.58	.94	2.76	.82	2.00	3.11	-99	1.39	January
March												
April		District in						1			医生沙皮病	
May												
June												
July												
August 1 94 1.54 6.01 .95 1.21 1.56 2.48 4.93 .73 1.30 September 80 1.05 2.08 1.46 .73 1.30 1.09 1.44 5.37 1.16												
REPORTED BY THE REPORT OF THE PROPERTY OF THE												
October 2.15 2.44 1.75 2.76 2.03 1.05 2.31 3.88 1.05 64	1.648	1.16	5.37	1.44	1.09	1.30	. 73	1.46	2.08	1.05	.80	September
	2.006		1.05	3.88	2.31	1.05	2.03	2.76	1.75	2.44	2.15	October
November 3.38 2.32 1.74 1.84 2.54 2.00 2.90 1.09 2.14 1.58	2.156	1.58	2.14	1.09	2.90	2.00	2.54	1.84	1.74	2.32	3.38	November
December 3.84 4.04 1.97 .84 6.14 3.57 7.61 .63 1.63 4.01	2.918	4.01	1.63	.2.3	7.61	3.57	6.14	. 84	1.97	4.04	3.84	December

1910 Buldwig 48 ge high 100 fr Tr

	Date.	Lat. N.	Long.	Railway Station.	Distance.	Direction.	Church,	Distance.	Direction.
do				You Counties	1 mile	54	Statfored	2 miles	KE

RAINFALL at Statfold Three Counties mental Hospital

Country of Bedford shire Observer D. L. G. Fuller (med Supt) River Basin Guse 3. She Blank Steward

Rain Gauge, by_

		1		9			5				1
10											
220	,										
1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS 1930.	
											Tot
2.18	1.86	1.96	.96	2.35	-99	1.92	2.11	2.13	1.24	2.09	19:
36	.22	1.35	2.62	1.01	2.79	2.67	2.94	1.09	.54	.46	16.
1.36	.71	1.45	2.15	-82	1.35	-18	1.88	1.05	.05	1.34	12.
	District Control	2.65	1.94	2.73	1.60	3.01	1.55	1.42	1.43	1.59	2/-
.68	. 80	1.29	.97	5.01	1.89	1.90	.73	1.12	1.91	3.31	19.
1.13	.42	-97	.62	1.78	-08	2.98	2.48	1:34	71	.34	12.
2.91	-14	3.44	2.73	3.55	2.47	3.23	3.08	2.41	1.16	2.46	27.
. 80	.94		120000000000000000000000000000000000000							2.56	20
		1000000					HATELES AND A			2%1	21.
							1.14	3.04	4.85	. 73	24
			A COLUMN TO SERVICE A SERVICE ASSESSMENT								23
									The second second		20
17.81	10 70	20.58	23.58	30.28	22.50	21, 32	2649	20.48	20,93	23.00	240
The same of the sa	1920 2.18 36 1.36 2.80 68 1.13 2.91 50 1.42 1.15 1.42 1.15 1.42 1.781 1.781	1980 1981 2.18 (.86 36 .22 1.36 .71 2.80 (.60 .66 .80 1.13 .42 2.91 .14 .80 .94 1.60 (.20 1.42 .55 1.15 1.49 1.42 (.27 1.781 (0.70 .70	1920 1921 1922 2.18 [.86 1.96 36 .22 1.35 1.36 .71 1.45 2.80 [.60 2.65 68 .80 1.29 1.13 .42 .97 2.91 .14 3.44 .80 .94 1.79 1.60 [.20 2.64 1.42 .55 .80 1.15 [.49 .88 1.42 [.27] 1.76 1.78 [(0.70, 20.58)	1980 1981 1982 1983 2.18 /.86 1.96 .96 36 .22 1.35 2.62 1.36 .7/ 1.45 2.15 2.80 /./0 2.65 1.94 .66 .80 1.29 .97 1.13 .42 .97 .62 2.91 ./4 3.44 2.73 .80 .94 1.79 2.94 1.60 /.20 2.54 2.12 1.42 .55 .80 3.73 1.15 /.49 .88 .95 1.42 /.27 1.76 1.95	1920 1921 1922 1923 1924 2.18 /86 1.96 .96 2.35 36 .22 1.35 2.62 1.01 1.36 .7/ 1.45 2.15 .82 2.90 /./0 2.65 1.94 2.73 68 .80 1.29 97 5.01 1.13 .42 97 62 1.78 2.91 ./4 3.44 2.73 3.55 80 .94 1.79 2.84 2.78 1.60 /.20 2.54 2.12 2.22 1.41 .55 .50 3.73 3.42 1.15 /.49 .88 .95 2.62 1.42 /.27 1.76 1.95 1.99	1920 1921 1922 1923 1924 1925 2.18 /86 196 96 2.55 99 36 22 135 2.62 1.01 2.79 1.36 7/ 1.45 2.15 82 1.36 2.80 1.10 2.65 1.94 2.73 1.60 68 .80 1.29 97 5.01 1.89 1.13 42 97 62 1.78 08 2.91 1/4 3.44 2.73 3.55 2.47 80 .94 1.79 2.84 2.78 2.84 1.60 1.20 2.54 2.12 2.22 2.61 1.42 .55 .50 3.73 3.42 3.42 1.42 .55 1.49 88 95 2.62 1.59 1.42 1.27 1.76 1.95 1.99 1.37	1920 1921 1923 1923 1924 1925 1926 2.18 /86 196 96 2.35 99 1.92 36 22 135 2.62 1.01 2.79 2.67 1.36 7/ 1.45 2.15 82 1.35 18 2.80 /./0 2.65 1.94 2.73 1.60 3.01 68 .80 1.29 97 5.01 1.89 1.90 1.13 .42 97 .62 1.78 08 2.98 2.91 /4 3.44 2.73 3.55 2.47 3.23 80 .94 1.79 2.94 2.78 2.94 1.98 1.60 /.20 2.54 2.12 2.22 2.61 1.96 1.42 .55 .50 3.73 3.42 3.42 2.12 1.15 /.49 .88 .95 2.62 1.59 3.32 1.42 /.27 1.76 1.95 1.99 1.37 2.5	1920 1921 1922 1923 1924 1925 1926 1927 2.18 1.86 1.96 .96 2.35 .99 1.92 2.11 36 .22 1.35 2.62 1.01 2.79 2.67 2.94 1.36 .71 1.45 2.15 .92 1.35 .18 1.38 2.80 1.60 2.65 1.94 2.73 1.60 3.01 1.65 68 .80 1.29 .97 5.01 1.89 1.90 .73 1.13 .42 .97 .62 1.78 .08 2.98 2.48 2.91 .44 3.44 2.73 3.55 2.47 3.23 3.08 80 .94 1.79 2.94 2.78 2.84 .78 2.89 1.60 1.20 2.54 2.12 2.22 2.61 1.96 3.80 1.42 .55 .50 3.73 3.42 3.42 2.12 1.14 1.15 1.49 .88 .95 2.62 1.59 3.32 2.20 1.42 1.27 1.76 1.95 1.99 1.37 2.5 2.18	1980 1921 1922 1923 1924 1925 1926 1927 1928 2.18 /-86 1.96 .96 2.35 .99 1.92 2.11 2.13 36 .22 1.35 2.62 1.01 2.79 2.67 2.94 1.04 1.36 .7/ 1.45 2.15 .82 1.35 .18 1.88 1.03 2.90 1.10 2.65 1.94 2.73 1.60 3.01 1.65 1.42 68 .80 1.29 .97 5.01 1.89 1.90 .73 1.12 1.13 .42 .97 .62 1.78 .08 2.98 2.48 1.314 2.91 14 3.44 2.73 3.85 2.47 3.23 3.05 2.44 1.80 .94 1.79 2.84 2.78 2.4 78 2.39 2.49 1.60 1.20 2.54 2.12 2.22 2.61 1.96 2.80 .81 1.42 .55 .80 3.73 3.42 3.42 2.12 1.14 3.04 1.15 1.49 .88 .95 2.62 1.59 3.32 2.20 1.52 1.42 1.27 1.76 1.95 1.99 1.37 2.5 2.18 2.36 1.78 1 1.78 1.99 1.37 2.5 2.18 2.36	1920 1921 1922 1923 1924 1925 1926 1927 1928 1929 2.18 1.86 1.96 .96 2.35 .99 1.92 2.11 2.13 1.24 36 .22 1.35 2.62 1.01 2.79 2.67 2.94 1.04 .54 1.36 .71 1.45 2.15 .82 1.35 .18 1.80 1.05 .05 2.90 1.10 2.65 1.94 2.73 1.60 3.01 1.55 1.42 1.42 68 .80 1.29 97 5.01 1.89 1.90 .73 1.12 1.91 1.13 .42 .97 .62 1.78 .08 2.98 2.48 1.314 .71 2.91 1.4 3.44 2.73 3.85 2.47 3.23 3.05 2.41 1.16 80 .94 1.79 2.84 2.78 2.84 .78 2.39 2.49 .48 1.60 1.20 2.54 2.12 2.22 2.61 1.96 3.80 .81 1.0 1.42 .55 .80 3.73 3.42 3.42 2.12 1.14 3.04 1.85 1.15 1.49 .88 .95 2.62 1.59 3.32 2.20 1.52 4.79 1.42 1.27 1.76 1.95 1.99 1.37 2.5 2.18 2.36 3.66 1.78 1 1.78 1.78 2.39 3.018 22.50 24.31 2.048 2.078 20.92	1920 1921 1922 1923 1924 1925 1926 1927 1928 1929 1929

1920 Building 48 ft high 100 pt-

1930. Hospital 50 ydo. N. Teleo, variono G. read 9 am write roummer

Date.	Lat. N.	Long.	Railway Station.	Distance Direction from gauge	Parish Church.	Distance Direction
1920			Three Counties	1 mi S.W	. Statfold	2 mi NE

A.M. Form 1356. Air Ministry, Meteorological Office.

RAINFALL at St	tfold (Three C	o Mental Hosp)
----------------	----------------	----------------

County of Bedfordshire	Observer Dr. L. O. Fuller
River Basin. Ouse - 3.	
Type of Gauge	

Diameter		 5.								6		
Height		 1.0.										
Altitude		 220.										
Year		 1931	1932	1933	1934	1985	1936	1937	1938	1939	1940	Means
January		 1.19	1.26	1.07	1.08	1.22	2.65	3.31	2-04-	3.82	2.02	19-66
February		 1.46	. 13	1.43	.50	2.11	1.63	3.02	.37	.314	1.43	12 -52
March		 . 11	1-48	1.47	1.26	. 33	1.03	2.94	.19	1.42	2.46	12 - 69
April		 2.64	2-11	1-124	1.67	2.69	1.53	2.46	.09	242	1.36	18 - 1
May		 2.22	4.63	1-77	- 64	1:39	.62	3.38	1.97	1.30	1.19	19 -1
June		 1.87	. 47	1.45	.67	1.79	3.95	2.58	-39	1.71	1.04	15 .9.
July	****	 4.22	1.78	95	3.01	53	4.79	2.31	1-60	1.16	2.78	23 -10
August		 3.46	2.58	. 94	179	1:31	.35	1.09	2.34	4.48	. 12	18 - 4
Septembe	r	 1.97	1.68	1.98	1-03	2.95	3 - / 4	2.40	1.53	-86	. 80	18.3
October		 .58	3.57	1-49	124	1.88	1.35	2.41	1.95	3-83	1.89	20.10
November		 2.65	1.18	1.26	1-45	3:40	2.35	1.57	1.96	2.96	6.03	24.8
December		 . 63	.34	. 28	2.88	1.71	1.38	2.65	2.67	(1.02)	1.08	14 - 59

1981. Idospilal, Trees various Rights.

Position of	Station on re 1 mile i	educed Or to 1 inch i	dnance Survey Map, Series	No. of Map	Reference	No	
Date.	Lat. N.	Long.	Railway Station,	Distance Direction from gauge	Parish Church.	Distance Direction from gauge	
1931			Three Counties	· mi.	Orlesey	2 min.	им

A.M. Form 1603. Air Ministry, Meteorological Office

	m 2000.	AII	Willingtiy, 141	ctcororo,	gicui Omice.	
				4 1 6	Station No. 1168	
					Moter Hop.)	41
0	County of	Bedfor	dshie	Observer	Dr. L.O. Faller	

River Basin Ouse - 3 DR M'DIDAMO Type of Gauge Snawdon (1949)

Annual Average 22: Lin. based on Shyears obs. un-weighted. Period of average 1881-1915. Ref. S E314Alac

									File No		1317	4/45	
Diameter		5"			175	478							
Height		1'0"				1					1'6'	1,44	
Altitude		220'				41	1.5				200'	220-61	
Year		1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means	
January		1.93	1.87	5.53	1-13	1.56	1.16	1.12	3.11	1.41	1.17		Tot
February		1.58	.66	.68	-83	1.09	1.56	/		1.09	3.39		12.
March		2.85	-99	.51	-12	.47	.83	4.39	.81	-69	.30		11-3
April			91	.76	1.54	.72	-98	1.69	1.32	1.41	1.57		12.
May		1.75	2.09	1.46	-99	1-67	1.76	.96	2.42	1.80	3.05	X	17.
June			·ab	1.89	1.25	1.55	1.55	1.30	2.83	.56	1-18		13:
July		3.29	2.35	.58	94	2-03	1.70	1.85	1.10	1.71	5.00		20.
August		3.30	1.17.2	1.06	1.70	1.23	3.19	.00	473	1.15	2.77		20.
Septembe			1 00	1.55	1.78	2-39	2.86	.91	1.76	.25	2.22		15.
October		The second second	0.01	1.89	3.11	2.70	1.24	.12	2.05	3.96	.32		20.
Novembe	r	2.01	1.87	84	2.36	.70	4.72	1.04	1.39	2.07	4.65		2/
Decembe	r	1.03		.78	-66	2-10	1.13	2.25	1.33	.60	.93		12:
TOTAL	3	22:04	18.81	15.56	16.41	18,21	22.68	16.99	23.55	16:70	26,55		197

1945 fauge total & brind sound. yange to be m 1948 Horfital hilding 75' high 30 yet, S. 1950 Horfital buildings. 80' Hoyds N. Trees 15 yets. N. W.

Position of Sta	Position of Station on reduced Ordnance Survey Map, No. of Map									
Date.	Lat. N.	Long.	Railway Station.	Distance Direction from gauge	Parish Church.	Distance Direction from gauge.				
1949			3 Courties	Imi. W.	stafeld	1/2 mi. NE.				

RAIN	FALI	at	Stol	fold	(TA	ree Cou	nties A	espila	n No		
County of	Se	alfore	Coline		A STATE OF	Observe	0	me		rid,	
River Bas	in 6	use:	- 3								
Type of G	auge	Snow	odon								
ual Average 2	2.6 in.	based on	58 year	rs obs. un	i-weighted	I. Perio	d of aver	age18	81-	1915	Ref. 8
21	74.	4 4	35 "	- 1916	-1950			File	No	E 31	74/45
Diameter	s"			175	478						
leight	1' 6"										
ltitude	200'										
Year	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Monns
anuary	2.51	1.34	. 85	.75	1.61	3.21	. 811	2-06	2.44	2.30	17.91
	3.41	. 55	1.53	1.76	1.48		2.33	1.92	-11	1.79	15.50
farch	2.45	2.53	- 38	2.00	1.10	-50	.67	1.19	2.09	1.05	13.96
pril	2.26	1.47	1.97	-15	.43	.99	.10	.85	1.50	.36	10.08
lay	2.62	2.26	1.22	2.48	4.13	. 32.	- 88	(1.35)	-52	1.09	16.87
une	.57	.99	1.96	2.94	2.87	2.66	1.43	≤·38	.52	1.96	21.27
uly	.79	. 33	2.27	2.78	.60	4.20	2.43	3.46	3.04	2.44	22.34
ugust 3	.45	3.81	2.32	3.23	1.34	4.10	3.32	3.13	1.72	2-76	29.18
eptember	2.65	2.05	1.78	1-22	1.21	1.74	2.33	3.45	.06	3.18	19.67
etober	.03	2-14	2.62	1.31	1-76	1.60	1.83	1-73	1.25	4.55	19.85
lovember	3.84	2.98	-96	3.59	1-19	-63	1.75	1.31	1.54	3-36	21.15
ecember	1.36	1.79	`42	1.83	2.07	2.95	1.86	2.28	2-80.	2.70	20.08
TOTALS 2	694	22.70	18.28	24-04	19.79	1	19.77	20.01	17.59	/	
TOTALS	4	1	1	d	X	23,51	d	28:41	11.24	27.54	227.81

National Grid Reference THE 32 203350 Position of Station on Ordnance One-Inch map : No. of Map Distance Direction from gauge Distance Direction from gauge. Date. Lat. N. Long. Railway Station. Parish Church. Summary of Earlier Records from 10-year Sheets: 1916-1950. P-accepted 1910-19 1920-30 1931-40 1941-50 1951-60

Record D, or d

(62) Wt. 13072-389 10m 6/50 T.S. 841

d 48,49