80

Lat				Lon.			unty of			?	00
		Rain Ge	suge, by			Obse	verd.	" cu	Ut, C	29.,	6.6
3. Thames	- Sea										
Diameter	12				1000	*					'
Height	3.0										
Altitude	INT										
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEAN
January	-25	1.30	1.22	1.88	2.22	1.88	2.89	1.16	.69	.78	1-42
February											
March											
April								/			
May	.60	1.12	1.28	1.29	.37	2:40	4:52	2.19	-84	3.82	1.84
June	2.29	1.95	2.11	2.30	2:54	2.04	.33	.73	2.78	2.00	1.90
July		- 1									2.81
August	1.19	4.21	1.70	1.65	.96	1:42	.87	1.77	3.46	1.77	1.90
September											
October										3.06	
November										1.00	2.61
December						C. C. C. C. C.				1.14	1.94
Totals	29.07	26.29	2757	23.96	18.10	25.79	24:22	18.02	23.90	26-38	24.33

1881. Ware 3m N.

Prouse 28ft high 36ft N Mall 7ft . 12ft W ... 7ft . 12ft S.

RAINFALL AT Ware Red House

Int. 51° 46' N Im. 0° 6'00 county of Herita

		Rain C	lauge, by			Obser	247	tra	now	cog	Ci.
3- Thames.	Lea.						0			. /	
Diameter	12			5							
Height	3 0			. 9						4 0	
Altitude	114:T			//2 T							
Year	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	MEANS.
January	2.10	1.93	.78	# 1.74	2.23	2.22	- 59	1.99	.54	2.21	1.633
February											1-198
March											1.703
April											1.091
May											1.676
June											1.823
July											2:120
August											2.413
September											1.904
October											2.415
November											2.302
December	. 39	3.97	1.44	2.23	1.82	1.93	3.29	2.23	2.10	1.33	2:073
Totals	19.81	26.46	22.83	19.79	24:04	21.58	27.92	22.47	18.75	22.86	22.651

1892 Ware Church 3/4 Mile N Cottage 29 fl heft 36 ft N Wall 7. 12. W

1899 Jange raied & 4 96

RAINFALL AT Ware Red House

Lat. 51° 48 N Lon. 0° 1' W County of Herto

Diameter	5										
Height	40										
Altitude	112T	115						T			
Year	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	MEAN
January	3.11	. 56	.57	1.88	2.50	1. 34	3.62	1.05	.96	-77	1.63
February								1-29			
March	.62	2.01									
April											
May											
June	2.43	.89	2.45	5.10	.97	2.57	2.98	2.12	1.30	3-68	244
July	1.02	1.99	1.35	5.10	3.31	2.07	1.48	1.36	2.85	2.75	232
August	2.49	1.82	2.85	4.31	2.49	3.43	. 66	1.66	2.67	1.92	2143
September	.93	1.15	1.16	2.53	1.52	1.53	1.22	.55	1.31	1.95	1.38
October	1.78	1.85	1.11	5.84	1-23	1.39	4.28	2.81	1.31	3.21	2:48
November	1.85	.64	1.30	1.84	1.67	2.60	3.69	2.11	.88	. 73	1.73
December	2.43	3.35	1.25	1.55	1.80	.85	2.43	3.00	1.90	2.81	2:13
Totals	21.98	19.1.7	17.28	3500	21.01	22.22	74.83	2112	20.03	22. VC	15.16.2 -

1901 Granwell Church 3/4 Mile SE Wall 6 ft high 11 ge 5. J. Cttage 25. . 30. N. W.

RAINFALL at Ware Red House County of Kertfordshire Observer net Water Board River Basin Trames. Lea 3 Copper Snow For Rain Gauge, by Caselle [4.97 5 Height 4.0 1. Altitude .. 115 T 1910 1911 1912 1913 1914 1917 Year .. 1915 1916 1918 1919 MEANS. January ... 1.66 1.23 3.39 2.53 .81 1.50 1.29 2.55 3.10 3.23 February ... 2.78 1.43 1.51 .80 2.21 3.05 3.24 .61 .75 2.93 7.53 March 79 1.82 3.09 2.05 3.90 1.01 4.00 1.49 .89 2.49 8.87 April 1.51 1.05 .08 2.42 .87 .90 1.06 1.89 3.44 3.67 May 2-17 2.14 . 83 1.59 1.45 2.34 1-75 2.18 2.35 .46 June 3.40 2.21 2.95 1.46 1.88 .88 2.05 .81 1.46 5.04 July 1.65 . 94 1.16 1.60 2.40 3.56 1.05 3.14 3.48 2.18 August 2.46 .40 6.64 1.19 1.31 3.17 3.69 4.39 .85 2.54 10:47 September .. . 49 1.75 2.33 1.14 1.19 1.89 1.40 1.77 4.97 1.41 9.55 October ... 1.66 2.64 2.18 3.57 1.53 1.62 3.07 3.35 1.27 .46



Inspected CS. 3.481-13 Old but round g. natter Peuter). Ideal in cament block at 1 ft. Rosebushes.
3.441 away of galax well-and @ about 30°. Fair but ratter obelies exposure.

TOTALS ... 25.48 23.14 29.58 21.30 26.56 28.20 29.77 23.17 25.90

	House	25 pt 14	L 35 K NW.		1	1	1	-
Date.	Lat. N.	Long.	Railway Station.	Distance.	Direction.	Church,	Distance.	Direction.
			Ware			Van		
							0	

November .. 3 . 2 2 2 . 97 2. 21 2 . 23 2 92

December ... 3.69 4.56 3.21 .72 6.10

4.19 1.44 2.19

4.70 2.77 812.44

2.20

3.71

26.74

10:02

9.73

2.03

RAINFALL at Wave Red House

County of Hertzords hire	Observer Met. Water Board
River Basin Thames . Lea 3.	J. m. Wood
River Basin Thames. dea 0.	(northern bist)

Copper Snowdow Rain Gange, by Casella 1014 R.E. Morris

Tunnel se											thou healed i	
iameter	5-	6							5 Cand	- glass	15.KO 4561 A	T
leight	1 0	1.0										
dtitude	115					105						
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930.	
anuary	2.03	2.01	3.02	1.23	2.67	2.06	2.68	1.59	2.92	1.49	2.13	To 23
ebruary											.52	17
Iarch			Secretary of				.09			.02	1. 77	13
pril	3.19	1.37	2-12	1.27	3.00	1.13	2.41	1.57	.95	1-44	2.45	20
Iay	62	.76	-89	1.28	3.51	1.62	1.69	-95	1.29	1.39	2.82	16
une	1.56	.26	1.20	.73	1-99	-16	3.14	3.80	2.41	.66	2.34	18
uly	3.87	-20	2.92	1.83	4.59	4.25	2.49	2.21	2.43	2.29	2.19	29
Lugust	1.10	1.12	1.87	2.18	1.51	2.79	99	2-98	2.17	.89	2.06	19
eptember	2.26	1.88	2.81	1.38	2.77	3.23	3.18	4.56	.64	.43	3.23	21
ctober	1.09	.79	-87	4.34	3.54	296	2.04	2.29	3.41	3.28	.98	25
November	. 93	2.08	1.13	1.50	2.77	1. 40	4.33	2.28	2.40	5.69	3.48	2
ecember	2.16	1.36	2.50	2.59	3.01	1.79	2.5	2.93	2.51	4.91	2.34	24
TOTALS	20.42	13.00	22.99	22.85	31.03	25:13	25.90	30.61	24.63	23.08	26.31	20

Gauge inspected G.S. 1913. see last sheet. 1920

Enspected to. 6.2 st 5. in small garden, Summer house by light 8 ft. w. w.

New River is 8 ft. E; Jule a good site although shellind.

Impresed F. M. 6 x1.23. Summerlove published a angle of 45° vial g. 4 phones, if promise, be moved as few years N or Sout 9 is oben to him bank in recome page of guila bounded by high wall.

Little for 22 x 25 hardparting on other late of over tagg carellant.

Iron fence 3'6" high 8' E Wall 5'6" high 28' S House 24 high 48' W

Position of Station on reduced Ordnance Survey No. of Map Reference No. Map, 2 miles to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance Direction from gauge	Parish Church.	Distance Direction from gauge
1929					St. Mary's	1166 yols N

RAINFALL at Ware (Red House	RA	AINFALL	at Ware	(Red House
-----------------------------	----	---------	---------	------------

County of Hertfordshire	Observer Met. Water Board.
River Basin Thames - Lea - 3	

													3894
Diameter			5.										17.2
Height			1.0.										
Altitude			105.		THE								
Year			1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	Means
January			1.57	1.54	1.77	163	1.33	3.65	3-85	+ 2.58	5.32	2.25	25.49
February			1.55	13	1.28	.13		1.79		.52	.72	1.53	14.07
March			.06	1.52	2.15	2.14	. 48	.86	2.51	•30	1-72	2.49	14.23
April			3.78	1.95	1.11	1.12	3.37	1.14	2.78	707	2.69	1.50	19.51
Мау			2.74	3.70	1.98	.53	a·13	.41	291	2.00	1-15	1.21	18:76
June			1.60	.79	2.76	1.06	3.04	3.69	1.53	.51	1-62	.44	17.03
July			2.89	1.84	.87	-85	· 61	4.39	1.76	1.20	1.98	2.35	18.74
August			3.79	3.16	. 41	1.96	1.48	.26	1.52	3.46	3.83	.04	19.91
Septembe	r		2.63	1.43	2.45	1.82	3.43	2.77	1.87	2.95	1.40	1.24	22.40
October			.46	423	1.60	1.23	3-12	1.57	2.08	2.58	4.90	3.12	24 - 80
November	·		2.64	1.30	.98	1.61	3.35	3-09	1-47	2.96	3.96	6.46	27.82
December			.79	.50	. 47	4.27	2.58	1.72	3.29	3.34	1-14	1:35	19.45
TOTALS		****	24:50	22.09	17.83	18.34.	27.85	25.34	29.06	22.47	30-93	23.98	24231

1931. I now time 3 pe is in lingth 8 fer. E. Insperter 5/3/34 Concrete want gauge absorbed.
Wash 5 is 20 5. Europe and letter set up with nime

+ impacted 16, 138 by my Demuell. Sauge sounds a correct he 940 Jan Jart cold.

940 fan fast estel.

A.M. Form 1603. Air Ministry, Meteorological Office.

	RAINFALL at Work (Red House)	Station No. 9.5.5.
	County of Heatfordshine Observe	Met Water Board
	River Basin Inamus Lea 3	
	Type of Gauge	
Annual	Asserted 3:5 in breed on 35 sears ohe as an anciented Pari	od of average 1991-1915 Pel 5

								File No	. 88	3894	123	
Diameter	5"			242	547							
Height	10				1							
Altitude	105				41						EGA.	
Year	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means	
January	275	2.19	4.34	1-4-1	1.75	1.79	1.77	3.89	1.29	1:35		
February	2.35	.89	1.19	1.06	148	2.52	1.40	1.05	1.21	3.45		
March	2.73	1.49	.54	-13	.64	1.04	4.94	.79	. 88	-71		
April	1.24	1.31	1.43	1.42	1.30	1.54	1.41	1.34	1.66	1.81		
May	1.81	2.75	1.94	.79	1.82	2.10	-86	2.12	1.94	1.72		
June	1.09	.16	1.54	1-66	1.67	2.06	2.76	2.36	.73	1.43		
July	303	1.93	1.31	1.78	2.92	2.89	2.10	1.49	3.00	3.56		
August	4.68	1.69	1:48	2.54	.96	3.64	.09	2.75	1.57	1.98		
September	.87	1.18	1.80	2.54	2.17	3.91	1.18	1.56	.34	2.98		
October	1.00	3.94	2.52	3.26	2.68	. 89	.10	1.91	5.38	-38		
November	2.39	1.76	1:33	3-11	-10	4.15	.96	1.71	2.14	4.72		
December	165			1.38	3.06	1.86	2.59	2.58	1.49	1.41		
m					0-5-			02.66				

TOTALS ... 25.59 22.08 20.92 21.08 20.55 28.39 20.46 23.55 21.63 25.50 D. Surpected 11/9/47 - Site undanged: gauge sound. Tel.

204.15

RAIN	FAL	L at	War			HOUSE	- 19	Statio	n No	755	147
County	of Mak	TEORI	SHIR	£		Observe	MET.	WA	TER	BORR	D,
River Be	usin 1	AMES.	LEE	- 3							
Type of	Gauge4	mk	Ian	- speek	on. 199	5)					
Annual Average &	23.5 in.		3.5. year		-weighted		od of aven	age //9	881- 16-1953 No. 3	1915	ELESI
Diameter	5"			242	547				8	22624	158
Height	1' 0"			240	1						
Altitude	105				51						
Year	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means
January	2.51	1.89	1.09	(.90)	2.09	3 - 21	-88	2-20	210	2.09	18.96
February		.53	1.84		1.57	.40	2.65	2.77	.08	1-62	18 10
March	3.04	2.46	38	2.07	1.21	-78	1.28	.92	2.06	.99	15.19
April	2.84	1-74	2.52	.21	-35	1.10	. 17	1.23	2-32	-43	12.91
May	2.44	.83	1.20	1.80	4.36	- 38	.56	2-46	-99	1-16	16.18
June	1.20	1.52	1.54	295	2.15	2.84	1.84	5.48	1.25	1-75	22.56
July	.74	.54	3.02	2.03	.14	3-43	3.70	3-13	2-10	283	21.66
August	4.68	4.59	1.66	2.78	1.57	4-67	1.46	3.13	1-39	2.72	28 65
September	3.29	2.27	1.82	1.35	1.64	1.64	2.70	3-14	-06	4.13	22.01
October	.70	2.19	3.01	1.87.	3.65	1.96	1.88	2-89	1.90	5.47	25.50
November	4.00	3.57	124	3.89	.72	.67	1.98	1-76	2-40	3.08	23.3
December	1-82	2.49	.50	1.38	1.94	2.87	2.01	2-52	4.01	2.76	22.3
700	31.86	24.62	19.82	22.27	89	23.95	87	132	86	121	0170
Totals	D	D	1	d	21.39	D	D	31-63	20.66	29.03	247.3
egange trans egange trans 954 Jun Inspelled & E Recommend My II 1958 B.O.I hyntid 11.1060 1	demed est 19 pe 195	4.0.3 (b.	Delles	Gar	ge son	rution	econ	32 136	Jied.	Site of	
Position of Static	m on Or	dnance O	ne-Inch 1	nap:	No. o		161		Charles and the Control	CONTRACTOR OF STREET	nce = 2/365
Date, Lat.		N. Long.		Railway Station.		Distance Direction from gauge		on Parish C		hureh.	Distance Dir from gar
Summary of Earl	ier Reco	rds from			78			19	116-19	50, F	- Dolly
			1910			0-30	1931-40			1941-50	1951-