Dorset

	'By		
Rain	By		
Gauge	Diameterin-	Height above Ground, ft iu.	Above Mean Sea Level, ft-

Year	1864	1865	1866	1867	1868	1849	MEANS.
January		7.15		/			
February	2./3	6.19	4.18	2.90			
March	2.99	2.96	1.69	4.95			
April	1.80	1.71	1.92	1.68			
May		3.28					
June	2.18	2.00	1.52	.85			
July	.73	1.72	1.09	1.33			
August	1.30	3.84	2.02	1.36			
September	3.24	0.00	7.54	1.23			
October	2.53	9.60	2.05	2:11			
November	5.67	5.44	2.00	. 88			
December	2.56	4.55	2 - 22	2.00			
Totals	28.84	48.44	32.45	3071			

cccc

1866 Sep: 6.94 + Sotal 31.25 in mother Mrs:

## RAINFALL AT Neymouth County of Doract Lat. Lon. J. B. Croves Rain Gauge, by The Roy: Met: for. Frome - 3. Diameter .... 5 Height ..... Altitude .... Year ..... 1880 1882 1885 1886 1887 1888 1889 1881 1883 1884 MEANS. January . . . . 17.40 275 3.09 2.24 3.49 2.85 1.35 .80 February .... (1060 3.79 2.89 3:23 93 .72 -60 1.39 March ..... (445) .71 2.26 1.13 3.22 1.18 3.02 1.54 April ..... (6.70) 1.02 2.40 2.08 1.72 .82 1.10 1.87 (395) 1.93 .68 2.68 2.75 1.91 May ..... 1.63 1.53 June ..... (825) 1. 25 2.80 2.28 .85 .32 3.35 3.84 July ...... (605) 1.82 1.98 38 3.09 2.97 August ..... (860) .38 1.43 .89 .87 1.74 1.89 2.21 September . . . . (9.00) 3.79 1.40 4 37 2.79 2.46 1.09 .89 October .... (11.60) 1.89 1.01 3.66 4:22 2.83 2.68 4.33 November . . . . (1130) 3.47 142 3.73 3.11 3.46 7.21 December . . . . (7.10) .51 3:57 1:80 5:50 242 2.08 2.21 TOTALS ....

1883 Not printed

\* 1881-93 computed from long to Harring x 100

## RAINFALL AT Weymout The nother

Lat.				Lon.		Co	unty of	20	rset		
Frome-3.		Rain	Gauge, by			Obser	rer	J. B.	grov	soc 1	H.S. E.
Diameter	5										
Height	10										
Altitude	80					400					
Year	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	MEANS.
January	2.61	2.52	1.96	2.59	3.36	3.90	.85	1.82	. 63	3.89	24-13
February						. 02					
March		4.00				2.36					
April						2.35					169
May						.32					13 68
June						1.65					
July						2.34					
August						2.19					
September			2.89			. 27					
October						2.61					
November						5.38					
December						3.99					
Totals	12.43	35.68	24-40	22.73	36.51	27.38	21.81	29.21	21.70	21,90	26675

1890 May Record imperfect.
1890 May compile 81.20

La	t			Lon.				Do			0
Frome - 3		Rais	Gauge, l	y		Obs	erver H			Reter	
Diameter	5										
Height	10										
Altitude	79					25					
Year	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	MEANE
January	2.24	1.95	. 29	2.114	4:03	1.09	5.64	1.13	. 93	. 80	2:191
February		.97								- 26	1.88:
March	-	2-04					1		,		2:14
April		2-42						/	1	1.11	1.760
May		. 85	1		1					1.16	1.703
June		.79								3.14	1630
July		1.92								1.69	1.4.30
August	1.36	2.34	3.46	3.95	3.30	2.63	.64	1.20	1.84	2.28	2300
September	1.03	3.21	1.37	2.75	1.58	2.31	.85	.68	2.42	2.16	1.836
October	1.82			6	100000000000000000000000000000000000000		5.13		6.50	6.30	4423
November	3.40	.38	4.03	1.18	1.96	4.24	3.60	2.96	1:12	.68	235
December	4.69	3.96	1.65	2.60	3.00	.59	1.94	3.91	3.09	4.20	2963

1905 fange mound formule NK M Man 31t 1906 Weekham Church 600 yands NK Weeymoreth Staton 800. NE

RAINFALL at Weymouth Westham (Boro 26 concerts works)

County of Dosetchnie Observor S. f. Brown Eng.

River Basin From + C 3

River Basin From + C 3

copper Snowdon Rain Gauge, by ?

. hiam 5.00 all over glass tester by MO

Diameter	-										
Height	1.0										
Altitude	25					1					
Year	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	MEANS.
January	3.19	1.06	5.38	4.72	.55	3.01	.71	1.11	3.18	5.49	10
February											14
March	.62	2.23	4.45	2.22	4.98	.90	3.08	2.65	1.04	4.68	//
April	1.22	1.39	.08	2.05	1.02	. 84	.56	1.19	1.35	1.43	A
May	1.54	.60	2.79	2.06	1.51	2.53	1.42	1.93	1.84	. 81	6
June										73	3
July	2.64	-12	1.70	. 23	3-04	3.44	.96	2.55	3.59	2-17	9
August										2.56	10
September						100000000000000000000000000000000000000	Harry Constitution	1000	15000000000000000000000000000000000000	1.31	/1
October										1.85	14
November										2.96	10
December									Commence and	4.75	4
	- 1			1				,	,		30765

1913 Railings 45 rule blendly allow for

Impreted of Two gg. in small exclosure in yord, both Snowdown. Fiely oxillated by troot too much

Date.	Lat. N.	Long. W	Railway Station.	Distance.	Direction.	Church,	Distance.	Direction
	50.36.20	2. 50,26 V	Weymoull	1/2 1 m	SE NE	meleonle Regis Pro	/2 9h	SE
						St- Paul's	1/4	N

## RAINFALL at Weymouth (Westhern)

Country of Dotel Chiefe Observer & New Son, Egg,

Allor & - O Pain Garage has 2

Capper Thousan Bain Gauge, by 2.

					1	1					7
Diameter 5	1										
Height /-0											
Altitude 20											
Year 1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.	Buns - 1703
January 4:48	3.62	4.12	1.44	4.67	4.42	3.64	2-124	4.91	1.61	3.44	3849
February 0.44	.30	2.72	5.55	1.15	3.99	171	2.57	2.77	1.91	. 94	24-05
March 2 90	1.25	2.44	1.28	1.51	.56	.36	2.68	2.69	15	1.26	17.08
April 3.41			2.99	2-49	2.09	291	2.02	1.88	.71	2.09	2449
May 1.57	2.27	1.03	1.48	421	3.15	1:31	1.07	1.35	2.35	2.22	2195
June 2.16	30	.70	-55	1.62	.35	2.57	174	202	1.77	.49	142
July 3. 93	. 18	4.08	.85	3.49	2.93	160	2.04	2.00	1.24	1.58	240
August 1.54	1-24	2.96	1.25	THE REAL PROPERTY.	2.88		3.28	2.56	1.55	2.91	23-24
September 1.59	٠٦١	1.5.5	3 2 6	3-23	3.50	2533700		2.04		3.27	26.77
October 294	1.13	1.74	5.06	5:33	422	315	2:11	5.72	405	2.52	37.9
November 1.35			1.57		2.95					5.54	4334
December 3.40	1.55	4.54	3.53	4.92	3.52	-50				4.46	40.60
TOTALS. 29 65	15.89	31-11	28.81	38.83	3456	29.12	-33.37	34.61	29.69	30.72	33636

1920. April willings 12 for hot. 12 for off. & E.

Position of Station on reduced Ordinance Survey
Map, 2 miles to 1 inch Series

No. of Map

Reference No.

Reference No.

Distance Direction from gauge

1920

5336202265 NAthan 26alt 10046. W.E.

1927

No. of Map

Reference No.

Distance Direction from gauge

Parish Church.

From gauge

1920

1920

1921

No. of Map

Reference No.

1920

Parish Church.

Pauling

Hough NNE.

1553 31

1000.	Air	Ministry,	Meteorological	Omce.

	.3
RAINFALL at Weymouth	(westham) + A 1924 MWR
County of Darsetshire	Observer G. Nicolson, Esq.
River Basin Frome & C 3.	Boonigh Electrical Engineer.
Type of Gauge Snowator . MO (1928)	she Town Clark V
	d. Period of average 1881 1915 Ref Boy

Diameter 5" 5. Height 1:0 1.0 Altitude 16' 16 20 1934 Year 1931 1932 1933 1935 1936 1937 1938 1939 1940 Means 1.90 2.04 1.96 2.51 .61 4.50 mbb 3.48 5.67 3.42 30.75 January 1.78 .02 4.01 .03 3.29 1-99 4.14 24.65 3.11 559 .69 February 1.84 3.13 2.43 1.10 -94 1.26 . 30 3.10 22.09 3.78 421 March 202 1.57 1.63 3.10 1.23 2-11 1.47 17.55 2.18 2.13 April .... . .. -99 2.39 1.66 .68 1.13 1.47 17.32 3.19 2.02 3.28 May .... .27 1.16 2-19 14.58 2.59 2.24 .37 3.39 1-39 . 41 June ....

3.35 1.99 1.76 12 35 3-16 447 1.91 3.66 2:37 23:14 July .... 3.20 1.02 .54 2.50 2.64 .08 1.63 2.43 102 14.52 2.46 August ` 3.21 2.18 2.59 2.93 2.08 2.13 -82 1.81 21.26 September .... 1.50 2.01 5.84 35.54 .51 5.74 1.81 1.85 4.67 1.16 mma 3.40 6.07 October 2.12 . 68 2.14 7.15 3.27 259 4.07 8.43 . 42.19 November ... 4.53 5.21 2.65 31.99

1.22 1.02 9.22 4.60 3.11 3.81

72 27.13. 25.85 20 69 26.86 35-67 27.56 39.56 24-23 35-04 34-99 297-58 TOTALS Impusto stress that Casella yes hopeetra 3/6/24. since carly in 1934 tis working were

Inspected 24/6/36 by M.O. inspectore. S. satisfactory Alithecheles 16/1 8/10/26. No change

7/7/38 London garge is woment

24.5. 25 has no.5., 7 ft for Watfree - 17 ft. for northfance

oil changel in may 1929

1.14

December

Position of Station on reduced Ordnance Survey Map, No. of Man

2.10

3.12

Date.	Lat. N.	Long.	Railway Station.	Distance Direction from gauge	Parish Church.	Distance Direction from gauge
		3472				

RAINFALL at Wennest (Westram) MWR.
Country of Mosel. Observer The Gover Stark.
River Basin Tropiese - 3
Type of Gauge

Annual Average 22 P. in. based on 32 years obs. un-weighted. Period of average 1881-1915 Ref. R. d. N.

,								File No	0	3257	-0
Diameter	5"				350	753					
Height	10	1000				3				1	
Altitude	16'					41					
Year	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means
January	4.41	3.88	5.87	a.a7	2.01	2.97	3.15	5.95	.79	.65	3195
February	4.16	.42	1.35	.44			2.23	1.16	1.16	5.50	2137
March	3.06	1.59	.98	·aa	.95	1.20	8.21	1.17	1.36	1.40	2014
April	2.03	172	.65	1.87	.61	2.46	229	1.62	1.52	1.78	1655
Мау	3.29	3.72	2.41	.15	2.33	3.55	2.07	1.85	2.20	1.25	2282
June	2.45	26	.91	1.78	3.08	3.80	2.28	1.77	.63	1:27	1823
July	1.30	1.20	1.66	292	1.39	1.20	1:39	1.81	.84	5.37	1908
August	3.34	3.35	1.67	1.80	2.03	4.06	1.16	286	1.11.	3.37	2475
September	1.17	1.59	2.99	1.78	2.73	4.73	/.35	2.93	4.44	421	2792
October	1.04	3.39	3.62	3.50	3.72	1.50	1-10	245	6.48	1.06	2786
November	1.75	1.77	2.31	6.13	2-14	5.84	1.99	250	4.35	6-14	3490
December	2.37	426	340)	2.30	4.07	4.13	331	4.77	2.62	362	3487
TOTALS	30.37	27:15	1282 1782	25.18	27:16	38.29	30.51	30.84	27.50	35-62	30044

1943 p.p. imp.
1145 higher Air rection 28 bus
The proceed 184. G. A. Kivelt 26.7.49. Sakiefactory

		on reduced Ordnance Survey Map, No. of Map Reference No R								
Date.	Lat. N.	Long.	Railway Station.	Distance Direction from gauge	Parish Church.	Distance Direction from gauge.				

	_	L at.	/	ymou	th.	West	ham)			00	MWR) 271
	-	orset	-			Observe	r	Xe To	twn	6 ler	k
River B	asinZ	rome	15.	3							
Type of	Gauge	M.C	(1)	D D TS.	miana l	lent vat a	epak-6.K	no.\			
nual Average							od of aver	age!	1881-	1915	Ref. B. J. N
	0-04.	. "	25 "	" 191	1430	-		File	916 - 19 No		
Diameter	5"			1,46	350	753					
Height	1' 0"		7	Tile.		3					فالمناف
Altitude	16'	100			1	5)		0124			
Year	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means
January	3-71	2.29	.76	1.66	2.96	4.26	3.10	2.88	4-53	3.25	2939
February	5.37	.59	1.74	3.11	1.85	-11	3.98	2.82	.33	2-90	2280
March	3.84	3.06	.57	3.91	1.43	. 77	2.60	1.17	3.55	297	2387
April	2.51	1.64	2.16	. 02	.61	1. 41	.24	:49	1.94	2.52	1360
May	271	2.47	2.78	1.37	3.49	.65	1. 89	1.95	-83	1.77	1981
June	.39	1.25	1.85	2.40	2.78	2:26	2. 43	2-55	79	1.95	1865
July	1.90	. 57	3.03	3.24	7.20	2:35	4:71	2-33	1.43	3-26	3002
August	4.29	1.91	1.64	2.60	.49	2.97	2.37	2.53	1-49	5.69	2598
September	3.77	4.00	2.61	2.93	1.63	5.76	3.25	4-32	.27	5.58	3412
October	-86	4.68	3.32	2.36	3.77	1.61	2.49	3-30	3.48	8.32	3419
November	8.19	4.06	1.63	5.49	2:78	.79	2.53	3.63	4.31	5.73	3914
December	2.76	2.95	.57	3. 23	6.47	477	2.26	4-64	7.57	4.04	3826
TOTALS	40.30	29.47	22.66	32 - 32	34.21	27.61	31.85	32.61	30.52	47.98	32983
SI tropested	D	D	0	D	D	g gauge	D	D	3)	0	
p. H. Pedlow	18.5.5	3 Sales	tacky.		on.		. 4	1. F.	10	11-	
57. 23/5/ In	spid by	you gast	ett. En	closure i	coppote	ation yard	seemed r	after sho	Clarat. Ca	nas dental	. Generally satisfaction .
7 Lmp. 17	יויים מויטויי	·.w. w. /	yac.	hnall o	lant in	Just,	Turt ru	the rough	-, 100	bijous o	bstruction.
											ex/2-)/2/2
ition of Statio	T		T			f Map	ce Direction			100 mm	Distance Dire
Date.	Lat. N	. Lon	g.	Railway S	station.	fre	m gauge		Parish Ch	urch.	from gaug
											THE PROPERTY AND ADDRESS OF THE PARTY OF THE

Record D, or d

(62) Wt. 13072-389 10M 6/50 T.S. 841

1 hut - 10,16

41-42, 44-50

Vent d 42