Cow	Quarter	Result	
Jitterbug	LH	No growth	Heavy growth
	LF	No growth	Moderate growth
	RH	Staph. species (moderate growth)	Minor growth
	RF	No significant growth	
		Interpretation: Jitterbug had a Staph. species infection in her right hind quarter at time of sampling.	No growth
			No significant
Ambrosia	LH	Staph. species (moderate growth)	growth
	LF	No sample	
	RH	No growth	
	RF	No growth	
		Interpretation: Ambrosia had a Staph. species infection in her left hind quarter at time of sampling.	
Lovage	LH	No growth	
	LF	Staph. species (heavy growth)	
	RH	No growth	
	RF	No sample	
		Interpretation: Lovage had a Staph. species infection in her left front quarter at time of sampling.	
Luxury Tax	LH	No growth	
	LF	Staph. species (moderate growth)	
	RH	No growth	
	RF	No growth	
		Interpretation: Luxury Tax had a Staph. species infection in her left front quarter at time of sampling.	
Klondike	LH	No growth	
	LF	No growth	
	RH	No growth	
	RF	Staph. species (moderate growth)	

		Interpretation: Klondike had a Staph. species	
		infection in her right front quarter at time of	
		sampling.	
Life	LH	Strep. species (moderate growth)	
	LF	Staph. species (moderate growth)	
	RH	No growth	
	RF	No growth	
		Interpretation: Life had a Staph. species	
		infection in her left front quarter and a Strep.	
		species infection in her left hind quarter at time	
		of sampling.	
Mustache	LH	No growth	
	LF	No growth	
	RH	No growth	
	RF	No growth	
Faith	LH	Staph. species (moderate growth)	
- Citi	LF	No growth	
	RH	No growth	
	RF	No significant growth	
		ito signimeant growth	
		Interpretation: Faith had a Staph. species	
		infection in her left hind quarter at time of	
		sampling.	
Ladyfinger	LH	No growth	
	LF	No growth	
	RH	Staph. species (moderate growth)	
	RF	No growth	
		Interpretation: Ladyfinger had a Staph. species	
		infection in her right hind quarter at time of	
		sampling.	
Zsa Zsa	LH	No growth	
	LF	No growth	
	RH	Strep. species (moderate growth)	
	RF	No growth	
		Interpretation: Zsa Zsa had a Strep. species	
		infection in her right hind quarter at time of	
		sampling.	
Leap	LH	No growth	
	LF	No sample	
	RH	No growth	

	RF	No growth	
		3	
Amarillo	LH	Strep. species (moderate growth)	
	LF	No growth	
	RH	No growth	
	RF	Staph. species (moderate growth)	
		Interpretation: Amarillo had a Strep. species	
		infection in her left hind quarter and a Staph.	
		species infection in her right front quarter at	
		time of sampling.	
Kowabunga	LH	No significant growth	
Kowabanga	LF	Staph. species (minor growth)	
	RH	Staph. species (minor growth)	
	RF	Staph. species (minor growth)	
	IXI	Stapin. species (minor growth)	
		Interpretation: Kowabunga may have had a	
		Staph. species infection in her left front, right	
		hind, and right front quarter at time of	
		sampling.	
WMCA	LH	No growth	
	LF	No growth	
	RH	No growth	
	RF	Corynebacterium species (minor growth)	
		Interpretation: WMCA may have had a	
		Corynebacterium species infection in her right	
		front quarter at time of sampling.	
Chalupa	LH	Staph. species (moderate growth)	
	LF	Staph. species (moderate growth)	
	RH	Staph. species (moderate growth)	
	RF	No significant growth	
		Interpretation: Chalupa had a Staph. species	
		infection in her left hind, left front, and right	
		hind quarter at time of sampling.	
Mini Golf	LH	No growth	
	LF	No growth	
	RH	No growth	
	RF	No growth	
Krone	LH	No growth	
	LF	Staph. species (moderate growth)	
	RH	Staph. species (minor growth)	
	RF	Staph. species (moderate growth)	

	Interpretation: Krone had a Staph. species	
	infection in her left and right front quarters,	
	and possibly in her right hind quarter at time of	
	sampling.	
LH	No growth	
LF	No growth	
RH	No growth	
RF	Staph. species (moderate growth)	
	Interpretation: Webster had a Stank species	
	Sampling.	
LH	No growth	
LF	No growth	
RH	No growth	
RF	Staph. species (moderate growth)	
	Interpretation: Willy had a Staph. species	
	infection in her right front quarter at time of	
	sampling.	
LH	Strep. species (moderate growth)	
LF	No growth	
RH	No growth	
RF	No growth	
	Interpretation: Kodiak had a Stren species	
	sampling.	
LH	No growth	
LF	No growth	
RH		
RF	No growth	
LH	No growth	
LF	No growth	
RH	No growth	
RF	No growth	
IН	No growth	
	_	
NF.	NO SIGNIFICATIL GLOWLII	
LH	Gram negative Coliform species (heavy growth)	
	LH LF RH RF LH LF RH RF LH LF RH RF LH LF RH RF	infection in her left and right front quarters, and possibly in her right hind quarter at time of sampling. LH No growth RH No growth RF Staph. species (moderate growth) Interpretation: Webster had a Staph. species infection in her right front quarter at time of sampling. LH No growth RF Staph. species (moderate growth) IF No growth RF No growth RF Staph. species (moderate growth) Interpretation: Willy had a Staph. species infection in her right front quarter at time of sampling. LH Strep. species (moderate growth) LF No growth RF No growth RF No growth Interpretation: Kodiak had a Strep. species infection in her left hind quarter at time of sampling. LH No growth LF No growth RF No growth LF No growth RF No growth LF No growth RF No growth

	LF	No significant growth	
	RH	Gram negative Coliform species (minor growth)	
	RF	No growth	
		Interpretation: Chive had a coliform species infection in her left hind and right hind quarter at time of sampling.	
Lioness	LH	No growth	
	LF	No growth	
	RH	Staph. species (moderate growth)	
	RF	No growth	
		Interpretation: Lioness had a Staph. species infection in her right hind quarter at time of sampling.	
Atlantic	LH	No growth	
	LF	No growth	
	RH	No growth	
	RF	No growth	
Lilac	LH	No growth	
	LF	No growth	
	RH	Staph. species (moderate growth)	
	RF	Interpretation: Lilac may have had a Staph. species infection in her right hind quarter at time of sampling.	
Madge	LH	No growth	
	LF	No growth	
	RH	No growth	
	RF	No growth	
Licorice	LH	No growth	
LICOTICE	LF	No growth	
	RH	Staph. species (minor growth)	
	RF	No sample	
	100	Interpretation: Licorice may have had a Staph. species infection in her right hind quarter at time of sampling.	
Cheese	LH	No growth	
	LF	No sample	
	RH	No growth	
	RF	No sample	

Martina	LH	Staph. species (moderate growth)	
	LF	No growth	
	RH	No growth	
	RF	No sample	
		Interpretation: Martina had a Staph. species	
		infection in her left hind quarter at time of	
		sampling.	
Lop	LH	Staph. species (moderate growth)	
,	LF	No growth	
	RH	No sample	
	RF	No growth	
		Interpretation: Lop had a Staph. species	
		infection in her left hind quarter at time of	
		sampling.	
Khaki Beige	LH	No growth	
	LF	Staph. species (moderate growth)	
	RH	No growth	
	RF	No growth	
		Interpretation: Khaki Beige had a Staph. species	
		infection in her left front quarter at time of	
		sampling.	
		samping.	
Fresno	LH	No growth	
	LF	No growth	
	RH	No growth	
	RF	No growth	
Lordwalk	LH	No growth	
	LF	No growth	
	RH	No growth	
	RF	Staph. species (moderate growth)	
		Interpretation: Lordwalk had a Staph. species	
		infection in her right front quarter at time of	
		sampling.	
Clinical samp	le		
Lego	LH	No growth	
	LF	No growth	
	RH	Gram negative Coliform species (heavy growth)	
	RF	No growth	

Interpretation: Lego had a coliform infection in
her right hind quarter at time of sampling.

>50 colonies per mL
10-50 colonies per mL
<10 colonies per mL
No bacteria observed. This
can be a true negative
result, but can also be a
false negative result where
any bacteria present were
not able to be cultured.
Minor contamination with
an environmental
organism or an organism
on the teat skin; no major
concern.