

Milk Bulk Tank Culture				
Lab Pasteurization Test				
Bulk tank milk	PADDLEBRIDGE FARM 1-16-20	15	Colonies/ml	
	PADDLEBRIDGE FARM 2-21-20	0	Colonies/ml	
	PADDLEBRIDGE FARM 3-20-20	0	Colonies/ml	
Range of results from all 30 farm visits (10 farms):		Average	243	Colonies/ml
		Lowest	0	Colonies/ml
		Highest	1,250	Colonies/ml
Standard plate count (32 degrees C)				
Bulk tank milk	PADDLEBRIDGE FARM 1-16-20	35	Colonies/ml	
	PADDLEBRIDGE FARM 2-21-20	80	Colonies/ml	
	PADDLEBRIDGE FARM 3-20-20	85	Colonies/ml	
Range of results from all 30 farm visits (10 farms):		Average	123,454	Colonies/ml
		Lowest	15	Colonies/ml
		Highest	3,700,000	Colonies/ml
Pre-incubation count				
Bulk tank milk	PADDLEBRIDGE FARM 1-16-20	550	Colonies/ml	
	PADDLEBRIDGE FARM 2-21-20	160	Colonies/ml	
	PADDLEBRIDGE FARM 3-20-20	1,150	Colonies/ml	
Range of results from all 30 farm visits (10 farms):		Average	2,264	Colonies/ml
		Lowest	140	Colonies/ml
		Highest	19,500	Colonies/ml
Coliform count (32 degrees C)				
Bulk tank milk	PADDLEBRIDGE FARM 1-16-20	0	Colonies/ml	
	PADDLEBRIDGE FARM 2-21-20	0	Colonies/ml	
	PADDLEBRIDGE FARM 3-20-20	0	Colonies/ml	
Range of results from all 30 farm visits (10 farms):		Average	153,338	Colonies/ml
		Lowest	0	Colonies/ml
		Highest	4,600,000	Colonies/ml
Coliforms				
Bulk tank milk	PADDLEBRIDGE FARM 1-16-20	0	Colonies/ml	NA
	PADDLEBRIDGE FARM 2-21-20	0	Colonies/ml	NA
	PADDLEBRIDGE FARM 3-20-20	90	Colonies/ml	Low
Range of results from all 30 farm visits (10 farms):		Average	11	Colonies/ml
		Lowest	0	Colonies/ml
		Highest	220	Colonies/ml
Non-ag Strep				
Bulk tank milk	PADDLEBRIDGE FARM 1-16-20	35	Colonies/ml	Low
	PADDLEBRIDGE FARM 2-21-20	10	Colonies/ml	Low
	PADDLEBRIDGE FARM 3-20-20	160	Colonies/ml	Low
Range of results from all 30 farm visits (10 farms):		Average	85	Colonies/ml
		Lowest	0	Colonies/ml
		Highest	320	Colonies/ml

[illegible]

Bedding Culture				
Coliforms				
PADDLEBRIDGE 1/16/2020 SAWDUST	Coliforms	4,000	Colonies/ml	Low
PADDLEBRIDGE 1/16/2020 SAWDUST	% Coliforms Klebsiella sp.	63		High
PADDLEBRIDGE 2/20/2020 SAWDUST	Coliforms	7,250	Colonies/ml	Low
PADDLEBRIDGE 2/20/2020 SAWDUST	% Coliforms Klebsiella sp.	48		High
PADDLEBRIDGE 3/19/2020 SAWDUST	Coliforms	2,100	Colonies/ml	Low
PADDLEBRIDGE 3/19/2020 SAWDUST	% Coliforms Klebsiella sp.	0		Low
Range of results from all 30 farm visits (10 farms):		Bedded packs	Wood shavings	
Average		440,687	113,240	Colonies/ml
Lowest		25	0	Colonies/ml
Highest		6,250,000	1,075,000	Colonies/ml
Average		16	11 %	
Lowest		0	0 %	
Highest		74	63 %	
Environ Strep				
PADDLEBRIDGE 1/16/2020 SAWDUST	Streptococcus sp.	290,000	Colonies/ml	Low
PADDLEBRIDGE 2/20/2020 SAWDUST	Streptococcus sp.	80,000	Colonies/ml	Low
PADDLEBRIDGE 3/19/2020 SAWDUST	Streptococcus sp.	11,000	Colonies/ml	Low
Range of results from all 30 farm visits (10 farms):		Bedded packs	Wood shavings	
Average		2,150,513	2,077,716	Colonies/ml
Lowest		2,700	6,250	Colonies/ml
Highest		6,250,000	6,250,000	Colonies/ml
Staph species				
PADDLEBRIDGE 1/16/2020 SAWDUST	Staphylococcus sp.	0	Colonies/ml	Low
PADDLEBRIDGE 2/20/2020 SAWDUST	Staphylococcus sp.	0	Colonies/ml	Low
PADDLEBRIDGE 3/19/2020 SAWDUST	Staphylococcus sp.	0	Colonies/ml	Low
Range of results from all 30 farm visits (10 farms):		Bedded packs	Wood shavings	
Average		0	0	Colonies/ml
Lowest		0	0	Colonies/ml
Highest		0	0	Colonies/ml