

SeedRover Web Portal

Software Testing, Validation, and Playwright Automation Report

Web Administration Portal | Formal browser testing | TypeScript + Playwright

Submission Information	Details
Institution / Department	[Enter institution and department]
Course / Section	[Enter course and section]
Team Members	[Enter team member names]
Instructor	[Enter instructor name]
Submission Date	[Enter submission date]
Test Cycle	20261005T153119448-21704

Formal run	Result
Playwright regression	50 passed | 0 failed | 2 blocked
Executed-case pass rate	100.0%
Automated scenarios	52 of 52 in-scope cases

Prepared for academic review. Names, signatures, and approvals remain editable.

Contents

Section	Contents
1. Document Information	Project identity and run overview
2. Objective	Purpose and test goals
3. Scope	Included and excluded web testing
4. Test Environment	Browser, application, database, and data controls
5. Automation Framework Details	Playwright stack and implementation
6. Entry Criteria	Conditions before execution
7. Exit Criteria	Completion and acceptance conditions
8. Automation Test Scenarios	Scenario catalogue
9. Automated Test Cases	Detailed Playwright cases and evidence
10. Test Data Management	Fixture isolation and cleanup
11. Defect Tracking	Observed defects, blockers, and assertion limits
12. Test Execution Summary	Actual results and run history
13. Automation Coverage	Coverage by module
14. Risks and Assumptions	Known constraints
15. Reporting and Dashboard	Reports and metrics
16. CI/CD Integration Checklist	Pipeline status
17. Test Sign-Off	Reviewer decision and signatures

1. Document Information

Field	Details
Project Name	SeedRover
Application Name	SeedRover Web Admin Portal
Version	Current repository build; commit 681d7b9c93682136b153ce9f3c4e95990c3855c8
Test Cycle	Formal browser regression 20261005T153119448-21704
Prepared By	[Enter team member names]
Reviewed By	[Enter reviewer]
Date	[Enter submission date]
Automation Framework	Playwright Test with TypeScript
Test Environment	Local web portal; existing development/demo Supabase project; Chromium

Report Overview

This report presents the SeedRover Web Admin testing effort using the supplied template's section topics as its structure. Its scope is limited to the 52 automated Playwright cases in the formal regression. The report distinguishes automated execution results from execution and automation coverage.

The formal regression (20261005T153119448-21704) ran 52 browser cases: 50 passed, none failed, and two were blocked by current test conditions. Its pass rate among executed cases is 100%. A separate one-test Playwright terminal check also passed and is presented as supplementary proof, not added to the formal run totals.

2. Objective

Purpose

Validate SeedRover Web Admin authentication, role-based workflows, business rules, saved records, and browser-visible reports using repeatable Playwright tests. Results in this document are limited to the named runs and their recorded evidence.

Testing Objectives

• Confirm important user workflows through the visible web interface.

• Check business rules and validation at representative normal, boundary, and invalid inputs.

• Verify saved outcomes after navigation or reload when the automated case reads back persisted state.

• Check role-specific navigation and actions while stating whether the assertion covers the interface or a persisted/server-side outcome.

• Preserve repeatable evidence through Playwright reports, run manifests, and selected screenshots.

3. Scope

In Scope

• Login and Authentication

• User Management

• Dashboard Functions

• Order Processing

• Reports Generation

• API Validation

Out of Scope

• Performance Testing

• Penetration Testing

• Third-Party Vendor Systems

Coverage applies to the web portal. Physical rover operation and the native Flutter application are outside this test cycle.

Web portal scope and representative validation areas.

Coverage area	Representative web checks
Authentication and roles	Login/logout, protected pages, role landing pages and restricted controls
Business records	Inventory, stock movement, sales, customers, crops, care and user management
Reporting and monitoring	Dashboard filters, CSV/print views, activity, notifications and read-only rover display
Quality characteristics	Input validation, persistence, basic usability, browser behavior and authorization boundaries

4. Test Environment

Browser and application environment used for the formal test cycle.

Environment	Details
Environment	Local development/demo web test environment
Application URL	http://127.0.0.1:3100
Database	Existing development/demo Supabase project; no database reset
Browser	Chromium; Playwright 1.63.0
Mobile Device	Not used
Operating System	Windows
API Endpoint	Supabase-backed application actions; secrets and endpoint credentials omitted
Build Version	SeedRover web-admin commit 681d7b9c93682136b153ce9f3c4e95990c3855c8; Node v22.23.3

Formal run started 2026-10-05T15:31:19.449Z. The formal run used one worker and zero retries. A later smoke rerun stopped during setup after a Supabase fetch error, before any case executed; it is excluded from the reported metrics.

Environment and Data Controls

• The existing development/demo Supabase project was used; the runner did not reset or rebuild it.

• AUTOTEST-labelled records and exact record IDs were written to run manifests; unrelated demo rows were not selected for cleanup.

• One worker and serialized runs reduce collisions. Audit/history rows may remain after transactional fixtures are cleaned up.

• Credentials, session tokens, and secret environment values are omitted from the report and evidence registers.

5. Automation Framework Details

Framework Type


- ■ Data Driven
- ■ Keyword Driven
- ■ Hybrid Framework
- ■ BDD Framework
- ■ Model-Based Testing

Technology Stack

Automation tools and report outputs.

Component	Tool
Test Automation	Playwright Test
Mobile Automation	Not used
API Automation	Playwright request context for selected checks
Programming Language	TypeScript
Build Tool	npm
Reporting	Playwright HTML and JSON reports
CI/CD	GitHub Actions workflow; manually triggered
Source Control	Git

Browser Test Workflow



Web test boundary from the local browser portal to the existing Supabase-backed service; native and physical rover operation are outside this cycle.

The Playwright project starts the local web server, launches Desktop Chrome at a 1440 × 1000 viewport, applies Asia/Manila time, and stores HTML and JSON results under the unique run directory. Authentication and fixture helpers support the module tests; screenshot-on-failure and retained traces support diagnosis.

```
npm run test:e2e:preflight
npm run test:e2e:smoke
npm run test:e2e
```

Commands used to verify the environment, run the smoke subset, and execute the formal suite.

6. Entry Criteria

The following conditions must be met before automation execution:

• Stable test environment available — met for the formal run; the later setup-only network failure is separately recorded.

• Test data prepared — dedicated synthetic records were prepared and tracked by run.

• User stories completed — project requirement completion was not independently assessed in this test report.

• Test cases approved — report review/sign-off remains pending.

• Test scripts developed and reviewed — scripts ran in the recorded formal regression; review approval is not asserted.

• Build deployed successfully — local web build was available for the recorded browser run.

7. Exit Criteria

Automation testing may be considered complete when:

• All critical test cases executed — 50 cases reached a pass/fail result; two automated cases were blocked.

• No Sev-1 or Sev-2 defects open — no such open issue appears in the supplied defect register.

• Automation pass rate ≥ 95% — 50 passed and 0 failed among 50 executed cases (100.0%).

• Defect retesting completed — the focused stock-rejection retest passed; remaining blocked scenarios are disclosed.

• Final test report approved — pending reviewer sign-off.

8. Automation Test Scenarios

The automated suite contains 52 distinct web scenarios. Each row maps to a Playwright case and its corresponding detailed case record in Section 9.

Scenario catalogue: 52 unique web test scenarios.

Test ID	Module	Scenario	Priority
SR-AUTH-001	Authentication and recovery	@smoke Valid administrator login reaches dashboard	High
SR-AUTH-002	Authentication and recovery	Invalid credentials are rejected	High
SR-AUTH-003	Authentication and recovery	Required username and password prevent empty submission	High
SR-AUTH-004	Authentication and recovery	Signed-out dashboard access redirects to login	High
SR-AUTH-005	Authentication and recovery	@smoke Logout prevents subsequent protected access	High
SR-AUTH-006	Authentication and recovery	Inactive account cannot access portal	High
SR-ROLE-001	Role authorization	System Administrator receives the correct landing page	High
SR-ROLE-002	Role authorization	Farm Planting Manager receives the correct landing page	High
SR-ROLE-003	Role authorization	Farm Inventory Manager receives the correct landing page	High

Test ID	Module	Scenario	Priority
SR-ROLE-004	Role authorization	Planting Staff receives the correct landing page	High
SR-ROLE-005	Role authorization	Inventory Staff receives the correct landing page	High
SR-ROLE-011	Role authorization	Farm Planting Manager cannot open user administration	High
SR-ROLE-012	Role authorization	Farm Inventory Manager cannot open user administration	High
SR-ROLE-013	Role authorization	Planting Staff cannot open user administration	High
SR-ROLE-014	Role authorization	Inventory Staff cannot open user administration	High
SR-ROLE-020	Role authorization	Planting role cannot change inventory through database API	High
SR-ROLE-021	Role authorization	Inventory role cannot change crops through database API	High
SR-ROLE-022	Role authorization	Signed-out and planting-role sales exports are rejected	High
SR-CROP-001	Crops, care and harvest	Seeded crop batch displays correct details	High
SR-CROP-002	Crops, care and harvest	Edit crop details through a reachable UI control	High
SR-CROP-003	Crops, care and harvest	Record field care and verify persisted activity history	High
SR-CROP-004	Crops, care and harvest	Missing field observation prevents saving care	High
SR-CUST-001	Customers, discounts and payment records	Completed sale appears in customer purchase history	Medium
SR-CUST-002	Customers, discounts and payment records	Create and apply a valid discount to a sale	Medium
SR-CUST-003	Customers, discounts and payment records	Expired discount cannot be selected for a new sale	Medium
SR-DASH-001	Dashboard and analytics	@smoke Dashboard loads and all period selectors work	Medium
SR-DASH-002	Dashboard and analytics	Dashboard sales total increases by the controlled sale amount	Medium
SR-DASH-003	Dashboard and analytics	Empty customer search displays an explicit empty state	Medium
SR-REPORT-001	Reports, exports and print views	Inventory CSV contains headers and exact fixture values	Medium
SR-REPORT-002	Reports, exports and print views	Sales CSV respects date filters and includes the new receipt	Medium
SR-REPORT-003	Reports, exports and print views	Receipt and report print views render their fixture data	Medium
SR-INV-001	Inventory catalogue	@smoke Inventory displays a persisted test item	High
SR-INV-002	Inventory catalogue	Create inventory item through UI and verify persistence	High
SR-INV-003	Inventory catalogue	Edit inventory location and verify after reload	High
SR-INV-004	Inventory catalogue	Receive stock updates balance and movement history	High
SR-INV-005	Inventory catalogue	Issue stock updates balance and movement history	High

Test ID	Module	Scenario	Priority
SR-INV-006	Inventory catalogue	Insufficient stock issue is rejected without changing balance	High
SR-INV-007	Inventory catalogue	Negative selling price is rejected	High
SR-OBS-001	Notifications and activity history	Mark a dedicated notification read and verify persistence	Medium
SR-OBS-002	Notifications and activity history	Inventory edit creates an attributable activity record	Medium
SR-OBS-003	Notifications and activity history	Rover monitoring presents existing stale or unavailable data honestly	Medium
SR-OBS-004	Notifications and activity history	Rover monitor exposes no movement or planting controls	Medium
SR-SALE-001	Sales and receipts	@smoke Cash sale saves receipt total change and exact stock deduction	High
SR-SALE-002	Sales and receipts	Multi-item sale deducts each stock once	High
SR-SALE-003	Sales and receipts	Overselling is rejected and stock remains unchanged	High
SR-SALE-004	Sales and receipts	Non-cash payment requires a transaction reference	High
SR-SALE-005	Sales and receipts	Authorized cancellation restores inventory exactly once	High
SR-SALE-006	Sales and receipts	Inventory staff cannot cancel a completed sale	High
SR-USER-001	User management	Administrator creates a user through UI	High
SR-USER-002	User management	Duplicate username is rejected	High
SR-USER-003	User management	Update account details and role persists	High
SR-USER-004	User management	Deactivate account through UI and deny its login	High


9. Automated Test Cases

Each case records its objective, module, role, priority, preconditions, test data, numbered steps, expected result, cleanup, method, actual result, status, and evidence source. A status is Passed only when that case ran and its assertions passed. A blocked test remains blocked and is excluded from the pass-rate denominator.

The formal run has a case-specific screenshot for 42 of 52 cases. Screenshots were not attached for: SR-AUTH-004, SR-REPORT-001, SR-REPORT-002, SR-ROLE-011, SR-ROLE-012, SR-ROLE-013, SR-ROLE-014, SR-ROLE-020, SR-ROLE-021, SR-ROLE-022. Those cases remain linked to their actual Playwright results; no substitute image is presented as execution evidence.

SR-AUTH-001 | @smoke Valid administrator login reaches dashboard	
Objective	Verify that @smoke Valid administrator login reaches dashboard, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	Synthetic data for run 20261005T153119448-21704; exact related labels and record IDs are listed in run-artifacts/20261005T153119448-21704/records.jsonl. Credentials are excluded.


Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open /login and perform: @smoke Valid administrator login reaches dashboard. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/auth-roles.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	@smoke Valid administrator login reaches dashboard. The observed behavior must match the specific assertions in web-admin/e2e/tests/auth-roles.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. Persisted outcomes were independently checked where the test source performs database reads.
Evidence / Source	Evidence: evidence/20261005T153119448-21704/SR-AUTH-001_verified-result.png Playwright source: web-admin/e2e/tests/auth-roles.spec.ts
Case record	Module: Authentication and recovery Role: As stated in the test title; staff cases use the named role session Priority: High Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: evidence/20261005T153119448-21704/SR-AUTH-001_verified-result.png Source: web-admin/e2e/tests/auth-roles.spec.ts



Login succeeds and opens the authenticated dashboard. Case SR-AUTH-001; Playwright run 20261005T153119448-21704.

SR-AUTH-002 | Invalid credentials are rejected	
Objective	Verify that invalid credentials are rejected, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.


Test Data	Synthetic data for run 20261005T153119448-21704; exact related labels and record IDs are listed in run-artifacts/20261005T153119448-21704/records.jsonl. Credentials are excluded.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open /login and perform: Invalid credentials are rejected. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/auth-roles.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	Invalid credentials are rejected. The observed behavior must match the specific assertions in web-admin/e2e/tests/auth-roles.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. Persisted outcomes were independently checked where the test source performs database reads.
Evidence / Source	Evidence: run-artifacts/20261005T153119448-21704/html/index.html Playwright source: web-admin/e2e/tests/auth-roles.spec.ts
Case record	Module: Authentication and recovery Role: As stated in the test title; staff cases use the named role session Priority: High Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: run-artifacts/20261005T153119448-21704/html/index.html Source: web-admin/e2e/tests/auth-roles.spec.ts



Invalid credentials are rejected. Case SR-AUTH-002; Playwright run 20261005T153119448-21704.

SR-AUTH-003 | Required username and password prevent empty submission	
Objective	Verify that required username and password prevent empty submission, then document the visible and persisted result supported by the test assertions.

Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	Synthetic data for run 20261005T153119448-21704; exact related labels and record IDs are listed in run-artifacts/20261005T153119448-21704/records.jsonl. Credentials are excluded.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open /login and perform: Required username and password prevent empty submission. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/auth-roles.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	Required username and password prevent empty submission. The observed behavior must match the specific assertions in web-admin/e2e/tests/auth-roles.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. Persisted outcomes were independently checked where the test source performs database reads.
Evidence / Source	Evidence: run-artifacts/20261005T153119448-21704/html/index.html Playwright source: web-admin/e2e/tests/auth-roles.spec.ts
Case record	Module: Authentication and recovery Role: As stated in the test title; staff cases use the named role session Priority: High Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: run-artifacts/20261005T153119448-21704/html/index.html Source: web-admin/e2e/tests/auth-roles.spec.ts




Required username and password prevent empty submission. Case SR-AUTH-003; Playwright run 20261005T153119448-21704.

SR-AUTH-004 | Signed-out dashboard access redirects to login

Objective	Verify that signed-out dashboard access redirects to login, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	Synthetic data for run 20261005T153119448-21704; exact related labels and record IDs are listed in run-artifacts/20261005T153119448-21704/records.jsonl. Credentials are excluded.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open /login and perform: Signed-out dashboard access redirects to login. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/auth-roles.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	Signed-out dashboard access redirects to login. The observed behavior must match the specific assertions in web-admin/e2e/tests/auth-roles.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. Persisted outcomes were independently checked where the test source performs database reads.
Evidence / Source	Evidence: run-artifacts/20261005T153119448-21704/html/index.html Playwright source: web-admin/e2e/tests/auth-roles.spec.ts
Case record	Module: Authentication and recovery Role: As stated in the test title; staff cases use the named role session Priority: High Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: run-artifacts/20261005T153119448-21704/html/index.html Source: web-admin/e2e/tests/auth-roles.spec.ts

SR-AUTH-005 | @smoke Logout prevents subsequent protected access	
Objective	Verify that @smoke Logout prevents subsequent protected access, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	Synthetic data for run 20261005T153119448-21704; exact related labels and record IDs are listed in run-artifacts/20261005T153119448-21704/records.jsonl. Credentials are excluded.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open /login and perform: @smoke Logout prevents subsequent protected access. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/auth-roles.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	@smoke Logout prevents subsequent protected access. The observed behavior must match the specific assertions in web-admin/e2e/tests/auth-roles.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. Persisted outcomes were independently checked where the test source performs database reads.
Evidence / Source	Evidence: run-artifacts/20261005T153119448-21704/html/index.html Playwright source: web-admin/e2e/tests/auth-roles.spec.ts


Case record	Module: Authentication and recovery Role: As stated in the test title; staff cases use the named role session Priority: High Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: run-artifacts/20261005T153119448-21704/html/index.html Source: web-admin/e2e/tests/auth-roles.spec.ts



@smoke Logout prevents subsequent protected access. Case SR-AUTH-005; Playwright run 20261005T153119448-21704.

SR-AUTH-006 | Inactive account cannot access portal	
Objective	Verify that inactive account cannot access portal, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	Synthetic data for run 20261005T153119448-21704; exact related labels and record IDs are listed in run-artifacts/20261005T153119448-21704/records.jsonl. Credentials are excluded.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open /login and perform: Inactive account cannot access portal. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/auth-roles.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	Inactive account cannot access portal. The observed behavior must match the specific assertions in web-admin/e2e/tests/auth-roles.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. Persisted outcomes were independently checked where the test source performs database reads.


Evidence / Source	Evidence: run-artifacts/20261005T153119448-21704/html/index.html Playwright source: web-admin/e2e/tests/auth-roles.spec.ts
Case record	Module: Authentication and recovery Role: As stated in the test title; staff cases use the named role session Priority: High Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: run-artifacts/20261005T153119448-21704/html/index.html Source: web-admin/e2e/tests/auth-roles.spec.ts



Inactive account cannot access portal. Case SR-AUTH-006; Playwright run 20261005T153119448-21704.

SR-ROLE-001 | System Administrator receives the correct landing page	
Objective	Verify that system Administrator receives the correct landing page, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	Synthetic data for run 20261005T153119448-21704; exact related labels and record IDs are listed in run-artifacts/20261005T153119448-21704/records.jsonl. Credentials are excluded.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open the route named in the test and perform: System Administrator receives the correct landing page. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/auth-roles.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	System Administrator receives the correct landing page. The observed behavior must match the specific assertions in web-admin/e2e/tests/auth-roles.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.


Actual Result	Passed; Playwright assertions completed in the named run. Persisted outcomes were independently checked where the test source performs database reads.
Evidence / Source	Evidence: run-artifacts/20261005T153119448-21704/html/index.html Playwright source: web-admin/e2e/tests/auth-roles.spec.ts
Case record	Module: Role authorization Role: System Administrator Priority: High Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: run-artifacts/20261005T153119448-21704/html/index.html Source: web-admin/e2e/tests/auth-roles.spec.ts



System Administrator receives the correct landing page. Case SR-ROLE-001; Playwright run 20261005T153119448-21704.

SR-ROLE-002 | Farm Planting Manager receives the correct landing page	
Objective	Verify that farm Planting Manager receives the correct landing page, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	Synthetic data for run 20261005T153119448-21704; exact related labels and record IDs are listed in run-artifacts/20261005T153119448-21704/records.jsonl. Credentials are excluded.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open the route named in the test and perform: Farm Planting Manager receives the correct landing page. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/auth-roles.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	Farm Planting Manager receives the correct landing page. The observed behavior must match the specific assertions in web-admin/e2e/tests/auth-roles.spec.ts; any database outcome is claimed only when that test reads it back.


Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. Persisted outcomes were independently checked where the test source performs database reads.
Evidence / Source	Evidence: run-artifacts/20261005T153119448-21704/html/index.html Playwright source: web-admin/e2e/tests/auth-roles.spec.ts
Case record	Module: Role authorization Role: Farm Planting Manager Priority: High Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: run-artifacts/20261005T153119448-21704/html/index.html Source: web-admin/e2e/tests/auth-roles.spec.ts



Farm Planting Manager receives the correct landing page. Case SR-ROLE-002; Playwright run 20261005T153119448-21704.

SR-ROLE-003 | Farm Inventory Manager receives the correct landing page	
Objective	Verify that farm Inventory Manager receives the correct landing page, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	Synthetic data for run 20261005T153119448-21704; exact related labels and record IDs are listed in run-artifacts/20261005T153119448-21704/records.jsonl. Credentials are excluded.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open the route named in the test and perform: Farm Inventory Manager receives the correct landing page. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/auth-roles.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.


Expected Result	Farm Inventory Manager receives the correct landing page. The observed behavior must match the specific assertions in web-admin/e2e/tests/auth-roles.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. Persisted outcomes were independently checked where the test source performs database reads.
Evidence / Source	Evidence: run-artifacts/20261005T153119448-21704/html/index.html Playwright source: web-admin/e2e/tests/auth-roles.spec.ts
Case record	Module: Role authorization Role: Farm Inventory Manager Priority: High Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: run-artifacts/20261005T153119448-21704/html/index.html Source: web-admin/e2e/tests/auth-roles.spec.ts



Farm Inventory Manager receives the correct landing page. Case SR-ROLE-003; Playwright run 20261005T153119448-21704.

SR-ROLE-004 | Planting Staff receives the correct landing page	
Objective	Verify that planting Staff receives the correct landing page, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	Synthetic data for run 20261005T153119448-21704; exact related labels and record IDs are listed in run-artifacts/20261005T153119448-21704/records.jsonl. Credentials are excluded.


Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open the route named in the test and perform: Planting Staff receives the correct landing page. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/auth-roles.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	Planting Staff receives the correct landing page. The observed behavior must match the specific assertions in web-admin/e2e/tests/auth-roles.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. Persisted outcomes were independently checked where the test source performs database reads.
Evidence / Source	Evidence: evidence/20261005T153119448-21704/SR-ROLE-004_verified-result.png Playwright source: web-admin/e2e/tests/auth-roles.spec.ts
Case record	Module: Role authorization Role: Planting Staff Priority: High Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: evidence/20261005T153119448-21704/SR-ROLE-004_verified-result.png Source: web-admin/e2e/tests/auth-roles.spec.ts



Planting Staff lands on its authorized workspace. Case SR-ROLE-004; Playwright run 20261005T153119448-21704.

SR-ROLE-005 | Inventory Staff receives the correct landing page	
Objective	Verify that inventory Staff receives the correct landing page, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.

Test Data	Synthetic data for run 20261005T153119448-21704; exact related labels and record IDs are listed in run-artifacts/20261005T153119448-21704/records.jsonl. Credentials are excluded.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open the route named in the test and perform: Inventory Staff receives the correct landing page. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/auth-roles.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	Inventory Staff receives the correct landing page. The observed behavior must match the specific assertions in web-admin/e2e/tests/auth-roles.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. Persisted outcomes were independently checked where the test source performs database reads.
Evidence / Source	Evidence: run-artifacts/20261005T153119448-21704/html/index.html Playwright source: web-admin/e2e/tests/auth-roles.spec.ts
Case record	Module: Role authorization Role: Inventory Staff Priority: High Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: run-artifacts/20261005T153119448-21704/html/index.html Source: web-admin/e2e/tests/auth-roles.spec.ts



Inventory Staff receives the correct landing page. Case SR-ROLE-005; Playwright run 20261005T153119448-21704.

SR-ROLE-011 | Farm Planting Manager cannot open user administration	
Objective	Verify that farm Planting Manager cannot open user administration, then document the visible and persisted result supported by the test assertions.

Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	Synthetic data for run 20261005T153119448-21704; exact related labels and record IDs are listed in run-artifacts/20261005T153119448-21704/records.jsonl. Credentials are excluded.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open the route named in the test and perform: Farm Planting Manager cannot open user administration. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/auth-roles.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	Farm Planting Manager cannot open user administration. The observed behavior must match the specific assertions in web-admin/e2e/tests/auth-roles.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. Route guard and visible-page assertion only; no direct protected-action request is made.
Evidence / Source	Evidence: run-artifacts/20261005T153119448-21704/html/index.html Playwright source: web-admin/e2e/tests/auth-roles.spec.ts
Case record	Module: Role authorization Role: Farm Planting Manager Priority: High Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: run-artifacts/20261005T153119448-21704/html/index.html Source: web-admin/e2e/tests/auth-roles.spec.ts

SR-ROLE-012 | Farm Inventory Manager cannot open user administration	
Objective	Verify that farm Inventory Manager cannot open user administration, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	Synthetic data for run 20261005T153119448-21704; exact related labels and record IDs are listed in run-artifacts/20261005T153119448-21704/records.jsonl. Credentials are excluded.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open the route named in the test and perform: Farm Inventory Manager cannot open user administration. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/auth-roles.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	Farm Inventory Manager cannot open user administration. The observed behavior must match the specific assertions in web-admin/e2e/tests/auth-roles.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. Route guard and visible-page assertion only; no direct protected-action request is made.
Evidence / Source	Evidence: run-artifacts/20261005T153119448-21704/html/index.html Playwright source: web-admin/e2e/tests/auth-roles.spec.ts

Case record	Module: Role authorization Role: Farm Inventory Manager Priority: High Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: run-artifacts/20261005T153119448-21704/html/index.html Source: web-admin/e2e/tests/auth-roles.spec.ts

SR-ROLE-013 | Planting Staff cannot open user administration	
Objective	Verify that planting Staff cannot open user administration, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	Synthetic data for run 20261005T153119448-21704; exact related labels and record IDs are listed in run-artifacts/20261005T153119448-21704/records.jsonl. Credentials are excluded.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open the route named in the test and perform: Planting Staff cannot open user administration. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/auth-roles.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	Planting Staff cannot open user administration. The observed behavior must match the specific assertions in web-admin/e2e/tests/auth-roles.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. Route guard and visible-page assertion only; no direct protected-action request is made.
Evidence / Source	Evidence: run-artifacts/20261005T153119448-21704/html/index.html Playwright source: web-admin/e2e/tests/auth-roles.spec.ts
Case record	Module: Role authorization Role: Planting Staff Priority: High Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: run-artifacts/20261005T153119448-21704/html/index.html Source: web-admin/e2e/tests/auth-roles.spec.ts

SR-ROLE-014 | Inventory Staff cannot open user administration	
Objective	Verify that inventory Staff cannot open user administration, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	Synthetic data for run 20261005T153119448-21704; exact related labels and record IDs are listed in run-artifacts/20261005T153119448-21704/records.jsonl. Credentials are excluded.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open the route named in the test and perform: Inventory Staff cannot open user administration. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/auth-roles.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	Inventory Staff cannot open user administration. The observed behavior must match the specific assertions in web-admin/e2e/tests/auth-roles.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.

Actual Result	Passed; Playwright assertions completed in the named run. Route guard and visible-page assertion only; no direct protected-action request is made.
Evidence / Source	Evidence: run-artifacts/20261005T153119448-21704/html/index.html Playwright source: web-admin/e2e/tests/auth-roles.spec.ts
Case record	Module: Role authorization Role: Inventory Staff Priority: High Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: run-artifacts/20261005T153119448-21704/html/index.html Source: web-admin/e2e/tests/auth-roles.spec.ts

SR-ROLE-020 | Planting role cannot change inventory through database API	
Objective	Verify that planting role cannot change inventory through database API, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	Synthetic data for run 20261005T153119448-21704; exact related labels and record IDs are listed in run-artifacts/20261005T153119448-21704/records.jsonl. Credentials are excluded.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open the route named in the test and perform: Planting role cannot change inventory through database API. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/auth-roles.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	Planting role cannot change inventory through database API. The observed behavior must match the specific assertions in web-admin/e2e/tests/auth-roles.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. Persisted outcomes were independently checked where the test source performs database reads.
Evidence / Source	Evidence: run-artifacts/20261005T153119448-21704/html/index.html Playwright source: web-admin/e2e/tests/auth-roles.spec.ts
Case record	Module: Role authorization Role: As stated in the test title; staff cases use the named role session Priority: High Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: run-artifacts/20261005T153119448-21704/html/index.html Source: web-admin/e2e/tests/auth-roles.spec.ts


SR-ROLE-021 | Inventory role cannot change crops through database API	
Objective	Verify that inventory role cannot change crops through database API, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	Synthetic data for run 20261005T153119448-21704; exact related labels and record IDs are listed in run-artifacts/20261005T153119448-21704/records.jsonl. Credentials are excluded.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open the route named in the test and perform: Inventory role cannot change crops through database API. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/auth-roles.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.

Expected Result	Inventory role cannot change crops through database API. The observed behavior must match the specific assertions in web-admin/e2e/tests/auth-roles.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. Persisted outcomes were independently checked where the test source performs database reads.
Evidence / Source	Evidence: run-artifacts/20261005T153119448-21704/html/index.html Playwright source: web-admin/e2e/tests/auth-roles.spec.ts
Case record	Module: Role authorization Role: As stated in the test title; staff cases use the named role session Priority: High Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: run-artifacts/20261005T153119448-21704/html/index.html Source: web-admin/e2e/tests/auth-roles.spec.ts

SR-ROLE-022 | Signed-out and planting-role sales exports are rejected	
Objective	Verify that signed-out and planting-role sales exports are rejected, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	Synthetic data for run 20261005T153119448-21704; exact related labels and record IDs are listed in run-artifacts/20261005T153119448-21704/records.jsonl. Credentials are excluded.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open the route named in the test and perform: Signed-out and planting-role sales exports are rejected. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/auth-roles.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	Signed-out and planting-role sales exports are rejected. The observed behavior must match the specific assertions in web-admin/e2e/tests/auth-roles.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. Persisted outcomes were independently checked where the test source performs database reads.
Evidence / Source	Evidence: run-artifacts/20261005T153119448-21704/html/index.html Playwright source: web-admin/e2e/tests/auth-roles.spec.ts
Case record	Module: Role authorization Role: As stated in the test title; staff cases use the named role session Priority: High Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: run-artifacts/20261005T153119448-21704/html/index.html Source: web-admin/e2e/tests/auth-roles.spec.ts

SR-CROP-001 | Seeded crop batch displays correct details	
Objective	Verify that seeded crop batch displays correct details, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	Synthetic data for run 20261005T153119448-21704; exact related labels and record IDs are listed in run-artifacts/20261005T153119448-21704/records.jsonl. Credentials are excluded.


Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open /crops and perform: Seeded crop batch displays correct details. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/crops.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	Seeded crop batch displays correct details. The observed behavior must match the specific assertions in web-admin/e2e/tests/crops.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. Persisted outcomes were independently checked where the test source performs database reads.
Evidence / Source	Evidence: evidence/20261005T153119448-21704/SR-CROP-001_verified-result.png Playwright source: web-admin/e2e/tests/crops.spec.ts
Case record	Module: Crops, care and harvest Role: Farm Planting Manager Priority: High Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: evidence/20261005T153119448-21704/SR-CROP-001_verified-result.png Source: web-admin/e2e/tests/crops.spec.ts



Synthetic crop batch details are visible in the portal. Case SR-CROP-001; Playwright run 20261005T153119448-21704.

SR-CROP-002 | Edit crop details through a reachable UI control	
Objective	Verify that edit crop details through a reachable UI control, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.


Test Data	Synthetic data for run 20261005T153119448-21704; exact related labels and record IDs are listed in run-artifacts/20261005T153119448-21704/records.jsonl. Credentials are excluded.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open /crops and perform: Edit crop details through a reachable UI control. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/crops.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	Edit crop details through a reachable UI control. The observed behavior must match the specific assertions in web-admin/e2e/tests/crops.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. Blocked: the current crop details interface exposes no reachable Edit Crop control. The editor scenario is not counted as passed.
Evidence / Source	Evidence: run-artifacts/20261005T153119448-21704/html/index.html Playwright source: web-admin/e2e/tests/crops.spec.ts
Case record	Module: Crops, care and harvest Role: Farm Planting Manager Priority: High Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Blocked Evidence: run-artifacts/20261005T153119448-21704/html/index.html Source: web-admin/e2e/tests/crops.spec.ts



Edit crop details through a reachable UI control. Case SR-CROP-002; Playwright run 20261005T153119448-21704.

SR-CROP-003 | Record field care and verify persisted activity history	
Objective	Verify that record field care and verify persisted activity history, then document the visible and persisted result supported by the test assertions.


Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	One synthetic, explicitly non-hardware crop batch; record Looks normal and unique AUTOTEST note.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open /crops and perform: Record field care and verify persisted activity history. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/crops.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	Record field care and verify persisted activity history. The observed behavior must match the specific assertions in web-admin/e2e/tests/crops.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. Persisted outcomes were independently checked where the test source performs database reads.
Evidence / Source	Evidence: evidence/20261005T153119448-21704/SR-CROP-003_verified-result.png Playwright source: web-admin/e2e/tests/crops.spec.ts
Case record	Module: Crops, care and harvest Role: Farm Planting Manager Priority: High Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: evidence/20261005T153119448-21704/SR-CROP-003_verified-result.png Source: web-admin/e2e/tests/crops.spec.ts



A saved field observation is visible in crop activity history. Case SR-CROP-003; Playwright run 20261005T153119448-21704.

SR-CROP-004 | Missing field observation prevents saving care


Objective	Verify that missing field observation prevents saving care, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	One synthetic crop; omit the required field observation; confirm no activity row is added.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open /crops and perform: Missing field observation prevents saving care. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/crops.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	Missing field observation prevents saving care. The observed behavior must match the specific assertions in web-admin/e2e/tests/crops.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. Persisted outcomes were independently checked where the test source performs database reads.
Evidence / Source	Evidence: run-artifacts/20261005T153119448-21704/html/index.html Playwright source: web-admin/e2e/tests/crops.spec.ts
Case record	Module: Crops, care and harvest Role: Farm Planting Manager Priority: High Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: run-artifacts/20261005T153119448-21704/html/index.html Source: web-admin/e2e/tests/crops.spec.ts



Missing field observation prevents saving care. Case SR-CROP-004; Playwright run 20261005T153119448-21704.


SR-CUST-001 | Completed sale appears in customer purchase history

Objective	Verify that completed sale appears in customer purchase history, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	Synthetic data for run 20261005T153119448-21704; exact related labels and record IDs are listed in run-artifacts/20261005T153119448-21704/records.jsonl. Credentials are excluded.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open /customers and perform: Completed sale appears in customer purchase history. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/customers.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	Completed sale appears in customer purchase history. The observed behavior must match the specific assertions in web-admin/e2e/tests/customers.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. Persisted outcomes were independently checked where the test source performs database reads.
Evidence / Source	Evidence: run-artifacts/20261005T153119448-21704/html/index.html Playwright source: web-admin/e2e/tests/customers.spec.ts
Case record	Module: Customers, discounts and payment records Role: Farm Inventory Manager, except the explicit staff-authorization case Priority: Medium Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: run-artifacts/20261005T153119448-21704/html/index.html Source: web-admin/e2e/tests/customers.spec.ts




Completed sale appears in customer purchase history. Case SR-CUST-001; Playwright run 20261005T153119448-21704.

SR-CUST-002 | Create and apply a valid discount to a sale	
Objective	Verify that create and apply a valid discount to a sale, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	Create and release a 10% discount; apply to a PHP 100 subtotal; expected PHP 10 discount and PHP 90 total.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open /customers and perform: Create and apply a valid discount to a sale. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/customers.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	Create and apply a valid discount to a sale. The observed behavior must match the specific assertions in web-admin/e2e/tests/customers.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. Persisted outcomes were independently checked where the test source performs database reads.
Evidence / Source	Evidence: evidence/20261005T153119448-21704/SR-CUST-002_discounted-receipt.png Playwright source: web-admin/e2e/tests/customers.spec.ts
Case record	Module: Customers, discounts and payment records Role: Farm Inventory Manager, except the explicit staff-authorization case Priority: Medium Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: evidence/20261005T153119448-21704/SR-CUST-002_discounted-receipt.png Source: web-admin/e2e/tests/customers.spec.ts




Released ten percent discount appears in the saved receipt. Case SR-CUST-002; Playwright run 20261005T153119448-21704.

SR-CUST-003 | Expired discount cannot be selected for a new sale	
Objective	Verify that expired discount cannot be selected for a new sale, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	Synthetic data for run 20261005T153119448-21704; exact related labels and record IDs are listed in run-artifacts/20261005T153119448-21704/records.jsonl. Credentials are excluded.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open /customers and perform: Expired discount cannot be selected for a new sale. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/customers.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	Expired discount cannot be selected for a new sale. The observed behavior must match the specific assertions in web-admin/e2e/tests/customers.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. Persisted outcomes were independently checked where the test source performs database reads.
Evidence / Source	Evidence: run-artifacts/20261005T153119448-21704/html/index.html Playwright source: web-admin/e2e/tests/customers.spec.ts
Case record	Module: Customers, discounts and payment records Role: Farm Inventory Manager, except the explicit staff-authorization case Priority: Medium Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: run-artifacts/20261005T153119448-21704/html/index.html Source: web-admin/e2e/tests/customers.spec.ts



Expired discount cannot be selected for a new sale. Case SR-CUST-003; Playwright run 20261005T153119448-21704.

SR-DASH-001 | @smoke Dashboard loads and all period selectors work	
Objective	Verify that @smoke Dashboard loads and all period selectors work, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	Synthetic data for run 20261005T153119448-21704; exact related labels and record IDs are listed in run-artifacts/20261005T153119448-21704/records.jsonl. Credentials are excluded.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open /dashboard and perform: @smoke Dashboard loads and all period selectors work. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/dashboard-reports.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	@smoke Dashboard loads and all period selectors work. The observed behavior must match the specific assertions in web-admin/e2e/tests/dashboard-reports.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. Persisted outcomes were independently checked where the test source performs database reads.
Evidence / Source	Evidence: evidence/20261005T153119448-21704/SR-DASH-001_verified-result.png Playwright source: web-admin/e2e/tests/dashboard-reports.spec.ts
Case record	Module: Dashboard and analytics Role: System Administrator Priority: Medium Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: evidence/20261005T153119448-21704/SR-DASH-001_verified-result.png Source: web-admin/e2e/tests/dashboard-reports.spec.ts




Dashboard period selectors respond in the local timezone. Case SR-DASH-001; Playwright run 20261005T153119448-21704.

SR-DASH-002 | Dashboard sales total increases by the controlled sale amount	
Objective	Verify that dashboard sales total increases by the controlled sale amount, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	Capture baseline daily sales total; add a controlled PHP 100 test sale; reconcile the delta.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open /dashboard and perform: Dashboard sales total increases by the controlled sale amount. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/dashboard-reports.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	Dashboard sales total increases by the controlled sale amount. The observed behavior must match the specific assertions in web-admin/e2e/tests/dashboard-reports.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. Persisted outcomes were independently checked where the test source performs database reads.
Evidence / Source	Evidence: evidence/20261005T153119448-21704/SR-DASH-002_verified-result.png Playwright source: web-admin/e2e/tests/dashboard-reports.spec.ts
Case record	Module: Dashboard and analytics Role: System Administrator Priority: Medium Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: evidence/20261005T153119448-21704/SR-DASH-002_verified-result.png Source: web-admin/e2e/tests/dashboard-reports.spec.ts



A controlled sale reconciles against the dashboard baseline. Case SR-DASH-002; Playwright run 20261005T153119448-21704.

SR-DASH-003 | Empty customer search displays an explicit empty state	
Objective	Verify that empty customer search displays an explicit empty state, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	Synthetic data for run 20261005T153119448-21704; exact related labels and record IDs are listed in run-artifacts/20261005T153119448-21704/records.jsonl. Credentials are excluded.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open /dashboard and perform: Empty customer search displays an explicit empty state. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/dashboard-reports.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	Empty customer search displays an explicit empty state. The observed behavior must match the specific assertions in web-admin/e2e/tests/dashboard-reports.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. Persisted outcomes were independently checked where the test source performs database reads.
Evidence / Source	Evidence: run-artifacts/20261005T153119448-21704/html/index.html Playwright source: web-admin/e2e/tests/dashboard-reports.spec.ts
Case record	Module: Dashboard and analytics Role: System Administrator Priority: Medium Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: run-artifacts/20261005T153119448-21704/html/index.html Source: web-admin/e2e/tests/dashboard-reports.spec.ts



Empty customer search displays an explicit empty state. Case SR-DASH-003; Playwright run 20261005T153119448-21704.


SR-REPORT-001 | Inventory CSV contains headers and exact fixture values	
Objective	Verify that inventory CSV contains headers and exact fixture values, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	Synthetic data for run 20261005T153119448-21704; exact related labels and record IDs are listed in run-artifacts/20261005T153119448-21704/records.jsonl. Credentials are excluded.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open authenticated report route and perform: Inventory CSV contains headers and exact fixture values. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/dashboard-reports.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	Inventory CSV contains headers and exact fixture values. The observed behavior must match the specific assertions in web-admin/e2e/tests/dashboard-reports.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. Persisted outcomes were independently checked where the test source performs database reads.
Evidence / Source	Evidence: run-artifacts/20261005T153119448-21704/html/index.html Playwright source: web-admin/e2e/tests/dashboard-reports.spec.ts

Case record	Module: Reports, exports and print views Role: System Administrator Priority: Medium Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: run-artifacts/20261005T153119448-21704/html/index.html Source: web-admin/e2e/tests/dashboard-reports.spec.ts

SR-REPORT-002 | Sales CSV respects date filters and includes the new receipt	
Objective	Verify that sales CSV respects date filters and includes the new receipt, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	Synthetic data for run 20261005T153119448-21704; exact related labels and record IDs are listed in run-artifacts/20261005T153119448-21704/records.jsonl. Credentials are excluded.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open authenticated report route and perform: Sales CSV respects date filters and includes the new receipt. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/dashboard-reports.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	Sales CSV respects date filters and includes the new receipt. The observed behavior must match the specific assertions in web-admin/e2e/tests/dashboard-reports.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. Persisted outcomes were independently checked where the test source performs database reads.
Evidence / Source	Evidence: run-artifacts/20261005T153119448-21704/html/index.html Playwright source: web-admin/e2e/tests/dashboard-reports.spec.ts
Case record	Module: Reports, exports and print views Role: System Administrator Priority: Medium Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: run-artifacts/20261005T153119448-21704/html/index.html Source: web-admin/e2e/tests/dashboard-reports.spec.ts

SR-REPORT-003 | Receipt and report print views render their fixture data	
Objective	Verify that receipt and report print views render their fixture data, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	Synthetic data for run 20261005T153119448-21704; exact related labels and record IDs are listed in run-artifacts/20261005T153119448-21704/records.jsonl. Credentials are excluded.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open authenticated report route and perform: Receipt and report print views render their fixture data. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/dashboard-reports.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	Receipt and report print views render their fixture data. The observed behavior must match the specific assertions in web-admin/e2e/tests/dashboard-reports.spec.ts; any database outcome is claimed only when that test reads it back.


Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. Persisted outcomes were independently checked where the test source performs database reads.
Evidence / Source	Evidence: evidence/20261005T153119448-21704/SR-REPORT-003_verified-result.png Playwright source: web-admin/e2e/tests/dashboard-reports.spec.ts
Case record	Module: Reports, exports and print views Role: System Administrator Priority: Medium Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: evidence/20261005T153119448-21704/SR-REPORT-003_verified-result.png Source: web-admin/e2e/tests/dashboard-reports.spec.ts



Receipt and sales print view render test sale data. Case SR-REPORT-003; Playwright run 20261005T153119448-21704.

SR-INV-001 | @smoke Inventory displays a persisted test item	
Objective	Verify that @smoke Inventory displays a persisted test item, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	Synthetic data for run 20261005T153119448-21704; exact related labels and record IDs are listed in run-artifacts/20261005T153119448-21704/records.jsonl. Credentials are excluded.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open /inventory and perform: @smoke Inventory displays a persisted test item. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/inventory.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.


Expected Result	@smoke Inventory displays a persisted test item. The observed behavior must match the specific assertions in web-admin/e2e/tests/inventory.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. Persisted outcomes were independently checked where the test source performs database reads.
Evidence / Source	Evidence: run-artifacts/20261005T153119448-21704/html/index.html Playwright source: web-admin/e2e/tests/inventory.spec.ts
Case record	Module: Inventory catalogue Role: Farm Inventory Manager, except the explicit staff-authorization case Priority: High Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: run-artifacts/20261005T153119448-21704/html/index.html Source: web-admin/e2e/tests/inventory.spec.ts



@smoke Inventory displays a persisted test item. Case SR-INV-001; Playwright run 20261005T153119448-21704.

SR-INV-002 | Create inventory item through UI and verify persistence	
Objective	Verify that create inventory item through UI and verify persistence, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	Synthetic data for run 20261005T153119448-21704; exact related labels and record IDs are listed in run-artifacts/20261005T153119448-21704/records.jsonl. Credentials are excluded.


Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open /inventory and perform: Create inventory item through UI and verify persistence. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/inventory.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	Create inventory item through UI and verify persistence. The observed behavior must match the specific assertions in web-admin/e2e/tests/inventory.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. Persisted outcomes were independently checked where the test source performs database reads.
Evidence / Source	Evidence: evidence/20261005T153119448-21704/SR-INV-002_verified-result.png Playwright source: web-admin/e2e/tests/inventory.spec.ts
Case record	Module: Inventory catalogue Role: Farm Inventory Manager, except the explicit staff-authorization case Priority: High Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: evidence/20261005T153119448-21704/SR-INV-002_verified-result.png Source: web-admin/e2e/tests/inventory.spec.ts



An AUTOTEST inventory item is saved and found after reload. Case SR-INV-002; Playwright run 20261005T153119448-21704.

SR-INV-003 | Edit inventory location and verify after reload	
Objective	Verify that edit inventory location and verify after reload, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.


Test Data	Synthetic data for run 20261005T153119448-21704; exact related labels and record IDs are listed in run-artifacts/20261005T153119448-21704/records.jsonl. Credentials are excluded.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open /inventory and perform: Edit inventory location and verify after reload. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/inventory.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	Edit inventory location and verify after reload. The observed behavior must match the specific assertions in web-admin/e2e/tests/inventory.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. Persisted outcomes were independently checked where the test source performs database reads.
Evidence / Source	Evidence: run-artifacts/20261005T153119448-21704/html/index.html Playwright source: web-admin/e2e/tests/inventory.spec.ts
Case record	Module: Inventory catalogue Role: Farm Inventory Manager, except the explicit staff-authorization case Priority: High Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: run-artifacts/20261005T153119448-21704/html/index.html Source: web-admin/e2e/tests/inventory.spec.ts



Edit inventory location and verify after reload. Case SR-INV-003; Playwright run 20261005T153119448-21704.

SR-INV-004 | Receive stock updates balance and movement history	
Objective	Verify that receive stock updates balance and movement history, then document the visible and persisted result supported by the test assertions.


Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	20 kg opening balance; receive 5 kg from Field Crate; expected 25 kg and one IN row.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open /inventory and perform: Receive stock updates balance and movement history. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/inventory.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	Receive stock updates balance and movement history. The observed behavior must match the specific assertions in web-admin/e2e/tests/inventory.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. Persisted outcomes were independently checked where the test source performs database reads.
Evidence / Source	Evidence: evidence/20261005T153119448-21704/SR-INV-004_verified-result.png Playwright source: web-admin/e2e/tests/inventory.spec.ts
Case record	Module: Inventory catalogue Role: Farm Inventory Manager, except the explicit staff-authorization case Priority: High Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: evidence/20261005T153119448-21704/SR-INV-004_verified-result.png Source: web-admin/e2e/tests/inventory.spec.ts



Receiving five kilograms updates stock and movement history. Case SR-INV-004; Playwright run 20261005T153119448-21704.

SR-INV-005 | Issue stock updates balance and movement history	
Objective	Verify that issue stock updates balance and movement history, then document the visible and persisted result supported by the test assertions.


Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	20 kg opening balance; issue 3 kg for Kitchen Preparation; expected 17 kg and one OUT row.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open /inventory and perform: Issue stock updates balance and movement history. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/inventory.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	Issue stock updates balance and movement history. The observed behavior must match the specific assertions in web-admin/e2e/tests/inventory.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. Persisted outcomes were independently checked where the test source performs database reads.
Evidence / Source	Evidence: run-artifacts/20261005T153119448-21704/html/index.html Playwright source: web-admin/e2e/tests/inventory.spec.ts
Case record	Module: Inventory catalogue Role: Farm Inventory Manager, except the explicit staff-authorization case Priority: High Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: run-artifacts/20261005T153119448-21704/html/index.html Source: web-admin/e2e/tests/inventory.spec.ts



Issue stock updates balance and movement history. Case SR-INV-005; Playwright run 20261005T153119448-21704.

SR-INV-006 | Insufficient stock issue is rejected without changing balance	
Objective	Verify that insufficient stock issue is rejected without changing balance, then document the visible and persisted result supported by the test assertions.


Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	2 kg available; request issue of 3 kg; expected actionable error and persisted balance unchanged.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open /inventory and perform: Insufficient stock issue is rejected without changing balance. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/inventory.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	Insufficient stock issue is rejected without changing balance. The observed behavior must match the specific assertions in web-admin/e2e/tests/inventory.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. Persisted outcomes were independently checked where the test source performs database reads.
Evidence / Source	Evidence: evidence/20261005T153119448-21704/SR-INV-006_verified-result.png Playwright source: web-admin/e2e/tests/inventory.spec.ts
Case record	Module: Inventory catalogue Role: Farm Inventory Manager, except the explicit staff-authorization case Priority: High Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: evidence/20261005T153119448-21704/SR-INV-006_verified-result.png Source: web-admin/e2e/tests/inventory.spec.ts



Insufficient stock displays guidance and preserves the two kilogram balance. Case SR-INV-006; Playwright run 20261005T153119448-21704.


SR-INV-007 | Negative selling price is rejected

Objective	Verify that negative selling price is rejected, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	Synthetic data for run 20261005T153119448-21704; exact related labels and record IDs are listed in run-artifacts/20261005T153119448-21704/records.jsonl. Credentials are excluded.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open /inventory and perform: Negative selling price is rejected. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/inventory.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	Negative selling price is rejected. The observed behavior must match the specific assertions in web-admin/e2e/tests/inventory.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. Weak assertion: the test edits the control but does not submit the form. It confirms the UI value is non-negative or HTML validity blocks it, then reads the unchanged database price; it does not prove server-side negative-price rejection.
Evidence / Source	Evidence: run-artifacts/20261005T153119448-21704/html/index.html Playwright source: web-admin/e2e/tests/inventory.spec.ts
Case record	Module: Inventory catalogue Role: Farm Inventory Manager, except the explicit staff-authorization case Priority: High Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: run-artifacts/20261005T153119448-21704/html/index.html Source: web-admin/e2e/tests/inventory.spec.ts




Negative selling price is rejected. Case SR-INV-007; Playwright run 20261005T153119448-21704.

SR-OBS-001 | Mark a dedicated notification read and verify persistence	
Objective	Verify that mark a dedicated notification read and verify persistence, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	Synthetic data for run 20261005T153119448-21704; exact related labels and record IDs are listed in run-artifacts/20261005T153119448-21704/records.jsonl. Credentials are excluded.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open notifications, activity log or rover monitor and perform: Mark a dedicated notification read and verify persistence. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/monitoring.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	Mark a dedicated notification read and verify persistence. The observed behavior must match the specific assertions in web-admin/e2e/tests/monitoring.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. Persisted outcomes were independently checked where the test source performs database reads.
Evidence / Source	Evidence: run-artifacts/20261005T153119448-21704/html/index.html Playwright source: web-admin/e2e/tests/monitoring.spec.ts
Case record	Module: Notifications and activity history Role: System Administrator Priority: Medium Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: run-artifacts/20261005T153119448-21704/html/index.html Source: web-admin/e2e/tests/monitoring.spec.ts



Mark a dedicated notification read and verify persistence. Case SR-OBS-001; Playwright run 20261005T153119448-21704.


SR-OBS-002 | Inventory edit creates an attributable activity record	
Objective	Verify that inventory edit creates an attributable activity record, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	Synthetic data for run 20261005T153119448-21704; exact related labels and record IDs are listed in run-artifacts/20261005T153119448-21704/records.jsonl. Credentials are excluded.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open notifications, activity log or rover monitor and perform: Inventory edit creates an attributable activity record. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/monitoring.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	Inventory edit creates an attributable activity record. The observed behavior must match the specific assertions in web-admin/e2e/tests/monitoring.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. Persisted outcomes were independently checked where the test source performs database reads.
Evidence / Source	Evidence: run-artifacts/20261005T153119448-21704/html/index.html Playwright source: web-admin/e2e/tests/monitoring.spec.ts
Case record	Module: Notifications and activity history Role: System Administrator Priority: Medium Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: run-artifacts/20261005T153119448-21704/html/index.html Source: web-admin/e2e/tests/monitoring.spec.ts



Inventory edit creates an attributable activity record. Case SR-OBS-002; Playwright run 20261005T153119448-21704.

SR-OBS-003 | Rover monitoring presents existing stale or unavailable data honestly	
Objective	Verify that rover monitoring presents existing stale or unavailable data honestly, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	Synthetic data for run 20261005T153119448-21704; exact related labels and record IDs are listed in run-artifacts/20261005T153119448-21704/records.jsonl. Credentials are excluded.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open notifications, activity log or rover monitor and perform: Rover monitoring presents existing stale or unavailable data honestly. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/monitoring.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	Rover monitoring presents existing stale or unavailable data honestly. The observed behavior must match the specific assertions in web-admin/e2e/tests/monitoring.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. Blocked: existing rover readings were fresh, so stale/no-data global state was not changed to force this scenario.
Evidence / Source	Evidence: run-artifacts/20261005T153119448-21704/html/index.html Playwright source: web-admin/e2e/tests/monitoring.spec.ts


Case record	Module: Notifications and activity history Role: System Administrator Priority: Medium Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Blocked Evidence: run-artifacts/20261005T153119448-21704/html/index.html Source: web-admin/e2e/tests/monitoring.spec.ts



Rover monitoring presents existing stale or unavailable data honestly. Case SR-OBS-003; Playwright run 20261005T153119448-21704.

SR-OBS-004 | Rover monitor exposes no movement or planting controls	
Objective	Verify that rover monitor exposes no movement or planting controls, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	Synthetic data for run 20261005T153119448-21704; exact related labels and record IDs are listed in run-artifacts/20261005T153119448-21704/records.jsonl. Credentials are excluded.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open notifications, activity log or rover monitor and perform: Rover monitor exposes no movement or planting controls. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/monitoring.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	Rover monitor exposes no movement or planting controls. The observed behavior must match the specific assertions in web-admin/e2e/tests/monitoring.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. Persisted outcomes were independently checked where the test source performs database reads.


Evidence / Source	Evidence: evidence/20261005T153119448-21704/SR-OBS-004_verified-result.png Playwright source: web-admin/e2e/tests/monitoring.spec.ts
Case record	Module: Notifications and activity history Role: System Administrator Priority: Medium Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: evidence/20261005T153119448-21704/SR-OBS-004_verified-result.png Source: web-admin/e2e/tests/monitoring.spec.ts



Rover monitor is read-only in the browser interface. Case SR-OBS-004; Playwright run 20261005T153119448-21704.

SR-SALE-001 | @smoke Cash sale saves receipt total change and exact stock deduction	
Objective	Verify that @smoke Cash sale saves receipt total change and exact stock deduction, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	20 kg opening stock; 3 kg at PHP 50/kg; PHP 200 tender; expected PHP 150 sale, PHP 50 change and 17 kg balance.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open /sales and perform: @smoke Cash sale saves receipt total change and exact stock deduction. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/sales.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	@smoke Cash sale saves receipt total change and exact stock deduction. The observed behavior must match the specific assertions in web-admin/e2e/tests/sales.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.


Actual Result	Passed; Playwright assertions completed in the named run. Persisted outcomes were independently checked where the test source performs database reads.
Evidence / Source	Evidence: evidence/20261005T153119448-21704/SR-SALE-001_receipt.png Playwright source: web-admin/e2e/tests/sales.spec.ts
Case record	Module: Sales and receipts Role: Farm Inventory Manager, except the explicit staff-authorization case Priority: High Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: evidence/20261005T153119448-21704/SR-SALE-001_receipt.png Source: web-admin/e2e/tests/sales.spec.ts



The sale leaves 17 kilograms from a 20 kilogram opening balance. Case SR-SALE-001; Playwright run 20261005T153119448-21704.

SR-SALE-002 | Multi-item sale deducts each stock once	
Objective	Verify that multi-item sale deducts each stock once, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	Two dedicated items at PHP 50/kg; sell 2 kg plus 1 kg; expected receipt PHP 150.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open /sales and perform: Multi-item sale deducts each stock once. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/sales.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	Multi-item sale deducts each stock once. The observed behavior must match the specific assertions in web-admin/e2e/tests/sales.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.


Actual Result	Passed; Playwright assertions completed in the named run. Persisted outcomes were independently checked where the test source performs database reads.
Evidence / Source	Evidence: run-artifacts/20261005T153119448-21704/html/index.html Playwright source: web-admin/e2e/tests/sales.spec.ts
Case record	Module: Sales and receipts Role: Farm Inventory Manager, except the explicit staff-authorization case Priority: High Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: run-artifacts/20261005T153119448-21704/html/index.html Source: web-admin/e2e/tests/sales.spec.ts



Multi-item sale deducts each stock once. Case SR-SALE-002; Playwright run 20261005T153119448-21704.

SR-SALE-003 | Overselling is rejected and stock remains unchanged	
Objective	Verify that overselling is rejected and stock remains unchanged, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	2 kg stock; request 3 kg; expected rejection and unchanged 2 kg.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open /sales and perform: Overselling is rejected and stock remains unchanged. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/sales.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	Overselling is rejected and stock remains unchanged. The observed behavior must match the specific assertions in web-admin/e2e/tests/sales.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.


Actual Result	Passed; Playwright assertions completed in the named run. Persisted outcomes were independently checked where the test source performs database reads.
Evidence / Source	Evidence: evidence/20261005T153119448-21704/SR-SALE-003_verified-result.png Playwright source: web-admin/e2e/tests/sales.spec.ts
Case record	Module: Sales and receipts Role: Farm Inventory Manager, except the explicit staff-authorization case Priority: High Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: evidence/20261005T153119448-21704/SR-SALE-003_verified-result.png Source: web-admin/e2e/tests/sales.spec.ts



Overselling is rejected without a stock deduction. Case SR-SALE-003; Playwright run 20261005T153119448-21704.

SR-SALE-004 | Non-cash payment requires a transaction reference	
Objective	Verify that non-cash payment requires a transaction reference, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	One 3 kg line at PHP 50/kg; select GCash without a transaction reference.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open /sales and perform: Non-cash payment requires a transaction reference. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/sales.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	Non-cash payment requires a transaction reference. The observed behavior must match the specific assertions in web-admin/e2e/tests/sales.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.


Actual Result	Passed; Playwright assertions completed in the named run. Persisted outcomes were independently checked where the test source performs database reads.
Evidence / Source	Evidence: run-artifacts/20261005T153119448-21704/html/index.html Playwright source: web-admin/e2e/tests/sales.spec.ts
Case record	Module: Sales and receipts Role: Farm Inventory Manager, except the explicit staff-authorization case Priority: High Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: run-artifacts/20261005T153119448-21704/html/index.html Source: web-admin/e2e/tests/sales.spec.ts



Non-cash payment requires a transaction reference. Case SR-SALE-004; Playwright run 20261005T153119448-21704.

SR-SALE-005 | Authorized cancellation restores inventory exactly once	
Objective	Verify that authorized cancellation restores inventory exactly once, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	20 kg opening stock; sale of 3 kg; void only its receipt; expected balance returns to 20 kg once.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open /sales and perform: Authorized cancellation restores inventory exactly once. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/sales.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	Authorized cancellation restores inventory exactly once. The observed behavior must match the specific assertions in web-admin/e2e/tests/sales.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.


Actual Result	Passed; Playwright assertions completed in the named run. Persisted outcomes were independently checked where the test source performs database reads.
Evidence / Source	Evidence: evidence/20261005T153119448-21704/SR-SALE-005_verified-result.png Playwright source: web-admin/e2e/tests/sales.spec.ts
Case record	Module: Sales and receipts Role: Farm Inventory Manager, except the explicit staff-authorization case Priority: High Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: evidence/20261005T153119448-21704/SR-SALE-005_verified-result.png Source: web-admin/e2e/tests/sales.spec.ts



Authorized void restores stock to its original balance. Case SR-SALE-005; Playwright run 20261005T153119448-21704.

SR-SALE-006 | Inventory staff cannot cancel a completed sale	
Objective	Verify that inventory staff cannot cancel a completed sale, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	Synthetic data for run 20261005T153119448-21704; exact related labels and record IDs are listed in run-artifacts/20261005T153119448-21704/records.jsonl. Credentials are excluded.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open /sales and perform: Inventory staff cannot cancel a completed sale. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/sales.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	Inventory staff cannot cancel a completed sale. The observed behavior must match the specific assertions in web-admin/e2e/tests/sales.spec.ts; any database outcome is claimed only when that test reads it back.


Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. Confirms the void control is hidden and inventory is unchanged; this is interface authorization evidence, not a direct forged server-action attempt.
Evidence / Source	Evidence: run-artifacts/20261005T153119448-21704/html/index.html Playwright source: web-admin/e2e/tests/sales.spec.ts
Case record	Module: Sales and receipts Role: Farm Inventory Manager, except the explicit staff-authorization case Priority: High Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: run-artifacts/20261005T153119448-21704/html/index.html Source: web-admin/e2e/tests/sales.spec.ts



Inventory staff cannot cancel a completed sale. Case SR-SALE-006; Playwright run 20261005T153119448-21704.

SR-USER-001 | Administrator creates a user through UI	
Objective	Verify that administrator creates a user through UI, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	Synthetic data for run 20261005T153119448-21704; exact related labels and record IDs are listed in run-artifacts/20261005T153119448-21704/records.jsonl. Credentials are excluded.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open /users and perform: Administrator creates a user through UI. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/users.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.


Expected Result	Administrator creates a user through UI. The observed behavior must match the specific assertions in web-admin/e2e/tests/users.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. Persisted outcomes were independently checked where the test source performs database reads.
Evidence / Source	Evidence: run-artifacts/20261005T153119448-21704/html/index.html Playwright source: web-admin/e2e/tests/users.spec.ts
Case record	Module: User management Role: System Administrator Priority: High Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: run-artifacts/20261005T153119448-21704/html/index.html Source: web-admin/e2e/tests/users.spec.ts



Administrator creates a user through UI. Case SR-USER-001; Playwright run 20261005T153119448-21704.

SR-USER-002 | Duplicate username is rejected	
Objective	Verify that duplicate username is rejected, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	Synthetic data for run 20261005T153119448-21704; exact related labels and record IDs are listed in run-artifacts/20261005T153119448-21704/records.jsonl. Credentials are excluded.


Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open /users and perform: Duplicate username is rejected. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/users.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	Duplicate username is rejected. The observed behavior must match the specific assertions in web-admin/e2e/tests/users.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. The test asserts the duplicate-username message. It does not query the profile count after rejection, so the evidence establishes the visible response but not an independent persistence check.
Evidence / Source	Evidence: run-artifacts/20261005T153119448-21704/html/index.html Playwright source: web-admin/e2e/tests/users.spec.ts
Case record	Module: User management Role: System Administrator Priority: High Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: run-artifacts/20261005T153119448-21704/html/index.html Source: web-admin/e2e/tests/users.spec.ts



Duplicate username is rejected. Case SR-USER-002; Playwright run 20261005T153119448-21704.

SR-USER-003 | Update account details and role persists	
Objective	Verify that update account details and role persists, then document the visible and persisted result supported by the test assertions.
Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.


Test Data	Synthetic data for run 20261005T153119448-21704; exact related labels and record IDs are listed in run-artifacts/20261005T153119448-21704/records.jsonl. Credentials are excluded.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open /users and perform: Update account details and role persists. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/users.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	Update account details and role persists. The observed behavior must match the specific assertions in web-admin/e2e/tests/users.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. Persisted outcomes were independently checked where the test source performs database reads.
Evidence / Source	Evidence: run-artifacts/20261005T153119448-21704/html/index.html Playwright source: web-admin/e2e/tests/users.spec.ts
Case record	Module: User management Role: System Administrator Priority: High Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: run-artifacts/20261005T153119448-21704/html/index.html Source: web-admin/e2e/tests/users.spec.ts



Update account details and role persists. Case SR-USER-003; Playwright run 20261005T153119448-21704.

SR-USER-004 | Deactivate account through UI and deny its login	
Objective	Verify that deactivate account through UI and deny its login, then document the visible and persisted result supported by the test assertions.

Preconditions	Local production build running; target database host is the previously verified development/demo project; one Playwright worker; dedicated role session prepared.
Test Data	Synthetic data for run 20261005T153119448-21704; exact related labels and record IDs are listed in run-artifacts/20261005T153119448-21704/records.jsonl. Credentials are excluded.
Numbered Steps	1. Use the case's declared role session and run-labelled fixture prepared by web-admin/e2e/support.ts. 2. Open /users and perform: Deactivate account through UI and deny its login. 3. Check the visible or persisted outcome asserted in web-admin/e2e/tests/users.spec.ts. 4. Compare the outcome with the named scenario; the run-specific fixture IDs are recorded in the run manifest.
Expected Result	Deactivate account through UI and deny its login. The observed behavior must match the specific assertions in web-admin/e2e/tests/users.spec.ts; any database outcome is claimed only when that test reads it back.
Cleanup	Dedicated test accounts deactivated; labeled transactional/history rows retained under the run's exact-ID cleanup policy. See run-artifacts/20261005T153119448-21704/cleanup.json.
Actual Result	Passed; Playwright assertions completed in the named run. Persisted outcomes were independently checked where the test source performs database reads.
Evidence / Source	Evidence: run-artifacts/20261005T153119448-21704/html/index.html Playwright source: web-admin/e2e/tests/users.spec.ts
Case record	Module: User management Role: System Administrator Priority: High Test type: Functional / authorization / validation as described by the scenario Method: Automated — Playwright Test / Chromium Automation status: Passed Evidence: run-artifacts/20261005T153119448-21704/html/index.html Source: web-admin/e2e/tests/users.spec.ts



Deactivate account through UI and deny its login. Case SR-USER-004; Playwright run 20261005T153119448-21704.

10. Test Data Management

Data Type	Source	Owner
User Accounts	Dedicated role accounts in existing development/demo Supabase	Test runner; credentials excluded
Inventory and sales fixtures	Run-labelled AUTOTEST records with exact IDs in run manifest	Playwright fixture helpers
Crop, activity and history records	Synthetic labels; retained history identified by run	Playwright fixture helpers
Login shell proof	Local test server and browser page; no database fixture required	Terminal-proof Playwright test

The database was not reset. A conservative cleanup preview identified 121 exact inventory IDs in 11 local run manifests, but the live inventory lookup failed with a network fetch error before any row could be verified. No database rows were changed. Unrelated demonstration data and existing audit/history records remain untouched; rerun the preview after Supabase connectivity is restored.

Isolation and Cleanup Rules

• Run one browser worker and one formal run at a time.

• Use run ID labels and exact database IDs; never delete by a broad name prefix.

• Capture report evidence before cleanup; retain audit history created by the application when deletion would break relationships.

• Reconcile dashboard changes against a recorded baseline plus controlled test transactions.

11. Defect Tracking

Severity Classification:

• Critical

• High

• Medium

• Low

Observed fixes and current coverage blockers.

Defect ID	Summary	Severity	Status
DEF-001	Insufficient-stock rejection previously displayed a generic server error; corrected and retested.	Medium	Fixed; focused and current regression evidence
DEF-002	Sales receipt query had an ambiguous profile relationship; corrected and retested.	Medium	Fixed; receipt case passed
GAP-001	Crop details interface has no reachable Edit Crop control for the edit scenario.	Medium	Blocked; no fix claimed
GAP-002	Shared rover values were fresh; stale/no-data state was not forced against shared data.	Low	Blocked by safe test-data precondition

Assertion Scope Notes

Case	Observed limitation or blocker
SR-INV-007	Weak assertion: the test edits the control but does not submit the form. It confirms the UI value is non-negative or HTML validity blocks it, then reads the unchanged database price; it does not prove server-side negative-price rejection.
SR-USER-002	The test asserts the duplicate-username message. It does not query the profile count after rejection, so the evidence establishes the visible response but not an independent persistence check.
SR-ROLE-011	Route guard and visible-page assertion only; no direct protected-action request is made.
SR-ROLE-012	Route guard and visible-page assertion only; no direct protected-action request is made.
SR-ROLE-013	Route guard and visible-page assertion only; no direct protected-action request is made.
SR-ROLE-014	Route guard and visible-page assertion only; no direct protected-action request is made.
SR-SALE-006	Confirms the void control is hidden and inventory is unchanged; this is interface authorization evidence, not a direct forged server-action attempt.
SR-CROP-002	Blocked: the current crop details interface exposes no reachable Edit Crop control. The editor scenario is not counted as passed.
SR-OBS-003	Blocked: existing rover readings were fresh, so stale/no-data global state was not changed to force this scenario.

These notes qualify the strength of the recorded assertion. A UI-level permission check is not described as a forged-request or server-side authorization test; a blocked case is not a defect pass.

12. Test Execution Summary

Formula

Pass Rate (%) = (Passed / Executed) x 100


Formal test execution totals and pass-rate denominator.

Metric	Value
Total Test Cases	52
Automated Test Cases	52
Executed Test Cases	50
Passed	50
Failed	0
Blocked	2
Pass Percentage	100.0%

The formal Playwright run 20261005T153119448-21704 scheduled 52 automated cases. 2 were blocked and excluded from the executed-case denominator. All cases in this report’s test catalogue are automated cases.

Run	Type	Cases	Passed	Failed	Blocked	Use in metrics
20261005T153119448-21704	Current full regression	52	50	0	2	Primary
20261005T152947852-40364	Current smoke subset	5	5	0	0	Supporting; not added as unique cases

Run	Type	Cases	Passed	Failed	Blocked	Use in metrics
20261005T144631592-7060	Focused stock rejection retest	1	1	0	0	Supporting; not added as unique cases
20261005T141625648-47936	Historical formal baseline	52	50	0	2	Supporting; not added as unique cases
Terminal proof	Login screen render check	1	1	0	0	Supplementary; excluded from 52-case formal suite



Formal regression results for run 20261005T153119448-21704: 50 passed, 0 failed, and 2 blocked.

Result Calculation

Pass rate = Passed ÷ (Passed + Failed) = 50 ÷ (50 + 0) = 100.0%. The two blocked cases are reported separately. The terminal proof is a separate one-test run and does not change this calculation.

13. Automation Coverage

Playwright implementation coverage by module.

Module	Total TC	Automated	Coverage %
Authentication and recovery	6	6	100.0%
Crops, care and harvest	4	4	100.0%
Customers, discounts and payment records	3	3	100.0%
Dashboard and analytics	3	3	100.0%
Inventory catalogue	7	7	100.0%
Notifications and activity history	4	4	100.0%
Reports, exports and print views	3	3	100.0%
Role authorization	12	12	100.0%
Sales and receipts	6	6	100.0%
User management	4	4	100.0%

Automation coverage is 52/52 (100.0%) against the automated-only catalogue. Execution coverage is 50/52 (96.2%), and pass rate is calculated separately among executed cases.



All 52 in-scope cases have Playwright implementations.

14. Risks and Assumptions

Risks

• Unstable environments

• Test data issues

• Third-party dependency failures

• Frequent requirement changes

Assumptions

• Test environments remain available

• Business requirements are finalized

• APIs are accessible during execution

The existing shared development/demo database contains unrelated records. Run-labelled fixtures and a single worker reduce interference; dashboard totals can still reflect prior activity.

Risk	Potential effect	Control / response
Shared demo data	Dashboard totals include unrelated existing activity	Record baseline and compare only the controlled transaction delta
Supabase reachability	Setup can fail before a case begins	Keep setup failures separate from test failures; rerun only after connectivity is restored
Unavailable UI state	Case cannot reach its expected action	Keep it Blocked and document the precise missing precondition
External or hardware integration	Browser checks cannot prove live service or rover behavior	Label as out of scope and verify in an isolated integration/hardware cycle

15. Reporting and Dashboard

Daily Metrics

• Build Status

• Execution Status

• Defect Trend

• Automation Coverage

• Failed Tests

• Execution Duration

Formal run: 50 passed, 0 failed, 2 blocked; automation coverage 100.0%; execution duration 218.2 seconds.

Recommended Reports

• Playwright HTML Report — produced for the formal run and terminal proof

• Playwright JSON results — produced for the formal run

• Allure Report — not configured

• Extent Report — not configured

• Azure DevOps Dashboard — not used

• Power BI Test Dashboard — not used

Terminal proof files: docs/automation/terminal-proof/playwright-login-shell-run.txt and docs/automation/terminal-proof/html/index.html. The terminal proof is a separate local login-shell check and is not included in the formal suite denominator.

Report Artifacts

Artifact	Location	Purpose
Formal HTML report	docs/automation/run-artifacts/20261005T153119448-21704/html/index.html	Interactive 52-case report
Formal JSON result	docs/automation/run-artifacts/20261005T153119448-21704/results.json	Machine-readable case results
Terminal transcript	docs/automation/terminal-proof/playwright-login-shell-run.txt	Shows the Playwright command and one passing browser test
Terminal HTML report	docs/automation/terminal-proof/html/index.html	Standalone supplementary login-screen run

Playwright Terminal Proof

```
PS> npx.cmd playwright test --config=playwright.terminal-proof.config.ts

Running 1 test using 1 worker

ok 1 e2e\terminal-proof.spec.ts:3:5 > Supplementary terminal proof: SeedRover
login screen renders (704ms)

1 passed (1.6s)
Exit code: 0
```

Terminal output from the separately recorded one-test Playwright login-shell proof.

16. CI/CD Integration Checklist

Item	Status
Source Code in Git	■
Build Pipeline Configured	■ Manual GitHub Actions workflow exists
Automated Execution Triggered	■ Local Playwright terminal run recorded
Test Reports Published	■ Local HTML/JSON reports saved; no remote publication
Notifications Enabled	■
Quality Gates Configured	■

17. Test Sign-Off

Role	Name	Signature	Date
QA Lead	[Enter name]		
Test Manager	[Enter name]		
Development Lead	[Enter name]		
Business Owner	[Enter name]		

Final Recommendation

Conditional Go for the tested web workflows, subject to review of blocked cases and completion of human sign-off. This recommendation is based on recorded automated results only.

Go Live Status:

• ■ Go

• ■ Conditional Go

• ■ No-Go

Review note: this report records test evidence and a conditional recommendation. Final approval remains with the named human reviewers.