

Enlace para el video: <https://youtu.be/dwlroKgd7Dw>

Capturas de pantalla:

The image displays two screenshots of the Postman application interface, showing API requests and responses.

Top Screenshot:

- History:** A list of requests is shown on the left. The selected request is a PUT request to `http://127.0.0.1:8000/consuming_api/generic`.
- Request:** The request is a PUT request to `http://127.0.0.1:8000/consuming_api/generic`. The body is raw JSON:

```
{  "limit": 970,  "init": 950}
```

.
- Response:** The response is a 200 OK status. The body is raw JSON:

```
{  "ok": true,  "succes": "Countries created"}
```

.

Bottom Screenshot:

- History:** A list of requests is shown on the left. The selected request is a POST request to `http://127.0.0.1:8000/consuming_api/generic`.
- Request:** The request is a POST request to `http://127.0.0.1:8000/consuming_api/generic`. The body is raw JSON:

```
{  "country_name": "Mexico"}
```

.
- Response:** The response is a 200 OK status. The body is raw JSON:

```
{  "ok": true,  "succes": "New country created"}
```

.

HomeWorkspaces▼Explore

GET http://127.0.0.1:8000/con...

Search Postman

Sign InCreate Account

History

NewImport

GET http://127.0.0.1:8000/consuming_api/countries/897

PUT http://127.0.0.1:8000/consuming_api/countries

POST http://127.0.0.1:8000/consuming_api/countries

GET http://127.0.0.1:8000/consuming_api/countries

GET http://127.0.0.1:8000/consuming_api/excel_report

POST http://127.0.0.1:8000/consuming_api/generic

POST http://127.0.0.1:8000/consuming_api/generic

PUT http://127.0.0.1:8000/consuming_api/generic

GET http://127.0.0.1:8000/consuming_api/excel_report

GET http://127.0.0.1:8000/consuming_api/excel_report

PUT http://127.0.0.1:8000/consuming_api/generic

PUT http://127.0.0.1:8000/consuming_api/generic

PUT http://127.0.0.1:8000/consuming_api/generic

DEL http://127.0.0.1:8000/consuming_api/countries/74

GET http://127.0.0.1:8000/consuming_api/countries/74

PUT http://127.0.0.1:8000/consuming_api/countries/74

POST http://127.0.0.1:8000/consuming_api/countries

http://127.0.0.1:8000/consuming_api/countries

Save

GET http://127.0.0.1:8000/consuming_api/countries/897

Send

ParamsAuthorizationHeaders (6)BodyPre-request ScriptTestsSettings

noneform-datax-www-form-urlencodedrawbinaryJSON

1

BodyCookiesHeaders (10)Test Results

200 OK19 ms835 BSave Response

PrettyRawPreviewVisualizeJSON

```
1  {
2    "id": 897,
3    "name": "Dominican Republic",
4    "region": "Americas",
5    "subregion": "Caribbean",
6    "capital": "Santo Domingo",
7    "population": 10847904,
8    "latitude": 19,
9    "longitude": -70,
10   "area": 48671.0,
11   "flag": "The flag of the Dominican Republic is divided into four rectangles by a centered white cross
        that extends to the edges of the field and bears the national coat of arms in its center. The upper
        hoist-side and lower fly-side rectangles are blue and the lower hoist-side and upper fly-side
        rectangles are red."
12 }
```

Create collections in Postman

Use collections to save your requests and share them with others.

Create a Collection

HomeWorkspacesExplore

Search Postman

Sign InCreate Account

History

NewImport

Today

- PUT http://127.0.0.1:8000/consuming_api/countries/89;
- PUT http://127.0.0.1:8000/consuming_api/countries/89;
- GET http://127.0.0.1:8000/consuming_api/countries/89;
- PUT http://127.0.0.1:8000/consuming_api/countries
- POST http://127.0.0.1:8000/consuming_api/countries
- GET http://127.0.0.1:8000/consuming_api/countries
- GET http://127.0.0.1:8000/consuming_api/excel_report
- POST http://127.0.0.1:8000/consuming_api/generic
- POST http://127.0.0.1:8000/consuming_api/generic
- PUT http://127.0.0.1:8000/consuming_api/generic
- GET http://127.0.0.1:8000/consuming_api/excel_report
- GET http://127.0.0.1:8000/consuming_api/excel_report
- PUT http://127.0.0.1:8000/consuming_api/generic
- PUT http://127.0.0.1:8000/consuming_api/generic
- PUT http://127.0.0.1:8000/consuming_api/generic
- DEL http://127.0.0.1:8000/consuming_api/countries/74;
- GET http://127.0.0.1:8000/consuming_api/countries/74;

Create collections in Postman

Use collections to save your requests and share them with others.

Create a Collection

PUT http://127.0.0.1:8000/con

http://127.0.0.1:8000/consuming_api/countries

PUT http://127.0.0.1:8000/consuming_api/countries/897

Send

ParamsAuthorizationHeaders (8)BodyPre-request ScriptTestsSettingsCookies

noneform-datax-www-form-urlencodedorawbinaryJSON

1234567891011

```
"name": "Dominican Republic",
"region": "Americas update",
"subregion": "Caribbean update",
"capital": "Santo Domingo update",
"population": 352345,
"latitude": 47,
"longitude": -64,
"area": 82374.0,
"flag": "Updated description test."
```

BodyCookiesHeaders (10)Test Results200 OK15 ms573 BSave Response

PrettyRawPreviewVisualizeJSON

123456789101112

```
"id": 897,
"name": "Dominican Republic",
"region": "Americas update",
"subregion": "Caribbean update",
"capital": "Santo Domingo update",
"population": 352345,
"latitude": 47,
"longitude": -64,
"area": 82374.0,
"flag": "Updated description test."
```

HomeWorkspacesExplore

Search Postman

Sign InCreate Account

History

NewImport

Today

- DEL http://127.0.0.1:8000/consuming_api/countries/89;
- DEL http://127.0.0.1:8000/consuming_api/countries/89;
- PUT http://127.0.0.1:8000/consuming_api/countries/89;
- PUT http://127.0.0.1:8000/consuming_api/countries/89;
- GET http://127.0.0.1:8000/consuming_api/countries/89;
- PUT http://127.0.0.1:8000/consuming_api/countries
- POST http://127.0.0.1:8000/consuming_api/countries
- GET http://127.0.0.1:8000/consuming_api/countries
- GET http://127.0.0.1:8000/consuming_api/excel_report
- POST http://127.0.0.1:8000/consuming_api/generic
- POST http://127.0.0.1:8000/consuming_api/generic
- PUT http://127.0.0.1:8000/consuming_api/generic
- GET http://127.0.0.1:8000/consuming_api/excel_report
- GET http://127.0.0.1:8000/consuming_api/excel_report
- PUT http://127.0.0.1:8000/consuming_api/generic
- PUT http://127.0.0.1:8000/consuming_api/generic
- PUT http://127.0.0.1:8000/consuming_api/generic

Create collections in Postman

Use collections to save your requests and share them with others.

Create a Collection

DEL http://127.0.0.1:8000/con

http://127.0.0.1:8000/consuming_api/countries

DELETE http://127.0.0.1:8000/consuming_api/countries/897

Send

ParamsAuthorizationHeaders (6)BodyPre-request ScriptTestsSettingsCookies

noneform-datax-www-form-urlencodedorawbinaryJSON

1

BodyCookiesHeaders (10)Test Results404 Not Found7 ms373 BSave Response

PrettyRawPreviewVisualizeJSON

123

```
"detail": "Not found."
```



