



Angus McLeod <angus.p.mcleod@gmail.com>

## New Router

15 messages

**Alexander Goldberg** <[alexgoldberg@gmail.com](mailto:alexgoldberg@gmail.com)>

Tue, Nov 26, 2013 at 6:13 PM

To: Amol Sarva <a@sarva.co>, Angus McLeod <angus.p.mcleod@gmail.com>, Brian Buchwald <brian.buchwald@bomoda.com>, Alain Rothstein <alain.rothstein@bomoda.com>, Jeremy Levy <jeremy@meetmoi.com>

Hi All,

We are putting in a new (and improved) router tomorrow morning-- Angus has very kindly agreed to switch it with the old one at around 9am tomorrow morning. Angus and I configured it with the network names of knotablesuper2 and knotablesuperduper2, but again with the password 'hellohello'. Angus, keep us posted if anything changes after you set it up.

Let me know if you have any questions/concerns.

Thanks,  
Alex

**Jeremy Levy** <jeremy@meetmoi.com>

Tue, Nov 26, 2013 at 6:15 PM

To: Alexander Goldberg <[alexdgoldberg@gmail.com](mailto:alexdgoldberg@gmail.com)>

Cc: Amol Sarva <a@sarva.co>, Angus McLeod <angus.p.mcleod@gmail.com>, Brian Buchwald <brian.buchwald@bomoda.com>, Alain Rothstein <alain.rothstein@bomoda.com>

Wouldn't a better solution to have them use the same SSID and let our computers automatically choose the access point based on it's strength as the protocol is designed?

This way I don't need to decide to use SuperDuper or SuperDuperDuperSuper depending on where I am sitting?

[Quoted text hidden]

■■■■■

Jeremy Levy | Chief Technology Officer  
MeetMoi

<http://www.meetmoi.com>

<http://www.twitter.com/meetmoi>

<http://www.facebook.com/meetmoi>

**Angus McLeod** <angus.p.mcleod@gmail.com>

Tue, Nov 26, 2013 at 6:21 PM

To: Jeremy Levy <jeremy@meetmoi.com>

Cc: Alexander Goldberg <alexgoldberg@gmail.com>, Amol Sarva <a@sarva.co>, Brian Buchwald <brian.buchwald@bomoda.com>, Alain Rothstein <alain.rothstein@bomoda.com>

Good idea. I'll do it that way.

[Quoted text hidden]

**Jeremy Levy** <jeremy@meetmoi.com>

Tue, Nov 26, 2013 at 6:28 PM

To: Angus McLeod <angus.p.mcleod@gmail.com>

Sorry, didn't mean to sound snippy. Wrote that in the middle of a meeting.

[Quoted text hidden]

---

**Angus McLeod** <angus.p.mcleod@gmail.com>  
To: Jeremy Levy <jeremy@meetmoi.com>

Tue, Nov 26, 2013 at 6:30 PM

No problem at all.

[Quoted text hidden]

---

**Jeremy Levy** <jeremy@meetmoi.com>

Tue, Nov 26, 2013 at 7:21 PM

To: Angus McLeod <angus.p.mcleod@gmail.com>

Cc: Brian Buchwald <brian.buchwald@bomoda.com>, Amol Sarva <a@sarva.co>, Alain Rothstein <alain.rothstein@bomoda.com>, Alexander Goldberg <alexgoldberg@gmail.com>

Also we would benefit from using the spectrum a bit more efficiently. We are all bunched on the same channels. I'll switch MEETMOI to the high end. We should make sure they are evenly distributed.

[Quoted text hidden]



**Screenshot\_2013-11-26-19-15-09.png**  
294K

---

**Angus McLeod** <angus.p.mcleod@gmail.com>

Wed, Nov 27, 2013 at 10:39 AM

To: Jeremy Levy <jeremy@meetmoi.com>

Cc: Brian Buchwald <brian.buchwald@bomoda.com>, Amol Sarva <a@sarva.co>, Alain Rothstein <alain.rothstein@bomoda.com>, Alexander Goldberg <alexgoldberg@gmail.com>

Hello everyone,

As per Jeremy's suggestions, I've set up the routers as follows:

ASUS RT-AC68R (behind the bar): SSIDs: Knotable2.4GHz (Channel 11) and Knotable5GHz (Channel 36)

ASUS RT-N66U (back right corner): SSIDs: Knotable2.4GHz (Channel 5) and Knotable5GHz (Channel 161)

Apple Airport Extreme (Floor near Conference Room): SSID: Knotable2.4GHz (Channel 1)

Jeremy is going to change MeetMoi's 2.4GHz and 5GHz channels accordingly, so they don't conflict.

The upshot is that you won't have to switch between SSIDs and the signals will conflict less being on different channels, albeit, ideally we would have a dual 2.4GHz and 5GHz router in place of the Airport Extreme.

If you have any issue with the routers/internet tell me.

Cheers,

Angus.

[Quoted text hidden]

---

**Brian Buchwald** <brian.buchwald@bomoda.com>

Wed, Nov 27, 2013 at 10:47 AM

[Quoted text hidden]

[Quoted text hidden]

[Quoted text hidden]

[Quoted text hidden]

[Quoted text hidden]

[Quoted text hidden]

[Quoted text hidden]

Wed, Nov 27, 2013 at 1:08 PM

**Angus McLeod** <angus.p.mcleod@gmail.com>

To: Brian Buchwald &lt;brian.buchwald@bomoda.com&gt;

Cc: Jeremy Levy &lt;jeremy@meetmoi.com&gt;, Amol Sarva &lt;a@sarva.co&gt;, Alain Rothstein &lt;alain.rothstein@bomoda.com&gt;, Alexander Goldberg &lt;alexgoldberg@gmail.com&gt;

Jeremy made another helpful suggestion: make all SSIDs 'Knotable' so we won't have to choose at all. There will be a single SSID for all devices in all locations, across all the routers.

I will test this after everyone leaves today.

Sorry to keep changing, but we want to make it work as smoothly as possible.

Angus

On Wed, Nov 27, 2013 at 10:47 AM, Brian Buchwald <brian.buchwald@bomoda.com> wrote:

[Quoted text hidden]