

Modes of Operation

- A technique for enhancing the effect of a cryptographic algorithm or adapting the algorithm for an application
- To apply a block cipher in a variety of applications, five modes of operation have been defined by NIST
 - The five modes are intended to cover a wide variety of applications of encryption for which a block cipher could be used
 - These modes are intended for use with any symmetric block cipher, including triple DES and AES

2020 Pearson Education, Inc., Hoboken, N.I. All rights reserved

2

Mode	Description	Typical Application
Electronic Codebook (ECB)	Each block of plaintext bits is encoded independently using the same key.	•Secure transmission of single values (e.g., an encryption key)
Cipher Block Chaining (CBC)	The input to the encryption algorithm is the XOR of the next block of plaintext and the preceding block of ciphertext.	•General-purpose block- oriented transmission •Authentication
Cipher Feedback (CFB)	Input is processed s bits at a time. Preceding ciphertext is used as input to the encryption algorithm to produce pseudorandom output, which is XORed with plaintext to produce next unit of ciphertext.	•General-purpose stream oriented transmission •Authentication
Output Feedback (OFB)	Similar to CFB, except that the input to the encryption algorithm is the preceding encryption output, and full blocks are used.	•Stream-oriented transmission over noisy channel (e.g., satellite communication)
Counter (CTR)	Each block of plaintext is XORed with an encrypted counter. The counter is incremented for each subsequent block.	General-purpose block- oriented transmission Useful for high-speed requirements



























