

| T | Drug Name | Brand | MG | Treats |
|---|---|---|-------------|--|
| 2 | Albuterol sulfate HFA | Proventil HFA~ Proair HFA~ Ventolin HFA | 90 mcg/act | Wheezing~ shortness of breath caused by breathing problems |
| 2 | Amlodipine besylate | Norvasc | 10 mg | Chest pain~ high blood pressure |
| 2 | Amoxicillin | Amoxil~ Trimox | 500 mg | Antibiotic for bacterial infections |
| 2 | Azithromycin | Zithromax | 250 mg | Bacterial infections |
| 2 | Cephalexin | Keflex | 500 mg | Bacterial infections |
| 2 | Cetirizine hydrochloride | Zyrtec | 10 mg | Allergy symptoms |
| 2 | Cyclobenzaprine hydrochloride | Flexeril | 10 mg | Muscle spasms |
| 2 | Hydrochlorothiazide | Microzide | 25 mg | High blood pressure |
| 2 | Ibuprofen | Motrin | 800 mg | Pain~ inflammation |
| 2 | Vitamin D | Drisdol | 50k IU | Hypoparathyroidism~ osteomalacia~ vitamin D deficiency |
| 6 | Albuterol sulfate | Ventolin HFA~ ProAir HFA~ Proventil HFA | | Asthma and COPD |
| 6 | Levothyroxine sodium | Synthroid | 50 mcg | Hypothyroidism |
| 6 | Lisinopril | Zestril~ Prinivil | 20 mg | High blood pressure~ heart failure~ reduces risk of death after heart attack |
| 6 | Top drug | Brand name | | What it's used for |
| 4 | Albuterol sulfate | | 108 mcg/act | |
| 4 | Alprazolam | | 0.5 mg | |
| 4 | Amoxicillin-clavulanate potassium | | 875-125 mg | |
| 4 | Amphetamine/dextroamphetamine | | 20 mg | |
| 4 | Aspirin low dose | | 81 mg | |
| 4 | Atorvastatin calcium | | 40 mg | |
| 4 | Benzonatate | | 100 mg | |
| 4 | Bromphen/pseudoephedrine HCl/dextromethorphan HBr 2-30-10 | | mg/5 ml | |
| 4 | Chlorhexidine gluconate | | 0.12% | |
| 4 | Ciprofloxacin hydrochloride | | 500 mg | |
| 4 | Cyanocobalamin | | 1000 mcg/ml | |
| 4 | Docusate sodium | | 100 mg | |

| | | | | |
|---|--|--|------------|--|
| 4 | Doxycycline hyclate | | 100 mg | |
| 4 | Ferrous sulfate | | 325 mg | |
| 4 | Fluconazole | | 150 mg | |
| 4 | Fluticasone propionate | | 50 mcg/act | |
| 4 | Folic acid | | 1 mg | |
| 4 | Gabapentin | | 300 mg | |
| 4 | Latanoprost eye drops | | 0.01% | |
| 4 | Loratadine | | 10 mg | |
| 4 | Losartan potassium | | 100 mg | |
| 4 | Meloxicam | | 15 mg | |
| 4 | Methylprednisolone dose pack | | 4 mg | |
| 4 | Metoprolol succinate ER | | 25 mg | |
| 4 | Metoprolol tartrate | | 25 mg | |
| 4 | Metronidazole | | 500 mg | |
| 4 | Naproxen | | 500 mg | |
| 4 | Nitrofurantoin monohydrate macrocrystals | | 100 mg | |
| 4 | Omeprazole | | 20 mg | |
| 4 | Oseltamivir phosphate | | 75 mg | |
| 4 | Pantoprazole sodium | | 40 mg | |
| 4 | Phenazopyridine HCl | | 200 mg | |
| 4 | Prednisone | | 20 mg | |
| 4 | Sertraline HCl | | 50 mg | |
| 4 | Sulfamethoxazole/trimethoprim DS | | 800-160 mg | |
| 4 | Trazodone hydrochloride | | 50 mg | |
| 4 | Triamcinolone acetonide cream | | 0.10% | |
| 4 | Vitamin D | | 50000 IU | |
| 4 | Vitamin D3 | | 50000 IU | |
| 4 | Zolpidem Tartrate | | 10 mg | |
| 8 | Acetaminophen | | | |
| 8 | Acetaminophen; Hydrocodone Bitartrate | | | |
| 8 | Albuterol | | | |
| 8 | Allopurinol | | | |
| 8 | Amlodipine | | | |

| | | | | |
|---|---|--|--|--|
| 8 | Aspirin | | | |
| 8 | Atenolol | | | |
| 8 | Bupropion | | | |
| 8 | Carvedilol | | | |
| 8 | Citalopram | | | |
| 8 | Clonazepam | | | |
| 8 | Clopidogrel Bisulfate | | | |
| 8 | Dextroamphetamine; Dextroamphetamine Saccharate; Amphetamine; Amphetamine Aspartate | | | |
| 8 | Duloxetine | | | |
| 8 | Escitalopram Oxalate | | | |
| 8 | Fluoxetine Hydrochloride | | | |
| 8 | Fluticasone | | | |
| 8 | Furosemide | | | |
| 8 | Glipizide | | | |
| 8 | Insulin Glargine | | | |
| 8 | Levothyroxine | | | |
| 8 | Metformin Hydrochloride | | | |
| 8 | Methylphenidate | | | |
| 8 | Metoprolol | | | |
| 8 | Montelukast | | | |
| 8 | Oxycodone | | | |
| 8 | Potassium | | | |
| 8 | Pravastatin Sodium | | | |
| 8 | Ranitidine | | | |
| 8 | Rosuvastatin | | | |
| 8 | Sertraline Hydrochloride | | | |
| 8 | Simvastatin | | | |
| 8 | Tamsulosin Hydrochloride | | | |
| 8 | Tramadol Hydrochloride | | | |
| 8 | Venlafaxine | | | |
| 8 | Amitriptyline | | | |
| 8 | Apixaban | | | |

| | | | | |
|---|--|--|--|--|
| 8 | Budesonide; Formoterol | | | |
| 8 | Buspirone Hydrochloride | | | |
| 8 | Clonidine | | | |
| 8 | Diclofenac | | | |
| 8 | Diltiazem Hydrochloride | | | |
| 8 | Doxycycline | | | |
| 8 | Ergocalciferol | | | |
| 8 | Estradiol | | | |
| 8 | Ethinyl Estradiol; Norethindrone | | | |
| 8 | Ethinyl Estradiol; Norgestimate | | | |
| 8 | Fenofibrate | | | |
| 8 | Finasteride | | | |
| 8 | Fluticasone Propionate; Salmeterol Xinafoate | | | |
| 8 | Glimepiride | | | |
| 8 | Hydralazine Hydrochloride | | | |
| 8 | Hydrochlorothiazide; Lisinopril | | | |
| 8 | Hydrochlorothiazide; Losartan Potassium | | | |
| 8 | Hydroxyzine | | | |
| 8 | Insulin Aspart | | | |
| 8 | Insulin Lispro | | | |
| 8 | Lamotrigine | | | |
| 8 | Latanoprost | | | |
| 8 | Levetiracetam | | | |
| 8 | Lisdexamfetamine Dimesylate | | | |
| 8 | Lorazepam | | | |
| 8 | Lovastatin | | | |
| 8 | Mirtazapine | | | |
| 8 | Ondansetron | | | |
| 8 | Paroxetine | | | |
| 8 | Pregabalin | | | |
| 8 | Propranolol Hydrochloride | | | |
| 8 | Quetiapine Fumarate | | | |
| 8 | Sitagliptin Phosphate | | | |

| | | | | |
|---|--|--|--|---------------------------------|
| 8 | Spironolactone | | | |
| 8 | Tizanidine | | | |
| 8 | Topiramate | | | |
| 8 | Valsartan | | | |
| 8 | Warfarin | | | |
| 8 | Acetaminophen; Butalbital | | | |
| 8 | Acyclovir | | | |
| 8 | Adalimumab | | | |
| 8 | Albuterol Sulfate; Ipratropium Bromide | | | |
| 8 | Alendronate Sodium | | | |
| 8 | Amiodarone Hydrochloride | | | |
| 8 | Amlodipine Besylate; Benazepril Hydrochloride | | | High blood pressure~ chest pain |
| 8 | Anastrozole | | | |
| 8 | Aripiprazole | | | |
| 8 | Atomoxetine Hydrochloride | | | |
| 8 | Azelastine Hydrochloride | | | |
| 8 | Baclofen | | | |
| 8 | Beclomethasone | | | |
| 8 | Benazepril Hydrochloride | | | |
| 8 | Benztrapine Mesylate | | | |
| 8 | Betamethasone | | | |
| 8 | Bimatoprost | | | |
| 8 | Bisoprolol Fumarate | | | |
| 8 | Bisoprolol Fumarate; Hydrochlorothiazide | | | |
| 8 | Brimonidine Tartrate | | | |
| 8 | Bromfenac Sodium; Prednisolone Acetate; Gatifloxacin | | | |
| 8 | Brompheniramine Maleate; Dextromethorphan Hydrobromide; Pseudoephedrine Hydrochloride | | | |
| 8 | Bumetanide | | | |
| 8 | Buprenorphine | | | |
| 8 | Calcitriol | | | |

| | | | | |
|---|--|--|--|--|
| 8 | Calcium | | | |
| 8 | Calcium; Cholecalciferol | | | |
| 8 | Canagliflozin | | | |
| 8 | Carbamazepine | | | |
| 8 | Carbidopa; Levodopa | | | |
| 8 | Cefdinir | | | |
| 8 | Celecoxib | | | |
| 8 | Chlorthalidone | | | |
| 8 | Clindamycin | | | |
| 8 | Clobetasol Propionate | | | |
| 8 | Colchicine | | | |
| 8 | Cyclosporine | | | |
| 8 | Dapagliflozin | | | |
| 8 | Desogestrel; Ethinyl Estradiol | | | |
| 8 | Desvenlafaxine | | | |
| 8 | Dexamethasone | | | |
| 8 | Dexamethasone; Neomycin Sulfate; Polymyxin B Sulfate | | | |
| 8 | Dexlansoprazole | | | |
| 8 | Dexmethylphenidate Hydrochloride | | | |
| 8 | Dextroamphetamine Sulfate | | | |
| 8 | Diazepam | | | |
| 8 | Dicyclomine Hydrochloride | | | |
| 8 | Digoxin | | | |
| 8 | Diphenhydramine Hydrochloride | | | |
| 8 | Divalproex Sodium | | | |
| 8 | Docusate | | | |
| 8 | Donepezil Hydrochloride | | | |
| 8 | Dorzolamide Hydrochloride; Timolol Maleate | | | |
| 8 | Doxazosin Mesylate | | | |
| 8 | Doxepin Hydrochloride | | | |
| 8 | Drospirenone; Ethinyl Estradiol | | | |
| 8 | Dulaglutide | | | |

| | | | | |
|---|--|--|--|--|
| 8 | Dutasteride | | | |
| 8 | Empagliflozin | | | |
| 8 | Emtricitabine | | | |
| 8 | Enalapril Maleate | | | |
| 8 | Epinephrine | | | |
| 8 | Erythromycin | | | |
| 8 | Esomeprazole | | | |
| 8 | Estrogens~ Conjugated | | | |
| 8 | Eszopiclone | | | |
| 8 | Etanercept | | | |
| 8 | Ethinyl Estradiol; Etonogestrel | | | |
| 8 | Ethinyl Estradiol; Levonorgestrel | | | |
| 8 | Ethinyl Estradiol; Norgestrel | | | |
| 8 | Exenatide | | | |
| 8 | Ezetimibe | | | |
| 8 | Famotidine | | | |
| 8 | Fentanyl | | | |
| 8 | Fexofenadine Hydrochloride | | | |
| 8 | Flecainide Acetate | | | |
| 8 | Formoterol Fumarate; Mometasone Furoate | | | |
| 8 | Gemfibrozil | | | |
| 8 | Glyburide | | | |
| 8 | Guaifenesin; Codeine Phosphate; Pseudoephedrine Hydrochloride | | | |
| 8 | Guanfacine | | | |
| 8 | Hydrochlorothiazide; Triamterene | | | |
| 8 | Hydrochlorothiazide; Valsartan | | | |
| 8 | Hydrocortisone | | | |
| 8 | Hydromorphone Hydrochloride | | | |
| 8 | Hydroxychloroquine | | | |
| 8 | Indomethacin | | | |
| 8 | Insulin Degludec | | | |
| 8 | Insulin Detemir | | | |

| | | | | |
|---|--|--|--|--|
| 8 | Insulin Human; Insulin Isophane Human | | | |
| 8 | Insulin Isophane | | | |
| 8 | Ipratropium | | | |
| 8 | Irbesartan | | | |
| 8 | Isosorbide Mononitrate | | | |
| 8 | Isotretinoin | | | |
| 8 | Ketoconazole | | | |
| 8 | Ketorolac Tromethamine | | | |
| 8 | Labetalol | | | |
| 8 | Lansoprazole | | | |
| 8 | Letrozole | | | |
| 8 | Levocetirizine Dihydrochloride | | | |
| 8 | Levofloxacin | | | |
| 8 | Lidocaine | | | |
| 8 | Linaclotide | | | |
| 8 | Linagliptin | | | |
| 8 | Liothyronine Sodium | | | |
| 8 | Liraglutide | | | |
| 8 | Lithium | | | |
| 8 | Lurasidone Hydrochloride | | | |
| 8 | Magnesium | | | |
| 8 | Meclizine Hydrochloride | | | |
| 8 | Medroxyprogesterone Acetate | | | |
| 8 | Memantine Hydrochloride | | | |
| 8 | Mesalamine | | | |
| 8 | Metformin Hydrochloride; Sitagliptin Phosphate | | | |
| 8 | Methimazole | | | |
| 8 | Methocarbamol | | | |
| 8 | Methotrexate | | | |
| 8 | Methylprednisolone | | | |
| 8 | Metoclopramide Hydrochloride | | | |
| 8 | Minocycline Hydrochloride | | | |
| 8 | Mirabegron | | | |

| | | | | |
|---|---|--|--|--|
| 8 | Modafinil | | | |
| 8 | Mometasone | | | |
| 8 | Morphine | | | |
| 8 | Mupirocin | | | |
| 8 | Mycophenolate Mofetil | | | |
| 8 | Nabumetone | | | |
| 8 | Nebivolol Hydrochloride | | | |
| 8 | Nifedipine | | | |
| 8 | Nitrofurantoin | | | |
| 8 | Nitroglycerin | | | |
| 8 | Norethindrone | | | |
| 8 | Nortriptyline Hydrochloride | | | |
| 8 | Nystatin | | | |
| 8 | Ofloxacin | | | |
| 8 | Olanzapine | | | |
| 8 | Olmesartan Medoxomil | | | |
| 8 | Olopatadine | | | |
| 8 | Omega-3-acid Ethyl Esters | | | |
| 8 | Oxcarbazepine | | | |
| 8 | Oxybutynin | | | |
| 8 | Pancrelipase Lipase; Pancrelipase Protease; Pancrelipase Amylase | | | |
| 8 | Penicillin V | | | |
| 8 | Phentermine | | | |
| 8 | Phenytoin | | | |
| 8 | Pioglitazone | | | |
| 8 | Polyethylene Glycol 3350 | | | |
| 8 | Polyethylene Glycol 3350 With Electrolytes | | | |
| 8 | Polymyxin B Sulfate; Trimethoprim Sulfate | | | |
| 8 | Pramipexole Dihydrochloride | | | |
| 8 | Prazosin Hydrochloride | | | |
| 8 | Prednisolone | | | |

| | | | | |
|---|----------------------------|--|--|--|
| 8 | Primidone | | | |
| 8 | Progesterone | | | |
| 8 | Promethazine Hydrochloride | | | |
| 8 | Pseudoephedrine | | | |
| 8 | Ramipril | | | |
| 8 | Ranolazine | | | |
| 8 | Risperidone | | | |
| 8 | Rivaroxaban | | | |
| 8 | Rizatriptan Benzoate | | | |
| 8 | Ropinirole Hydrochloride | | | |
| 8 | Sacubitril; Valsartan | | | |
| 8 | Sennosides | | | |
| 8 | Sildenafil | | | |
| 8 | Sodium | | | |
| 8 | Sodium Fluoride | | | |
| 8 | Solifenacin Succinate | | | |
| 8 | Sotalol Hydrochloride | | | |
| 8 | Sucralfate | | | |
| 8 | Sumatriptan | | | |
| 8 | Tadalafil | | | |
| 8 | Tamoxifen Citrate | | | |
| 8 | Telmisartan | | | |
| 8 | Temazepam | | | |
| 8 | Terazosin | | | |
| 8 | Testosterone | | | |
| 8 | Thyroid | | | |
| 8 | Ticagrelor | | | |
| 8 | Timolol | | | |
| 8 | Tiotropium | | | |
| 8 | Tolterodine Tartrate | | | |
| 8 | Torsemide | | | |
| 8 | Travoprost | | | |
| 8 | Tretinoin | | | |
| 8 | Triamcinolone | | | |

| | | | | |
|---|--|--|--|--|
| 8 | Umeclidinium Bromide; Vilanterol Trifenatate | | | |
| 8 | Valacyclovir | | | |
| 8 | Verapamil Hydrochloride | | | |