```blade
@extends('layouts.master')

@section('content')
<div class="container">
    <div class="section">
        <h5>Stores</h5>
        <a href="/stores/create">Create Store</a>
        <table>
            <tr>
                <th class="center-align">ID</th>
                <th class="center-align">Store Name</th>
                <th class="center-align">Store Address</th>
                <th class="center-align">Actions</th>
            </tr>
            <tbody>
                @foreach ($stores as $store)
                <tr>
                    <td class="center-align">{{$store->id}}</td>
                    <td class="center-align">
                        <a href="/stores/{{$store->id}}">{{ $store -> name }}</a>
                    </td>
                    <td class="center-align">
                        {{ $store -> address }}
                    </td>
                    <td class="center-align">
                        <a href="/stores/{{$store->id}}/edit">Edit</a> |
                        <a href="/stores/{{$store->id}}/delete">Delete</a>
                    </td>
                </tr>
                @endforeach
            </tbody>
        </table>
    </div>
</div>
@endsection
```

The code just loops through the records in the stores table in the database and displays it in a table.

Each store can be accessed individually by clicking on the name, which is anchored to a show method in the StoresController.

File Edit Search Tools Go to Help

Host: localhost | Database: eloquentrelationshi... | Table: stores | Data | Query

eloquentrelationships1.stores: 10 rows total (approximately)

Next   Show all   Sorting   Columns (5/5)   Filter

id	name	address	created_at	updated_at
1	Store 1	Address 1	2020-11-26 17:04:43	2020-11-26 17:04:43
2	Store 2	Address 2	2020-11-26 17:04:53	2020-11-26 17:04:54
3	Store 3	Address 3	2020-11-26 17:05:02	2020-11-26 17:05:03
4	Store 4	Address 4	2020-11-26 17:05:12	2020-11-26 17:05:13
5	Store 5	Address 5	2020-11-26 17:05:22	2020-11-26 17:05:22
6	Store 6	Address 6	2020-11-26 17:05:30	2020-11-26 17:05:30
7	Store 7	Address 7	2020-11-26 17:05:37	2020-11-26 17:05:38
8	Store 8	Address 8	2020-11-26 17:05:49	2020-11-26 17:05:50
9	Store 9	Address 9	2020-11-26 17:05:57	2020-11-26 17:05:57
10	Store 10	Address 10	2020-11-26 17:06:06	2020-11-26 17:06:06

Filter: Regular expression

```
26 SHOW CREATE TABLE `eloquentrelationships1`.`stores`;
27 SHOW COLLATION;
28 SHOW ENGINES;
29 SELECT * FROM `eloquentrelationships1`.`stores` LIMIT 1000;
30 SHOW CREATE TABLE `eloquentrelationships1`.`stores`;
```

1 : 1   Connected: 00:00 h   MariaDB or MySQL 5.7.24   Uptime: 03:49 h   Server time: 6:03 PM   Idle.

Fajardo and Fernandez

Dashboard Stores Products Transactions

Stores

Create Store

ID	Store Name	Store Address	Actions
1	Store 1	Address 1	Edit | Delete
2	Store 2	Address 2	Edit | Delete
3	Store 3	Address 3	Edit | Delete
4	Store 4	Address 4	Edit | Delete
5	Store 5	Address 5	Edit | Delete
6	Store 6	Address 6	Edit | Delete
7	Store 7	Address 7	Edit | Delete
8	Store 8	Address 8	Edit | Delete
9	Store 9	Address 9	Edit | Delete
10	Store 10	Address 10	Edit | Delete