

The aim of the module is to try and improve the development time while working with the Spring Boot application

Select one:

- A. Spring security
- B. Spring Boot Data JPA
- C. Spring Boot DevTools
- D. SpringBootAcutator

Answer C. Spring Boot DevTools

The -annotation is used to define the request body content type.

Select one:

- A @PathVariable
- B. @RequestParam
- C. @RequestBody
- D. @RequestMapping

Answer C. @RequestBody

-allows the application to automictically trigger a browser refresh whenever we make changes in the resources.

Select one:

- A Live
- B. AutoRefresh
- C. LiveRefresh
- D. LiveReload

Answer D. LiveReload

Which Of The Following Command Is Used To Package The Application Using Maven? The - command is used to execute jar file MC Default mark: 1 Shuffle the choices? Yes Number the choices? A Penalty for each incorrect try: 0 eakdown #Answers Feedback Grade 100 Java -jar jar Run jar ↑ Cinistration ettings Run java jar Java launch jar ↓ k 0 General feedback For any correct response: Your answer is correct For any incorrect response Your answer is incorrect. No No D Clear Hint 1: Show the number of correct responses (Hint 1) Clear incorrect responses (Hint 1) Tags Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)

Select one

- A. Mvn.clean install
- B. Mvn package
- C. Mvn deploy
- D. Mvn complie

Answer Mvn package

Is it possible to read application configuration from an external file. User overrides

Select one:

- A. Always Preview
- B. No Results Permissions
- C. Maybe
- D. Yes

Answer D. Yes

The command is used to execute jar file

Select one:

- A Runjar
- B. Java launch jar
- C Java-jarjar
- DRun java jar

Answer D. Run java jar

The -annotation is used to define the custom or dynamic request URI.

Select

- A. @RequestMapping
- B. @GetMapping
- C. @PostMapping cy breakdown
- D. @PathVariable

Answer D. @PathVariable

Which of the following tag is used to add package information in pom.xml?

Select one:

- A Dependencies
- B. Packaging
- C Version
- E. Package

Answer B. Packaging

The `@RestController` annotation is used to define RESTful web service.

Select one:

A `@RestController`

B. `@Component`

C `@Controller`

D. `@Service`

Answer A. `@RestController`

Which of the following dependencies should be added to send and receive json data to a method?

Select one

A Spring boot-starter web

B. Spring-boot-starter-test

C. Spring boot starter data pa

D. Spring-boot-starter-son

Answer A. spring-boot-starter-web