Project: /mediapipe/_project.yaml Book: /mediapipe/_book.yaml

Object detection model customization guide

 Run in Colab  View on GitHub

License information

```
#@title License information
# Copyright 2023 The MediaPipe Authors.
# Licensed under the Apache License, Version 2.0 (the "License");
#
# you may not use this file except in compliance with the License.
# You may obtain a copy of the License at
#
# https://www.apache.org/licenses/LICENSE-2.0
#
# Unless required by applicable law or agreed to in writing, software
# distributed under the License is distributed on an "AS IS" BASIS,
# WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
# See the License for the specific language governing permissions and
# limitations under the License.
```

The MediaPipe object detection solution provides several models you can use immediately for machine learning (ML) in your application. However, if you need to detect objects not covered by the provided models, you can customize any of the provided models with your own data and MediaPipe Model Maker. This model modification tool rebuilds the model using data you provide. This method is faster than training a new model and can produce a model that is more useful for your specific application.

The following sections show you how to use Model Maker to retrain a pre-built model for object detection with your own data, which you can then use with the MediaPipe Object Detector. The example retrains a general purpose object detection model to detect android figurines in images.

Setup

This section describes key steps for setting up your development environment to retrain a model. These instructions describe how to update a model using Google Colab, and you can also use Python in your own development environment. For general information on setting up your development environment for using MediaPipe, including platform version requirements, see the Setup guide for Python.

Attention: This MediaPipe Solutions Preview is an early release. Learn more.

To install the libraries for customizing a model, run the following commands:

```
!python --version
!pip install --upgrade pip
!pip install mediapipe-model-maker
```

```
     ━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━ 475.2/475.2 MB 31.3 MB/s eta 0:00:
Downloading tensorflow_model_optimization-0.7.5-py2.py3-none-any.whl (241 kB)
Downloading tf_models_official-2.15.0-py2.py3-none-any.whl (2.7 MB)
     ━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━ 2.7/2.7 MB 80.6 MB/s eta 0:00:00
Downloading tensorflow_text-2.15.0-cp310-cp310-manylinux_2_17_x86_64.manylinux
     ━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━ 5.2/5.2 MB 75.9 MB/s eta 0:00:00
Downloading tensorflow_addons-0.23.0-cp310-cp310-manylinux_2_17_x86_64.manylin
     ━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━ 611.8/611.8 kB 27.0 MB/s eta 0:00:
Downloading keras-2.15.0-py3-none-any.whl (1.7 MB)
     ━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━ 1.7/1.7 MB 74.1 MB/s eta 0:00:00
Downloading ml_dtypes-0.3.2-cp310-cp310-manylinux_2_17_x86_64.manylinux2014_x8
     ━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━ 2.2/2.2 MB 81.5 MB/s eta 0:00:00
Downloading sounddevice-0.5.1-py3-none-any.whl (32 kB)
Downloading tensorboard-2.15.2-py3-none-any.whl (5.5 MB)
     ━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━ 5.5/5.5 MB 124.9 MB/s eta 0:00:00
Downloading tensorflow_estimator-2.15.0-py2.py3-none-any.whl (441 kB)
Downloading tf_keras-2.15.1-py3-none-any.whl (1.7 MB)
     ━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━ 1.7/1.7 MB 72.8 MB/s eta 0:00:00
Downloading typeguard-2.13.3-py3-none-any.whl (17 kB)
Downloading wrapt-1.14.1-cp310-cp310-manylinux_2_5_x86_64.manylinux1_x86_64.ma
Downloading sacrebleu-2.4.3-py3-none-any.whl (103 kB)
Downloading colorama-0.4.6-py2.py3-none-any.whl (25 kB)
Downloading portalocker-3.0.0-py3-none-any.whl (19 kB)
Building wheels for collected packages: seqeval
  Building wheel for seqeval (setup.py) ... done
  Created wheel for seqeval: filename=seqeval-1.2.2-py3-none-any.whl size=1616
  Stored in directory: /root/.cache/pip/wheels/1a/67/4a/ad4082dd7dfc30f2abfe4c
Successfully built seqeval
Installing collected packages: wrapt, typeguard, tensorflow-model-optimizatior
  Attempting uninstall: wrapt
    Found existing installation: wrapt 1.17.0
    Uninstalling wrapt-1.17.0:
```

```
    Successfully uninstalled wrapt-1.17.0
  Attempting uninstall: typeguard
    Found existing installation: typeguard 4.4.1
    Uninstalling typeguard-4.4.1:
      Successfully uninstalled typeguard-4.4.1
  Attempting uninstall: ml-dtypes
    Found existing installation: ml-dtypes 0.4.1
    Uninstalling ml-dtypes-0.4.1:
      Successfully uninstalled ml-dtypes-0.4.1
  Attempting uninstall: keras
    Found existing installation: keras 3.5.0
    Uninstalling keras-3.5.0:
      Successfully uninstalled keras-3.5.0
  Attempting uninstall: tensorboard
    Found existing installation: tensorboard 2.17.1
    Uninstalling tensorboard-2.17.1:
      Successfully uninstalled tensorboard-2.17.1
  Attempting uninstall: tensorflow
    Found existing installation: tensorflow 2.17.1
    Uninstalling tensorflow-2.17.1:
      Successfully uninstalled tensorflow-2.17.1
  Attempting uninstall: tf-keras
    Found existing installation: tf_keras 2.17.0
    Uninstalling tf_keras-2.17.0:
      Successfully uninstalled tf_keras-2.17.0
ERROR: pip's dependency resolver does not currently take into account all the
inflect 7.4.0 requires typeguard>=4.0.1, but you have typeguard 2.13.3 which
```

Use the following code to import the required Python classes:

```
from google.colab import files
import os
import json
import tensorflow as tf
assert tf.__version__.startswith('2')

from mediapipe_model_maker import object_detector
```

```
/usr/local/lib/python3.10/dist-packages/tensorflow_addons/utils/tfa_eol_msg.py

TensorFlow Addons (TFA) has ended development and introduction of new features
TFA has entered a minimal maintenance and release mode until a planned end of
Please modify downstream libraries to take dependencies from other repositorie

For more information see: https://github.com/tensorflow/addons/issues/2807

  warnings.warn(
```

Prepare data

Retraining a model for object detection requires a dataset that includes the items, or classes, that you want the completed model to be able to identify. You can do this by trimming down a public dataset to only the classes that are relevant to your usecase, compiling your own dataset, or some combination of both, The dataset can be significantly smaller than what would be required to train a new model. For example, the COCO dataset used to train many reference models contains hundreds of thousands of images with 91 classes of objects. Transfer learning with Model Maker can retrain an existing model with a smaller dataset and still perform well, depending on your inference accuracy goals. These instructions use a smaller dataset containing 2 types of android figurines, or 2 classes, with 62 total training images.

To download the example dataset, use the following code:

```
!unzip jsonrocket8.zip
train_dataset_path = "jsonrocket8/train"
validation_dataset_path = "jsonrocket8/validation"
```

```
  inflating: jsonrocket8/validation/images/img196.jpg
  inflating: __MACOSX/jsonrocket8/validation/images/._img196.jpg
  inflating: jsonrocket8/validation/images/img157.jpg
  inflating: __MACOSX/jsonrocket8/validation/images/._img157.jpg
  inflating: jsonrocket8/validation/images/img60.jpg
  inflating: __MACOSX/jsonrocket8/validation/images/._img60.jpg
  inflating: jsonrocket8/validation/images/img370.jpg
  inflating: __MACOSX/jsonrocket8/validation/images/._img370.jpg
  inflating: jsonrocket8/validation/images/img75.jpg
  inflating: __MACOSX/jsonrocket8/validation/images/._img75.jpg
  inflating: jsonrocket8/validation/images/img614.jpg
  inflating: __MACOSX/jsonrocket8/validation/images/._img614.jpg
  inflating: jsonrocket8/validation/images/img602.jpg
  inflating: __MACOSX/jsonrocket8/validation/images/._img602.jpg
  inflating: jsonrocket8/validation/images/img400.jpg
  inflating: __MACOSX/jsonrocket8/validation/images/._img400.jpg
  inflating: jsonrocket8/validation/images/img212.jpg
  inflating: __MACOSX/jsonrocket8/validation/images/._img212.jpg
  inflating: jsonrocket8/validation/images/img560.jpg
  inflating: __MACOSX/jsonrocket8/validation/images/._img560.jpg
  inflating: jsonrocket8/validation/images/img549.jpg
  inflating: __MACOSX/jsonrocket8/validation/images/._img549.jpg
  inflating: jsonrocket8/validation/images/img89.jpg
  inflating: __MACOSX/jsonrocket8/validation/images/._img89.jpg
  inflating: jsonrocket8/validation/images/img161.jpg
  inflating: __MACOSX/jsonrocket8/validation/images/._img161.jpg
  inflating: jsonrocket8/validation/images/img2.jpg
```

```
inflating: __MACOSX/jsonrocket8/validation/images/._img2.jpg
inflating: jsonrocket8/validation/images/img174.jpg
inflating: __MACOSX/jsonrocket8/validation/images/._img174.jpg
inflating: jsonrocket8/validation/images/img189.jpg
inflating: __MACOSX/jsonrocket8/validation/images/._img189.jpg
inflating: jsonrocket8/validation/images/img65.jpg
inflating: __MACOSX/jsonrocket8/validation/images/._img65.jpg
inflating: jsonrocket8/validation/images/img228.jpg
inflating: __MACOSX/jsonrocket8/validation/images/._img228.jpg
inflating: jsonrocket8/validation/images/img474.jpg
inflating: __MACOSX/jsonrocket8/validation/images/._img474.jpg
inflating: jsonrocket8/validation/images/img107.jpg
inflating: __MACOSX/jsonrocket8/validation/images/._img107.jpg
inflating: jsonrocket8/validation/images/img488.jpg
inflating: __MACOSX/jsonrocket8/validation/images/._img488.jpg
inflating: jsonrocket8/validation/images/img265.jpg
inflating: __MACOSX/jsonrocket8/validation/images/._img265.jpg
inflating: jsonrocket8/validation/images/img516.jpg
inflating: __MACOSX/jsonrocket8/validation/images/._img516.jpg
inflating: jsonrocket8/validation/images/img310.jpg
inflating: __MACOSX/jsonrocket8/validation/images/._img310.jpg
inflating: jsonrocket8/validation/images/img304.jpg
inflating: __MACOSX/jsonrocket8/validation/images/._img304.jpg
inflating: jsonrocket8/validation/images/img29.jpg
inflating: __MACOSX/jsonrocket8/validation/images/._img29.jpg
inflating: jsonrocket8/validation/images/img507.jpg
inflating: __MACOSX/jsonrocket8/validation/images/._img507.jpg
inflating: jsonrocket8/validation/images/img275.jpg
inflating: __MACOSX/jsonrocket8/validation/images/._img275.jpg
inflating: jsonrocket8/validation/images/img12.jpg
inflating: __MACOSX/jsonrocket8/validation/images/._img12.jpg
inflating: jsonrocket8/validation/images/img317.jpg
```

This code stores the dataset at the directory location `android_figurine`. The directory contains two subdirectories for the training and validation datasets, located in `android_figurine/train` and `android_figurine/validation` respectively. Each of the train and validation datasets follow the COCO Dataset format described below.

Supported dataset formats

Model Maker Object Detection API supports reading the following dataset formats:

COCO format

The COCO dataset format has a `data` directory which stores all of the images and a single `labels.json` file which contains the object annotations for all images.

```
<dataset_dir>/
```

```
  data/
    <img0>.<jpg/jpeg>
    <img1>.<jpg/jpeg>
    ...
  labels.json
```

where `labels.json` is formatted as:

```
{
  "categories":[
    {"id":1, "name":<cat1_name>},
    ...
  ],
  "images":[
    {"id":0, "file_name":"<img0>.<jpg/jpeg>"},
    ...
  ],
  "annotations":[
    {"id":0, "image_id":0, "category_id":1, "bbox":[x-top left, y-top left, width, height]
    ...
  ]
}
```

PASCAL VOC format

The PASCAL VOC dataset format also has a `data` directory which stores all of the images, however the annotations are split up per image into corresponding xml files in the `Annotations` directory.

```
<dataset_dir>/
  data/
    <file0>.<jpg/jpeg>
    ...
  Annotations/
    <file0>.xml
    ...
```

where the xml files are formatted as:

```
<annotation>
```

```
   <filename>file0.jpg</filename>
   <object>
     <name>kangaroo</name>
     <bndbox>
       <xmin>233</xmin>
       <ymin>89</ymin>
       <xmax>386</xmax>
       <ymax>262</ymax>
     </bndbox>
   </object>
   <object>
     ...
   </object>
   ...
 </annotation>
```

Review dataset

Verify the dataset content by printing the categories from the `labels.json` file. There should be 3 total categories. Index 0 is always set to be the `background` class which may be unused in the dataset. There should be two non-background categories of `android` and `pig_android`.

```
with open(os.path.join(train_dataset_path, "labels.json"), "r") as f:
  labels_json = json.load(f)
for category_item in labels_json["categories"]:
  print(f"{category_item['id']}: {category_item['name']}")
```

```
1: staging
2: blob
3: plume
4: backlit_plume
5: jellyfish
6: contrail
7: engines
8: point
9: rocket
10: backlit
11: backlit
12: 1
```

To better understand the dataset, plot a couple of example images along with their bounding boxes.

Visualize the training dataset

```
#@title Visualize the training dataset
import matplotlib.pyplot as plt
from matplotlib import patches, text, patheffects
from collections import defaultdict
import math

def draw_outline(obj):
  obj.set_path_effects([patheffects.Stroke(linewidth=4,  foreground='black'), pat
def draw_box(ax, bb):
  patch = ax.add_patch(patches.Rectangle((bb[0],bb[1]), bb[2], bb[3], fill=False,
  draw_outline(patch)
def draw_text(ax, bb, txt, disp):
  text = ax.text(bb[0],(bb[1]-disp),txt,verticalalignment='top'
  ,color='white',fontsize=10,weight='bold')
  draw_outline(text)
def draw_bbox(ax, annotations_list, id_to_label, image_shape):
  for annotation in annotations_list:
    cat_id = annotation["category_id"]
    bbox = annotation["bbox"]
    draw_box(ax, bbox)
    draw_text(ax, bbox, id_to_label[cat_id], image_shape[0] * 0.05)
def visualize(dataset_folder, max_examples=None):
  with open(os.path.join(dataset_folder, "labels.json"), "r") as f:
    labels_json = json.load(f)
  images = labels_json["images"]
  cat_id_to_label = {item["id"]:item["name"] for item in labels_json["categories"
  image_annots = defaultdict(list)
  for annotation_obj in labels_json["annotations"]:
    image_id = annotation_obj["image_id"]
    image_annots[image_id].append(annotation_obj)

  if max_examples is None:
    max_examples = len(image_annots.items())
  n_rows = math.ceil(max_examples / 3)
  fig, axs = plt.subplots(n_rows, 3, figsize=(24, n_rows*8)) # 3 columns(2nd inde
  for ind, (image_id, annotations_list) in enumerate(list(image_annots.items())[:
    ax = axs[ind//3, ind%3]
    img = plt.imread(os.path.join(dataset_folder, "images", images[image_id]["fil
    ax.imshow(img)
    draw_bbox(ax, annotations_list, cat_id_to_label, img.shape)
  plt.show()

visualize(train_dataset_path, 9)
```

Create dataset

The Dataset class has two methods for loading in COCO or PASCAL VOC datasets:

- `Dataset.from_coco_folder`
- `Dataset.from_pascal_voc_folder`

Since the android_figurines dataset is in the COCO dataset format, use the `from_coco_folder` method to load the dataset located at `train_dataset_path` and `validation_dataset_path`. When loading the dataset, the data will be parsed from the provided path and converted into a standardized TFRecord format which is cached for later use. You should create a `cache_dir` location and reuse it for all your training to avoid saving multiple caches of the same dataset.

```
train_data = object_detector.Dataset.from_coco_folder(train_dataset_path, cache_d
validation_data = object_detector.Dataset.from_coco_folder(validation_dataset_pat
print("train_data size: ", train_data.size)
print("validation_data size: ", validation_data.size)
```

```
train_data size:  568
validation_data size:  65
```

Retrain model

Once you have completed preparing your data, you can begin retraining a model to recognize the new objects, or classes, defined by your training data. The instructions below use the data prepared in the previous section to retrain an image classification model to recognize the two types of android figurines.

Set retraining options

There are a few required settings to run retraining aside from your training dataset: output directory for the model, and the model architecture. Use `HParams` to specify the `export_dir` parameter for the output directory. Use the `SupportedModels` class to specify the model architecture. The object detector solution supports the following model architectures:

- `MobileNet-V2`
- `MobileNet-MultiHW-AVG`

For more advanced customization of training parameters, see the Hyperparameters section below.

To set the required parameters, use the following code:

```
spec = object_detector.SupportedModels.MOBILENET_MULTI_AVG
hparams = object_detector.HParams(export_dir='exported_model')
options = object_detector.ObjectDetectorOptions(
    supported_model=spec,
    hparams=hparams
)
```

Run retraining

With your training dataset and retraining options prepared, you are ready to start the retraining process. This process is resource intensive and can take a few minutes to a few hours depending on your available compute resources. Using a Google Colab environment with standard GPU runtimes, the example retraining below takes about 2~4 minutes.

To begin the retraining process, use the `create()` method with dataset and options you previously defined:

```
model = object_detector.ObjectDetector.create(
    train_data=train_data,
    validation_data=validation_data,
    options=options)
```

```
WARNING:tensorflow:Gradients do not exist for variables ['conv2dbn_block_1/bat
71/71 [==============================] - 233s 3s/step - total_loss: 9.9382 - c
Epoch 2/30
71/71 [==============================] - 193s 3s/step - total_loss: 1.3277 - c
Epoch 3/30
```

```
71/71 [==============================] - 192s 3s/step - total_loss: 0.9444 - c
Epoch 4/30
71/71 [==============================] - 193s 3s/step - total_loss: 0.7376 - c
Epoch 5/30
71/71 [==============================] - 189s 3s/step - total_loss: 0.6635 - c
Epoch 6/30
71/71 [==============================] - 199s 3s/step - total_loss: 0.5834 - c
Epoch 7/30
71/71 [==============================] - 189s 3s/step - total_loss: 0.5853 - c
Epoch 8/30
71/71 [==============================] - 189s 3s/step - total_loss: 0.4748 - c
Epoch 9/30
71/71 [==============================] - 196s 3s/step - total_loss: 0.4289 - c
Epoch 10/30
71/71 [==============================] - 188s 3s/step - total_loss: 0.4063 - c
Epoch 11/30
71/71 [==============================] - 190s 3s/step - total_loss: 0.3706 - c
Epoch 12/30
71/71 [==============================] - 197s 3s/step - total_loss: 0.4115 - c
Epoch 13/30
71/71 [==============================] - 192s 3s/step - total_loss: 0.4006 - c
Epoch 14/30
71/71 [==============================] - 197s 3s/step - total_loss: 0.4213 - c
Epoch 15/30
71/71 [==============================] - 191s 3s/step - total_loss: 0.3658 - c
Epoch 16/30
71/71 [==============================] - 192s 3s/step - total_loss: 0.3259 - c
Epoch 17/30
71/71 [==============================] - 190s 3s/step - total_loss: 0.3403 - c
Epoch 18/30
71/71 [==============================] - 197s 3s/step - total_loss: 0.3646 - c
Epoch 19/30
71/71 [==============================] - 189s 3s/step - total_loss: 0.2992 - c
Epoch 20/30
71/71 [==============================] - 191s 3s/step - total_loss: 0.2595 - c
Epoch 21/30
71/71 [==============================] - 185s 3s/step - total_loss: 0.2382 - c
Epoch 22/30
71/71 [==============================] - 185s 3s/step - total_loss: 0.3297 - c
Epoch 23/30
71/71 [==============================] - 187s 3s/step - total_loss: 0.3070 - c
Epoch 24/30
71/71 [==============================] - 184s 3s/step - total_loss: 0.2365 - c
Epoch 25/30
71/71 [==============================] - 185s 3s/step - total_loss: 0.2453 - c
Epoch 26/30
71/71 [==============================] - 184s 3s/step - total_loss: 0.2881 - c
Epoch 27/30
71/71 [==============================] - 183s 3s/step - total_loss: 0.2328 - c
Epoch 28/30
71/71 [==============================] - 185s 3s/step - total_loss: 0.2601 - c
Epoch 29/30
71/71 [==============================] - 184s 3s/step - total_loss: 0.2099 - c
```

Evaluate the model performance

After training the model, evaluate it on validation dataset and print the loss and coco_metrics. The most important metric for evaluating the model performance is typically the "AP" coco metric for Average Precision.

```
loss, coco_metrics = model.evaluate(validation_data, batch_size=4)
print(f"Validation loss: {loss}")
print(f"Validation coco metrics: {coco_metrics}")
```

```
17/17 [==============================] - 6s 266ms/step - total_loss: 0.9797 -
creating index...
index created!
creating index...
index created!
Running per image evaluation...
Evaluate annotation type *bbox*
DONE (t=0.32s).
Accumulating evaluation results...
DONE (t=0.16s).
 Average Precision  (AP) @[ IoU=0.50:0.95 | area=   all | maxDets=100 ] = 0.20
 Average Precision  (AP) @[ IoU=0.50      | area=   all | maxDets=100 ] = 0.47
 Average Precision  (AP) @[ IoU=0.75      | area=   all | maxDets=100 ] = 0.14
 Average Precision  (AP) @[ IoU=0.50:0.95 | area= small | maxDets=100 ] = -1.0
 Average Precision  (AP) @[ IoU=0.50:0.95 | area=medium | maxDets=100 ] = 0.26
 Average Precision  (AP) @[ IoU=0.50:0.95 | area= large | maxDets=100 ] = 0.25
 Average Recall     (AR) @[ IoU=0.50:0.95 | area=   all | maxDets=  1 ] = 0.24
 Average Recall     (AR) @[ IoU=0.50:0.95 | area=   all | maxDets= 10 ] = 0.26
 Average Recall     (AR) @[ IoU=0.50:0.95 | area=   all | maxDets=100 ] = 0.26
 Average Recall     (AR) @[ IoU=0.50:0.95 | area= small | maxDets=100 ] = -1.0
 Average Recall     (AR) @[ IoU=0.50:0.95 | area=medium | maxDets=100 ] = 0.33
 Average Recall     (AR) @[ IoU=0.50:0.95 | area= large | maxDets=100 ] = 0.30
Validation loss: [0.9797477722167969, 0.566624104976654, 0.006986509542912245,
Validation coco metrics: {'AP': 0.20051499, 'AP50': 0.47857672, 'AP75': 0.1478
```

Export model

After creating the model, convert and export it to a Tensorflow Lite model format for later use on an on-device application. The export also includes model metadata, which includes the label map.

```
model.export_model()
!ls exported_model
files.download('exported_model/model.tflite')
```

```
Exporting a floating point model
/usr/local/lib/python3.10/dist-packages/keras/src/engine/functional.py:642: Us
  inputs = self._flatten_to_reference_inputs(inputs)
WARNING:tensorflow:Skipping full serialization of Keras layer <official.vision
WARNING:tensorflow:Skipping full serialization of Keras layer <keras.src.layer
WARNING:tensorflow:Skipping full serialization of Keras layer <keras.src.layer
WARNING:tensorflow:Skipping full serialization of Keras layer <keras.src.layer
WARNING:tensorflow:Skipping full serialization of Keras layer <keras.src.layer
WARNING:tensorflow:Skipping full serialization of Keras layer <keras.src.layer
WARNING:tensorflow:Skipping full serialization of Keras layer <official.vision
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385080) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388122) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387096) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383001) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387726) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382227) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383082) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385035) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384531) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385827) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386394) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386367) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387546) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384144) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385980) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387843) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382875) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384135) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387312) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386322) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385134) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385863) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382569) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389265) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386880) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387411) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387933) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386916) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386691) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384486) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388194) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389094) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382704) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385305) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383181) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386133) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387564) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382290) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386052) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387600) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387366) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382767) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382614) with
```

```
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383226) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386934) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388275) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389778) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384702) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387906) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386655) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383793) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383397) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389400) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386178) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389715) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384153) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384612) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382263) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384126) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389598) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1390021) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387357) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388410) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382758) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384756) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384648) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385089) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386493) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387321) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383712) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383991) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382578) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388590) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386574) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382326) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383982) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386286) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383424) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384936) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388995) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387393) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384819) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387627) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385746) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388626) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386187) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388266) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385368) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389076) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383091) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383163) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389049) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382308) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386016) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383307) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385530) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388356) with
```

```
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386826) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386358) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387699) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385314) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389193) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388113) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388734) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388392) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389760) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384693) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388311) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388320) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386700) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385251) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389823) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382821) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386070) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383442) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389436) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389157) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382902) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1390075) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389814) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383316) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382965) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385332) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389994) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389724) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384774) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384387) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384882) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383667) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384873) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383550) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387015) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384630) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383766) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389985) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384405) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387861) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383298) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385017) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387024) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383604) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388932) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388239) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387852) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389553) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389310) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385737) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386565) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387555) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382281) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389382) with
```

```
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388347) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384378) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382488) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384414) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384675) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383118) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388446) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384000) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388203) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386430) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385953) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389256) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388536) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384081) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385890) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386034) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382659) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386448) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389283) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384990) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389913) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386772) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385818) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388824) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389238) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388779) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387915) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384720) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385485) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384909) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385638) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383586) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1390003) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384234) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384459) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384639) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382893) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388572) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386673) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387060) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384180) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389220) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389121) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387573) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389301) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382362) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385800) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389112) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386160) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385422) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388680) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389373) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383100) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388257) with
```

```
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388455) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385413) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382596) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385071) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387798) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386214) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382911) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1390048) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386439) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386232) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382713) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384576) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388176) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388221) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384324) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383055) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382452) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388833) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384765) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385044) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384801) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382974) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385395) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383280) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386079) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384954) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382632) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1390138) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387231) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387924) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385152) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385593) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385665) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388077) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387042) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385917) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384423) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384972) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382839) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386889) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389922) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385503) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389067) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386151) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385881) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383676) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387168) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385872) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383802) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383730) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387996) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382380) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385899) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386142) with
```

```
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387618) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382695) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389499) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383964) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388149) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383154) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389211) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385431) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382812) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387213) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385476) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389796) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387717) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384315) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385224) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384918) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387420) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384054) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383631) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387303) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385179) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384072) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389535) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387276) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387501) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387492) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387033) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1390120) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1390030) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385539) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389643) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383262) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388095) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384513) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385494) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383514) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386637) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389013) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382335) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385026) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383532) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387672) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387186) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387159) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385278) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389841) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389967) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382686) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386835) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387582) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383388) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382218) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387240) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389175) with
```

```
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389274) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383775) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384981) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384360) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387645) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383271) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385215) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387141) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387447) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383046) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388032) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383487) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383127) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385692) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386862) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387474) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386250) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383685) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388419) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386781) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387438) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382425) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389751) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385620) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388428) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384891) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384846) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389328) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388869) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389346) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382641) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389148) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383829) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389292) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385449) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385998) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388014) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387753) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386313) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386520) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383721) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386007) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386853) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387537) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384747) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388050) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389679) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384171) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384225) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389247) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383505) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382560) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387375) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383892) with
```

WARNING:absl:Importing a function (__inference_internal_grad_fn_1383568) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385629) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385773) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384351) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387762) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389661) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388797) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387087) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382956) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388158) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388248) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386988) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388698) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386808) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387078) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382731) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387879) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384027) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382209) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383811) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385062) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385989) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385719) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385206) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387267) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389805) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1390012) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384261) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388860) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389625) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385944) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387951) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383190) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386601) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389526) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389490) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388437) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388887) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383640) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382884) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387816) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388977) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388905) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386088) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385755) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386376) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385287) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389508) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389139) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387069) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386043) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386277) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388068) with

WARNING:absl:Importing a function (__inference_internal_grad_fn_1382551) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382947) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385242) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384369) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387114) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387195) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382542) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389004) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386952) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385188) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384999) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385008) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389688) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388644) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386763) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387609) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388005) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386979) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383622) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383073) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389931) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382848) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384279) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1390102) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387465) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382407) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389202) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386736) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389391) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384828) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385728) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388491) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384468) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386727) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382254) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386169) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388770) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387825) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386646) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389031) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387177) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387051) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386628) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383433) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1390039) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386790) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382236) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383694) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385710) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385512) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382776) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385566) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383235) with

WARNING:absl:Importing a function (__inference_internal_grad_fn_1389364) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389463) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385962) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385107) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385404) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385647) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388941) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389571) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389697) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386745) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382479) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387006) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382317) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383109) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383901) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386547) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385125) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383973) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388608) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388383) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382506) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387708) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383496) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388401) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388086) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389868) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388617) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387123) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386682) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383757) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389418) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386223) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387204) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389517) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382587) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389769) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388815) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388230) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385782) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386961) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384666) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385683) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386259) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384432) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386457) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385971) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384099) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386619) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387771) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388104) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389445) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384621) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388788) with

WARNING:absl:Importing a function (__inference_internal_grad_fn_1383883) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385764) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383955) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388896) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384333) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384594) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388140) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383541) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389040) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385467) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388131) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387483) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386340) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386124) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384396) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388374) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384036) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382929) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387528) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384657) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389652) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388707) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387519) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383856) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389742) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386502) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386844) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389877) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383748) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388185) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383334) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385170) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385359) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384270) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385341) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383136) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382245) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389409) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389085) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387897) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382740) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384684) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383865) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388167) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388761) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383910) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383352) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385548) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385269) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387258) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387978) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386025) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384090) with

WARNING:absl:Importing a function (__inference_internal_grad_fn_1386241) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387942) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383253) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386709) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387510) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386106) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383208) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384855) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383325) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1390066) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387294) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389427) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384810) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388689) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385296) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384117) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383595) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383289) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389562) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382722) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388059) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384567) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383613) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389184) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382416) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384108) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384549) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389319) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388302) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384558) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388482) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383649) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389787) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386331) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389589) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382650) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386556) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382371) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384495) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384450) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386907) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388986) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382524) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383469) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389940) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388635) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382803) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384927) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389859) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384738) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388581) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388545) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382920) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384864) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388562) with

WARNING:absl:Importing a function (__inference_internal_grad_fn_1388563) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389886) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386412) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388212) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383577) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388716) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382794) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387429) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386718) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388527) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382857) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389166) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387636) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383172) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382785) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386349) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386970) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388329) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389616) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389022) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385386) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387960) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385854) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384945) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389850) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389733) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387402) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383874) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385575) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383406) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387807) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387969) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386943) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382515) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388293) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389706) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383361) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386610) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388806) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383784) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383451) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387150) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387456) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389976) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389580) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386061) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383928) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382830) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388653) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389355) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385053) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384963) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382983) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389337) with

WARNING:absl:Importing a function (__inference_internal_grad_fn_1389904) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384063) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384045) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385323) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389832) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384288) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384243) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386583) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387735) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386898) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383028) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388878) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382938) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388959) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382461) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382272) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387591) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382344) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386295) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383379) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383415) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387348) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389229) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382992) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388554) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382299) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383739) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384900) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387330) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388509) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385098) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382668) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388923) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387789) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388743) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384837) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389670) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382470) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386304) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388464) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386268) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389481) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385935) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383145) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383037) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382623) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382434) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386475) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383370) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389607) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385260) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383946) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388725) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384441) with

```
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383010) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384252) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385458) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383937) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386799) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382398) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385656) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382749) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383919) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387987) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385701) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388338) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385584) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385521) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388662) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382497) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388023) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385926) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385791) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382605) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389454) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387384) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384342) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386196) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383217) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388752) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383478) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385197) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384792) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386466) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384198) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387339) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385611) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382533) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387681) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388842) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387285) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386754) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388914) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384018) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384540) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389949) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384585) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388950) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385233) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383559) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383838) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383523) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383847) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386664) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384207) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388599) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1390129) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389472) with
```

```
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386817) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384783) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386871) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387780) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386385) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385836) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388968) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385350) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385161) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384216) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383703) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387690) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388041) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384009) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387744) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383820) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384522) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383343) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382866) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386925) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386115) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385809) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388284) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1390084) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387222) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388500) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383199) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383019) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386511) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389895) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382353) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384711) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385116) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389544) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386529) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385674) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384504) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388365) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382443) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385557) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385908) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384603) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386592) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383064) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385602) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386097) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386403) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387105) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382677) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384297) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384189) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383244) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387870) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385377) with
```

```
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386205) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387888) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389103) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388473) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389958) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1390057) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384306) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386484) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384729) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385845) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388671) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1384162) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383658) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387663) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1382389) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389634) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1390093) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1390111) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386538) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387654) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387834) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1389058) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1386997) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388851) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387132) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1388518) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1383460) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1387249) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385440) with
WARNING:absl:Importing a function (__inference_internal_grad_fn_1385143) with
float_ckpt.data-00000-of-00001  float_ckpt.index  metadata.json  model.tflite
```

Model quantization

Model quantization is a model modification technique that can reduce the model size and improve the speed of predictions with only a relatively minor decrease in accuracy.

This section of the guide explains how to apply quantization to your model. Model Maker supports two forms of quantization for object detector:

1. Quantization Aware Training: 8 bit integer precision for CPU usage
2. Post-Training Quantization: 16 bit floating point precision for GPU usage

Quantization aware training (int8 quantization)

Quantization aware training (QAT) is a fine-tuning step which happens after fully training your model. This technique further tunes a model which emulates inference time quantization in order to account for the lower precision of 8 bit integer quantization. For on-device applications with a standard CPU, use Int8 precision. For more information, see the TensorFlow Lite documentation.

To apply quantization aware training and export to an int8 model, create a `QATHParams` configuration and run the `quantization_aware_training` method. See the **Hyperparameters** section below on detailed usage of `QATHParams` .

```
qat_hparams = object_detector.QATHParams(learning_rate=0.3, batch_size=4, epochs=
model.quantization_aware_training(train_data, validation_data, qat_hparams=qat_hp
qat_loss, qat_coco_metrics = model.evaluate(validation_data)
print(f"QAT validation loss: {qat_loss}")
print(f"QAT validation coco metrics: {qat_coco_metrics}")
```

The QAT step often requires multiple runs to tune the parameters of training. To avoid having to rerun model training using the `create` method, use the `restore_float_ckpt` method to restore the model state back to the fully trained float model(After running the `create` method) in order to run QAT again.

```
new_qat_hparams = object_detector.QATHParams(learning_rate=0.9, batch_size=4, epo
model.restore_float_ckpt()
model.quantization_aware_training(train_data, validation_data, qat_hparams=new_qa
qat_loss, qat_coco_metrics = model.evaluate(validation_data)
print(f"QAT validation loss: {qat_loss}")
print(f"QAT validation coco metrics: {qat_coco_metrics}")
```

Finally, us the `export_model` to export to an int8 quantized model. The `export_model` function will automatically export to either float32 or int8 model depending on whether `quantization_aware_training` was run.

```
model.export_model('model_int8_qat.tflite')
!ls -lh exported_model
files.download('exported_model/model_int8_qat.tflite')
```

Post-training quantization (fp16 quantization)

Post-training model quantization is a model modification technique that can reduce the model size and improve the speed of predictions with only a relatively minor decrease in accuracy. This approach reduces the size of the data processed by the model, for example by transforming 32-bit floating point numbers to 16-bit floats. Float16 quantization is reccomended for GPU usage. For more information, see the TensorFlow Lite documentation.

First, import the MediaPipe Model Maker quantization module:

```
from mediapipe_model_maker import quantization
```

Define a QuantizationConfig object using the `for_float16()` class method. This configuration modifies a trained model to use 16-bit floating point numbers instead of 32-bit floating point numbers. You can further customize the quantization process by setting additional parameters for the QuantizationConfig class.

```
quantization_config = quantization.QuantizationConfig.for_float16()
```

Export the model using the additional quantization_config object to apply post-training quantization. Note that if you previously ran `quantization_aware_training`, you must first convert the model back to a float model by using `restore_float_ckpt`.

```
model.restore_float_ckpt()
model.export_model(model_name="model_fp16.tflite", quantization_config=quantizati
!ls -lh exported_model
files.download('exported_model/model_fp16.tflite')
```

Hyperparameters

You can further customize the model using the ObjectDetectorOptions class, which has three parameters for `SupportedModels`, `ModelOptions`, and `HParams`.

Use the `SupportedModels` enum class to specify the model architecture to use for training. The following model architectures are supported:

- MOBILENET_V2
- MOBILENET_V2_I320
- MOBILENET_MULTI_AVG
- MOBILENET_MULTI_AVG_I384

Use the `HParams` class to customize other parameters related to training and saving the model:

- `learning_rate`: Learning rate to use for gradient descent training. Defaults to 0.3.
- `batch_size`: Batch size for training. Defaults to 8.
- `epochs`: Number of training iterations over the dataset. Defaults to 30.
- `cosine_decay_epochs`: The number of epochs for cosine decay learning rate. See tf.keras.optimizers.schedules.CosineDecay for more info. Defaults to None, which is equivalent to setting it to `epochs`.
- `cosine_decay_alpha`: The alpha value for cosine decay learning rate. See tf.keras.optimizers.schedules.CosineDecay for more info. Defaults to 1.0, which means no cosine decay.

Use the `ModelOptions` class to customize parameters related to the model itself:

- `l2_weight_decay`: L2 regularization penalty used in tf.keras.regularizers.L2. Defaults to 3e-5.

Uset the `QATHParams` class to customize training parameters for Quantization Aware Training:

- `learning_rate`: Learning rate to use for gradient descent QAT. Defaults to 0.3.
- `batch_size`: Batch size for QAT. Defaults to 8
- `epochs`: Number of training iterations over the dataset. Defaults to 15.
- `decay_steps`: Learning rate decay steps for Exponential Decay. See tf.keras.optimizers.schedules.ExponentialDecay for more information. Defaults to 8
- `decay_rate`: Learning rate decay rate for Exponential Decay. See tf.keras.optimizers.schedules.ExponentialDecay for more information. Defaults to 0.96.

Benchmarking

Below is a summary of our benchmarking results for the supported model architectures. These models were trained and evaluated on the same android figurines dataset as this notebook. When considering the model benchmarking results, there are a few important caveats to keep in mind:

- The android figurines dataset is a small and simple dataset with 62 training examples and 10 validation examples. Since the dataset is quite small, metrics may vary drastically due to variances in the training process. This dataset was provided for demo purposes and it is recommended to collect more data samples for better performing models.
- The float32 models were trained with the default HParams, and the QAT step for the int8 models was run with `QATHParams(learning_rate=0.1, batch_size=4, epochs=30, decay_rate=1)`.
- For your own dataset, you will likely need to tune values for both HParams and QATHParams in order to achieve the best results. See the Hyperparameters section above for more information on configuring training parameters.
- All latency numbers are benchmarked on the Pixel 6.

Model architecture	Input Image Size	Test AP		CPU Latency		Model Size	
		float32	QAT int8	float32	QAT int8	float32	QAT int8
MobileNetV2	256x256	88.4%	73.5%	48ms	16ms	11MB	3.2MB
MobileNetV2 I320	320x320	89.1%	75.5%	75ms	33.38ms	10MB	3.3MB
MobileNet MultiHW AVG	256x256	88.5%	70.0%	56ms	19ms	13MB	3.6MB
MobileNet MultiHW AVG I384	384x384	92.7%	73.4%	238ms	41ms	13MB	3.6MB

Start coding or generate with AI.