



Applied Generative AI for Data Scientists

July 2024

Contents

- Introduction to the John Snow Labs ecosystem
- Open-Source language models
- Pipelines
- Multi-modal pipelines
- Domain-Specific language models
- API endpoints

Spark NLP Pipelines

Spark NLP Pipelines

Pipelines

- Custom stages
- Can process huge amounts of data (Spark Data Frames)
- End-to-end solutions: data processing, model training or inference


Light Pipelines

- Fast inference
- Not run in Spark (single multithreaded machine)
- Use (list of) strings directly (no Spark Data Frame)

Pretrained Pipelines

- Fixed components or stages
- Built to solve specific problems
- Easy to use

Spark NLP Pipelines



```
from pyspark.ml import Pipeline

document_assembler = DocumentAssembler()\
    .setInputCol("text")\
    .setOutputCol("document")

sentence_detector = SentenceDetector()\
    .setInputCols(["document"])\
    .setOutputCol("sentences")

tokenizer = Tokenizer()\
    .setInputCols(["sentences"])\
    .setOutputCol("token")

normalizer = Normalizer()\
    .setInputCols(["token"])\
    .setOutputCol("normal")

word_embeddings = WordEmbeddingsModel.pretrained()\
    .setInputCols(["document", "normal"])\
    .setOutputCol("embeddings")

nlpPipeline = Pipeline(stages=[
    document_assembler,
    sentence_detector,
    tokenizer,
    normalizer,
    word_embeddings,
])

nlpPipeline.fit(df).transform(df)
```

LLM stages in Pipelines

Spark NLP supports the following NLP tasks using LLMs

- Text Summarization
- Question Answering
- Text Generation
- Neural Machine Translation

Encoder only*

ALBERT, BERT, CamemBERT, DeBERTa, DistilBERT, Longformer, MPNet, RoBERTa , XlmRoBERTa

Encoder-Decoder

BART, Flan T5, MarianMT, M2M100 , T5, XLNet

Decoder only

GPT 2, Llama 2, Mistral, Phi 2

*Heads can be applied to perform, e.g., classification or Question-Answering

Other LLM Features

Utilities and integration to third-party software

LLM

- OpenAI Chat Completions
- OpenAI Embeddings
- LLMLoader (gguf)

Make API calls to OpenAI models directly from Spark NLP Pipelines and load GGUF models.

[Notebook with OpenAI integration](#)

RAG

- Document Splitting
- LangChain
- Haystack

Build RAG applications using Spark NLP models on LangChain or Haystack.

[Notebook with Langchain integration](#)

[Notebook with Haystack integration](#)

Annotator Classes

Transformers LLMs

Albert

Bert

CamemBert

DeBerta

DistilBert

Longformer

MPNet

RoBerta

XlmRoBerta

Xlnet

Embeddings

SentenceEm
beddings

ForTokenCla
ssification

ForSequence
Classification

ForQuestionA
nswering

ForZeroShot
Classification

Embeddings Special Cases

BGEEembeddings

E5Embeddings

ElmoEmbeddings

InstructorEmbedd
ings

UAEmbeddings

UniversalSentenc
eEncoder

Seq2Seq

BartTransformer

GPT2Transformer

LLAMA2Transformer

M2M100Transformer

MarianTransformer

MistralTransformer

OpenAICompletion

Phi2Transformer

T5Transformer

Healthcare LLM

JSL_MedSNer_ZS

JSL_MedM

JSL_MedS

MedicalBertForSequenc
eClassification

MedicalBertForTokenCl
assifier

MedicalDistilBertForSe
quenceClassification

MedicalSummarizer

MedicalTextGenerator

Text2SQL

Multimodal Pipelines

Multimodal Pipelines

Tabular

- Question-Answering on tables
 - TapasForQuestionAnswering


Audio

- Automatic Speech Recognition (ASR)
 - HubertForCTC
 - Wav2Vec2ForCTC
 - WhisperForCTC

Image

- Image Classification
 - CLIPForZeroShotClassification
 - ConvNextForImageClassification
 - SwinForImageClassification
 - ViTForImageClassification
- Image Captioning
 - VisionEncoderDecoderForImageCaptioning
- **Visual NLP:** licensed library for Computer Vision tasks

Visual NLP



Coding time!

LLMs

ASR

Visual NLP