

Project 1: Using Azure

1. Created a Free subscription and Logged into the Azure Portal

The screenshot shows the Microsoft Azure Quickstart Center interface. At the top, there's a blue header with the Microsoft Azure logo, a search bar, and user information (johntechnow@outlook.com, RESTRICTED TENANT). Below the header, the 'Quickstart Center' is displayed with a 'Home' link and a star icon. The main content area is titled 'Get started with Azure' and includes a progress bar at 0%. To the right of the progress bar is an illustration of an open book with a blue folder icon. Below this, there are three expandable sections: 'Navigating the Azure portal & your free account' (20 mins), 'Starting your project' (30 mins), and 'Pricing and management' (20 mins). Each section contains a list of tasks with 'Start' buttons.

Section	Duration	Task	Action
^ Navigating the Azure portal & your free account	20 mins	① Get started in the Azure portal	Start
		② Get more from your free account	Start
^ Starting your project	30 mins	③ Architect your Azure solutions	Start
		④ Manage and organize Azure resources	Start
		⑤ Select the best Azure region	Start
^ Pricing and management	20 mins	⑥ Estimate and reduce Azure costs	Start
		⑦ Manage costs and avoid overspending	Start

2. Created A Resource Group

Microsoft Azure

Search resources, services, and docs (G+/)

Copilot

[Home](#) > [Resource groups](#) >

Create a resource group ...

Basics

Tags

Review + create

Resource group - A container that holds related resources for an Azure solution. The resource group can include all the resources for the solution, or only those resources that you want to manage as a group. You decide how you want to allocate resources to resource groups based on what makes the most sense for your organization. [Learn more](#)

Project details

Subscription * ⓘ

Azure subscription 1

Resource group * ⓘ

LabTechWorld

Resource details

Region * ⓘ

(US) East US

3. Created a storage account inside of the resource group

Microsoft Azure

Search resources, services, and docs (G+/)

Copilot

[Home](#) >

Create a storage account

Azure Storage is a Microsoft-managed service providing cloud storage that is highly available, secure, durable, scalable, and redundant. Azure Storage includes Azure Blobs (objects), Azure Data Lake Storage Gen2, Azure Files, Azure Queues, and Azure Tables. The cost of your storage account depends on the usage and the options you choose below. [Learn more about Azure storage accounts](#)

Project details

Select the subscription in which to create the new storage account. Choose a new or existing resource group to organize and manage your storage account together with other resources.

Subscription *

Azure subscription 1

Resource group *

LabTechWorld

[Create new](#)

Instance details

Storage account name * ⓘ

supertechcompany

Region * ⓘ

(US) East US

[Deploy to an Azure Extended Zone](#)

Primary service ⓘ

Select a primary service

Performance * ⓘ

☒ Standard: Recommended for most scenarios (general-purpose v2 account)

☐ Premium: Recommended for scenarios that require low latency.

Redundancy * ⓘ

Locally-redundant storage (LRS)

Previous

Next

Review + create

4. Create Text inside of the container of the storage group

First I Created a text with “Hello we are creating text inside of the storage account yay!”


Then I edited the text and observed it to see if it changed successfully and it did.

The screenshot displays the Microsoft Azure portal interface. On the left, the navigation pane shows the 'jtechcontainer' container. The main area displays the 'Hello Azure Txt.txt' blob. The text inside the blob is:

```
1 Hello We are creating text inside of the storage account yay!  
2 See you later good bye for now
```

Below the text, there is a section labeled 'OPENED FILE AND OBSERVED CHANGES'. On the right side of the screenshot, a text editor window is open, showing the same text as the blob.

5. Deleted The Entire Resource Group



Project Complete

The project was a complete success. I went into Azure and created a resource group. Then I created a storage account container inside. I then created a text and edited the text to make sure everything ran properly. Then we deleted the entire resource group.