

--

--

--

```

<conmas> <top> <designerVersion></designerVersion> <designerDisplayVersion></designerDisplayVersion>
  <mobileSave>0</mobileSave> <mobileReportSave>1</mobileReportSave> <useBiometrics>0</useBiometric
  <finishOutputFiles> <csv></csv> <csvImageAudio></csvImageAudio> <csvZip></csvZip> <dataOutput(
  <excel></excel> </finishOutputFiles> <editOutput>0</editOutput> <editOutputFiles> <csv></csv> <cs
  <pdf></pdf> <pdfLayer></pdfLayer> <docuworks></docuworks> <excel></excel> </editOutputFiles>
  <isOriginalWhole>1</isOriginalWhole> <wholeImageSize></wholeImageSize> <saveIndividuallyImage>1</sav
  <remarksName6>Form remarks 6</remarksName6> <remarksName7>Form remarks 7</remarksName7> <re
  <remarksValue6></remarksValue6> <remarksValue7></remarksValue7> <remarksValue8></remarksValue8>
  <saveLocalCameraImage>0</saveLocalCameraImage> <cooperationTable>0</cooperationTable> <requiredC
  <useNetworkAutoInputStart>1</useNetworkAutoInputStart> <existReportMaster></existReportMaster> <use/
  <retinaMode new="1">1</retinaMode> <calculateMode new="0">1</calculateMode> <reEditDisable>0</reEd
  <noNeedToFillOut>0</noNeedToFillOut> <noNeedToFillOutMode>0</noNeedToFillOutMode> <noNeedToFillC
  <networkAnswerbackMode>0</networkAnswerbackMode> <audioRecordingFileFormat>1</audioRecordingFile
  <mailImage>1</mailImage> <mailPdf>1</mailPdf> <openApp>1</openApp> <print>1</print> <printR
  <encodeType></encodeType> </dividedDeviceCode> <nameParts xml:space="preserve"></nameParts> <u
  <numberingForReeditFromComplete></numberingForReeditFromComplete> <numberingCyclicEnabled></ni
  <day></day> </reset> <useSaveCount></useSaveCount> <saveCount> <digit></digit> <zeroPadc
  <workReportTableNo></workReportTableNo> <networks></networks> <matrixScanSetting> <useScanditCli
  </originalSheetName> </originalSheetNames> <edgeOcrSetting> <edgeOcrClusters /> </edgeOcrSetting
  <autoSelectGen>0</autoSelectGen> <copyDisable>0</copyDisable> <focusClusterIndex></focusClust
  <remarksName8>Sheet remarks 8</remarksName8> <remarksName9>Sheet remarks 9</remarksName9>
  <remarksValue8></remarksValue8> <remarksValue9></remarksValue9> <remarksValue10></remarksV
  <mobileListDisplayNo>0</mobileListDisplayNo> <pinNo></pinNo> <pinValue></pinValue> <
  </reportCopy> <management> <valueToRemarks /> <valueToSystemKeys /> </manage
  <cluster> <sheetNo>1</sheetNo> <clusterId>1</clusterId> <isHidden>0</isHidden> <isl
  <cluster> <sheetNo>1</sheetNo> <clusterId>2</clusterId> <isHidden>0</isHidden> <isl
  <cluster> <sheetNo>1</sheetNo> <clusterId>3</clusterId> <isHidden>0</isHidden> <isl
  <cluster> <sheetNo>1</sheetNo> <clusterId>4</clusterId> <isHidden>0</isHidden> <isl
  <cluster> <sheetNo>1</sheetNo> <clusterId>5</clusterId> <isHidden>0</isHidden> <isl
  </clusters> </sheet> </sheets> </top>
</conmas>

```

<updateDefinitionApp>ConMasDesigner</updateDefinitionApp> <isSortReport>0</isSortReport> <notDisplayRs> <useIdentification>0</useIdentification> <safeKeeping>0</safeKeeping> <autoSelectGen>0</autoSelectGen> <dataOutputCsv></dataOutputCsv> <dataOutputCsvImageAudio></dataOutputCsvImageAudio> <xml></xml> <pdf></pdf> <dataOutputCsvImageAudio></dataOutputCsvImageAudio> <csvZip></csvZip> <dataOutputCsv></dataOutputCsv> <dataOutputCsvImageAudio></dataOutputCsvImageAudio> <excelOutput>1</excelOutput> <lockMode>0</lockMode> <publicStatus>2</publicStatus> <picOriginalResolution>1</picOriginalResolution> <editMail></editMail> <completeMail></completeMail> <remarksName1>Form remarks 1</remarksName1> <remarksName2>Form remarks 2</remarksName2> <remarksName3>Form remarks 3</remarksName3> <remarksName4>Form remarks 4</remarksName4> <remarksName5>Form remarks 5</remarksName5> <remarksName6>Form remarks 6</remarksName6> <remarksName7>Form remarks 7</remarksName7> <remarksName8>Form remarks 8</remarksName8> <remarksName9>Form remarks 9</remarksName9> <remarksName10>Form remarks 10</remarksName10> <remarksValue1></remarksValue1> <remarksValue2></remarksValue2> <remarksValue3></remarksValue3> <remarksValue4></remarksValue4> <remarksValue5></remarksValue5> <remarksValue6></remarksValue6> <remarksValue7></remarksValue7> <remarksValue8></remarksValue8> <remarksValue9></remarksValue9> <remarksValue10></remarksValue10> <remarksEditable>0</remarksEditable> <requiredCheckMode>0</requiredCheckMode> <requiredSaveMode>0</requiredSaveMode> <requiredCheckPrint>0</requiredCheckPrint> <requiredSavePrint>0</requiredSavePrint> <useApplicantLock>0</useApplicantLock> <useInputHistory>0</useInputHistory> <useInitInputJudge>0</useInitInputJudge> <useInitInputDisable> <useStartTime></useStartTime> <useEndTime></useEndTime> <systemKey1></systemKey1> <systemKey2></systemKey2> <systemKey3></systemKey3> <systemKey4></systemKey4> <systemKey5></systemKey5> <systemKey6></systemKey6> <systemKey7></systemKey7> <systemKey8></systemKey8> <systemKey9></systemKey9> <systemKey10></systemKey10> <noNeedToFillOutCluster></noNeedToFillOutCluster> <noNeedToFillOutType>0</noNeedToFillOutType> <noNeedToFillOutStr></noNeedToFillOutStr> <noNeedToFillOutFormat> <fontAutoResizingMode>1</fontAutoResizingMode> <displaySaveMenu> <localSave>1</localSave> <remoteSave>0</remoteSave> <printReceipt>1</printReceipt> <savePdf>1</savePdf> <saveExcel>1</saveExcel> <saveImage>0</saveImage> </displaySaveMenu> <dividedCluster>0</dividedCluster> <useAutoNumbering></useAutoNumbering> <autoNumbering xml:space="preserve"> <startValue></startValue> <endValue></endValue> <autoNumberingCyclicEnabled> <useReset></useReset> <reset> <termType></termType> <startDate></startDate> <endDate></endDate> <zeroPadding></zeroPadding> </saveCount> </autoNumbering> <workReportType>0</workReportType> <dailyReportType>0</dailyReportType> <useScanditCluster>0</useScanditCluster> <scanditClusters></scanditClusters> </matrixScanSetting> <originalSheetName></originalSheetName> <pageClusters></pageClusters> <sheets> <sheet> <defSheetId>1706</defSheetId> <sheetNo>1</sheetNo> </sheet> </sheets> <remarksName1>Sheet remarks 1</remarksName1> <remarksName2>Sheet remarks 2</remarksName2> <remarksName3>Sheet remarks 3</remarksName3> <remarksName4>Sheet remarks 4</remarksName4> <remarksName5>Sheet remarks 5</remarksName5> <remarksName6>Sheet remarks 6</remarksName6> <remarksName7>Sheet remarks 7</remarksName7> <remarksName8>Sheet remarks 8</remarksName8> <remarksName9>Sheet remarks 9</remarksName9> <remarksName10>Sheet remarks 10</remarksName10> <remarksValue1></remarksValue1> <remarksValue2></remarksValue2> <remarksValue3></remarksValue3> <remarksValue4></remarksValue4> <remarksValue5></remarksValue5> <remarksValue6></remarksValue6> <remarksValue7></remarksValue7> <remarksValue8></remarksValue8> <remarksValue9></remarksValue9> <remarksValue10></remarksValue10> <clusters> <cluster> <sheetNo>1</sheetNo> <clusterId>0</clusterId> <isHidden>0</isHidden> </cluster> </clusters> <cooperationCluster>0</cooperationCluster> <actionPost></actionPost> <clearCluster></clearCluster>

HiddenDesigner>0</isHiddenDesigner>	<mobileDisplay>1</mobileDisplay>	<mobileListDisplayNo>2</mobileListDisplayNo>
HiddenDesigner>0</isHiddenDesigner>	<mobileDisplay>1</mobileDisplay>	<mobileListDisplayNo>3</mobileListDisplayNo>
HiddenDesigner>0</isHiddenDesigner>	<mobileDisplay>1</mobileDisplay>	<mobileListDisplayNo>4</mobileListDisplayNo>
HiddenDesigner>0</isHiddenDesigner>	<mobileDisplay>1</mobileDisplay>	<mobileListDisplayNo>5</mobileListDisplayNo>

enumberedIndex>0</notDisplayRenumberedIndex> <reportType>1</reportType> <sheetCount>2</sheetCount>
en> <nameEditable>0</nameEditable> <nameRegenerate>0</nameRegenerate> <lifeTime>0</lifeTime> <fin

1</remarksName1> <remarksName2>Form remarks 2</remarksName2> <remarksName3>Form remarks 3</re
sName10>Form remarks 10</remarksName10> <remarksValue1></remarksValue1> <remarksValue2></remark
itable> <remarksClearCooperation>1</remarksClearCooperation> <canSendMailAsAttachment>1</canSendMa
quiredCheckPrint> <minimumEditSize></minimumEditSize> <finishCreateSortedReport>0</finishCreateSortedF
rtJudge> <useInitInputJudgeParameters></useInitInputJudgeParameters> <useChangeReason>0</useChangeR
/stemKey2></systemKey2> <systemKey3></systemKey3> <systemKey4></systemKey4> <systemKey5></syste
ing></noNeedToFillOutString> <journalizingDefTopId>0</journalizingDefTopId> <pinCooperationSelectCluster>
<continuationSave>1</continuationSave> <serverSave>1</serverSave> <finishSave>1</finishSave> <col

<increment></increment> <digit></digit> <zeroPadding></zeroPadding> <numberingTiming></numbering
Date> <executeTime></executeTime> <interval></interval> <week></week> <month></month>

Name2> <remarksName3>Sheet remarks 3</remarksName3> <remarksName4>Sheet remarks 4</remarksN
/alue2></remarksValue2> <remarksValue3></remarksValue3> <remarksValue4></remarksValue4> <rem
0</isHidden> <isHiddenDesigner>0</isHiddenDesigner> <mobileDisplay>1</mobileDisplay>
<excelOutputValue></excelOutputValue> <reportCopy> <clear>0</clear> <displayDefaultVa

nobileListDisplayNo>	<pinNo></pinNo>	<pinValue></pinValue>	<cooperationCluster>0</cooperati
nobileListDisplayNo>	<pinNo></pinNo>	<pinValue></pinValue>	<cooperationCluster>0</cooperati
nobileListDisplayNo>	<pinNo></pinNo>	<pinValue></pinValue>	<cooperationCluster>0</cooperati
nobileListDisplayNo>	<pinNo></pinNo>	<pinValue></pinValue>	<cooperationCluster>0</cooperati

OutputValue>	<reportCopy>	<clear>0</clear>	<displayDefaultValue>1</displayDefaultValue>
OutputValue>	<reportCopy>	<clear>0</clear>	<displayDefaultValue>1</displayDefaultValue>
OutputValue>	<reportCopy>	<clear>0</clear>	<displayDefaultValue>1</displayDefaultValue>
OutputValue>	<reportCopy>	<clear>0</clear>	<displayDefaultValue>1</displayDefaultValue>

</reportCopy>	<management>	<valueToRemarks />	<valueToSystemKeys />	</managemer
</reportCopy>	<management>	<valueToRemarks />	<valueToSystemKeys />	</managemer
</reportCopy>	<management>	<valueToRemarks />	<valueToSystemKeys />	</managemer
</reportCopy>	<management>	<valueToRemarks />	<valueToSystemKeys />	</managemer

```
it> </cluster>
it> </cluster>
it> </cluster>
it> </cluster>
```