#### **CAMBRIDGE INTERNATIONAL EXAMINATIONS**

Cambridge International Advanced Subsidiary and Advanced Level

## MARK SCHEME for the May/June 2015 series

### 9608 COMPUTER SCIENCE

9608/22

Paper 2 (Written Paper), maximum raw mark 75

www.PapaCambridge.com

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2015 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.

Page 2	Mark Scheme	Sy. per
	Cambridge International AS/A Level – May/June 2015	960

1 (a)

Identifier	Data Type	Description
RaceHours	INTEGER	The hours part of the race time
RaceMinutes	INTEGER	the minute part of the race time
RaceSeconds	INTEGER // REAL	the seconds part of the race time
RaceTime	INTEGER // REAL	the race time in seconds

 $3 \times (meaningful name + data type)$ 

[3]

(b) (i)

Identifier	Data Type	Description
PersonalBestTime	INTEGER/REAL	Personal best time in seconds

meaningful name + data type

[1]

#### (ii) Mark as follows:

- Declarations/comments for variables at least 2
- Input (+ prompts) for hours, minutes, seconds
- Input (+ prompt) of personal best time
- Correct calculation of RaceTimeInSeconds (don't allow use of 'x' for '\*')
- Output RaceTimeInSeconds
- Correct logic and output message for < personal best</li>
- Correct logic and output message for > personal best
- Correct logic and output message for = personal best

[max 7]

- (c) (i) Choosing data/values...
  - Test every possible 'logic path' through the code
     // with knowledge of the structure/code

Ignore any reference to normal/boundary/extreme ...

[2]

- (ii) PersonalBest column labelled
  - Test number 1 message: "Equals personal best time"/or similar
  - Test 2/Test 3 data for better performance ...
  - Described with suitable message
  - Test 2/Test 3 data for worse performance ...
  - Described with suitable message

[6]

#### 2 (a) (i) Displays the menu (choices)

Repeats the prompt and input ...

...the input is a number between 1 and 4 // Checks number is between 1 and 4

"within range" is not enough

[3]

(ii) ...the input number is validated

[1]

Page 3	Mark Scheme	Sy. oer
	Cambridge International AS/A Level – May/June 2015	960

- **(b) (i)** 3
  - (ii) Previous design repeated indefinitely // (new design) limits number of attempts

Penalise "Program terminates/closes"

```
(c) IF Choice = 1 THEN (CALL) ReadFile (1)

IF Choice = 2 THEN OUTPUT "Add Customer code" (1)

IF Choice = 3 THEN OUTPUT "Search Customer code" (1)

IF Choice = 4 THEN END (1)
```

#### alternative answer:

#### mark as follows:

```
CASE OF Choice // Select CASE Choice 1 mark

1: (CALL) ReadFile 1 mark (allow CASE = 1)

2: OUTPUT "Add Customer code" 1 mark

3: OUTPUT "Search Customer code" 1 mark

4: END

ENDCASE
```


Output strings must match

[max 3]

- (d) Mark as follows:
  - Choice / NoOfAttempts declared/commented <u>as integer</u>
     Must appear within the 'main' program
     Allow: different identifier names
  - Constant i assigned a value 3
  - There is an 'outer' loop to repeatedly display the menu
  - Input 'choice' variable
  - Three IF statements (or equivalent) for processing menu choices 1, 2 and 3 Note: they must be correctly formed as 'nested' or 'independent'
  - Choice 1 calls procedure ReadFile
  - Choice 2 outputs "Add Customer Code"
     + Choice 3 outputs "Search Customer Code"
  - Outer loop terminates correctly with 'Choice = 4' //or equivalent
  - Procedure DisplayMenu shows the four menu options
  - Procedure ReadFile is present ...
     and contains a single output message 'Read file code'

[max 8]

Pa	ge 4	Mark Scheme S	per
		Cambridge International AS/A Level – May/June 2015	960
3	(a) C	ontrol box – C // Produce insurance quotation	Camb
		// Input customer details + A // Send quotation letter is correct positions	Tage
	(b)		COM



Data it	Data items		
Е	CustomerName		
F	CustomerEmail		
G	Model		
Н	Age		
I	PolicyCharge		
J	PolicyNumber		

www.PapaCambridge.com Page 5 **Mark Scheme** Cambridge International AS/A Level - May/June 2015 (i) FOR NoOfThrows  $\leftarrow$  1 TO 20 / 0 TO 19 (2)INPUT Player1Throw INPUT Player2Throw (1) IF Player1Throw > Player2Throw (1) Player1Total ← Player1Total + 1 ENDIF IF Player2Throw > Player1Throw THEN Player2Total ← Player2Total + 1 ENDIF (1) **ENDFOR** IF Player1Total > Player2Total THEN OUTPUT "Player1 is the winner" ELSE OUTPUT "Player2 is the winner" END [5] (ii) Player scores equal // if Player1Total = Player2Total // there is no winner // a draw [1] 5 (a) • 1D Array // List [1]

(b) (i)

**INTEGER** 

Х	Da	DayNumber		OUTPUT
0		1		
		2		
1		3		5/6/2015
		4		
2		5		7/6/2015
		6		
3		7		9/6/2015
			3	

Note: 'x' and 'output' entries must be on or below the relevant 'DayNumber' entry *Mark as above* 

[4]

[1]

					The state of the s
Page 6			Mark Scheme		Syl
. age c		Cambrid	dge International AS/A Le		960
(i	ii)	<ul><li> Sale</li><li> the r</li><li>Outputs</li></ul>	es for the <u>first seven days</u> number of days on which the s the corresponding dates the final value/total (of x)		Sy.   voer   960
(c) (i	(i) ii)	2			[1]
		Tick Cross	Explanation	(if invalid)	
		X // ✓	2 <sup>nd</sup> parameter should be C	HAR // accept just tick	
		Х	Three parameters/should	be 2 parameters	
		✓			
					[3]
		NFILE "DI UT <b>NextDa</b>	SCOUNT_DATES" FOR WR	ITE / WRITING	(1) (1)
	WHI		Date <> "XXX"		(1)
		NextLine	= CONCAT (NextDate, "		(1)
_	END	WHILE	E "DISCOUNT_DATES",	NextLine	(1)
		PUT <b>"</b> File SEFILE	e now created"		[4]
(e) (	(i)	<u>Sensible</u> Ide	entifier + Data Type + Desc	ription (1 + 1 + 1)	
		For example			
		ThisDate	STRING/DATE	date 'entered by u	
		Found	BOOLEAN	file'	isDate <b>is 'present in the</b>
		NextLine	STRING	a single line 'from	the text file'

ThisDate	STRING/DATE	date 'entered by user'
Found	BOOLEAN	flag to indicate ThisDate is 'present in the
		file'
NextLine	STRING	a single line 'from the text file'
NextDate	STRING/DATE	date 'from next line in the file'
NextDiscount	STRING	the discount value from NextLine
ThisMonth	INTEGER	the month part of the date (input or from file)
MyStreamReader	STREAMREADER	references DISCOUNT_DATES file

Reject 'generic' reserved words
Allow **one** instance variable to store output string(s)
Allow **one** instance of month/day/year number e.g. ThisMonth shown above [3]

Page 7	Mark Scheme	Sy. per
	Cambridge International AS/A Level – May/June 2015	960

### (ii) Mark as follows:

Open file statement File read statement for line text – NextLine File close statement	(1) (1) (1)
Input of the required date — ThisDate	(1)
Isolate NextDate   from NextLine   Isolate NextDiscount   from NextLine	(1) (1)
IF statement comparing the two dates Uses Boolean variable Found to flag when found	(1) (1)
Post/pre condition loop iterate through the file Test for EOF or 'found'	(1) (1)
Note: These must follow some correct logic to score  Output 'No discount on this date' and Output 'This is a discount date')  Output (when date not found) 'Date not found'	(1) (1)
Accept 'any' identifier names	[max 7]

Page 8	Mark Scheme	Syl Sper
	Cambridge International AS/A Level – May/June 2015	960

# APPENDIX Programming Solutions

#### Question 1 (b) (ii)

#### Visual Basic ...

```
Dim RaceHours As Integer
Dim RaceMinutes As Integer
Dim RaceSeconds As Integer
Dim RaceTimeInSeconds As Integer
Dim PersonalBest As Integer
Console.Write("Time in hours ... ") : RaceHours = Console.ReadLine
Console.Write("Time in minutes...") : RaceMinutes = Console.ReadLine
Console.Write("Time in seconds ... ")
RaceSeconds = Console.ReadLine
Console.Write("Personal best in seconds ... ")
PersonalBest = Console.ReadLine
RaceTimeInSeconds = RaceHours*60*60 + RaceMinutes*60 + RaceSeconds
Console.Write(RaceTimeInSeconds)
If RaceTimeInSeconds < PersonalBest Then
  Console.WriteLine("New personal best time")
Else
  If RaceTimeInSeconds = PersonalBest Then
   Console.WriteLine("Equals personal best time")
   Console.WriteLine("Below personal best")
  End If
End If
```

#### Python ...

```
- Integer
# RaceHours
# RaceMinutes
                   - Integer
                - Integer
# RaceSeconds
# RaceTimeInSeconds - Integer
# PersonalBest
                - Integer
RaceHours = int(input("Time in hours ... "))
RaceMinutes = int(input("Time in minutes... "))
RaceSeconds = int(input("Time in seconds ... "))
PersonalBest = int(input("Personal best in seconds ... "))
RaceTimeInSeconds = RaceHours*60*60 + RaceMinutes*60 + RaceSeconds
if RaceTimeInSeconds < PersonalBest:</pre>
   print("New personal best time")
elif RaceTimeInSeconds == PersonalBest:
   print("Equals personal best time")
else:
   print("Below personal best")
```

Page 9	Mark Scheme					Sy. per
	Cambridge	Int	ernational	AS/A Leve	el – May/June 2015	960
Programming Solutions Question 1 (b) (ii) – contd.						Cambrid
Pascal						36.CO
var Rac	eHours	:	Integer	;		177
var Rac	eMinutes	:	Integer	;		
TTOR Dog	oSogonda		Intogor			

#### **Programming Solutions** Question 1 (b) (ii) - contd.

#### Pascal ...

```
var RaceHours
                      : Integer ;
                      : Integer ;
var RaceMinutes
var RaceSeconds : Integer ;
var RaceTimeInSeconds : Integer ;
var PersonalBestTime : Integer ;
begin
Writeln('Time in hours ... ') ; readln(RaceHours) ;
Writeln('Time in minutes... ') ; readln(RaceMinutes) ;
Writeln('Time in seconds ... ') ;
readln(RaceSeconds) ;
Writeln('Personal best in seconds ... ');
Readln(PersonalBest) ;
RaceTimeInSeconds := RaceHours*60*60 + RaceMinutes*60 + RaceSeconds ;
Writeln(RaceTimeInSeconds) ;
If RaceTimeInSeconds < PersonalBestTime Then</pre>
  WriteLn('New personal best time')
  Else
   If RaceTimeInSeconds = PersonalBest Then
       WriteLn('Equals personal best time')
   Else
       WriteLn('Personal best time is unchanged) ;
Readln;
End
```

Page 10	Mark Scheme	Sy. oer
	Cambridge International AS/A Level – May/June 2015	960

# Programming Solutions Question 2 (d)

while Choice !=4:
 DisplayMenu()

#### Visual Basic ...

```
Dim Choice As Integer
   Dim NoOfAttempts As Integer
   CONST i = 3
   Do
      Call DisplayMenu()
      NoOfAttempts = 0
      Console.Write("Enter choice (1..4)"
      Choice = Console.ReadLine
      NoOfAttempts = NoOfAttempts + 1
      Loop Until (Choice >= 1 And Choice <= 4) Or NoOfAttempts = i
      If Choice = 1 Then Call ReadFile()
      If Choice = 2 Then Console.WriteLine("Add customer code")
      If Choice = 3 Then Console.WriteLine("Search customer code")
   Loop Until Choice = 4
  Sub DisplayMenu()
   Console.WriteLine()
   Console.WriteLine("1. Read customer file")
   Console.WriteLine("2. Add customer")
   Console.WriteLine("3. Search for a customer")
   Console.WriteLine("4. End")
   Console.WriteLine()
  End Sub
  Sub ReadFile()
   Console.WriteLine("Read file code")
  End Sub
Python ...
def DisplayMenu():
   print()
   print("1. Read customer file")
   print("2. Add customer")
   print("3. Search for a customer")
   print("4. End")
   print()
def ReadFile():
  print("Read file code")
if name ==" main ":
   # Choice - Integer
   # NoOfAttempts - Integer
   Choice = 0
```

www.PapaCambridge.com Page 11 **Mark Scheme** Cambridge International AS/A Level - May/June 2015

```
Choice = int(input"Enter choice (1..4) :")
NoOfAttempts = 1
while (Choice < 1 or Choice >4) and NoOfAttempts < 3:
   Choice = int(input"Enter choice (1..4) :")
   NoOfAttempts = 1
if Choice == 1:
   ReadFile()
elif Choice == 2:
   print("Add customer code")
elif Choice == 3:
print("Print customer code")
```

### **Programming Solutions** Question 2 (d) - contd.

#### Pascal ...

```
var Choice
            : Integer ;
var NoOfAttempts : Integer ;
const i = 3;
procedure DisplayMenu;
  begin
  WriteLn();
  WriteLn('1. Read customer file') ;
  WriteLn('2. Add customer') ;
  WriteLn('3. Search for a customer');
  WriteLn('4. End') ;
  WriteLn();
End ;
Procedure ReadFile ;
  begin
  WriteLn('Read file code');
begin
repeat
  DisplayMenu() ;
  NoOfAttempts := 0;
  repeat
   Writeln('Enter choice (1..4)') ; ReadLn(Choice) ;
   NoOfAttempts := NoOfAttempts + 1;
  Until ((Choice >= 1) And (Choice <= 4)) Or (NoOfAttempts = i);
  If Choice = 1 Then ReadFile();
  If Choice = 2 Then writeLn('Add customer code');
  If Choice = 3 Then WriteLn('Search customer code') ;
Until Choice = 4 ;
end.
```

Page 12	Mark Scheme	Syl Sper
	Cambridge International AS/A Level – May/June 2015	960

# Programming Solutions Question 5 (ii)

#### Visual Basic ...

MyFile.close()
if Found == 0:

```
Dim ThisDate As String: Dim NextDate As String
   Dim FileString As String
   Dim Found As Boolean
   FileOpen(1, "D:DISCOUNT DATES.txt", OpenMode.Input)
         or equivalent for a 'StreamReader' solutions
   Console.Write("Date to find (DD/MM/YYYY)..")
   ThisDate = Console.ReadLine
   Found = False
      FileString = LineInput(1)
      NextDate = Left(FileString, 10)
      If NextDate = ThisDate Then
   Found = True
   ' length is 15 when shows TRUE
   If Len(FileString) = 15 Then
          Console.WriteLine("This is a discount date")
      Else
         Console.WriteLine("No discount on this date")
    End If
    End If
    Loop Until Found = True Or EOF(1)
    FileClose(1)
    If Found = False Then
      Console.WriteLine("Date not found")
    End If
Python ...
MyFile = open("c:\DISCOUNT DATES.txt", "r")
ThisDate = input("Next date ...(XXX to end)")
Found = 0
while Found == 0:
   NextLine = MyFile.readline()
   if not NextLine:
      break
   FileDate = NextLine[0:10]
   DiscountIndicator = NextLine[11:]
   if FileDate == ThisDate:
        Found = 1
       print (ThisDate, DiscountIndicator)
```

Page 13	Mark Scheme	Sy. per
	Cambridge International AS/A Level – May/June 2015	960
print	("This date was not found")	Cany
Note: Fou	and could be Boolean to give:	Tide
Found =	False	06
while not Found:		On
	ning Solutions	

```
print ("This date was not found")
```

#### **Programming Solutions** Question 5 (ii) - contd.

#### Pascal ...

```
var ThisDate : String ;
var NextDate : String ;
var TheFile
              : Text ;
var FileString : String ;
var Found
              : Boolean ;
begin
assign(TheFile, 'k:\DISCOUNT DATES.txt') ;
reset(TheFile) ;
writeln('Date to find (DD/MM/YYYY)..') ;
readln(ThisDate) ;
Found := False ;
repeat
  readln(TheFile, FileString);
  NextDate := copy(FileString,1, 10) ;
  If NextDate = ThisDate then
   begin
   Found := True ;
   { length is 15 when shows TRUE }
   if length(FileString) = 15 then
      writeLn('This is a discount date')
   else
      writeLn('No discount on this date')
      end ;
until Found = True or EOF(TheFile) ;
close(TheFile) ;
if Found = False then writeLn('Date not found') ;
```