

PERSONALIZED HEALTH ANALYSIS

Arianna Hernandez

2026-08-09 · Consultant: Johnny / Irene · Recheck in 4 Weeks

Chronic Sleep Deficit + Emotional Dysregulation

Severely Low Hydration — 500–1000 ml Daily

Menstrual Pain + Heavy Flow + PMS with No Support

CLIENT OVERVIEW

NAME

Arianna Hernandez

AGE

15

GENDER

Female

REFERRED BY

(to confirm)

BODY COMPOSITION

WEIGHT

130 lb

Within range for height

HEIGHT

152 cm

5'0"

BMI (CALC.)

25.4

Borderline (teen ref. may differ)

SMART SCALE

Not captured

Priority for next recheck

Smart scale was not captured this session. At 15, BMI interpretation uses pediatric growth percentiles rather than adult cutoffs — the number 25.4 on adult scale is less meaningful here. What matters more at this age is trend and lifestyle patterns. Arianna's produce intake (4–5 servings/day) is a genuine strength. The main gaps are water, sleep timing, and menstrual support — three areas that have an outsized effect on teenage development, emotional regulation, and long-term health trajectory.

TOP 3 PRIORITY SIGNALS

1 Chronic Sleep Deficit + Emotional Dysregulation

Staying up late Often at 15 directly disrupts growth hormone release (which peaks in the first 2 hours of deep sleep), cortisol regulation, and prefrontal cortex development — the part of the brain responsible for impulse control and emotional regulation. Losing temper Often and reporting tension, anxiety, low mood, and emotions out of control all follow predictably from a chronic sleep deficit in adolescence.

2 Severely Low Hydration — 500–1000 ml Daily

At 15 and growing, Arianna needs 1.5–2 L of water daily. She is getting approximately one quarter of that. The dark circles marked Often, brain fog, difficulty focusing, and memory lapses are all classic dehydration signatures in adolescents. Chronic low-grade dehydration also dysregulates appetite, contributes to constipation, and amplifies mood swings.

3 Menstrual Pain + Heavy Flow + PMS with No Support

Moderate period pain, heavy flow, and PMS mood swings with zero supplements means the prostaglandin-driven inflammation causing period pain has no nutritional buffer at all. In teenagers, heavy periods also risk iron depletion over time, which compounds the fatigue and mood symptoms she is already experiencing from sleep deficit.

ROOT CAUSE ANALYSIS

• Sleep Timing (Primary Driver)

The human body's growth hormone, cortisol, and melatonin cycles are set by sleep timing, not just sleep duration. Staying up late Often — likely past midnight given the teen pattern — shifts the cortisol awakening response and suppresses the slow-wave sleep in which growth hormone is released. At 15, this matters more than at any other age: the brain is actively pruning and rewiring, emotional regulation circuitry (prefrontal cortex) is developing, and hormonal cycles including the menstrual cycle are consolidating. The lose-temper-often, dark-circles-often, and emotional-dysregulation-occasionally pattern is a direct consequence of this sleep timing mismatch — not a character trait. Shifting bedtime earlier by 30 minutes each week toward 10:30 PM would have measurable mood effects within 2–3 weeks.

• Dehydration (Amplifier)

500–1000 ml daily is under half of what Arianna needs. The brain is approximately 75% water — at this level of dehydration, cognitive speed and emotional regulation both degrade measurably. The dark circles (often) and brain fog (occasionally) are the two most visible outputs. Hydration also affects the gut, which produces serotonin — the neurotransmitter that regulates mood and sleep quality. Improving water intake to 1.5–2 L will likely reduce dark circles, sharpen focus, and reduce emotional volatility within 1–2 weeks.

• Hormonal / Menstrual Pattern

Moderate period pain, heavy flow, and PMS mood swings in a teenager with no omega-3 intake is a prostaglandin imbalance picture. Prostaglandins are hormone-like compounds that drive uterine contractions during the period — when the omega-6 to omega-3 ratio is skewed toward omega-6 (from a diet without fatty fish or supplementation), the prostaglandins produced are more inflammatory, causing stronger contractions and heavier flow. EPA from omega-3 competes with and replaces these pro-inflammatory prostaglandins, reducing period pain and flow over 2–3 cycles. At 15, establishing this nutritional support early has long-term benefit for hormonal health.

SUMMARY

Arianna is doing well on produce (4–5 servings/day is genuinely impressive for a 15-year-old) and her baseline diet is solid. The three things to address are sleep timing, water, and menstrual support — all of which interact. Better sleep reduces emotional reactivity. More water reduces dark circles and brain fog.

Omega-3 support reduces period pain and PMS over 2–3 cycles. These are foundational habits that will pay dividends well beyond the next 4 weeks.

30-DAY PLAN

1 Sleep Timing — Start Earlier in Small Steps

- Shift bedtime 30 minutes earlier each week: if currently midnight, target 11:30 this week, 11:00 next week.
- Screens off 45 minutes before target bedtime — blue light delays melatonin onset by 1–2 hours.
- Keep the room dark and cool. A fan or white noise helps if external sounds are disruptive.
- Consistency on weekends matters — sleeping in 2+ hours on weekends resets the biological clock backward.

2 Water — Simple Daily Minimum

- Target: 1.5 L daily. Start with a 500 ml bottle at breakfast and another at lunch — that alone reaches 1 L.
- One glass immediately upon waking, before the phone.
- Water bottle visible on the desk at school — easy to reach = more likely to drink.

3 Continue the Produce Strength

- 4–5 servings/day is excellent — maintain this. It is already providing fiber, antioxidants, and B-vitamins.
- Add iron-rich foods in the week before the period to compensate for heavy flow: dark leafy greens, lentils, fortified cereals.
- Vitamin C alongside iron sources (a squeeze of lemon, orange juice) doubles iron absorption.

SUPPORT TOOLS (OPTIONAL)

Food, water, sleep, and movement are always the foundation. These are targeted bridge tools for specific gaps.

Advanced Omega

Arianna has no identified omega-3 source in her diet, and her menstrual symptoms (moderate pain, heavy flow, PMS mood swings) follow directly from the prostaglandin imbalance that results from an omega-6-dominant diet without omega-3 counterbalance. EPA in Advanced Omega competes with pro-inflammatory prostaglandins, reducing uterine contraction intensity, flow volume, and PMS mood swings over 2–3 cycles. DHA also supports the developing adolescent brain and emotional regulation — particularly relevant given her mood and focus symptoms.

Take 1 softgel with dinner daily. Effects on menstrual pain build over 2–3 cycles — set this expectation before the first cycle check. Brain and mood benefits are often felt within 3–4 weeks.

Sleep Gummies

For a 15-year-old whose biological clock has shifted late (common in adolescence due to natural melatonin timing changes), a low-dose melatonin gummy taken 30–60 minutes before the target bedtime helps signal the biological clock to shift earlier without grogginess. This is not a sedative — it works with the body's natural melatonin rhythm to anchor sleep onset at the desired time, making the habit shift sustainable rather than forced.

Take 1 gummy 30–45 minutes before target bedtime. Start on a day with a consistent wake time. Pair with screen-off period for best results.

WHAT TO EXPECT IN 30 DAYS

- ✓ Reduced dark circles and sharper mental clarity within 1–2 weeks as hydration improves
- ✓ Calmer emotional responses and less temper flare-ups within 2–3 weeks as sleep timing improves
- ✓ Easier falling asleep at target bedtime within 1–2 weeks with melatonin gummy + screen-off habit
- ✓ Reduction in period pain and PMS mood swings over 2–3 menstrual cycles with consistent omega-3
- ✓ More stable energy through the school day as sleep debt reduces

NEXT STEP

OPTION A — LIFESTYLE ONLY

OPTION B — LIFESTYLE + SUPPORT

Shift bedtime 30 min earlier/week, 1.5 L water daily, screens off 45 min before bed, maintain 4–5 produce servings. Recheck at 4 weeks: sleep time, mood, dark circles, energy.

Advanced Omega at dinner + Sleep Gummy 30–45 min before bedtime, plus all lifestyle changes above. Recheck at 4 weeks: sleep onset time, mood, dark circles, and note first post-supplementation cycle pain/flow rating.

4 WEEKS RECHECK

Actual bedtime, mood (1–5), dark circles (yes/no), daily water intake, period pain rating and flow at next cycle, energy level (1–5)

Your Personalized Product Stack

Pre-loaded based on your assessment. View pricing and order in one click.

[View My Products →](#)

For member pricing: tap ⋮ in the top right and enter the passcode your consultant gave you

Health Progress Report · 2026-08-09

This report is for wellness education only and does not constitute medical advice.