

# M1 mac关闭Sip方法教程\_51CTO博客\_mac关闭sip

 [blog.51cto.com/u\\_15127640/3290518](https://blog.51cto.com/u_15127640/3290518)

## M1 mac关闭Sip方法教程

转载

新买的M1 Mac安装软件的时候很多用户遇到如下情况：

“xxx”因为出现问题而无法打开。请与开发者联系，以确定“xxx”可以配合Macos版本使用。您可能需要重新安装应用程序。请务必安装适用于该应用程序和Macos的任何可用更新。点按“报告”以查看更详细的信息，并将报告发送给Apple。



怎么办？那可能是你的Mac电脑sip系统完整性没有关闭，至于什么是sip系统完整性保护小编这里不说了，主要分享M1 Mac怎样关闭sip，带给你M1芯片苹果电脑关闭系统完整性保护SIP的方法。

## 关闭SIP步骤如下

1、苹果M1 Mac关机状态下长按开机键，直到出现设置后松开，进入恢复模式。




2、点击继续




3、点击实用工具>点击终端，如图：



4、终端内输入命令：`csrutil disable`然后回车执行(注意中间有个空格)




5、输入y，然后按下回车键




6、输入您的电脑密码，然后按下回车



7、等待执行结果.....



8、出现 System Integrity Protection is off. 证明 SIP 已成功关闭。



9、输入 reboot 然后按下回车也就是 return 键重启电脑即可。



```
终端 - bash - 80x24
[-bash-3.2# csrutil disable
Turning off System Integrity Protection requires modifying system security.
Allow booting unsigned operating systems and any kernel extensions for OS "Macin
tosh HD"? [y/n]: y

[Enter password for user mac:
Mounted /dev/disk4s3 at <private>
Unmounted /dev/disk4s3 ( <private> )
System Integrity Protection is off.
Restart the Mac for changes to take effect.
-bash-3.2# reboot]
```

如果后期想再开启 SIP，只需要将上面第 4 步的 `csrutil disable` 换成 `csrutil enable` 即可。

本文章为转载内容，我们尊重原作者对文章享有的著作权。如有内容错误或侵权问题，欢迎原作者联系我们进行内容更正或删除文章。