

What it is

VIGOR is a digital shift handover system for residential care environments. It replaces paper/Excel overlap sheets with structured, secure shift information sharing.

Who it is for

Primary users: care staff and shift leaders in 24/7 residential care.

Repo roles: Leder, Vagtansvarlig, and Personale.

What it does

- Login via ASP.NET Core Identity and JWT authentication.
- Role-based start pages: admin, schedule, and home.
- API endpoints for auth login and department-scoped citizen lookup.
- EF Core SQLite persistence for Identity, employees, citizens, and departments.
- Startup seeding for roles, test users, departments, citizens, and employees.
- Development Swagger/OpenAPI plus a /health endpoint.
- Not found in repo: implemented medication, tasks/notes, shift snapshots, full history.

How it works

Client: VIGOR.MAUI is a Windows .NET MAUI Blazor Hybrid app.

API: VIGOR.Web is an ASP.NET Core Web API with controllers and DI.

Shared: VIGOR.Shared contains models, DTOs, interfaces, and client services.

Data: AppDbContext extends IdentityDbContext and adds domain DbSets.

Flow: client posts credentials to api/auth/login; API validates with Identity.

Flow: API returns a JWT; MAUI stores it in SecureStorage for later requests.

Flow: citizen lookup uses the JWT user id to find the employee department; the API ignores the requested department id for safer server-side scoping.

Client base URL in MAUI: http://localhost:5249 (Android uses 10.0.2.2).

How to run

1. Install/use .NET SDK 10.0; MAUI Windows workload is needed for the client.

2. From repo root: dotnet restore VIGOR.slnx

3. Start API: dotnet run --project VIGOR/VIGOR.Web/VIGOR.Web.csproj --launch

4. In another terminal, start MAUI:

dotnet run --project VIGOR/VIGOR.MAUI/VIGOR.MAUI.csproj -f net10.0-windows

5. API listens on http://localhost:5249; Swagger appears in Development.

6. Seeded logins in repo include admin@vigor.dk / Admin1234 and vagtansvarlig@vigor.dk or personale@vigor.dk / Test1234.