

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Checker Input

Options...

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <title>Homepage</title>
  <meta name="description" content="Online Bakery Homepage">
  <meta name="keywords" content="Bakery,Cake,Cupcake">
  <link
href="https://stackpath.bootstrapcdn.com/bootstrap/4.1.3/css/bootstrap.min.c
ss" rel="stylesheet">
  <link href="css/27_Johnson.css" rel="stylesheet">
  <link href="https://maxcdn.bootstrapcdn.com/font-awesome/4.7.0/css/font-
awesome.min.css" rel="stylesheet" >
```

Check

Message Filtering

1. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements are treated as top-level headings by many screen readers and other tools).
- [From line 215, column 5; to line 215, column 8](#)
- ```
ion">␣ <h1>2.Flow
```

## Source

1. `<!DOCTYPE html>`
2. `<html lang="en">`
3. `<head>`
4.     `<meta charset="UTF-8">`
5.     `<meta name="viewport" content="width=device-width, initial-scale=1.8">`

```
6. <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
7. <title>Homepage</title>↵
8. <meta name="description" content="Online Bakery Homepage">↵
9. <meta name="keywords" content="Bakery,Cake,Cupcake">↵
10. <link
href="https://stackpath.bootstrapcdn.com/bootstrap/4.1.3/css/bootstrap.m
in.css" rel="stylesheet">↵
11. <link href="css/27_Johnson.css" rel="stylesheet">↵
12. <link href="https://maxcdn.bootstrapcdn.com/font-
awesome/4.7.0/css/font-awesome.min.css" rel="stylesheet" >↵
13. <link↵
14. rel="stylesheet"↵
15. href="https://stackpath.bootstrapcdn.com/font-
awesome/4.7.0/css/font-awesome.min.css"↵
16. />↵
17. <link rel="stylesheet"
href="https://use.fontawesome.com/releases/v5.4.1/css/all.css">↵
18. <style>↵
19. body{↵
20. margin:0;↵
21. font-family: sans-serif;↵
22. overflow-x: hidden;↵
23. }↵
24. ↵
25. *{↵
26. box-sizing: border-box;↵
27. }↵
28. ↵
29. .home{↵
30. height: 100vh;↵
31. overflow:hidden;↵
32. position: relative;↵
33. }↵
34. ↵
35. .home .slide{↵
36. position: absolute;↵
37. left:0;↵
38. top:0;↵
39. width: 100%;↵
40. height: 100%;↵
41. background-size: cover;↵
42. background-position: center;↵
43. z-index:1; ↵
44. display:none;↵
45. padding:0 15px;↵
46. animation: slide 2s ease;↵
47. }↵
48. .home .slide.active{↵
49. display: flex;↵
50. }↵
51. @keyframes slide{↵
52. 0%{↵
53. transform:scale(1.1);↵
54. }↵
55. 100%{↵
56. transform: scale(1);↵
57. }↵
58. }↵
59. .container{↵
60. max-width: 1170px;↵
61. margin:auto;↵
62. }↵
63. ↵
64. .home .container{↵
65. flex-grow: 1;↵
66. }↵
67. .home .caption{↵
68. width:50%;↵
69. }↵
70. .home .caption h2{↵
71. font-size:42px;↵
72. color:black;↵
73. margin:0;↵
74. text-align: center;↵
75. }↵
76.
```

```
77. }↵
78. .home .slide.active .caption h2{↵
79. opacity:0;↵
80. animation: captionText .5s ease forwards;↵
81. animation-delay:1s;↵
82. }↵
83. .home .caption p{↵
84. font-size: 18px;↵
85. margin:15px 0 30px;↵
86. color:black;↵
87. text-align: center;↵
88. }↵
89. .home .slide.active .caption p{↵
90. opacity:0;↵
91. animation: captionText .5s ease forwards;↵
92. animation-delay:1.2s;↵
93. }↵
94. .home .caption a{↵
95. display: inline-block;↵
96. padding:10px 15px;↵
97. background-color: #000000;↵
98. text-decoration: none;↵
99. color:#ffffff;↵
100. margin: 0;↵
101. position: absolute;↵
102. left: 45%;↵
103. }↵
104. ↵
105. .home .slide.active .caption a{↵
106. opacity:0;↵
107. animation: captionText .5s ease forwards;↵
108. animation-delay:1.4s;↵
109. }↵
110. ↵
111. @keyframes captionText{↵
112. 0%{↵
113. opacity:0; transform: translateX(-100px);↵
114. }↵
115. 100%{↵
116. opacity:1; transform: translateX(0px); ↵
117. }↵
118. }↵
119. ↵
120. .home .controls .prev,↵
121. .home .controls .next{↵
122. position: absolute;↵
123. z-index:2;↵
124. top:50%;↵
125. height:40px;↵
126. width: 40px;↵
127. margin-top: -20px;↵
128. color:#ffffff;↵
129. background-color: #FF5722;↵
130. text-align: center;↵
131. line-height: 40px;↵
132. font-size:20px;↵
133. cursor:pointer;↵
134. transition: all .5s ease;↵
135. }↵
136. .home .controls .prev:hover,↵
137. .home .controls .next:hover{↵
138. background-color: #000000;↵
139. }↵
140. .home .controls .prev{↵
141. left:0;↵
142. }↵
143. .home .controls .next{↵
144. right:0;↵
145. }↵
146. ↵
147. .home .indicator{↵
148. position: absolute;↵
149. left:50%;↵
150. bottom:30px;↵
151. z-index: 2;↵
152. transform: translateX(-50%);↵
```

```
153. }↵
154. ↵
155. .home .indicator div{↵
156. display: inline-block;↵
157. width:25px;↵
158. height: 25px;↵
159. color:#ffffff;↵
160. background-color: #FF5722;↵
161. border-radius:50%;↵
162. text-align: center;↵
163. line-height: 25px;↵
164. margin:0 3px;↵
165. }↵
166. ↵
167. .home .indicator div.active{↵
168. background-color: #000;↵
169. }↵
170. ↵
171. /*responsive*/↵
172. @media(max-width: 767px){↵
173. .controls{↵
174. display: none;↵
175. }↵
176. }↵
177. </style>↵
178. </head>↵
179. ↵
180. <body>↵
181. ↵
182. <header>↵
183. <nav>↵
184. ↵
185. <ul class="left">↵
186. <i class="fa fa-home" aria-hidden="true">
</i>↵
187. Product↵
188. Contact↵
189. ↵
190. ↵
191. <ul class="right">↵
192. <i class="fa fa-wpforms" aria-
hidden="true"></i>↵
193. ↵
194. </nav>↵
195. ↵
196. ↵
197. </header>↵
198. ↵
199. <script src="https://kit.fontawesome.com/dbed6b6114.js"
crossorigin="anonymous"></script>↵
200. ↵
201. <section class="home">↵
202. <div class="slider">↵
203. <div class="slide active" style="background-image:
url('images/slider1.jpg')">↵
204. <div class="container">↵
205. <div class="caption">↵
206. <h2>1.Cupcakes</h2>↵
207. <p>We welcome all!</p>↵
208. Shop Now↵
209. </div>↵
210. </div>↵
211. </div>↵
212. <div class="slide" style="background-image:
url('images/slider2.jpg')">↵
213. <div class="container">↵
214. <div class="caption">↵
215. <h1>2.Flowers</h1>↵
216. <p>We welcome all!</p>↵
217. Shop Now↵
218. </div>↵
219. </div>↵
220. </div>↵
221. <div class="slide" style="background-image:
url('images/slider3.jpg')">↵
```

```

222. <div class="container">↵
223. <div class="caption">↵
224. <h2>3.In-store</h2>↵
225. <p>We welcome all!</p>↵
226. Shop Now↵
227. </div>↵
228. </div>↵
229. </div>↵
230. </div>↵
231. ↵
232. ↵
233. <div class="controls">↵
234. <div class="prev">Pre </div>↵
235. <div class="next">Next</div>↵
236. </div>↵
237. ↵
238. <!-- indicators -->↵
239. <div class="indicator">↵
240. </div>↵
241. ↵
242. </section>↵
243. ↵
244. ↵
245. <script src="js/script.js"></script>↵
246. ↵
247. ↵
248. ↵
249. ↵
250. <h1 class="textCtrl" style="color:black" >Featured Products</h1>↵
251. <div class="slide hi-slide" style="clear:both;">↵
252. <div class="hi-prev "></div>↵
253. <div class="hi-next "></div>↵
254. ↵
255. ↵
256.
↵
257.
↵
258.
↵
259. ↵
260. ↵
261. ↵
262. ↵
263. ↵
264. </div>↵
265. ↵
266. <script src="https://code.jquery.com/jquery-1.12.4.min.js">
</script>↵
267. <script src="js/jquery.hislide.js" ></script>↵
268. <script>↵
269. $(' .slide').hislide();↵
270. </script>↵
271.
↵
272.
↵
273. <video src="Short Animation.mp4" controls width="50" class="center"
autoplay loop muted></video>↵
274.
↵
275.
↵
276. <div class="container">↵
277. <div class="product">↵
278. <div class="product-card">↵
279. <h2 class="name">Berry Cupcake</h2>↵
280. $30↵
281. Quick View↵
282. ↵
283. </div>↵
284. ↵
285. <div class="popup-view">↵
286. <div class="popup-card">↵
287. <a><i class="fas fa-times close-btn"></i>↵
288. <div class="product-img">↵

```

```

289. ↵
290. </div>↵
291. <div class="info">↵
292. <h2>Berry Cupcake
Cupcakes</h2>↵
293. <p>This cupcake is not only healthy but is good to share with others
so we can better understand what cupcake someone likes or how they feel
after consuming one.</p>↵
294. $30↵
295. </div>↵
296. </div>↵
297. </div>↵
298. </div>↵
299. ↵
300. <div class="product">↵
301. <div class="product-card">↵
302. <h2 class="name"> Fruit Cake</h2>↵
303. $50↵
304. Quick View↵
305. ↵
306. </div>↵
307. <div class="popup-view">↵
308. <div class="popup-card">↵
309. <a><i class="fas fa-times close-btn"></i>↵
310. <div class="product-img">↵
311. ↵
312. </div>↵
313. ↵
314. <div class="info">↵
315. <h2>Fruit Cake
Cake</h2>↵
316. <p>This cake is special as it bring happiness and it can easily be
shared with those around you, be it your friends or family.</p>↵
317. $50↵
318. ↵
319. </div>↵
320. </div>↵
321. </div>↵
322. </div>↵
323. ↵
324. <div class="product">↵
325. <div class="product-card">↵
326. <h2 class="name">Fruity Pies</h2>↵
327. $100↵
328. Quick View↵
329. ↵
330. </div>↵
331. <div class="popup-view">↵
332. <div class="popup-card">↵
333. <a><i class="fas fa-times close-btn"></i>↵
334. <div class="product-img">↵
335. ↵
336. </div>↵
337. ↵
338. <div class="info">↵
339. <h2>Fruity Pies
Pies</h2>↵
340. <p>This fruity pie has known to be bought by many as it is
interesting, easy to prepare and can be used in different occasions
including learning how to make it by ourselves.</p>↵
341. $100↵
342. </div>↵
343. </div>↵
344. </div>↵
345. </div>↵
346. </div>↵
347. ↵
348. <script>↵
349. var popupViews = document.querySelectorAll('.popup-view');↵
350. var popupBtns = document.querySelectorAll('.popup-btn');↵
351. var closeBtns = document.querySelectorAll('.close-btn');↵
352. ↵
353. //javascript for quick view button↵
354. var popup = function(popupClick){↵
355. popupViews[popupClick].classList.add('active');↵
356. }↵
357. ↵
358. popupBtns.forEach((popupBtn, i) => {↵
359. popupBtn.addEventListener("click", () => {↵

```

```
360. popup(i);↵
361. });↵
362. });↵
363. ↵
364. //javascript for close button↵
365. closeBtns.forEach((closeBtn) => {↵
366. closeBtn.addEventListener("click", () => {↵
367. popupViews.forEach((popupView) => {↵
368. popupView.classList.remove('active');↵
369. });↵
370. });↵
371. });↵
372. ↵
373. </script>↵
374. ↵
375. ↵
376. <footer>↵
377. <p>©Roller Bollivard, All rights reserved.</p>↵
378. </footer>↵
379. ↵
380. <i class="fas fa-arrow-up"></i> ↵
381. </body>↵
382. </html>
```

Used the HTML parser.

Total execution time 21 milliseconds.

---

[About this checker](#) • [Report an issue](#) • Version: 21.5.8