

模块开发

一、人才智库

1、教职工管理

- 新增教职工，在用户表中需要有用户信息，并且在教职工表中添加记录，以及用户角色表中要有教职工角色分配
- 切换到教职工登录后，只有申请入会菜单
- 手机号在除管理员角色外，需进行脱敏操作
- 按钮权限在除管理员角色外，需进行权限设置

1.1、表创建

- 创建sys_members表
- sys_members是会员表，与教职工共用一张表，通过字段进行筛选属于教职工还是会员

代码块

```
1  /*
2   Navicat Premium Data Transfer
3
4   Source Server          : localhost
5   Source Server Type     : MySQL
6   Source Server Version : 80043
7   Source Host            : localhost:3306
8   Source Schema         : hs-zhgh
9
10  Target Server Type     : MySQL
11  Target Server Version : 80043
12  File Encoding          : 65001
13
14  Date: 10/09/2025 10:04:20
15  */
16
17  SET NAMES utf8mb4;
18  SET FOREIGN_KEY_CHECKS = 0;
19
20  -- -----
21  -- Table structure for sys_members
22  -- -----
```

```

23 DROP TABLE IF EXISTS `sys_members`;
24 CREATE TABLE `sys_members` (
25     `members_id` bigint NOT NULL AUTO_INCREMENT COMMENT '会员主键id',
26     `user_id` bigint NULL DEFAULT NULL COMMENT '用户id',
27     `members_name` varchar(255) CHARACTER SET utf8mb4 COLLATE
utf8mb4_0900_ai_ci NULL DEFAULT NULL COMMENT '会员姓名',
28     `members_num` bigint NULL DEFAULT NULL COMMENT '会员工号',
29     `members_sex` char(1) CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci
NULL DEFAULT '0' COMMENT '会员性别 0男 1女 2未知',
30     `members_bir` date NULL DEFAULT NULL COMMENT '会员出生日期',
31     `members_background` varchar(255) CHARACTER SET utf8mb4 COLLATE
utf8mb4_0900_ai_ci NULL DEFAULT NULL COMMENT '会员学历',
32     `members_nation` varchar(255) CHARACTER SET utf8mb4 COLLATE
utf8mb4_0900_ai_ci NULL DEFAULT NULL COMMENT '会员民族',
33     `members_political` varchar(255) CHARACTER SET utf8mb4 COLLATE
utf8mb4_0900_ai_ci NULL DEFAULT NULL COMMENT '会员政治面貌',
34     `members_school_date` date NULL DEFAULT NULL COMMENT '会员来校时间',
35     `members_tel` varchar(255) CHARACTER SET utf8mb4 COLLATE
utf8mb4_0900_ai_ci NULL DEFAULT NULL COMMENT '会员联系电话',
36     `dept_id` bigint NULL DEFAULT NULL COMMENT '会员所在单位id（基层工会下级）',
37     `society_id` bigint NULL DEFAULT NULL COMMENT '会员所在协会id',
38     `members_marital_status` char(1) CHARACTER SET utf8mb4 COLLATE
utf8mb4_0900_ai_ci NULL DEFAULT '0' COMMENT '婚姻状况 0未婚 1已婚 2离异(无小
孩) 3离异(带小孩) 4离异(不带小孩) 5丧偶(无小孩) 6丧偶(有小孩)',
39     `members_spouse_campus_staff` char(1) CHARACTER SET utf8mb4 COLLATE
utf8mb4_0900_ai_ci NULL DEFAULT '0' COMMENT '配偶是否为校内职工 0否 1是',
40     `members_native_place` varchar(255) CHARACTER SET utf8mb4 COLLATE
utf8mb4_0900_ai_ci NULL DEFAULT NULL COMMENT '籍贯',
41     `members_address` varchar(255) CHARACTER SET utf8mb4 COLLATE
utf8mb4_0900_ai_ci NULL DEFAULT NULL COMMENT '家庭住址',
42     `school` varchar(255) CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci
NULL DEFAULT NULL COMMENT '所在校区',
43     `members_mode_employment` char(1) CHARACTER SET utf8mb4 COLLATE
utf8mb4_0900_ai_ci NULL DEFAULT '0' COMMENT '用人方式 0在编人员 1校聘人员 2自聘
人员 3其他人员 4博士后',
44     `members_resume` varchar(255) CHARACTER SET utf8mb4 COLLATE
utf8mb4_0900_ai_ci NULL DEFAULT NULL COMMENT '个人工作简历',
45     `members_main_family` varchar(255) CHARACTER SET utf8mb4 COLLATE
utf8mb4_0900_ai_ci NULL DEFAULT NULL COMMENT '家庭主要成员/单位',
46     `members_hobby` varchar(255) CHARACTER SET utf8mb4 COLLATE
utf8mb4_0900_ai_ci NULL DEFAULT NULL COMMENT '特长/爱好',
47     `members_remarks` varchar(255) CHARACTER SET utf8mb4 COLLATE
utf8mb4_0900_ai_ci NULL DEFAULT NULL COMMENT '会员备注',
48     `members_img` varchar(2000) CHARACTER SET utf8mb4 COLLATE
utf8mb4_0900_ai_ci NULL DEFAULT NULL COMMENT '个人照片',
49     `members_sign` varchar(2000) CHARACTER SET utf8mb4 COLLATE
utf8mb4_0900_ai_ci NULL DEFAULT NULL COMMENT '手签',

```

```

50     `members_contact_number` varchar(255) CHARACTER SET utf8mb4 COLLATE
utf8mb4_0900_ai_ci NULL DEFAULT NULL COMMENT '身份证号码',
51     `members_admission_time` char(1) CHARACTER SET utf8mb4 COLLATE
utf8mb4_0900_ai_ci NULL DEFAULT '0' COMMENT '人员状态 0在职 1 离职 2退休',
52     `members_status` char(1) CHARACTER SET utf8mb4 COLLATE
utf8mb4_0900_ai_ci NULL DEFAULT '0' COMMENT '会员状态 0正常 1退会 2转会',
53     `members_age` varchar(255) CHARACTER SET utf8mb4 COLLATE
utf8mb4_0900_ai_ci NULL DEFAULT '0' COMMENT '年龄',
54     `members_is_status` char(1) CHARACTER SET utf8mb4 COLLATE
utf8mb4_0900_ai_ci NULL DEFAULT '0' COMMENT '是否是会员 0是 1不是',
55     `members_nationality` char(1) CHARACTER SET utf8mb4 COLLATE
utf8mb4_0900_ai_ci NULL DEFAULT '0' COMMENT '国籍 0中国 1外国',
56     `members_identity_type` char(1) CHARACTER SET utf8mb4 COLLATE
utf8mb4_0900_ai_ci NULL DEFAULT '0' COMMENT '身份类别 0身份证 1护照 2士官证 3
港澳通行证 4台湾居民来往大陆通行证',
57     `members_identity_num` varchar(255) CHARACTER SET utf8mb4 COLLATE
utf8mb4_0900_ai_ci NULL DEFAULT NULL COMMENT '身份类型对应的身份号码',
58     `members_technical` char(1) CHARACTER SET utf8mb4 COLLATE
utf8mb4_0900_ai_ci NULL DEFAULT '0' COMMENT '技术等级 0初级 1中级 2高级',
59     `create_time` datetime NULL DEFAULT NULL COMMENT '创建时间',
60     `members_professional` char(1) CHARACTER SET utf8mb4 COLLATE
utf8mb4_0900_ai_ci NULL DEFAULT '0' COMMENT '专业技术职称 0正高级 1副高级 2中级
3初级 4其他',
61     `members_email` varchar(255) CHARACTER SET utf8mb4 COLLATE
utf8mb4_0900_ai_ci NULL DEFAULT NULL COMMENT '邮箱',
62     `members_administrative` char(2) CHARACTER SET utf8mb4 COLLATE
utf8mb4_0900_ai_ci NULL DEFAULT '0' COMMENT '行政职务\r\n0部长\r\n1常务副院长
\r\n2常务副主任\r\n3处长\r\n4市委常委\r\n5党委副书记\r\n6党委委员\r\n7党支部书记
\r\n8党总支副书记\r\n9党总支书记\r\n10分工会主席\r\n11妇委会主任\r\n12副处长\r\n13
副教授\r\n14副科长\r\n15副书记\r\n16副校长\r\n17副院长\r\n18副主任\r\n19副主任医师
\r\n20副主席\r\n21工会主席\r\n22工人\r\n23馆长\r\n24护师\r\n25纪委书记\r\n26讲师
\r\n27教师\r\n28教授\r\n29教学秘书\r\n30教研室副主任\r\n31教研室支部书记\r\n32教研
室主任\r\n33科长\r\n34书记\r\n35所长\r\n36团委书记\r\n37系主任\r\n38校长\r\n39研
究室主任\r\n40园长\r\n41院办主任\r\n42院长\r\n43院长助理\r\n44支部书记\r\n45中心主
任\r\n46主管护师\r\n47主管技师\r\n48主任\r\n49主任科员\r\n50主任医师\r\n51主席
\r\n52总支书记',
63     `members_spouse_name` varchar(255) CHARACTER SET utf8mb4 COLLATE
utf8mb4_0900_ai_ci NULL DEFAULT NULL COMMENT '配偶姓名',
64     `members_household_type` char(1) CHARACTER SET utf8mb4 COLLATE
utf8mb4_0900_ai_ci NULL DEFAULT '0' COMMENT '户籍类型 0城镇户口 1农业户口',
65     `create_by` varchar(255) CHARACTER SET utf8mb4 COLLATE
utf8mb4_0900_ai_ci NULL DEFAULT NULL COMMENT '创建人',
66     `update_by` varchar(255) CHARACTER SET utf8mb4 COLLATE
utf8mb4_0900_ai_ci NULL DEFAULT NULL COMMENT '修改人',
67     `update_time` datetime NULL DEFAULT NULL COMMENT '修改时间',
68     `del_flag` char(1) CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci NULL
DEFAULT '0' COMMENT '删除标识 0未删除 2已删除',

```

```

69     `remark` varchar(255) CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci
      NULL DEFAULT NULL COMMENT '备注',
70     PRIMARY KEY (`members_id`) USING BTREE
71 ) ENGINE = InnoDB AUTO_INCREMENT = 360 CHARACTER SET = utf8mb4 COLLATE =
      utf8mb4_0900_ai_ci COMMENT = '会员表' ROW_FORMAT = DYNAMIC;
72
73 SET FOREIGN_KEY_CHECKS = 1;

```

1.2、后端代码

1.2.1、人才智库 - 教职工管理

代码块

```

1  /**
2   * 人才智库 - 教职工管理
3   */
4  @GetMapping("/list")
5  public TableDataInfo list(SysMembers sysMembers)
6  {
7      Page<SysMembers> page = new Page<>(sysMembers.getPageNum(),
      sysMembers.getPageSize());
8      Page<SysMembers> page1 = sysMembersService.page(page);
9
10     return new TableDataInfo(page1.getRecords(),
      page1.getTotal(),page1.getCurrent(),page1.getSize());
11 }

```

1.2.2、人才智库 - 教职工管理 - 搜索

代码块

```

1  /**
2   * 人才智库 - 教职工管理
3   */
4  @GetMapping("/list")
5  public TableDataInfo list(SysMembers sysMembers)
6  {
7
8      LambdaQueryWrapper<SysMembers> sysMembersLambdaQueryWrapper = new
      LambdaQueryWrapper<>();
9      if(StringUtils.isNotEmpty(sysMembers.getMembersName())){
10
11         sysMembersLambdaQueryWrapper.like(SysMembers::getMembersName,sysMembers.getMemb

```

```

        ersName());
11     }
12
13     if(StringUtils.isNotEmpty(sysMembers.getMembersNum())){
14
15         sysMembersLambdaQueryWrapper.eq(SysMembers::getMembersNum,sysMembers.getMembers
16         Num());
17     }
18
19     if(StringUtils.isNotEmpty(sysMembers.getMembersTel())){
20
21         sysMembersLambdaQueryWrapper.like(SysMembers::getMembersTel,sysMembers.getMembe
22         rsTel());
23     }
24
25     if(StringUtils.isNotEmpty(sysMembers.getSchool())){
26
27         sysMembersLambdaQueryWrapper.eq(SysMembers::getSchool,sysMembers.getSchool());
28     }
29
30     // 查询不是会员的信息
31     sysMembersLambdaQueryWrapper.eq(SysMembers::getMembersIsStatus,
32     TeachingConstants.NOT_MEMBERS);
33
34     Page<SysMembers> page = new Page<>(sysMembers.getPageNum(),
35     sysMembers.getPageSize());
36     Page<SysMembers> page1 =
37     sysMembersService.page(page,sysMembersLambdaQueryWrapper);
38
39     return new TableDataInfo(page1.getRecords(),
40     page1.getTotal(),page1.getCurrent(),page1.getSize());
41 }

```

代码块

```

1  public class TeachingConstants {
2
3
4      /**
5       * 不是会员
6       */
7      public static final String NOT_MEMBERS = "1";
8
9
10     /**

```

```

11      * 工号已存在
12      */
13      public static final String MEMBERS_NUM_EXIST = "该工号已存在";
14
15      /**
16       * 教职工角色名称
17       */
18      public static final String TEACHING_ROLE_NAME = "教职工";
19
20  }

```

1.2.3、人才智库 - 教职工管理 - 新增

代码块

```

1  /**
2   * 人才智库 - 教职工管理 - 新增
3   */
4   @PreAuthorize("@ss.hasPermi('system:members:add')")
5   @Log(title = "教职工", businessType = BusinessType.INSERT)
6   @PostMapping
7   public AjaxResult add(@RequestBody SysMembers sysMembers)
8   {
9       sysMembers.setCreateBy(SecurityUtils.getUsername());
10      TeachingStatus teachingStatus =
11      sysMembersService.insertSysTeaching(sysMembers);
12      return CommonConstants.SUCCESS.equals(teachingStatus.getCode()) ?
13      success(teachingStatus.getInfo()) : error(teachingStatus.getInfo());
14  }

```

代码块

```

1  /**
2   * 新增教职工
3   */
4   @Override
5   public TeachingStatus insertSysTeaching(SysMembers sysMembers) {
6
7
8       List<SysMembers> list = list(new LambdaQueryWrapper<>
9       (SysMembers.class).eq(SysMembers::getMembersNum, sysMembers.getMembersNum()));
10      if(list.size() > 0){
11          return TeachingStatus.TEACHING_NUM_EXIST;
12      }
13  }

```

```
13     List<SysUser> userList = sysUserService.list(new LambdaQueryWrapper<>
14         (SysUser.class).eq(SysUser::getUserName, sysMembers.getMembersNum()));
15     if(userList.size() > 0){
16         return TeachingStatus.TEACHING_NUM_EXIST;
17     }
18     SysRole sysRole = new SysRole();
19     sysRole.setRoleName(TeachingConstants.TEACHING_ROLE_NAME);
20     List<SysRole> sysRoles = sysRoleService.selectRoleList(sysRole);
21     if(sysRoles.size() == 0){
22         return TeachingStatus.TEACHING_ROLE_NOT_EXIST;
23     }
24
25
26     SysUser sysUser = new SysUser();
27     sysUser.setUserName(sysMembers.getMembersNum().toString());
28     sysUser.setDeptId(0L);
29     sysUser.setPhonenumber(sysMembers.getMembersTel());
30
31     sysUser.setPassword(SecurityUtils.encryptPassword(CommonConstants.DEFAULT_PASSW
32     ORD));
33     sysUser.setDelFlag(CommonConstants.DELETE_FLAG);
34     sysUser.setNickName(sysMembers.getMembersName());
35     if(StringUtils.isNotEmpty(sysMembers.getMembersSex())){
36         sysUser.setSex(CommonConstants.SEX_MALE.equals(sysMembers.getMembersSex()) ?
37         CommonConstants.SEX_MALE : CommonConstants.SEX_FEMALE);
38     }
39     boolean save = sysUserService.save(sysUser);
40     if(save == false){
41         return TeachingStatus.TEACHING_ADD_FAIL;
42     }
43
44     sysMembers.setUserId(sysUser.getUserId());
45     sysMembers.setMembersIsStatus(TeachingConstants.NOT_MEMBERS);
46     boolean save1 = save(sysMembers);
47     if(save1 == false){
48         return TeachingStatus.TEACHING_ADD_FAIL;
49     }
50
51     sysUserService.insertUserAuth(sysUser.getUserId(), new Long[]
52     {sysRoles.get(0).getRoleId()});
53     return TeachingStatus.TEACHING_ADD_SUCCESS;
54 }
```

代码块

```
1 public class CommonConstants {
2
3     /**
4      * 默认密码
5      */
6     public static final String DEFAULT_PASSWORD = "888888";
7
8     /**
9      * 删除标识
10    */
11    public static final String DELETE_FLAG = "0";
12
13    /**
14     * 性别 男 (默认)
15     */
16    public static final String SEX_MALE = "0";
17
18    /**
19     * 性别 女
20     */
21    public static final String SEX_FEMALE = "1";
22
23    /**
24     * 响应成功标识判断 0
25     */
26    public static final String SUCCESS = "0";
27
28 }
```

代码块

```
1 public enum TeachingStatus
2 {
3
4     // 工号已存在，新增失败
5     TEACHING_NUM_EXIST("-1", "工号已存在"),
6     // 新增失败
7     TEACHING_ADD_FAIL("-2", "新增失败"),
8     // 新增成功
9     TEACHING_ADD_SUCCESS("0", "新增成功"),
10    // 教职工角色不存在
11    TEACHING_ROLE_NOT_EXIST("-3", "教职工角色不存在"),
12    ;
13
14    private final String code;
15    private final String info;
```



```

16
17     TeachingStatus(String code, String info)
18     {
19         this.code = code;
20         this.info = info;
21     }
22
23     public String getCode()
24     {
25         return code;
26     }
27
28     public String getInfo()
29     {
30         return info;
31     }
32 }

```

1.2.4、人才智库 - 教职工管理 - 删除

代码块

```

1  /**
2   * 人才智库 - 教职工管理 - 删除
3   */
4   @PreAuthorize("@ss.hasPermi('system:members:remove')")
5   @Log(title = "教职工", businessType = BusinessType.DELETE)
6   @DeleteMapping("/{membersIds}")
7   public AjaxResult remove(@PathVariable Long[] membersIds)
8   {
9       TeachingStatus teachingStatus =
10      sysMembersService.deleteSysTeaching(membersIds);
11      return CommonConstants.SUCCESS.equals(teachingStatus.getCode()) ?
12      success(teachingStatus.getInfo()) : error(teachingStatus.getInfo());
13  }

```

代码块

```

1  /**
2   * 删除教职工
3   */
4   @Override
5   public TeachingStatus deleteSysTeaching(Long[] membersIds) {
6
7       List<SysMembers> list = list(new LambdaQueryWrapper<>
8       (SysMembers.class).in(SysMembers::getMembersId, membersIds));

```

```

8      List<Long> collect =
        list.stream().map(SysMembers::getUserId).collect(Collectors.toList());
9
10     SysRole sysRole = new SysRole();
11     sysRole.setRoleName(TeachingConstants.TEACHING_ROLE_NAME);
12     List<SysRole> sysRoles = sysRoleService.selectRoleList(sysRole);
13     if(sysRoles.size() > 0){
14         sysRoleService.deleteAuthUsers(sysRoles.get(0).getRoleId(),
        collect.toArray(new Long[collect.size()]));
15     }
16
17     sysUserService.removeByIds(collect);
18
19     removeByIds(Arrays.asList(membersIds));
20     return TeachingStatus.TEACHING_DELETE_SUCCESS;
21 }

```

1.2.5、人才智库 - 教职工管理 - 修改

代码块

```

1  /**
2   * 人才智库 - 教职工管理 - 修改 - 保存
3   */
4  @PreAuthorize("@ss.hasPermi('system:members:edit')")
5  @Log(title = "教职工", businessType = BusinessType.UPDATE)
6  @PutMapping
7  public AjaxResult edit(@RequestBody SysMembers sysMembers)
8  {
9      sysMembers.setUpdateBy(SecurityUtils.getUsername());
10     return toAjax(sysMembersService.updateById(sysMembers));
11 }

```

1.2.6、人才智库 - 教职工管理 - 导出

代码块

```

1  package com.ruoyi.members.domain;
2
3  import java.util.Date;
4
5  import com.baomidou.mybatisplus.annotation.*;
6  import com.fasterxml.jackson.annotation.JsonFormat;
7  import com.ruoyi.common.annotation.Sensitive;
8  import com.ruoyi.common.enums.DesensitizedType;
9  import org.apache.commons.lang3.builder.ToStringBuilder;

```

```
10 import org.apache.commons.lang3.builder.ToStringStyle;
11 import com.ruoyi.common.annotation.Excel;
12 import com.ruoyi.common.core.domain.BaseEntity;
13
14 /**
15  * 会员对象 sys_members
16  *
17  * @author ruoyi
18  * @date 2025-09-10
19  */
20 @TableName("sys_members")
21 public class SysMembers extends BaseEntity
22 {
23     private static final long serialVersionUID = 1L;
24
25     /** 会员主键id */
26     @TableId(value = "members_id", type = IdType.AUTO)
27     private Long membersId;
28
29     /** 用户id */
30     @TableField("user_id")
31     private Long userId;
32
33     /** 会员姓名 */
34     @Excel(name = "会员姓名")
35     @TableField("members_name")
36     private String membersName;
37
38     /** 会员工号 */
39     @Excel(name = "会员工号")
40     @TableField("members_num")
41     private Long membersNum;
42
43     /** 会员性别 0男 1女 2未知 */
44     @Excel(name = "会员性别", readConverterExp = "0=男,1=女,2=未知")
45     private String membersSex;
46
47     /** 会员出生日期 */
48     @JsonFormat(pattern = "yyyy-MM-dd")
49     @Excel(name = "会员出生日期", width = 30, dateFormat = "yyyy-MM-dd")
50     private Date membersBir;
51
52     /** 会员学历 */
53     @Excel(name = "会员学历")
54     private String membersBackground;
55
56     /** 会员民族 */
```

```
57     @Excel(name = "会员民族")
58     private String membersNation;
59
60     /** 会员政治面貌 */
61     @Excel(name = "会员政治面貌")
62     private String membersPolitical;
63
64     /** 会员来校时间 */
65     @JsonFormat(pattern = "yyyy-MM-dd")
66     @Excel(name = "会员来校时间", width = 30, dateFormat = "yyyy-MM-dd")
67     private Date membersSchoolDate;
68
69     /** 会员联系电话 */
70     @Excel(name = "会员联系电话")
71     @Sensitive(desensitizedType = DesensitizedType.PHONE)
72     private String membersTel;
73
74     /** 会员所在单位id (基层工会下级) */
75     private Long deptId;
76
77     /** 会员所在协会id */
78     private Long societyId;
79
80     /** 婚姻状况 0未婚 1已婚 2离异(无小孩) 3离异(带小孩) 4离异(不带小孩) 5丧偶(无小孩) 6丧偶(有小孩) */
81     @Excel(name = "婚姻状况", readConverterExp = "0=未婚,1=已婚,2=离异(无小孩),3=离异(带小孩),4=离异(不带小孩),5=丧偶(无小孩),6=丧偶(有小孩)")
82     private String membersMaritalStatus;
83
84     /** 配偶是否为校内职工 0否 1是 */
85     @Excel(name = "配偶是否为校内职工", readConverterExp = "0=否,1=是")
86     private String membersSpouseCampusStaff;
87
88     /** 籍贯 */
89     @Excel(name = "籍贯")
90     private String membersNativePlace;
91
92     /** 家庭住址 */
93     @Excel(name = "家庭住址")
94     private String membersAddress;
95
96     /** 所在校区 */
97     @Excel(name = "所在校区")
98     private String school;
99
100    /** 用人方式 0在编人员 1校聘人员 2自聘人员 3其他人员 4博士后 */
```

```
101     @Excel(name = "用人方式",readConverterExp = "0=在编人员,1=校聘人员,2=自聘人
    员,3=其他人员,4=博士后")
102     private String membersModeEmployment;
103
104     /** 个人简历 */
105     @Excel(name = "个人简历")
106     private String membersResume;
107
108     /** 家庭主要成员/单位 */
109     @Excel(name = "家庭主要成员/单位")
110     private String membersMainFamily;
111
112     /** 特长/爱好 */
113     @Excel(name = "特长/爱好")
114     private String membersHobby;
115
116     /** 会员备注 */
117     @Excel(name = "会员备注")
118     private String membersRemarks;
119
120     /** 个人照片 */
121     private String membersImg;
122
123     /** 手签 */
124     private String membersSign;
125
126     /** 身份证号码 */
127     @Excel(name = "身份证号码")
128     private String membersContactNumber;
129
130     /** 人员状态 0在职 1 离职 2退休 */
131     @Excel(name = "人员状态",readConverterExp = "0=在职,1=离职,2=退休")
132     private String membersAdmissionTime;
133
134     /** 会员状态 0正常 1退会 2转会 */
135     private String membersStatus;
136
137     /** 年龄 */
138     @Excel(name = "年龄")
139     private String membersAge;
140
141     /** 是否是会员 0是 1不是 */
142     private String membersIsStatus;
143
144     /** 国籍 0中国 1外国 */
145     @Excel(name = "国籍",readConverterExp = "0=中国,1=外国")
146     private String membersNationality;
```

```
147
148     /** 身份类别 0身份证 1护照 2士官证 3港澳通行证 4台湾居民来往大陆通行证 */
149     @Excel(name = "身份类别",readConverterExp = "0=身份证,1=护照,2=士官证,3=港澳通
150     private String membersIdentityType;
151
152     /** 身份类型对应的身份号码 */
153     @Excel(name = "身份类型对应的身份号码")
154     private String membersIdentityNum;
155
156     /** 技术等级 0初级 1中级 2高级 */
157     @Excel(name = "技术等级",readConverterExp = "0=初级,1=中级,2=高级")
158     private String membersTechnical;
159
160     /** 专业技术职称 0正高级 1副高级 2中级 3初级 4其他 */
161     @Excel(name = "专业技术职称",readConverterExp = "0=正高级,1=副高级,2=中级,3=初
162     private String membersProfessional;
163
164     /** 邮箱 */
165     @Excel(name = "邮箱")
166     private String membersEmail;
167
168     /** 行政职务*/
169     @Excel(name = "行政职务")
170     private String membersAdministrative;
171
172     /** 配偶姓名 */
173     @Excel(name = "配偶姓名")
174     private String membersSpouseName;
175
176     /** 户籍类型 0城镇户口 1农业户口 */
177     @Excel(name = "户籍类型",readConverterExp = "0=城镇户口,1=农业户口")
178     private String membersHouseholdType;
179
180     /** 删除标识 0未删除 2已删除 */
181     @TableLogic
182     private String delFlag;
183
184     public void setMembersId(Long membersId)
185     {
186         this.membersId = membersId;
187     }
188
189     public Long getMembersId()
190     {
191         return membersId;
```

```
192     }
193
194     public void setId(Long userId)
195     {
196         this.userId = userId;
197     }
198
199     public Long getUserId()
200     {
201         return userId;
202     }
203
204     public void setMembersName(String membersName)
205     {
206         this.membersName = membersName;
207     }
208
209     public String getMembersName()
210     {
211         return membersName;
212     }
213
214     public void setMembersNum(Long membersNum)
215     {
216         this.membersNum = membersNum;
217     }
218
219     public Long getMembersNum()
220     {
221         return membersNum;
222     }
223
224     public void setMembersSex(String membersSex)
225     {
226         this.membersSex = membersSex;
227     }
228
229     public String getMembersSex()
230     {
231         return membersSex;
232     }
233
234     public void setMembersBir(Date membersBir)
235     {
236         this.membersBir = membersBir;
237     }
238
```

```
239     public Date getMembersBir()
240     {
241         return membersBir;
242     }
243
244     public void setMembersBackground(String membersBackground)
245     {
246         this.membersBackground = membersBackground;
247     }
248
249     public String getMembersBackground()
250     {
251         return membersBackground;
252     }
253
254     public void setMembersNation(String membersNation)
255     {
256         this.membersNation = membersNation;
257     }
258
259     public String getMembersNation()
260     {
261         return membersNation;
262     }
263
264     public void setMembersPolitical(String membersPolitical)
265     {
266         this.membersPolitical = membersPolitical;
267     }
268
269     public String getMembersPolitical()
270     {
271         return membersPolitical;
272     }
273
274     public void setMembersSchoolDate(Date membersSchoolDate)
275     {
276         this.membersSchoolDate = membersSchoolDate;
277     }
278
279     public Date getMembersSchoolDate()
280     {
281         return membersSchoolDate;
282     }
283
284     public void setMembersTel(String membersTel)
285     {
```



```
286         this.membersTel = membersTel;
287     }
288
289     public String getMembersTel()
290     {
291         return membersTel;
292     }
293
294     public void setDeptId(Long deptId)
295     {
296         this.deptId = deptId;
297     }
298
299     public Long getDeptId()
300     {
301         return deptId;
302     }
303
304     public void setSocietyId(Long societyId)
305     {
306         this.societyId = societyId;
307     }
308
309     public Long getSocietyId()
310     {
311         return societyId;
312     }
313
314     public void setMembersMaritalStatus(String membersMaritalStatus)
315     {
316         this.membersMaritalStatus = membersMaritalStatus;
317     }
318
319     public String getMembersMaritalStatus()
320     {
321         return membersMaritalStatus;
322     }
323
324     public void setMembersSpouseCampusStaff(String membersSpouseCampusStaff)
325     {
326         this.membersSpouseCampusStaff = membersSpouseCampusStaff;
327     }
328
329     public String getMembersSpouseCampusStaff()
330     {
331         return membersSpouseCampusStaff;
332     }
```

```
333
334     public void setMembersNativePlace(String membersNativePlace)
335     {
336         this.membersNativePlace = membersNativePlace;
337     }
338
339     public String getMembersNativePlace()
340     {
341         return membersNativePlace;
342     }
343
344     public void setMembersAddress(String membersAddress)
345     {
346         this.membersAddress = membersAddress;
347     }
348
349     public String getMembersAddress()
350     {
351         return membersAddress;
352     }
353
354     public void setSchool(String school)
355     {
356         this.school = school;
357     }
358
359     public String getSchool()
360     {
361         return school;
362     }
363
364     public void setMembersModeEmployment(String membersModeEmployment)
365     {
366         this.membersModeEmployment = membersModeEmployment;
367     }
368
369     public String getMembersModeEmployment()
370     {
371         return membersModeEmployment;
372     }
373
374     public void setMembersResume(String membersResume)
375     {
376         this.membersResume = membersResume;
377     }
378
379     public String getMembersResume()
```

```
380     {
381         return membersResume;
382     }
383
384     public void setMembersMainFamily(String membersMainFamily)
385     {
386         this.membersMainFamily = membersMainFamily;
387     }
388
389     public String getMembersMainFamily()
390     {
391         return membersMainFamily;
392     }
393
394     public void setMembersHobby(String membersHobby)
395     {
396         this.membersHobby = membersHobby;
397     }
398
399     public String getMembersHobby()
400     {
401         return membersHobby;
402     }
403
404     public void setMembersRemarks(String membersRemarks)
405     {
406         this.membersRemarks = membersRemarks;
407     }
408
409     public String getMembersRemarks()
410     {
411         return membersRemarks;
412     }
413
414     public void setMembersImg(String membersImg)
415     {
416         this.membersImg = membersImg;
417     }
418
419     public String getMembersImg()
420     {
421         return membersImg;
422     }
423
424     public void setMembersSign(String membersSign)
425     {
426         this.membersSign = membersSign;
```

```
427     }
428
429     public String getMembersSign()
430     {
431         return membersSign;
432     }
433
434     public void setMembersContactNumber(String membersContactNumber)
435     {
436         this.membersContactNumber = membersContactNumber;
437     }
438
439     public String getMembersContactNumber()
440     {
441         return membersContactNumber;
442     }
443
444     public void setMembersAdmissionTime(String membersAdmissionTime)
445     {
446         this.membersAdmissionTime = membersAdmissionTime;
447     }
448
449     public String getMembersAdmissionTime()
450     {
451         return membersAdmissionTime;
452     }
453
454     public void setMembersStatus(String membersStatus)
455     {
456         this.membersStatus = membersStatus;
457     }
458
459     public String getMembersStatus()
460     {
461         return membersStatus;
462     }
463
464     public void setMembersAge(String membersAge)
465     {
466         this.membersAge = membersAge;
467     }
468
469     public String getMembersAge()
470     {
471         return membersAge;
472     }
473
```

```
474     public void setMembersIsStatus(String membersIsStatus)
475     {
476         this.membersIsStatus = membersIsStatus;
477     }
478
479     public String getMembersIsStatus()
480     {
481         return membersIsStatus;
482     }
483
484     public void setMembersNationality(String membersNationality)
485     {
486         this.membersNationality = membersNationality;
487     }
488
489     public String getMembersNationality()
490     {
491         return membersNationality;
492     }
493
494     public void setMembersIdentityType(String membersIdentityType)
495     {
496         this.membersIdentityType = membersIdentityType;
497     }
498
499     public String getMembersIdentityType()
500     {
501         return membersIdentityType;
502     }
503
504     public void setMembersIdentityNum(String membersIdentityNum)
505     {
506         this.membersIdentityNum = membersIdentityNum;
507     }
508
509     public String getMembersIdentityNum()
510     {
511         return membersIdentityNum;
512     }
513
514     public void setMembersTechnical(String membersTechnical)
515     {
516         this.membersTechnical = membersTechnical;
517     }
518
519     public String getMembersTechnical()
520     {
```

```
521         return membersTechnical;
522     }
523
524     public void setMembersProfessional(String membersProfessional)
525     {
526         this.membersProfessional = membersProfessional;
527     }
528
529     public String getMembersProfessional()
530     {
531         return membersProfessional;
532     }
533
534     public void setMembersEmail(String membersEmail)
535     {
536         this.membersEmail = membersEmail;
537     }
538
539     public String getMembersEmail()
540     {
541         return membersEmail;
542     }
543
544     public void setMembersAdministrative(String membersAdministrative)
545     {
546         this.membersAdministrative = membersAdministrative;
547     }
548
549     public String getMembersAdministrative()
550     {
551         return membersAdministrative;
552     }
553
554     public void setMembersSpouseName(String membersSpouseName)
555     {
556         this.membersSpouseName = membersSpouseName;
557     }
558
559     public String getMembersSpouseName()
560     {
561         return membersSpouseName;
562     }
563
564     public void setMembersHouseholdType(String membersHouseholdType)
565     {
566         this.membersHouseholdType = membersHouseholdType;
567     }
```

```
568
569     public String getMembersHouseholdType()
570     {
571         return membersHouseholdType;
572     }
573
574     public void setDelFlag(String delFlag)
575     {
576         this.delFlag = delFlag;
577     }
578
579     public String getDelFlag()
580     {
581         return delFlag;
582     }
583
584     @Override
585     public String toString() {
586         return new ToStringBuilder(this, ToStringStyle.MULTI_LINE_STYLE)
587             .append("membersId", getMembersId())
588             .append("userId", getUserId())
589             .append("membersName", getMembersName())
590             .append("membersNum", getMembersNum())
591             .append("membersSex", getMembersSex())
592             .append("membersBir", getMembersBir())
593             .append("membersBackground", getMembersBackground())
594             .append("membersNation", getMembersNation())
595             .append("membersPolitical", getMembersPolitical())
596             .append("membersSchoolDate", getMembersSchoolDate())
597             .append("membersTel", getMembersTel())
598             .append("deptId", getDeptId())
599             .append("societyId", getSocietyId())
600             .append("membersMaritalStatus", getMembersMaritalStatus())
601             .append("membersSpouseCampusStaff", getMembersSpouseCampusStaff())
602             .append("membersNativePlace", getMembersNativePlace())
603             .append("membersAddress", getMembersAddress())
604             .append("school", getSchool())
605             .append("membersModeEmployment", getMembersModeEmployment())
606             .append("membersResume", getMembersResume())
607             .append("membersMainFamily", getMembersMainFamily())
608             .append("membersHobby", getMembersHobby())
609             .append("membersRemarks", getMembersRemarks())
610             .append("membersImg", getMembersImg())
611             .append("membersSign", getMembersSign())
612             .append("membersContactNumber", getMembersContactNumber())
613             .append("membersAdmissionTime", getMembersAdmissionTime())
614             .append("membersStatus", getMembersStatus())
```

```

615         .append("membersAge", getMembersAge())
616         .append("membersIsStatus", getMembersIsStatus())
617         .append("membersNationality", getMembersNationality())
618         .append("membersIdentityType", getMembersIdentityType())
619         .append("membersIdentityNum", getMembersIdentityNum())
620         .append("membersTechnical", getMembersTechnical())
621         .append("createTime", getCreateTime())
622         .append("membersProfessional", getMembersProfessional())
623         .append("membersEmail", getMembersEmail())
624         .append("membersAdministrative", getMembersAdministrative())
625         .append("membersSpouseName", getMembersSpouseName())
626         .append("membersHouseholdType", getMembersHouseholdType())
627         .append("createBy", getCreateBy())
628         .append("updateBy", getUpdateBy())
629         .append("updateTime", getUpdateTime())
630         .append("delFlag", getDelFlag())
631         .append("remark", getRemark())
632         .toString();
633     }
634 }

```

代码块

```


1  /**
2   * 人才智库 - 教职工管理 - 导出
3   */
4  @PreAuthorize("@ss.hasPermi('system:members:export')")
5  @Log(title = "教职工", businessType = BusinessType.EXPORT)
6  @PostMapping("/export")
7  public void export(HttpServletRequest response, SysMembers sysMembers)
8  {
9      LambdaQueryWrapper<SysMembers> sysMembersLambdaQueryWrapper = new
LambdaQueryWrapper<>();
10     if(StringUtils.isNotEmpty(sysMembers.getMembersName())){
11
12         sysMembersLambdaQueryWrapper.like(SysMembers::getMembersName,sysMembers.getMembersName());
13     }
14     if(StringUtils.isNotEmpty(sysMembers.getMembersNum())){
15
16         sysMembersLambdaQueryWrapper.eq(SysMembers::getMembersNum,sysMembers.getMembersNum());
17     }
18     if(StringUtils.isNotEmpty(sysMembers.getMembersTel())){

```



```
19 sysMembersLambdaQueryWrapper.like(SysMembers::getMembersTel,sysMembers.getMembersTel());
20     }
21
22     if(StringUtils.isNotEmpty(sysMembers.getSchool())){
23
24 sysMembersLambdaQueryWrapper.eq(SysMembers::getSchool,sysMembers.getSchool());
25     }
26
27     // 查询不是会员的信息
28 sysMembersLambdaQueryWrapper.eq(SysMembers::getMembersIsStatus,
29 TeachingConstants.NOT_MEMBERS);
30
31 List<SysMembers> list =
32 sysMembersService.list(sysMembersLambdaQueryWrapper);
33
34 ExcelUtil<SysMembers> util = new ExcelUtil<SysMembers>(SysMembers.class);
35 util.exportExcel(response, list, "教职工数据表", "教职工数据统计表");
36 }
```

1.3、前端代码



字典类型

```
代码块

1 sys_marital（婚姻状况）、sys_mode_employment（用人方式）、sys_members_status（人员状态）
```

代码块

```
1  <template>
2    <div class="app-container">
3      <el-form
4        :model="queryParams"
5        ref="queryForm"
6        size="small"
7        :inline="true"
8        v-show="showSearch"
9        label-width="68px"
10     >
11        <el-form-item label="会员姓名" prop="membersName">
12          <el-input
13            v-model="queryParams.membersName"
14            placeholder="请输入会员姓名"
15            clearable
16            @keyup.enter.native="handleQuery"
17          />
18        </el-form-item>
19        <el-form-item label="会员工号" prop="membersNum">
20          <el-input
21            type="number"
22            min="0"
23            v-model="queryParams.membersNum"
24            placeholder="请输入会员工号"
25            clearable
26            @keyup.enter.native="handleQuery"
27          />
28        </el-form-item>
29
30        <el-form-item label="会员联系电话" prop="membersTel" label-width="100px">
31          <el-input
32            type="number"
33            min="0"
34            v-model="queryParams.membersTel"
35            placeholder="请输入会员联系电话"
36            clearable
37            @keyup.enter.native="handleQuery"
38          />
39        </el-form-item>
40
41        <el-form-item label="所在校区" prop="school">
42          <el-input
43            v-model="queryParams.school"
44            placeholder="请输入所在校区"
45            clearable
```

```
46         @keyup.enter.native="handleQuery"
47     />
48 </el-form-item>
49 <el-form-item>
50     <el-button
51         type="primary"
52         icon="el-icon-search"
53         size="mini"
54         @click="handleQuery"
55     >搜索</el-button>
56 >
57 <el-button icon="el-icon-refresh" size="mini" @click="resetQuery"
58     >重置</el-button>
59 >
60 </el-form-item>
61 </el-form>
62
63 <el-row :gutter="10" class="mb8">
64     <el-col :span="1.5">
65         <el-button
66             type="primary"
67             plain
68             icon="el-icon-plus"
69             size="mini"
70             @click="handleAdd"
71             v-hasPermi="['members:teaching:add']"
72         >新增</el-button>
73     >
74 </el-col>
75     <el-col :span="1.5">
76         <el-button
77             type="success"
78             plain
79             icon="el-icon-edit"
80             size="mini"
81             :disabled="single"
82             @click="handleUpdate"
83             v-hasPermi="['members:teaching:edit']"
84         >修改</el-button>
85     >
86 </el-col>
87     <el-col :span="1.5">
88         <el-button
89             type="danger"
90             plain
91             icon="el-icon-delete"
92             size="mini"
```

```
93         :disabled="multiple"
94         @click="handleDelete"
95         v-hasPermi="['members:teaching:remove']"
96         >删除</el-button>
97     >
98 </el-col>
99 <el-col :span="1.5">
100     <el-button
101         type="warning"
102         plain
103         icon="el-icon-download"
104         size="mini"
105         @click="handleExport"
106         v-hasPermi="['members:teaching:export']"
107         >导出</el-button>
108     >
109 </el-col>
110 <right-toolbar
111     :showSearch.sync="showSearch"
112     @queryTable="getList"
113 ></right-toolbar>
114 </el-row>
115
116 <el-table
117     v-loading="loading"
118     :data="membersList"
119     @selection-change="handleSelectionChange"
120 >
121     <el-table-column type="selection" width="55" align="center" />
122     <el-table-column label="姓名" align="center" prop="membersName" />
123     <el-table-column label="工号" align="center" prop="membersNum" />
124     <el-table-column label="性别" align="center" prop="membersSex" width="50">
125         <template slot-scope="scope">
126             <dict-tag
127                 :options="dict.type.sys_user_sex"
128                 :value="scope.row.membersSex"
129             />
130         </template>
131     </el-table-column>
132     <el-table-column label="个人照片" align="center" prop="membersImg">
133         <template slot-scope="scope">
134             <el-image
135                 :src="scope.row.membersImg"
136                 style="width: 100px; height: 80px"
137             ></el-image>
138         </template>
139     </el-table-column>
```

```
140
141     <el-table-column
142       label="出生日期"
143       align="center"
144       prop="membersBir"
145       width="130"
146     >
147       <template slot-scope="scope">
148         <span>{{ parseTime(scope.row.membersBir, "{y}-{m}-{d}") }}</span>
149       </template>
150     </el-table-column>
151     <el-table-column
152       label="联系电话"
153       align="center"
154       prop="membersTel"
155       width="120"
156     />
157     <el-table-column
158       label="学历"
159       align="center"
160       prop="membersBackground"
161       width="50"
162     />
163     <el-table-column
164       label="民族"
165       align="center"
166       prop="membersNation"
167       width="50"
168     />
169     <el-table-column
170       label="来校时间"
171       align="center"
172       prop="membersSchoolDate"
173       width="180"
174     >
175       <template slot-scope="scope">
176         <span>{{
177           parseTime(scope.row.membersSchoolDate, "{y}-{m}-{d}")
178         }}</span>
179       </template>
180     </el-table-column>
181     <el-table-column
182       label="婚姻状况"
183       align="center"
184       prop="membersMaritalStatus"
185     >
186       <template slot-scope="scope">
```

```
187         <dict-tag
188             :options="dict.type.sys_marital"
189             :value="scope.row.membersMaritalStatus"
190         />
191     </template>
192 </el-table-column>
193 <el-table-column label="籍贯" align="center" prop="membersNativePlace" />
194 <el-table-column
195     label="家庭住址"
196     align="center"
197     prop="membersAddress"
198     width="150"
199 />
200 <el-table-column
201     label="所在校区"
202     align="center"
203     prop="school"
204     width="130"
205 />
206 <el-table-column
207     label="用人方式"
208     align="center"
209     prop="membersModeEmployment"
210 >
211     <template slot-scope="scope">
212         <dict-tag
213             :options="dict.type.sys_mode_employment"
214             :value="scope.row.membersModeEmployment"
215         />
216     </template>
217 </el-table-column>
218 <el-table-column
219     label="人员状态"
220     align="center"
221     prop="membersAdmissionTime"
222 >
223     <template slot-scope="scope">
224         <dict-tag
225             :options="dict.type.sys_members_status"
226             :value="scope.row.membersAdmissionTime"
227         />
228     </template>
229 </el-table-column>
230 <el-table-column
231     label="操作"
232     align="center"
233     class-name="small-padding fixed-width"
```

```

234         fixed="right"
235         width="150"
236     >
237     <template slot-scope="scope">
238         <el-button
239             size="mini"
240             type="text"
241             icon="el-icon-edit"
242             @click="handleUpdate(scope.row)"
243             v-hasPermi="['members:teaching:edit']"
244             >修改</el-button
245         >
246         <el-button
247             size="mini"
248             type="text"
249             icon="el-icon-delete"
250             @click="handleDelete(scope.row)"
251             v-hasPermi="['members:teaching:remove']"
252             >删除</el-button
253         >
254     </template>
255 </el-table-column>
256 </el-table>
257
258 <pagination
259     v-show="total > 0"
260     :total="total"
261     :page.sync="queryParams.pageNum"
262     :limit.sync="queryParams.pageSize"
263     @pagination="getList"
264 />
265
266 <!-- 添加或修改会员对话框 -->
267 <el-dialog :title="title" :visible.sync="open" width="800px" append-to-
body>
268     <el-form ref="form" :model="form" :rules="rules" label-width="150px">
269         <el-form-item label="教职工姓名" prop="membersName">
270             <el-input v-model="form.membersName" placeholder="请输入教职工姓名" />
271         </el-form-item>
272         <el-form-item label="教职工工号" prop="membersNum">
273             <el-input
274                 type="number"
275                 min="0"
276                 v-model="form.membersNum"
277                 placeholder="请输入教职工工号"
278             />
279         </el-form-item>

```

```
280 <el-form-item label="教职工出生日期" prop="membersBir">
281   <el-date-picker
282     clearable
283     v-model="form.membersBir"
284     type="date"
285     value-format="yyyy-MM-dd"
286     placeholder="请选择教职工出生日期"
287     style="width: 100%"
288   >
289 </el-date-picker>
290 </el-form-item>
291 <el-form-item label="教职工学历" prop="membersBackground">
292   <el-input
293     v-model="form.membersBackground"
294     placeholder="请输入教职工学历"
295   />
296 </el-form-item>
297 <el-form-item label="教职工民族" prop="membersNation">
298   <el-input
299     v-model="form.membersNation"
300     placeholder="请输入教职工民族"
301   />
302 </el-form-item>
303 <el-form-item label="教职工政治面貌" prop="membersPolitical">
304   <el-input
305     v-model="form.membersPolitical"
306     placeholder="请输入教职工政治面貌"
307   />
308 </el-form-item>
309 <el-form-item label="教职工来校时间" prop="membersSchoolDate">
310   <el-date-picker
311     clearable
312     v-model="form.membersSchoolDate"
313     type="date"
314     value-format="yyyy-MM-dd"
315     placeholder="请选择教职工来校时间"
316     style="width: 100%"
317   >
318   </el-date-picker>
319 </el-form-item>
320 <el-form-item label="教职工联系电话" prop="membersTel">
321   <el-input
322     type="number"
323     v-model="form.membersTel"
324     placeholder="请输入教职工联系电话"
325   />
326 </el-form-item>
```



```
327 <el-form-item
328   label="配偶是否为校内职工"
329   prop="membersSpouseCampusStaff"
330 >
331
332   <el-radio-group v-model="form.membersSpouseCampusStaff">
333     <el-radio label="0">否</el-radio>
334     <el-radio label="1">是</el-radio>
335   </el-radio-group>
336 </el-form-item>
337 <el-form-item label="教职工籍贯" prop="membersNativePlace">
338   <el-input
339     v-model="form.membersNativePlace"
340     placeholder="请输入教职工籍贯"
341   />
342 </el-form-item>
343 <el-form-item label="教职工家庭住址" prop="membersAddress">
344   <el-input
345     v-model="form.membersAddress"
346     placeholder="请输入教职工家庭住址"
347   />
348 </el-form-item>
349 <el-form-item label="教职工所在校区" prop="school">
350   <el-input v-model="form.school" placeholder="请输入教职工所在校区" />
351 </el-form-item>
352 <el-form-item label="教职工用人方式" prop="membersModeEmployment">
353   <el-select
354     v-model="form.membersModeEmployment"
355     placeholder="请选择教职工用人方式"
356     style="width: 100%"
357   >
358     <el-option
359       v-for="dict in dict.type.sys_mode_employment"
360       :key="dict.value"
361       :label="dict.label"
362       :value="parseInt(dict.value)"
363     ></el-option>
364   </el-select>
365 </el-form-item>
366 <el-form-item label="个人简历" prop="membersResume">
367   <el-input
368     v-model="form.membersResume"
369     placeholder="请输入个人简历"
370   />
371 </el-form-item>
372 <el-form-item label="家庭主要成员/单位" prop="membersMainFamily">
373   <el-input
```

```
374         v-model="form.membersMainFamily"
375         placeholder="请输入家庭主要成员/单位"
376     />
377 </el-form-item>
378 <el-form-item label="教职工特长/爱好" prop="membersHobby">
379     <el-input
380         v-model="form.membersHobby"
381         placeholder="请输入教职工特长/爱好"
382     />
383 </el-form-item>
384 <el-form-item label="教职工备注" prop="membersRemarks">
385     <el-input
386         v-model="form.membersRemarks"
387         placeholder="请输入教职工备注"
388     />
389 </el-form-item>
390 <el-form-item label="教职工个人照片" prop="membersImg">
391
392     <el-upload
393         class="upload-demo"
394         action="http://localhost:8080/common/upload"
395         :on-preview="handlePreview"
396         :on-remove="handleRemove"
397         :before-remove="beforeRemove"
398         multiple
399         :limit="1"
400         :on-exceed="handleExceed"
401         :file-list="fileList"
402         :on-success="handlerSuccess"
403     >
404         <el-button size="small" type="primary">点击上传</el-button>
405         <div slot="tip" class="el-upload__tip">
406             只能上传jpg/png文件，且不超过500kb
407         </div>
408     </el-upload>
409 </el-form-item>
410 <el-form-item label="教职工手签" prop="membersSign">
411     <el-input
412         v-model="form.membersSign"
413         type="textarea"
414         placeholder="请输入内容"
415     />
416 </el-form-item>
417 <el-form-item label="身份证号码" prop="membersContactNumber">
418     <el-input
419         v-model="form.membersContactNumber"
420         placeholder="请输入身份证号码"
```

```
421     />
422 </el-form-item>
423 <el-form-item label="教职工人员状态" prop="membersAdmissionTime">
424   <el-select
425     v-model="form.membersAdmissionTime"
426     placeholder="请选择教职工人员状态"
427     style="width: 100%"
428   >
429     <el-option
430       v-for="dict in dict.type.sys_members_status"
431       :key="dict.value"
432       :label="dict.label"
433       :value="parseInt(dict.value)"
434     ></el-option>
435   </el-select>
436 </el-form-item>
437 <el-form-item label="教职工年龄" prop="membersAge">
438   <el-input v-model="form.membersAge" placeholder="请输入教职工年龄" />
439 </el-form-item>
440 <!-- <el-form-item label="教职工国籍" prop="membersNationality">
441   <el-input
442     v-model="form.membersNationality"
443     placeholder="请输入教职工国籍"
444   />
445 </el-form-item>
446 <el-form-item
447   label="教职工技术等级"
448   prop="membersTechnical"
449 >
450   <el-input
451     v-model="form.membersTechnical"
452     placeholder="请输入教职工技术等级"
453   />
454 </el-form-item>
455 <el-form-item
456   label="教职工专业技术职称"
457   prop="membersProfessional"
458 >
459   <el-input
460     v-model="form.membersProfessional"
461     placeholder="请输入教职工专业技术职称"
462   />
463 </el-form-item> -->
464 <el-form-item label="教职工邮箱" prop="membersEmail">
465   <el-input
466     v-model="form.membersEmail"
467     placeholder="请输入教职工邮箱"
```

```
468         />
469     </el-form-item>
470     <!-- <el-form-item label="教职工行政职务" prop="membersAdministrative">
471         <el-input
472             v-model="form.membersAdministrative"
473             placeholder="请输入教职工行政职务"
474         />
475     </el-form-item> -->
476     <el-form-item label="教职工配偶姓名" prop="membersSpouseName">
477         <el-input
478             v-model="form.membersSpouseName"
479             placeholder="请输入教职工配偶姓名"
480         />
481     </el-form-item>
482     <el-form-item label="备注" prop="remark">
483         <el-input v-model="form.remark" placeholder="请输入备注" />
484     </el-form-item>
485 </el-form>
486 <div slot="footer" class="dialog-footer">
487     <el-button type="primary" @click="submitForm">确 定</el-button>
488     <el-button @click="cancel">取 消</el-button>
489 </div>
490 </el-dialog>
491 </div>
492 </template>
493
494 <script>
495 import {
496     listMembers,
497     getMembers,
498     delMembers,
499     addMembers,
500     updateMembers,
501 } from "@/api/members/teaching";
502 export default {
503     dicts: [
504         "sys_marital",
505         "sys_user_sex",
506         "sys_mode_employment",
507         "sys_members_status",
508         "sys_background",
509         "sys_nation",
510     ],
511     name: "Members",
512     data() {
513         return {
514             fileList: [],
```

```
515 // 遮罩层
516 loading: true,
517 // 选中数组
518 ids: [],
519 // 非单个禁用
520 single: true,
521 // 非多个禁用
522 multiple: true,
523 // 显示搜索条件
524 showSearch: true,
525 // 总条数
526 total: 0,
527 // 会员表格数据
528 membersList: [],
529 // 弹出层标题
530 title: "",
531 // 是否显示弹出层
532 open: false,
533 // 查询参数
534 queryParams: {
535     pageNum: 1,
536     pageSize: 10,
537     userId: null,
538     membersName: null,
539     membersNum: null,
540     membersSex: null,
541     membersBir: null,
542     membersBackground: null,
543     membersNation: null,
544     membersPolitical: null,
545     membersSchoolDate: null,
546     membersTel: null,
547     deptId: null,
548     societyId: null,
549     membersMaritalStatus: null,
550     membersSpouseCampusStaff: null,
551     membersNativePlace: null,
552     membersAddress: null,
553     school: null,
554     membersModeEmployment: null,
555     membersResume: null,
556     membersMainFamily: null,
557     membersHobby: null,
558     membersRemarks: null,
559     membersImg: null,
560     membersSign: null,
561     membersContactNumber: null,
```

```
562         membersAdmissionTime: null,
563         membersStatus: null,
564         membersAge: null,
565         membersIsStatus: null,
566         membersNationality: null,
567         membersIdentityType: null,
568         membersIdentityNum: null,
569         membersTechnical: null,
570         membersProfessional: null,
571         membersEmail: null,
572         membersAdministrative: null,
573         membersSpouseName: null,
574         membersHouseholdType: null,
575     },
576     // 表单参数
577     form: {
578     },
579     // 表单校验
580     rules: {
581         membersName: [
582             { required: true, message: "教职工姓名不能为空", trigger: "blur" },
583         ],
584         membersNum: [
585             { required: true, message: "教职工工号不能为空", trigger: "blur" },
586         ],
587         membersSex: [
588             { required: true, message: "教职工性别不能为空", trigger: "change" },
589         ],
590         membersBir: [
591             { required: true, message: "教职工出生日期不能为空", trigger: "blur" },
592         ],
593         membersSchoolDate: [
594             { required: true, message: "教职工来校时间不能为空", trigger: "blur" },
595         ],
596         membersTel: [
597             { required: true, message: "教职工联系电话不能为空", trigger: "blur" },
598         ],
599         membersSpouseCampusStaff: [
600             { required: true, message: "配偶是否为校内职工不能为空", trigger: "blur"
601         },
602         school: [
603             { required: true, message: "教职工所在校区不能为空", trigger: "blur" },
604         ],
605         membersModeEmployment: [
606             { required: true, message: "教职工用人方式不能为空", trigger: "blur" },
607         ],
```

```
608         membersImg: [
609             { required: true, message: "教职工个人照片不能为空", trigger: "blur" },
610         ],
611         membersAdmissionTime: [
612             { required: true, message: "教职工人员状态不能为空", trigger: "blur" },
613         ],
614     },
615 };
616 },
617 created() {
618     this.getList();
619 },
620 methods: {
621     handlerSuccess(response, file, fileList){
622         this.form.membersImg = response.url
623     },
624     handleRemove(file, fileList) {
625         console.log(file, fileList);
626     },
627     handlePreview(file) {
628         console.log(file);
629     },
630     handleExceed(files, fileList) {
631         this.$message.warning(
632             `当前限制选择 1 个文件，本次选择了 ${files.length} 个文件，共选择了 ${
633                 files.length + fileList.length
634             } 个文件`
635         );
636     },
637     beforeRemove(file, fileList) {
638         return this.$confirm(`确定移除 ${file.name}?`);
639     },
640     /** 查询会员列表 */
641     getList() {
642         this.loading = true;
643         listMembers(this.queryParams).then((response) => {
644             this.membersList = response.rows;
645             this.total = response.total;
646             this.loading = false;
647         });
648     },
649     // 取消按钮
650     cancel() {
651         this.open = false;
652         this.reset();
653     },
654 }
```

```
655 // 表单重置
656 reset() {
657     this.form = {
658         membersId: null,
659         userId: null,
660         membersName: null,
661         membersNum: null,
662         membersSex: null,
663         membersBir: null,
664         membersBackground: null,
665         membersNation: null,
666         membersPolitical: null,
667         membersSchoolDate: null,
668         membersTel: null,
669         deptId: null,
670         societyId: null,
671         membersMaritalStatus: null,
672         membersSpouseCampusStaff: '0',
673         membersNativePlace: null,
674         membersAddress: null,
675         school: null,
676         membersModeEmployment: null,
677         membersResume: null,
678         membersMainFamily: null,
679         membersHobby: null,
680         membersRemarks: null,
681         membersImg: null,
682         membersSign: null,
683         membersContactNumber: null,
684         membersAdmissionTime: null,
685         membersStatus: null,
686         membersAge: null,
687         membersIsStatus: null,
688         membersNationality: null,
689         membersIdentityType: null,
690         membersIdentityNum: null,
691         membersTechnical: null,
692         createTime: null,
693         membersProfessional: null,
694         membersEmail: null,
695         membersAdministrative: null,
696         membersSpouseName: null,
697         membersHouseholdType: null,
698         createBy: null,
699         updateBy: null,
700         updateTime: null,
701         delFlag: null,
```




```
702         remark: null,
703     };
704     this.fileList = [];
705     this.resetForm("form");
706 },
707 /** 搜索按钮操作 */
708 handleQuery() {
709     this.queryParams.pageNum = 1;
710     this.getList();
711 },
712 /** 重置按钮操作 */
713 resetQuery() {
714     this.resetForm("queryForm");
715     this.handleQuery();
716 },
717 // 多选框选中数据
718 handleSelectionChange(selection) {
719     this.ids = selection.map((item) => item.membersId);
720     this.single = selection.length !== 1;
721     this.multiple = !selection.length;
722 },
723 /** 新增按钮操作 */
724 handleAdd() {
725     this.reset();
726     this.form.membersSpouseCampusStaff = '0';
727     this.open = true;
728     this.title = "添加会员";
729 },
730 /** 修改按钮操作 */
731 handleUpdate(row) {
732     this.reset();
733     const membersId = row.membersId || this.ids;
734     getMembers(membersId).then((response) => {
735         this.form = response.data;
736         this.form.membersModeEmployment =
737             parseInt(this.form.membersModeEmployment);
737         this.form.membersAdmissionTime =
738             parseInt(this.form.membersAdmissionTime);
738         this.fileList = [{ url: this.form.membersImg , name: "个人照片"}];
739         this.open = true;
740         this.title = "修改会员";
741     });
742 },
743 /** 提交按钮 */
744 submitForm() {
745
746     this.$refs["form"].validate((valid) => {
```

```
747         if (valid) {
748             if (this.form.membersId != null) {
749                 updateMembers(this.form).then((response) => {
750                     this.$modal.msgSuccess("修改成功");
751                     this.open = false;
752                     this.getList();
753                 });
754             } else {
755                 addMembers(this.form).then((response) => {
756                     this.$modal.msgSuccess("新增成功");
757                     this.open = false;
758                     this.getList();
759                 });
760             }
761         }
762     });
763 },
764     /** 删除按钮操作 */
765     handleDelete(row) {
766         const membersIds = row.membersId || this.ids;
767         this.$modal
768             .confirm('是否确认删除会员编号为"' + membersIds + '"的数据项? ')
769             .then(function () {
770                 return delMembers(membersIds);
771             })
772             .then(() => {
773                 this.getList();
774                 this.$modal.msgSuccess("删除成功");
775             })
776             .catch(() => {});
777     },
778     /** 导出按钮操作 */
779     handleExport() {
780         this.download(
781             "members/teaching/export",
782             {
783                 ...this.queryParams,
784             },
785             `教职工数据统计表_${new Date().getTime()}.xlsx`
786         );
787     },
788 },
789 };
790 </script>
791
```

1.4、数据脱敏

非管理员，查询手机号进行脱敏



代码块

```
1  /** 会员联系电话 */
2  @Excel(name = "会员联系电话")
3  @Sensitive(desensitizedType = DesensitizedType.PHONE)
4  private String membersTel;
```

1.5、权限设置

- 后端配置权限符

代码块

```
1  /**
2   * 人才智库 - 教职工管理 - 导出
3   */
4  @PreAuthorize("@ss.hasPermi('members:teaching:export')")
5
6  /**
7   * 人才智库 - 教职工管理 - 新增
8   */
9  @PreAuthorize("@ss.hasPermi('members:teaching:add')")
10
```

• 前端配置权限符

代码块

```
1  <template slot-scope="scope">
2      <el-button
3          size="mini"
4          type="text"
5          icon="el-icon-edit"
6          @click="handleUpdate(scope.row)"
7          v-hasPermi="['members:teaching:edit']"
8      >修改</el-button>
9  >
10     <el-button
11         size="mini"
12         type="text"
13         icon="el-icon-delete"
14         @click="handleDelete(scope.row)"
15         v-hasPermi="['members:teaching:remove']"
16     >删除</el-button>
17 >
18 </template>
```

• 菜单配置权限符

互联网+智慧工会云平台

首页 / 系统管理 / 菜单管理

菜单管理

菜单名称 请输入菜单名称 状态 菜单状态 搜索 重置

+ 新增

展开所有

菜单名称	图标	排序	权限标识	组件路径	状态	创建时间	操作
> 流程管理	📄	0			正常	2021-03-25 11:35:09	⌕ 修改 + 新增 自删除
> 任务管理	📄	1			正常	2021-03-26 10:53:10	⌕ 修改 + 新增 自删除
> 组织工作	📄	2			正常	2025-08-27 16:57:02	⌕ 修改 + 新增 自删除
> 人才智库	📄	3			正常	2025-08-27 16:57:33	⌕ 修改 + 新增 自删除
> 教工服务	📄	0		members/teaching/index	正常	2025-08-27 17:02:02	⌕ 修改 + 新增 自删除
新增		0	system:teaching:add		正常	2025-09-14 12:24:03	⌕ 修改 + 新增 自删除
修改		1	members:teaching:edit		正常	2025-09-14 12:27:32	⌕ 修改 + 新增 自删除
删除		2	members:teaching:remove		正常	2025-09-14 12:27:47	⌕ 修改 + 新增 自删除
导出		3	members:teaching:export		正常	2025-09-14 12:28:06	⌕ 修改 + 新增 自删除
申请入会	📄	0			正常	2025-08-27 17:04:31	⌕ 修改 + 新增 自删除
会员管理	📄	1			正常	2025-08-27 17:02:15	⌕ 修改 + 新增 自删除
单身会员管理	📄	2			正常	2025-08-27 17:02:33	⌕ 修改 + 新增 自删除
若依官网	📄	4			正常	2025-08-27 15:30:26	⌕ 修改 + 新增 自删除
> 文体工作	📄	4			正常	2025-08-27 16:57:53	⌕ 修改 + 新增 自删除
> 教工服务	📄	5			正常	2025-08-27 16:58:12	⌕ 修改 + 新增 自删除

• 角色分配权限

