PortalPulse reviewer guide

1. Actual participant-probe execution

4 November 2026 / Node Operations & Tooling / Builder JokerFuFu

PortalPulse combines readonly monitoring with exact native Revive transaction/event correlation and EVM state at fixed block hashes. The participant signed a new official V3 deployment and record(1). The product collector linked all six stages and read caller sequence 1.

Field	Actual recorded value
Contract H160	0x7a7ceb705bb1886f2d7aee766c6e8ee8a3c42d2d
Caller H160	0xa8b69220b626457f4b718496ab516ccc6218d1cd
Native deployment	Block 318063 / index 1. Matching success and Instantiated events. Parent code empty; deployed runtime exactly 352 bytes; initial caller state 0.
Native record(1)	Block 318407 / index 1. Exact phase, contract, caller and uint64 event matched.
Finality and state	Captured finalized head 318410, three checked parent links. Runtime matched at inclusion/finality and block-hash-pinned sequenceOf(caller) returned 1.
Collector	17 actual readonly calls succeeded, 09:18:34.282-09:18:49.718 UTC, exit 0.

Exact native transaction hashes

```
Deployment
0x2ea2e1a719b819f168807b6b3f97d618
fc0bff2cbe2817f938803f5c6632e3b5

record(1)
0xdbfe322c6fabf4f39f5f21ecfebc2f583
a5511ba2e429cd7a38d7ef99785c7f3
```

The optional submission timestamp is the actual pending-pool first observation at 09:18:07.879 UTC, matched to this exact transaction/account/call. The CLI labels its optional input participant-supplied. This is not a fabricated exact wallet-send time. The separate deployment readback checked 46 parent edges; the product collector remains limited to 32.

Complete chain facts / Original report / Collector diagnostics

PortalPulse reviewer guide

2. Browser review and offline replay

4 November 2026 / Node Operations & Tooling / Builder JokerFuFu

Open the public console and select execution review. Download/import the original real execution JSON, or paste its contents. Check six normal stages, exact contract/caller, native 318407 inclusion, finalized 318410 and sequence 1. Export, file-reimport and print the active report.

Actual browser check, 4 Nov	Recorded result
Real execution report	Actual downloaded JSON reimported through the file chooser. Facts and digest equal to the collector report. CLI replay also exited 0.
A4 print	Four actual Chrome A4 pages inspected. Original source/times, digest, exact integers and offline limitations retained; inactive views/editors excluded.
Official V3 monitor	11 samples / 99 successful reads. 09:50:25.952-09:54:02.571 UTC. Best 318724-318760, finalized 318722-318758. Stop/offline later became stale.
Wrong identity	Deliberately changed only expected genesis to 0x11 repeated 32 bytes. Nine real samples stayed identity-abnormal, although RPC was reachable. Correct expected identity restored.

Reproduce without a wallet or live RPC

```
npm ci --ignore-scripts
npm test
npm run typecheck
npm run build
node dist/cli/main.js execution-inspect --input \
  docs/evidence/portalpulse-v3-execution-report-20261104.json
```

Use Node.js 22.12 or later and the exact lockfile, including development dependencies. Expected real-report replay: exit 0, normal, evidenceComplete=true, sequence 1. The November 4 operator used Node 24.22.1. New output paths are required for commands that create reports.

```
Real report payload SHA-256
6dcdad84f91ac6ebd74ef333fb9371bea
8839a9433ba2bc789edccd6dc12bf5b
```

Every imported execution report stays origin=rpc, mode=offline, verifiedNetwork=false, writeAllowed=false and fullVerification=false. Normal means its supplied facts agree. Network reports use the separate network-observation importer and retain their original observation window.

Public console and materials / Actual A4 report / Reviewer steps

PortalPulse reviewer guide

3. Negative cases, trust and continued use

4 November 2026 / Node Operations & Tooling / Builder JokerFuFu

Six deterministic rehearsals exercise the same evaluator using artificial facts. They remain origin=simulated and mode=offline. The exact synthetic sequence 9007199254740993 is retained as a decimal string. Failure/revert/fork cases do not claim failed transactions on the actual testnet.

Scenario	Expected result	Exit
complete	All supplied facts agree	0
missing-evidence	Missing execution/finality/state	2
execution-failed	Included, explicit execution failure	1
wrong-transaction	Another transaction success rejected	1
unfinalized	No finality/readback conclusion	2
state-mismatch	Exact expected/observed values differ	1

```
node dist/cli/main.js execution-demo --scenario complete
node dist/cli/main.js execution-demo --scenario state-mismatch
```

Fresh collection and its limits

The readonly native probe collector checks exact transaction/index/event phase, contract/caller/uint64, native header hashes/links and EVM code/state pinned to matching block hashes. Its window is 32 parent edges and its collection deadline 90 seconds. Run it shortly after a new participant update. Use the saved JSON for historical replay; a much later collection of this old block may correctly be unverified.

The probe uses Solidity 0.8.24, Paris, optimizer 200 and metadata hash none, with 384-byte creation and 352-byte runtime. Source and pinned build command are public. Wallet signing belongs to the participant. No private key, seed or wallet backup is required by the application.

Trust boundary and next use

Official-source genesis matching and RPC-supplied facts do not establish independent consensus, signature ownership or trie/storage proofs. SHA-256 detects content changes, not source authenticity. Planned ecosystem support would fund operator trials and broader runtime coverage. Hosted monitoring and shared history remain product hypotheses.

Check-in was submitted October 20 as Build 50050, originally Under Review. The final platform receipt and organizer decision are separate records. Last verified event schedule: final submission/freeze November 6, 04:00 UTC / 12:00 Asia/Shanghai; Demo Day November 8-9 UTC, individual slot unconfirmed.

Public source / Collector reference / Toolchain / Build 50050 / Official event