

# Python v2

Student Edition

Presented By  
**LK LearnKey®**

# Python v2 Project Workbook

First Edition

LearnKey creates signature multimedia courseware. LearnKey provides expert instruction for popular computer software, technical certifications, and application development with dynamic video-based courseware and effective learning management systems. For a complete list of courses, visit <https://www.learnkey.com>.

All rights reserved. Unauthorized reproduction or distribution is prohibited.

# Table of Contents

|                                                 |           |
|-------------------------------------------------|-----------|
| <b>Introduction</b>                             | <b>1</b>  |
| Best Practices Using LearnKey's Online Training | 2         |
| Using This Workbook                             | 3         |
| Skills Assessment                               | 4         |
| Python v2 Video Times                           | 5         |
| <b>Domain 1 Lesson 1</b>                        | <b>6</b>  |
| Python Introduction                             | 7         |
| Installing Python                               | 8         |
| <b>Domain 1 Lesson 2</b>                        | <b>9</b>  |
| Strings and Integers                            | 10        |
| Floats and Booleans                             | 11        |
| Review 1.1                                      | 12        |
| <b>Domain 1 Lesson 3</b>                        | <b>13</b> |
| Data Type Conversion                            | 14        |
| Indexing                                        | 15        |
| <b>Domain 1 Lesson 4</b>                        | <b>16</b> |
| Slicing                                         | 17        |
| Data Structures                                 | 18        |
| <b>Domain 1 Lesson 5</b>                        | <b>19</b> |
| Lists and Their Operations                      | 20        |
| Review 1.2                                      | 21        |
| <b>Domain 1 Lesson 6</b>                        | <b>22</b> |
| Assignment Operators                            | 23        |
| Comparison Operators                            | 24        |
| Logical Operators                               | 25        |
| <b>Domain 1 Lesson 7</b>                        | <b>26</b> |
| Arithmetic                                      | 27        |
| Identity Operator                               | 28        |
| Containment Operator                            | 29        |
| <b>Domain 1 Lesson 8</b>                        | <b>31</b> |
| Using Assignment Operators                      | 32        |
| Using Comparison Operators                      | 33        |

|                                |           |
|--------------------------------|-----------|
| Using Logical Operators        | 34        |
| <b>Domain 1 Lesson 9</b>       | <b>35</b> |
| Using Arithmetic Operators     | 36        |
| Using the Identity Operator    | 37        |
| Using the Containment Operator | 38        |
| Review 1.4                     | 39        |
| <b>Domain 2 Lesson 1</b>       | <b>40</b> |
| Branching Statements: if       | 41        |
| Branching Statements: elif     | 42        |
| Branching Statements: else     | 43        |
| Nested/Compound Conditions     | 44        |
| Review 2.1                     | 45        |
| <b>Domain 2 Lesson 2</b>       | <b>46</b> |
| Iteration: while               | 47        |
| Iteration: for                 | 48        |
| Iteration: break and continue  | 49        |
| <b>Domain 2 Lesson 3</b>       | <b>50</b> |
| Iteration: pass                | 51        |
| Nested Loops                   | 52        |
| Loops with Compound Conditions | 53        |
| Review 2.2                     | 54        |
| <b>Domain 3 Lesson 1</b>       | <b>55</b> |
| open and close                 | 56        |
| read                           | 57        |
| write                          | 58        |
| append                         | 59        |
| <b>Domain 3 Lesson 2</b>       | <b>60</b> |
| Check Existence                | 61        |
| delete                         | 62        |
| with Statement                 | 63        |
| Review 3.1                     | 64        |
| <b>Domain 3 Lesson 3</b>       | <b>65</b> |
| Read Input from Console        | 66        |
| Print Formatted Text           | 67        |


|                                                    |           |
|----------------------------------------------------|-----------|
| Use Command-Line Arguments                         | 68        |
| Review 3.2                                         | 69        |
| <b>Domain 4 Lesson 1</b>                           | <b>70</b> |
| Use Indentation                                    | 71        |
| Whitespace                                         | 72        |
| Comments                                           | 73        |
| Documentation Strings                              | 74        |
| Use Pydoc for Documentation                        | 75        |
| Review 4.1                                         | 76        |
| <b>Domain 4 Lesson 2</b>                           | <b>77</b> |
| Call Signatures                                    | 78        |
| Default Values                                     | 79        |
| Use return                                         | 80        |
| Use def                                            | 81        |
| Use pass in Functions                              | 82        |
| Review 4.2                                         | 83        |
| <b>Domain 5 Lesson 1</b>                           | <b>84</b> |
| Syntax Errors                                      | 85        |
| Logic Errors                                       | 86        |
| Runtime Errors                                     | 87        |
| Review 5.1                                         | 88        |
| <b>Domain 5 Lesson 2</b>                           | <b>89</b> |
| Exception Handling: try, except, else, and finally | 90        |
| Exception Handling: raise                          | 91        |
| Review 5.2                                         | 92        |
| <b>Domain 5 Lesson 3</b>                           | <b>93</b> |
| Assert Methods                                     | 94        |
| Functions and Methods                              | 95        |
| Review 5.3                                         | 96        |
| <b>Domain 6 Lesson 1</b>                           | <b>97</b> |
| io                                                 | 98        |
| os                                                 | 99        |
| os.path                                            | 100       |
| sys                                                | 101       |

|                              |            |
|------------------------------|------------|
| Review 6.1                   | 102        |
| <b>Domain 6 Lesson 2</b>     | <b>103</b> |
| Math                         | 104        |
| isnan, sqrt, isqrt, and pi   | 105        |
| datetime                     | 106        |
| <b>Domain 6 Lesson 3</b>     | <b>107</b> |
| Random with Numbers          | 108        |
| Random with Lists            | 109        |
| Review 6.2                   | 110        |
| <b>Appendix</b>              | <b>111</b> |
| Glossary                     | 112        |
| Objectives                   | 116        |
| <b>Python v2 Lesson Plan</b> | <b>118</b> |
| Domain 1 Lesson Plan         | 119        |
| Domain 2 Lesson Plan         | 121        |
| Domain 3 Lesson Plan         | 122        |
| Domain 4 Lesson Plan         | 123        |
| Domain 5 Lesson Plan         | 124        |
| Domain 6 Lesson Plan         | 125        |

The background features a dark blue gradient with white circuit-like lines. A horizontal line with two small circles at its right end runs across the upper third of the image. Below it, a series of parallel lines with a small circle at its left end runs across the middle section.

# Introduction

Python v2

A series of parallel horizontal lines runs across the lower third of the image.

# Best Practices Using LearnKey's Online Training

LearnKey offers video-based training solutions that are flexible enough to accommodate private students and educational facilities and organizations.

Our course content is presented by top experts in their respective fields and provides clear and comprehensive information. The full line of LearnKey products has been extensively reviewed to meet superior quality standards. Our course content has also been endorsed by organizations such as Certiport, CompTIA®, Cisco, and Microsoft. However, it is the testimonials given by countless satisfied customers that truly set us apart as leaders in the information training world.

LearnKey experts are highly qualified professionals who offer years of job and project experience in their subjects. Each expert has been certified at the highest level available for their field of expertise. This expertise provides the student with the knowledge necessary to obtain top-level certifications in their chosen field.

Our accomplished instructors have a rich understanding of the content they present. Effective teaching encompasses presenting the basic principles of a subject and understanding and appreciating organization, real-world application, and links to other related disciplines. Each instructor represents the collective wisdom of their field and within our industry.

## Our Instructional Technology

Each course is independently created based on the manufacturer's standard objectives for which the course was developed.

We ensure that the subject matter is up-to-date and relevant. We examine the needs of each student and create training that is both interesting and effective. LearnKey training provides auditory, visual, and kinesthetic learning materials to fit diverse learning styles.

## Course Training Model

The course training model allows students to undergo basic training, building upon primary knowledge and concepts to more advanced application and implementation. In this method, students will use the following toolset:

**Pre-assessment:** The pre-assessment is used to determine the student's prior knowledge of the subject matter. It will also identify a student's strengths and weaknesses, allowing them to focus on the specific subject matter they need to improve the most. Students should not necessarily expect a passing score on the pre-assessment as it is a test of prior knowledge.

**Video training sessions:** Each training course is divided into sessions or domains and lessons with topics and subtopics. LearnKey recommends incorporating all available external resources into your training, such as student workbooks, glossaries, course support files, and additional customized instructional material. These resources are located in the folder icon at the top of the page.

**Exercise labs:** Labs are interactive activities that simulate situations presented in the training videos. Step-by-step instructions and live demonstrations are provided.

**Post-assessment:** The post-assessment is used to determine the student's knowledge gained from interacting with the training. In taking the post-assessment, students should not consult the training or any other materials. A passing score is 80 percent or higher. If the individual does not pass the post-assessment the first time, LearnKey recommends incorporating external resources, such as the workbook and additional customized instructional material.

**Workbook:** The workbook has various activities, including fill-in-the-blank questions, short answer questions, practice exam questions, and group and individual projects that allow the student to study and apply concepts presented in the course videos.

# Using This Workbook

This project workbook contains practice projects and exercises to reinforce the knowledge you have gained through the video portion of the **Python v2** course. The purpose of this workbook is twofold. First, get you further prepared to pass the IT Specialist – Python exam, and second, to teach you job-ready skills and increase your employability in the area of introductory-level knowledge of Python.

The projects within this workbook follow the order of the video portion of this course. To save your answers in this workbook, you must first download a copy to your computer. You will not be able to save your answers in the web version. You can complete the workbook exercises as you go through each section of the course, complete several at the end of each domain, or complete them after viewing the entire course. The key is to go through these projects to strengthen your knowledge in this subject.

Each project is based upon a specific video (or videos) in the course and specific test objectives. The materials you will need for this course include:

- LearnKey's **Python v2** courseware.
- Python software.
- Visual Studio Code software. You will need to configure Visual Studio Code to work with Python. Use this link: [Quick Start Guide for Python in VS Code](#)
- The course project files. All applicable project files are located in the support area where you downloaded this workbook.

## For Teachers

LearnKey is proud to provide extra support to instructors upon request. For your benefit as an instructor, we also provide an instructor support .zip file containing answer keys, completed versions of the workbook project files, and other teacher resources. This .zip file is available within your learning platform's admin portal.

## Notes

- Extra teacher notes, when applicable, are in the Project Details box within each exercise.
- Exam objectives are aligned with the course objectives listed in each project, and project file names correspond with these numbers.
- The Finished folder in each domain has reference versions of each project. These can help you grade projects.
- Short answers may vary but should be similar to those provided in this workbook.
- Teachers may consider asking students to add their initials, student ID, or other personal identifiers at the end of each saved project.
- Refer to your course representatives for further support.

We value your feedback about our courses. If you have any questions, comments, or concerns, please let us know by visiting <https://about.learnkey.com>.

# Skills Assessment

**Instructions:** Rate your skills on the following tasks from 1-5 (1 being needs improvement, 5 being excellent).

| Skills                                                                                | 1                        | 2                        | 3                        | 4                        | 5                        |
|---------------------------------------------------------------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| Evaluate expressions to identify the data types Python assigns to variables.          | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Perform and analyze data and data type operations.                                    | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Determine the sequence of execution based on operator precedence.                     | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Select operators to achieve the intended results.                                     | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Construct and analyze code segments that use branching statements.                    | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Construct and analyze code segments that perform iteration.                           | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Construct and analyze code segments that perform file input and output operations.    | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Construct and analyze code segments that perform console input and output operations. | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Document code segments.                                                               | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Construct and analyze code segments that include function definitions.                | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Analyze, detect, and fix code segments that have errors.                              | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Analyze and construct code segments that handle exceptions.                           | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Perform unit testing.                                                                 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Perform basic file system and command-line operations by using built-in modules.      | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Solve complex computing problems by using built-in modules.                           | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
|                                                                                       | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
|                                                                                       | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
|                                                                                       | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
|                                                                                       | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

# Python v2 Video Times

| Domain 1                         | Video Time      |
|----------------------------------|-----------------|
| Identify Data Types              | 00:18:43        |
| Analyze Data Types and Operators | 00:32:04        |
| Sequence of Execution            | 00:18:05        |
| Select Operators                 | 00:24:50        |
| <b>Total Time</b>                | <b>01:33:42</b> |

| Domain 2             | Video Time      |
|----------------------|-----------------|
| Branching Statements | 00:16:04        |
| Iteration            | 00:20:06        |
| <b>Total Time</b>    | <b>00:36:10</b> |

| Domain 3                 | Video Time      |
|--------------------------|-----------------|
| File Input and Output    | 00:22:35        |
| Console Input and Output | 00:14:43        |
| <b>Total Time</b>        | <b>00:37:18</b> |

| Domain 4               | Video Time      |
|------------------------|-----------------|
| Document Code Segments | 00:14:35        |
| Function Definitions   | 00:13:10        |
| <b>Total Time</b>      | <b>00:27:45</b> |

| Domain 5                        | Video Time      |
|---------------------------------|-----------------|
| Analyze, Detect, and Fix Errors | 00:11:48        |
| Exception Handling              | 00:14:58        |
| Perform Unit Testing            | 00:11:38        |
| <b>Total Time</b>               | <b>00:38:24</b> |

| Domain 6                           | Video Time      |
|------------------------------------|-----------------|
| System and Command-Line Operations | 00:14:57        |
| Solve Complex Problems             | 00:24:24        |
| <b>Total Time</b>                  | <b>00:39:21</b> |

# Domain 1

# Lesson 1

Python v2

# Python Introduction

Python is a versatile programming language with a wide variety of uses, including basic apps, web development, data analysis, artificial intelligence, the Internet of Things, automation, and game development. This workbook helps users practice using Python and reinforces the concepts covered in the video portion of this course.

## Purpose

Upon completing this project, you will better understand general facts about Python.

## Steps for Completion

1. Label the following statements as true or false.
  - a. True Python code uses curly brackets.
  - b. true If Python code is not indented correctly, it will not work.
  - c. true Python is an interpreted language, meaning one can write and run code in the Python engine.
  - d. False Classes cannot be created in Python, but objects can be.
  - e. True Python is a dynamically typed language, meaning that data types do not need to be declared on variables before the variables themselves are declared.

## Project Details

### Project file

N/A

### Estimated completion time

5 minutes

### Video reference

#### Domain 1

**Topic:** Identify Data Types

**Subtopic:** How to Study for This Exam; What Is Python?

### Objectives covered

**1** Operations Using Data Types and Operators

**1.1** Evaluate expressions to identify the data types Python assigns to variables

# Installing Python

Before one can practice using Python, they must have the proper tools installed on their device. This project is essential, as many other projects cannot be completed without Python and Visual Studio Code. The content displayed on the following websites may differ from this course because these tools are updated frequently.

## Purpose

Upon completing this project, you will have installed Python and Visual Studio Code and ensured they work properly.

## Steps for Completion

1. Download the latest version of Python at **python.org**
2. Download Visual Studio Code as your Integrated Development Environment app at **code.visualstudio.com**
  - a. You can take the default installation once you have installed the Python engine.
3. Verify that Python is installed by opening a command prompt and running **py**
  - a. If there are three arrows and Python information, Python is installed and ready for use.
4. Close the Python session within the command prompt.
5. Open Visual Studio Code.
6. Install the Python extension.
7. Restart Visual Studio Code if necessary.
8. Open the **Domain 1 Student** folder within Visual Studio to easily access files.
  - a. You may open all six domain Student folders now, or when you begin projects for each domain.

## Project Details

### Project file

Domain 1 Student folder

### Estimated completion time

10-15 minutes

### Video reference

#### Domain 1

**Topic:** Identify Data Types

**Subtopic:** What Needs to Be Installed

### Objectives covered

**1** Operations Using Data Types and Operators

**1.1** Evaluate expressions to identify the data types Python assigns to variables

# Domain 1

# Lesson 2

Python v2

# Strings and Integers

Strings and integers are data types that can be added to variables within Python code. A variable is a container that stores a value, like a string of text, a number, or other data types. Strings of text go inside quotation marks and can be used in various ways. An integer is a numeric data type that represents a whole number. Variable names can contain letters, numbers, and underscores, but not symbols or spaces. Python's standard naming convention is all lowercase characters with underscores replacing spaces.

## Purpose

Upon completing this project, you will better understand how to use strings and integers in Visual Studio. The files needed for this project should already be in the program.

## Steps for Completion

1. Open the **111-str.py** file from your Domain 1 Student folder within Visual Studio.
2. Note the two variables with strings containing a first and last name.
3. Add a print statement on line 3 to make the code output a full name.
  - a. The order of the names can be last, then first, or first, then last.
    - i. If the names are last, then first, they must be separated by a comma.
4. Run the code to ensure it outputs a first and last name in your chosen order.
5. In Python, users can add single or double quotes around text strings but not both quotes.
6. Why will the following print statement cause an error message to appear when it is run?  
 print ('Jason's turn')
  - a. because of the ' in jason's
7. Save the file as **111-str-completed**
8. Open the **112-numbers.py** file.
9. Numbers represented as strings cannot be used in calculations.
10. Add a print statement on line 4 that prints the data type of the number\_of\_tries variable to verify that it is an integer.
11. Run the code to verify that the data type on line 1 is an integer.
12. Save the file as **112-numbers-completed**

## Project Details

### Project file

111-str.py  
112-numbers.py

### Estimated completion time

10-15 minutes

### Video reference

#### Domain 1

**Topic:** Identify Data Types

**Subtopic:** str; int

### Objectives covered

**1** Operations Using Data Types and Operators

**1.1** Evaluate expressions to identify the data types Python assigns to variables

**1.1.1** str

**1.1.2** int

# Floats and Bools

Floats and bools are other data types used in Python code. While integers are whole numbers, floating numbers, or shorts, are numbers with decimals. The Boolean data type is either true or false or, in binary terms, 1 or 0.

## Purpose

Upon completing this project, you will better understand how to use floats and bools in Python coding.

## Steps for Completion

1. Open the **113-numbers.py** file from your Domain 1 Student folder.
2. Note that the multiplier variable on line 2 is a float data type.
3. Add a print statement on line 4 that calculates the sum of the number\_of\_tries and multiplier variables. Run the code.
4. Which data type did the calculation return?
  - a. float
5. Change the operator on line 4 from addition to division. Run the code.
6. Which data type did the calculation return?
  - a. float
7. Save the file as **113-numbers-completed**
8. Python code written for games with scores will likely use integer, while games involving money will probably need float.
9. Open the **114-boolean.py** file.
10. Note the Boolean variable on line 1, char\_life, which is set to True. Run the code.
11. Save the file as **114-boolean-completed**
12. Python is case-sensitive, and Boolean variables must be in capital casing.

## Project Details

### Project file

113-numbers.py  
114-boolean.py

### Estimated completion time

10-15 minutes

### Video reference

#### Domain 1

**Topic:** Identify Data Types

**Subtopic:** float; bool

### Objectives covered

**1** Operations Using Data Types and Operators

**1.1** Evaluate expressions to identify the data types Python assigns to variables

**1.1.3** float

**1.1.4** bool

# Review 1.1

## Purpose

Upon completing this project, you will better understand data types and be able to identify data types for data better.

## Steps for Completion

1. Open the **114-analyze.py** file from your Domain 1 Student folder.
2. Identify the data types for each of the five print statements:
  - a. string
  - b. boolean
  - c. string
  - d. float
  - e. integer
3. Close the file and return to the videos.

### Project Details

#### Project file

114-analyze.py

#### Estimated completion time

5 minutes

#### Video reference

##### Domain 1

**Topic:** Identify Data Types

**Subtopic:** bool; Review on 1.1

#### Objectives covered

**1** Operations Using Data Types and Operators

**1.1** Evaluate expressions to identify the data types Python assigns to variables

# Domain 1

# Lesson 3

Python v2

# Data Type Conversion

Programmers must understand how to convert data from one type to another because sometimes data can be input or imported as an incorrect data type. Converting data types is necessary to make data usable in given situations.

Coding information to be aware of includes functions and methods. A function is a procedure that performs an action. Python has a variety of built-in functions, such as `int` for converting to integers and `str` for strings. Users can also define custom functions. A method is a specific type of function that belongs to an instance of a class or an object and can access or modify the instance or object to which it belongs.

## Purpose

Upon completing this project, you will have experience converting data types within Python code.

## Steps for Completion

1. Open the **121-conversion.py** file from your Domain 1 Student folder.
2. Note that the variable on line 2 stores a rating someone enters (which should be a whole number). Run the code.
3. Enter a float value between 1 and 5 within the terminal, and rerun the code.
4. What data type is stored in the input variable by default?
  - a. string
5. Convert the rating variable on line 3 to an integer. Run the code.
6. Enter a float value between 1 and 5 within the terminal, and rerun the code.
7. Convert the points value on line 4 to a string. Run the code.
8. Enter an integer value between 1 and 5 within the terminal, and rerun the code.
9. Enter a float value between 1 and 5 within the terminal, and rerun the code.
10. Convert the input on line 2 to a float. Run the code.
11. Enter an integer value between 1 and 5 within the terminal, and rerun the code.
12. Save the file as **121-conversion-completed**

## Project Details

### Project file

121-conversion.py

### Estimated completion time

15 minutes

### Video reference

#### Domain 1

**Topic:** Analyze Data Types and Operators

**Subtopic:** Data Type Conversion

### Objectives covered

**1** Operations Using Data Types and Operators

**1.2** Perform and analyze data and data type operations

**1.2.1** Data type conversion

# Indexing

To best understand indexing, programmers need to understand lists and list management. A list is a set of multiple values assigned to a single variable. Lists have square brackets surrounding the values within the list. Indexing is the positioning of each element within a list. Most programming languages, including Python, are zero-based with lists and their values, meaning that the first value in the list is at index zero, the next is index one, and so forth.

## Purpose

Upon completing this project, you will better understand how to navigate indexed data.

## Steps for Completion

1. Open the **122-indexing.py** file from your Domain 1 Student folder.
2. Note that line 1 lists categories for users to choose and line 2 has a print statement to print the categories variable. Run the code.
3. Copy the code on line 2 and paste it on line 4, editing it so that only the first category, Early Bronze Age, prints. Run the code.
4. Change the category value on line 4 to 2. Run the code.
5. Which item in the list was returned?
  - a. Late Bronze Age
6. Without counting all the list items, change the category value on line 4 so that the last category in the list returns. Run the code.
7. Save the file as **122-indexing-completed**

### Project Details

#### Project file

122-indexing.py

#### Estimated completion time

10 minutes

#### Video reference

##### Domain 1

**Topic:** Analyze Data Types and Operators

**Subtopic:** Indexing

#### Objectives covered

**1** Operations Using Data Types and Operators

**1.2** Perform and analyze data and data type operations

**1.2.2** Indexing

# Domain 1

# Lesson 4

Python v2

# Slicing

Whereas indexing extracts a value from a list, slicing extracts characters from a list, word, or phrase. Knowing how to slice a value within Python code can save one from having to extract text elsewhere, saving time and potential errors within an app. Users can extract characters from a variable's beginning, middle, and end.

## Purpose

Upon completing this project, you will better understand how to extract data from a variable.

## Steps for Completion

1. Open the **123-slicing.py** file from your Domain 1 Student folder.
2. Note that line 1 consists of a variable called `serial_number`, a series of sixteen numbers.
3. Add a print function on line 2 to output the first four characters from the `serial_number` variable. Run the code.
4. Copy the code on line 2 and paste it on line 4, editing it so that only the last four characters of the variable print. Run the code.
5. Copy the code on line 4 and paste it on line 5, editing it so that the eight middle characters of the variable print. Run the code.
6. Save the file as **123-slicing-completed**

## Project Details

### Project file

123-slicing.py

### Estimated completion time

10 minutes

### Video reference

#### Domain 1

**Topic:** Analyze Data Types and Operators

**Subtopic:** Slicing

### Objectives covered

**1** Operations Using Data Types and Operators

**1.2** Perform and analyze data and data type operations

**1.2.3** Slicing

# Data Structures

Data structures, or collection data types, consist of lists stored inside variables. Additional data types to understand when creating data structures include dictionaries, sets, and tuples. A dictionary stores data in key-value pairs. A set is a type of collection that stores unique values of data. A tuple is a list with immutable values. Programmers should know what each structure type does and the syntax used to build it. This knowledge can help make apps perform more smoothly.

## Purpose

Upon completing this project, you will better understand data structures.

## Steps for Completion

1. Strings are data structures as they are collections of characters.
2. Match each code example to its correct data type.

|               |        |          |
|---------------|--------|----------|
| A. Dictionary | B. Set | C. Tuple |
|---------------|--------|----------|

a. set

```
regions = {"north","south","east"}
regions.add("west")
print(regions)
```

b. tuple

```
char1_name=("Humphrey",'cat')
```

c. dictionary

```
coins = {
    "gold":100,
    "silver":50,
    "bronze":25
}
print(coins)
```

## Project Details

### Project file

N/A

### Estimated completion time

5 minutes

### Video reference

#### Domain 1

**Topic:** Analyze Data Types and Operators

**Subtopic:** Construct Data Structures

### Objectives covered

**1** Operations Using Data Types and Operators

**1.2** Perform and analyze data and data type operations

**1.2.4** Construct data structures

# Domain 1

# Lesson 5

Python v2

# Lists and Their Operations

A list is a collection of items in a defined order. A list's primary purpose is to store a list of values in a single variable. Some list operations one can apply to a list include built-in methods. Methods are functions tied to a specific object and invoked using the period (.) notation. Particular methods include append, which adds an item to the end of a list, and insert, which inserts an item at a specified position.

## Purpose

Upon completing this project, you will better understand lists and their operations.

## Steps for Completion

1. When a list of values needs to be adjusted, one does not need to declare a variable for every value.
2. In the following code example, lines 2 and 3 store information in separate variables. Why would one do this instead of using a list?

```
1 capitals=["Montgomery","Juneau","Phoenix"]
2 first_name="Star"
3 last_name="Metal"
4 print(capitals)
```

- a. so it won't print with the other variables since they don't have a correlation

3. Open the **126-list\_operations.py** file from your Domain 1 Student folder.
4. Use the append method on line 2 to add Sacramento to the capitals list. Run the code.
5. In programming, a period (.) is the accessor that allows one to use a attribute within an object.
6. Answer the questions about the following code:

```
capitals.append()
```

- a. What is the object?
  - i. capitals
- b. What is the method?
  - i. append

7. Use the insert method on line 3 to add Little Rock to the capitals list before Sacramento and rerun the code.
8. Save the file as **126-list\_operations-completed**

## Project Details

### Project file

126-list\_operations.py

### Estimated completion time

10 minutes

### Video reference

#### Domain 1

**Topic:** Analyze Data Types and Operators

**Subtopic:** Lists; List Operations

### Objectives covered

**1** Operations Using Data Types and Operators

**1.2** Perform and analyze data and data type operations

**1.2.5** Lists

**1.2.6** List operations

# Review 1.2

## Purpose

Upon completing this project, you will better understand lists as a whole and how changing one bit of code can affect multiple areas of code.

## Steps for Completion

1. Open the **126-list\_operations.py** file from your Domain 1 Student folder.
  - a. You can use this as a live file to compliment what is in the video reference.
2. Determine why, when the code is run in the video, Little Rock shows twice.
  - a. because it was inserted 2 times  
 \_\_\_\_\_  
 \_\_\_\_\_
3. What are two possible remedies to the problem described in the video?
  - a. remove capitals.insert(3, "LittleRock")  
 \_\_\_\_\_  
 \_\_\_\_\_
  - b. remove capitals[3]="LittleRock"  
 \_\_\_\_\_  
 \_\_\_\_\_
4. Return to the videos for the answer.
5. Open the **126-analyze.py** file from your Domain 1 Student folder.
6. What will the print statement on line 2 print?
  - a. quick  
 \_\_\_\_\_
7. What type of data structure is on line 4?
  - a. tupple  
 \_\_\_\_\_
8. How can the coins variable be adjusted to have a bronze value instead of a platinum value?
  - a. coins = ('Bronze', 'Gold', 'Silver')  
 \_\_\_\_\_  
 \_\_\_\_\_

## Project Details

### Project file

126-list\_operations.py  
126-analyze.py

### Estimated completion time

10 minutes

### Video reference

#### Domain 1

**Topic:** Analyze Data Types and Operators

**Subtopic:** List Operations; Review on 1.2 Part 1; Review on 1.2 Part 2

### Objectives covered

**1** Operations Using Data Types and Operators

**1.2** Perform and analyze data and data type operations

# Domain 1

# Lesson 6

Python v2

# Assignment Operators

Operators help perform calculations and check for conditions within a block of code. From first to last, the six types of operators that can be applied are arithmetic, containment, comparison, identity, logical, and assignment. Assignments set values to variables.

## Purpose

Upon completing this project, you will better understand assignment operators.

## Steps for Completion

1. arithmetic supersede the six operators in the order of operations.
2. Review the code, then answer the question regarding variable assignments.
  - a. What will happen when this code is run?

```
131-assignment.py > ...
1  x = 5
2  y = 3
3  print(x, y)
4  y = x
5  print(y)
```

- i. it will print 5 and 3 and then it will print 5

## Project Details

### Project file

N/A

### Estimated completion time

5 minutes

### Video reference

#### Domain 1

**Topic:** Sequence of Execution

**Subtopic:** Assignment Order

### Objectives covered

**1** Operations Using Data Types and Operators

**1.3** Determine the sequence of execution based on operator precedence

**1.3.1** Assignment

# Comparison Operators

A comparison operator compares two values. The comparisons include equal to, not equal to, less than, greater than, less than or equal to, and greater than or equal to. These comparisons can help users identify whether calculations in code are returning expected results.

## Purpose

Upon completing this project, you will better understand comparison operators.

## Steps for Completion

1. Comparisons return a(n) Boolean value.
2. Comparisons happen at different times assignments in a sequence.
3. What is true with an expression if part of a comparison is false?
  - a. the comparison will output false

### Project Details

#### Project file

N/A

#### Estimated completion time

5 minutes

#### Video reference

##### Domain 1

**Topic:** Sequence of Execution

**Subtopic:** Comparison Order

#### Objectives covered

**1** Operations Using Data Types and Operators

**1.3** Determine the sequence of execution based on operator precedence

**1.3.2** Comparison

# Logical Operators

Logical operators use three keywords in Python: not, and, and or. These keywords have an order of operations that users must understand to implement logical operators and get the intended results.

## Purpose

Upon completing this project, you will better understand logical operators.

## Steps for Completion

1. List the order of the logical keywords in the order of operations from first to last.
  - a. Not
  - b. And
  - c. Or
2. Review the code, then answer the question regarding the logical keywords' order of operations.

```

1 unlock_level = True
2 target_score = 10000
3 score = 8000
4 if score < target_score or not unlock_level:
5     print("You still have some goals to make")
6 else:
7     print("Goals met")
  
```

- a. What will happen when this code is run?
  - i. You still have some goals to make

## Project Details

### Project file

N/A

### Estimated completion time

5 minutes

### Video reference

#### Domain 1

**Topic:** Sequence of Execution

**Subtopic:** Logical Order

### Objectives covered

**1** Operations Using Data Types and Operators

**1.3** Determine the sequence of execution based on operator precedence

**1.3.3** Logical

# Domain 1 Lesson 7

Python v2

# Arithmetic

Arithmetic has an order of operations when performing calculations. This order ensures that calculations are performed the same way every time to provide consistent results.

## Purpose

Upon completing this project, you will better understand the order of operations.

## Steps for Completion

1. List the order of operations from first to last.
  - a. Arithmetic
  - b. Containment
  - c. Comparison
  - d. Identity
  - e. Logical
  - f. Assignment
2. Open the **134-arithmetic.py** file from your Domain 1 Student folder.
3. Run the code. What is the result?
  - a. 5500
4. Edit the code so that the base and bonus variables are added together before being multiplied by the rank variable.
5. Run the code. What is the result?
  - a. 13500
6. Save the file as **134-arithmetic-completed**

## Project Details

### Project file

134-arithmetic.py

### Estimated completion time

10 minutes

### Video reference

#### Domain 1

**Topic:** Sequence of Execution

**Subtopic:** Arithmetic Order

### Objectives covered

**1** Operations Using Data Types and Operators

**1.3** Determine the sequence of execution based on operator precedence

**1.3.4** Arithmetic

# Identity Operator

Two variables can appear equal, but one can use the identity operator to determine if they are truly the same. The identity operator determines if two variables share the same memory location.

## Purpose

Upon completing this project, you will better understand the identity operator.

## Steps for Completion

1. The is keyword is used to identify whether two variables share the same memory space.
2. In the order of operations, the identity operation happens before logical and assignment operations but after arithmetic and comparison operations.
3. If two variables share the same memory space, they will have equal values.

### Project Details

#### Project file

N/A

#### Estimated completion time

5 minutes

#### Video reference

##### Domain 1

**Topic:** Sequence of Execution

**Subtopic:** Identity Order

#### Objectives covered

**1** Operations Using Data Types and Operators

**1.3** Determine the sequence of execution based on operator precedence

**1.3.5** Identity (is)

# Containment Operator

Containment is often used for lists, sets, tuples, and dictionaries. The containment operator checks whether a value is contained within a list of values.

## Purpose

Upon completing this project, you will better understand the containment operator.

## Steps for Completion

1. Containment operations happen before comparison, logical, and identity operations.
2. Review the code, then answer the question about the containment operator.

```
136-containment.py > ...
1  large_islands = ["Hokkaido", "Honshu", "Shikoku", "Kyushu"]
2  island1 = "Hokkaido"
3  print([island1 in large_islands])
```

a. What result will the code on line 3 output?

- i. True

## Project Details

### Project file

N/A

### Estimated completion time

5 minutes

### Video reference

#### Domain 1

**Topic:** Sequence of Execution

**Subtopic:** Containment Order

### Objectives covered

**1** Operations Using Data Types and Operators

**1.3** Determine the sequence of execution based on operator precedence

**1.3.6** Containment (in)

# Review 1.3

## Purpose

Upon completing this project, you will better understand the order of operations across categories of operators and within a category of operators.

## Steps for Completion

1. What is the order for the six types of operators?
  - a. Arithmetic
  - b. Containment
  - c. Comparison
  - d. Identity
  - e. Logical
  - f. Assignments
2. What supersedes all operators in the order of operations?
  - a. parentheses
3. What is the order of preference for logical operators?
  - a. Not
  - b. And
  - c. Or
4. What is the order of operations for arithmetic operators?
  - a. parentheses
  - b. exponent
  - c. multiplication
  - d. division
  - e. addition
  - f. subtraction

## Project Details

### Project file

N/A

### Estimated completion time

15 minutes

### Video reference

#### Domain 1

**Topic:** Sequence of Execution

**Subtopic:** Containment Order;  
Review on 1.3

### Objectives covered

**1** Operations Using Data Types and Operators

**1.3** Determine the sequence of execution based on operator precedence

# Domain 1

# Lesson 8

Python v2

# Using Assignment Operators

Assignments, which give a value to a variable, can be simple or compound. Many operations can be performed using assignments, including addition, subtraction, multiplication, exponents, and division. The modulus and floor operators are related to the division operator.

## Purpose

Upon completing this project, you will better understand how to use assignments.

## Steps for Completion

1. A(n) Simple assignment attaches a value to a variable using an equal sign.
2. The modulus is the remainder of two numbers divided by each other.
3. A(n) Compound assignment changes the value of a variable using an arithmetic operator.
4. Floor division returns the result without the remainder of two numbers divided by each other.
5. Review the code, then answer the question about the assignment operator in the code.
  - a. What result will the code on lines 3 and 4 produce?

```
141-assignment.py > ...
1  score = 300
2
3  score += 10
4  print(score)
5
```

- i. 3 will add 10 to the score making it 310
6. What symbols are used to determine the modulus of two numbers?
  - a. %
7. What symbols are used for floor division?
  - a. //
8. What symbols are used to calculate an exponent to a number?
  - a. \*\*

## Project Details

### Project file

N/A

### Estimated completion time

10 minutes

### Video reference

#### Domain 1

**Topic:** Select Operators

**Subtopic:** Assignment

### Objectives covered

**1** Operations Using Data Types and Operators

**1.4** Select operators to achieve the intended results

**1.4.1** Assignment

# Using Comparison Operators

Comparison operators are used to evaluate the similarities between two variables. Understanding how to use the different comparison operators available helps ensure that one can understand how two variables relate to one another.

## Purpose

Upon completing this project, you will better understand how to use comparison operators.

## Steps for Completion

1. Review the code, then answer the questions regarding the comparison operators in the code.
  - a. What result will the code on line 5 output?

```
142-comparison.py > ...
1  player1_score = 300
2  player2_score = 400
3  player3_score = 300
4
5  print(player1_score == player2_score)
6  print(player1_score < player3_score)
7  print(player1_score > player2_score)
```

- i. 400
- b. What result will the code on line 6 output?
  - i. False
- c. What result will the code on line 7 output?
  - i. False

```
142-comparison.py > ...
1  player1_score = 300
2  player2_score = 400
3  player3_score = 300
4
5  print(player1_score != player2_score)
6  print(player1_score <= player3_score)
7  print(player1_score > player2_score)
```

- d. What result will the code on line 5 output?
    - i. True
  - e. What result will the code on line 6 output?
    - i. True

## Project Details

### Project file

N/A

### Estimated completion time

5 minutes

### Video reference

#### Domain 1

**Topic:** Select Operators

**Subtopic:** Comparison

### Objectives covered

**1** Operations Using Data Types and Operators

**1.4** Select operators to achieve the intended results

**1.4.2** Comparison

# Using Logical Operators

Logical operators involve using the keywords and, or, and not to compare two or more conditions. These keywords have their own order of operations. Developers must understand the order of operations for logical operators to know why statements containing logical operators produce the results they output.

## Purpose

Upon completing this project, you will better understand how to use logical operators.

## Steps for Completion

1. Review the code, then answer the questions regarding the logical operators in the code.

```
143-logical.py > ...
1  gases = ('Hydrogen', 'Helium', 'Nitrogen', 'Oxygen')
2  number_of_gases = 11
3  number_of_liquids = 2
4
5  print('Sodium' in gases and number_of_liquids < number_of_gases)
6
7  print('Hydrogen' in gases or 'Helium' in gases and number_of_liquids == 4)
```

- a. What result will the code on line 5 output? Why?

- i. False

---



---



---

- b. What result will the code on line 7 output? Why?

- i. True

---



---



---

## Project Details

### Project file

N/A

### Estimated completion time

5 minutes

### Video reference

#### Domain 1

**Topic:** Select Operators

**Subtopic:** Logical

### Objectives covered

**1** Operations Using Data Types and Operators

**1.4** Select operators to achieve the intended results

**1.4.3** Logical

# Domain 1

# Lesson 9

Python v2

# Using Arithmetic Operators

Arithmetic operators are an important part of performing calculations. Knowing what operators are available and the order in which they are performed can help developers write code efficiently and produce intended results, especially when testing code.

## Purpose

Upon completing this project, you will better understand how to use arithmetic operators.

## Steps for Completion

1. The quotient of two integers can be an integer or a(n) Float.
2. A(n) - operator makes a positive value negative and a negative value positive.
3. Review the code, then answer the questions regarding the arithmetic operators in the code.

```

1  x = 5
2  y = 3
3
4  print (x + y)
5
6  print (x - y)
7
8  print (x * y)
9
10 print (x / y)
11
12 print (x // y)
13
14 print (x % y)
15
16 print (x ** y)
17
18 print( x + 2 * y)

```

- What result will the code on line 12 output?
  - 1
- What result will the code on line 14 output?
  - 2
- What result will the code on line 16 output?
  - 125
- What result will the code on line 18 output?
  - 11

## Project Details

### Project file

N/A

### Estimated completion time

10 minutes

### Video reference

#### Domain 1

**Topic:** Select Operators

**Subtopic:** Arithmetic

### Objectives covered

**1** Operations Using Data Types and Operators

**1.4** Select operators to achieve the intended results

**1.4.4** Arithmetic

# Using the Identity Operator

The identity operator, `is`, is used to see if two variables are taking up the same memory space. This operator is especially useful when speed is an important factor.

## Purpose

Upon completing this project, you will better understand how to use the identity operator.

## Steps for Completion

1. Review the code, then answer the questions about the identity operators in the code.
  - a. Why will the code on line 5 return True?

```
145-identity.py > ...
1  team1 = {"color":"red", "rank":1}
2  team2 = team1
3  team3 = {"color":"red", "rank":1}
4
5  print(team1 is team2)
6  print(team1 is team3)
7
```

- i. because of team2 = team1

---



---



---

- b. Why will the code on line 6 return False?

- i. because they share the same list but aren't declared as the same

---



---



---

## Project Details

### Project file

N/A

### Estimated completion time

5 minutes

### Video reference

#### Domain 1

**Topic:** Select Operators

**Subtopic:** Identity

### Objectives covered

**1** Operations Using Data Types and Operators

**1.4** Select operators to achieve the intended results

**1.4.5** Identity (`is`)

# Using the Containment Operator

Containment uses the `in` keyword to determine whether a value is in a list of values. The containment operator can be especially useful when a variable in code contains a long list of values.

## Purpose

Upon completing this project, you will better understand how to use the containment operator.

## Steps for Completion

1. Review the code, then answer the questions regarding the containment operators in the code.

```
146-containment.py > ...
1  ancient_civilizations = ['Mesopotamia','Egypt','Indus Valley','China']
2
3  print('Egypt' in ancient_civilizations)
4  print('Japan' in ancient_civilizations)
5  print('China' not in ancient_civilizations)
```

- a. What result will the code on line 3 output?

- i. True

- b. What result will the code on line 4 output?

- i. False

- c. What result will the code on line 5 output?

- i. False

## Project Details

### Project file

N/A

### Estimated completion time

5 minutes

### Video reference

#### Domain 1

**Topic:** Select Operators

**Subtopic:** Containment

### Objectives covered

**1** Operations Using Data Types and Operators

**1.4** Select operators to achieve the intended results

**1.4.6** Containment (in)

# Review 1.4

## Purpose

Upon completing this project, you will better understand how assignment operators work in Python.

## Steps for Completion

1. Open the **146-analyze.py** file from your Domain 1 Student folder.
2. Answer the questions the code has on the following lines:
  - a. Line 4: 2
  - b. Line 6: 1500
  - c. Line 9: False
  - d. Line 11: True

### Project Details

#### Project file

146-analyze.py

#### Estimated completion time

5 minutes

#### Video reference

##### Domain 1

**Topic:** Select Operators

**Subtopic:** Containment; Review on 1.4

#### Objectives covered

**1** Operations Using Data Types and Operators

**1.4** Select operators to achieve the intended results

# Domain 2

# Lesson 1

Python v2

# Branching Statements: if

Conditions are important parts of decisions and loops that control the flow of a program. An if statement performs an action if a condition is true. For example, an if statement might print a particular message if a person's score in a game is over 10,000.

## Purpose

Upon completing this project, you will better understand the purpose of if statements and how to use them in code.

## Steps for Completion

1. Review the code, then answer the questions about the if statement.

```
1  score = 12000
2
3  if score > 10000:
4      print("You have reached level 2")
5  print("Thank you for playing")
```

- a. What will be the output of running this code?
  - i.           You have reached level 2
  
- b. What would the output be if the score on line 1 were changed to 5000?
  - i.           Thank you for playing

Project Details

Project file

N/A

Estimated completion time

5 minutes

Video reference

Domain 2

Topic: Branching Statements

Subtopic: if

Objectives covered

2 Flow Control with Decisions and Loops

2.1 Construct and analyze code segments that use branching statements

2.1.1 if

# Branching Statements: elif

An elif (else if) statement is used when a code segment needs to check for multiple possibilities for conditions and then perform an action based on which condition in a set of conditions is true.

## Purpose

Upon completing this project, you will better understand the purpose of elif statements and how to use them to build code.

## Steps for Completion

1. Review the code, then answer the questions about the if and elif statements.

```

1  score = 8000
2
3  if score > 10000:
4      print("You have reached level 2")
5  elif score > 5000:
6      print("You have reached level 1")
7

```

- a. What will the output of running this code be?
  - i. You have reached level 1
- b. What will the output be if the score on line 1 is changed to 15000?
  - ii. You have reached level 2

## Project Details

### Project file

N/A

### Estimated completion time

5 minutes

### Video reference

#### Domain 2

**Topic:** Branching Statements

**Subtopic:** elif

### Objectives covered

**2** Flow Control with Decisions and Loops

**2.1** Construct and analyze code segments that use branching statements

**2.1.2** elif

# Branching Statements: else

The else condition comes into play when neither the if statement nor any of the elif statements are true within a branch of code. For example, a game might need to print a particular statement if none of its defined score goals have been reached.

## Purpose

Upon completing this project, you will better understand the purpose of else statements and how to use them within code.

## Steps for Completion

1. Review the code, then answer the questions about the branching statements.

```

1  score = 3000
2
3  if score > 10000:
4      print("You have reached level 2")
5  elif score > 5000:
6      print("You have reached level 1")
7  else:
8      print("You need to score higher to reach a level")
9
10 print("Thank you for playing")
    
```

- a. What will the output of running this code be?
  - i.           You need to score higher to reach a level            
               Thank you for playing
- b. What will the output be if the score on line 1 is changed to 7000?
  - i.           You have reached level 1                            
               Thank you for playing

### Project Details

#### Project file

N/A

#### Estimated completion time

5 minutes

#### Video reference

##### Domain 2

**Topic:** Branching Statements

**Subtopic:** else

#### Objectives covered

**2** Flow Control with Decisions and Loops

**2.1** Construct and analyze code segments that use branching statements

**2.1.3** else

# Nested/Compound Conditions

Often, more complicated statements are needed to create more complex code. For example, in a nested if statement, one if statement goes inside of another and is used if a condition requires checking another. On the other hand, a compound conditional statement contains multiple conditions within the same statement. Programmers might use this type of statement when one of two conditions must be true for a specific code to run.

## Purpose

Upon completing this project, you will better understand nested and compound conditions and how to use them within code.

## Steps for Completion

1. Open the **214-nested.py** file from your Domain 2 Student folder.
2. What type of statement is on line 10 of the code in this file?
  - a. Else if
3. Are the coins listed on line 1 immutable?
  - a. No
4. Run the code. What is the output?
  - a. You have reached level 1. Keep going

### Project Details

#### Project file

214-nested.py

#### Estimated completion time

5 minutes

#### Video reference

##### Domain 2

**Topic:** Branching Statements

**Subtopic:** Nested and Compound Conditions

#### Objectives covered

**2** Flow Control with Decisions and Loops

**2.1** Construct and analyze code segments that use branching statements

**2.1.4** Nested and compound conditional expressions

# Review 2.1

## Purpose

Upon completing this project, you will be better equipped to work through logic in code using decisions and loops and be able to determine why a block of code is not producing the desired result.

## Steps for Completion

1. Open the **214-analyze.py** file from your Domain 2 Student folder.
2. The anticipation for this code is that it returns the print statement on line 7, as a player with a gold coin who has reached 10000 points should be moved to level 3. Right now, it is returning the print statement on line 13. What two problems with the code are causing this issue?
  - a. the g wasn't capitalized  
 \_\_\_\_\_  
 \_\_\_\_\_
  - b. the "if score > 10000" should be if score >= 10000  
 \_\_\_\_\_  
 \_\_\_\_\_
3. Return to the video to compare your answers to the video's answers.

### Project Details

#### Project file

214-analyze.py

#### Estimated completion time

5 minutes

#### Video reference

##### Domain 2

**Topic:** Branching Statements

**Subtopic:** Nested and Compound Conditions; Review 2.1

#### Objectives covered

**2** Flow Control with Decisions and Loops

**2.1** Construct and analyze code segments that use branching statements

# Domain 2

# Lesson 2

Python v2

# Iteration: while

Iterations, also known as loops, perform an action repeatedly when run. A while loop runs while conditions are true or false. For example, a while loop might run until the score in a game reaches 100 points.

## Purpose

Upon completing this project, you will better understand the purpose of while loops and how to use them in code.

## Steps for Completion

1. Open the **221-while.py** file from your Domain 2 Student folder.
2. What would happen if the score increase on line 2 was changed to 0?
  - a. the code would run infinitely and eventually crash since it can't reach 100
3. Edit the code so that the output will print a message for having 100 points. Run the code to check your work.
4. Save the file as **221-while-completed**

### Project Details

#### Project file

221-while.py

#### Estimated completion time

5 minutes

#### Video reference

##### Domain 2

**Topic:** Iteration

**Subtopic:** while

#### Objectives covered

**2** Flow Control with Decisions and Loops

**2.2** Construct and analyze code segments that perform iteration

**2.2.1** while

# Iteration: for

A for loop runs for a predetermined number of iterations based on the length of a collection. As an example, a for loop might iterate over a list or a number of positions.

## Purpose

Upon completing this project, you will better understand the purpose of for loops and how to use them in code.

## Steps for Completion

1. Open the **222-for.py** file from your Domain 2 Student folder.
2. Run the code. What is the starting number for the positions in the output?
  - a. 0
3. Edit the range so that the numbers for the positions in the output will print as positions 1 through 10. Run the code to check your work.
3. Add a comma and the number **2** at the end of the range and run the code. How does this change the output?
  - a. it only makes it take 1 step to get to 2 since it started at 1 so it only displays "You are in position 1"
4. Save the file as **222-for-completed**

### Project Details

#### Project file

222-for.py

#### Estimated completion time

5 minutes

#### Video reference

##### Domain 2

**Topic:** Iteration

**Subtopic:** for

#### Objectives covered

**2** Flow Control with Decisions and Loops

**2.2** Construct and analyze code segments that perform iteration

**2.2.2** for

The break keyword is used to exit a loop once a desired point is reached. The continue keyword skips an iteration of a loop.

## Purpose

Upon completing this project, you will better understand the purpose of the break and continue keywords and how to use them in code.

## Steps for Completion

1. Review the code, then answer the question about the break keyword.

```
1 coins = ('Bronze', 'Silver', 'Platinum', 'Gold')
2 for coin in coins:
3     print('You possess a', coin, 'coin.')
4     if coin == 'Platinum':
5         print('Congratulations! You move to the next level!')
6         break
```

- a. What is the result of the break keyword in this code?

- i. it ends the loop

2. Open the **224-continue.py** file from your Domain 2 Student folder.
3. Edit the code so that the "You possess a Platinum coin" statement does not print as part of the output if the coin is platinum.
4. Save the file as **224-continue-completed**

## Project Details

## Project file

224-continue.py

### Estimated completion time

5 minutes

## Video reference

## Domain 2

**Topic:** Iteration

**Subtopic:** break; continue

## Objectives covered

## 2 Flow Control with Decisions and Loops

## 2.2 Construct and analyze code segments that perform iteration

### 2.2.3 break

## 2.2.4 continue

# Domain 2

# Lesson 3

Python v2

# Iteration: pass

The pass keyword allows one to build parts of code while waiting for information. For example, a message as part of a loop may be unknown, but the loop still needs to be tested. The pass keyword can make the code-writing process more efficient by allowing developers to work on other parts of the code, even if the code currently in the file is unfinished.

## Purpose

Upon completing this project, you will better understand the purpose of the pass keyword.

## Steps for Completion

1. The pass keyword functions as a(n) placeholder for code that will be added later.
2. Open the **225-pass.py** file from your Domain 2 Student folder.
3. Edit the code so a placeholder replaces the print statement on line 5.
4. Save the file as **225-pass-completed**

### Project Details

#### Project file

225-pass.py

#### Estimated completion time

5 minutes

#### Video reference

##### Domain 2

**Topic:** Iteration

**Subtopic:** pass

#### Objectives covered

**2** Flow Control with Decisions and Loops

**2.2** Construct and analyze code segments that perform iteration

**2.2.5** pass

# Nested Loops

While loops are used for conditional situations, and for loops are run a set number of times. Developers may sometimes want one loop inside another, known as a nested loop. A nested loop allows developers to run a process inside of another process.

## Purpose

Upon completing this project, you will better understand how to use nested loops.

## Steps for Completion

1. Open the **226-nested.py** file from your Domain 2 Student folder.
2. Edit the code so the while statement runs on the third life and the first two lives.
3. Edit the code so the positions shown when the code runs are 1 through 10.
4. Save the file as **226-nested-completed**

### Project Details

#### Project file

226-nested.py

#### Estimated completion time

5 minutes

#### Video reference

##### Domain 2

**Topic:** Iteration

**Subtopic:** Nested Loops

#### Objectives covered

**2** Flow Control with Decisions and Loops

**2.2** Construct and analyze code segments that perform iteration

**2.2.6** Nested loops

# Loops with Compound Conditions

A compound conditional statement is a statement with two or more conditions. Using a compound conditional operator saves time as it prevents one from having to run multiple if statements to get the same results from code.

## Purpose

Upon completing this project, you will better understand how to use compound conditional statements.

## Steps for Completion

1. Open the **227-compound.py** file from your Domain 2 Student folder.
2. Edit the code so the if statement on line 5 is a compound conditional statement requiring the scepter variable to be True.
3. Save the file as **227-compound-completed**

## Project Details

### Project file

227-compound.py

### Estimated completion time

5 minutes

### Video reference

#### Domain 2

**Topic:** Iteration

**Subtopic:** Loops with Compound Conditions

### Objectives covered

**2** Flow Control with Decisions and Loops

**2.2** Construct and analyze code segments that perform iteration

**2.2.7** Loops that include compound conditional expressions

# Review 2.2

## Purpose

Upon completing this project, you will be able to analyze code with loops better and deduce the number of times a loop will run.

## Steps for Completion

1. Open the **227-analyze.py** file from your Domain 2 Student folder.
2. How many print statements will run with the code in its current state?
  - a. 6
3. Change the continue statement to a break statement.
4. How many print statements will run with the code in its new state?
  - a. 5
5. Return to the video to get the answers to the questions in this review exercise.

### Project Details

#### Project file

227-analyze.py

#### Estimated completion time

5 minutes

#### Video reference

##### Domain 2

**Topic:** Iteration

**Subtopic:** Loops with Compound Conditions; Review 2.2

#### Objectives covered

**2** Flow Control with Decisions and Loops

**2.2** Construct and analyze code segments that perform iteration

# Domain 3 Lesson 1

Python v2

# open and close

Knowing how to open a file in Python is important as it allows one to perform various operations on the file. Equally important is understanding how to close files and objects when they are no longer needed. Closing objects frees up memory space, prevents accidental altering of a file, and allows safe modification of files by other programs.

## Purpose

Upon completing this project, you will become more familiar with opening and closing an object in Python.

## Steps for Completion

1. Review the code, then answer the questions regarding opening and closing a file.

```
311-open.py > ...
1  message = open('311-message.txt','w')
2  message.write('Testing file for player configuration')
3  message.close()
4
5  message_test = open('311-message.txt','r')
6  print('311-message is open')
7
```

- a. On line 5, what does the 'r' indicate?

- i. \_\_\_\_\_

- b. What will be the output of running this code?

- i. \_\_\_\_\_

- c. What line of code would you write to close this file?

- i. \_\_\_\_\_

- d. What are two purposes that parentheses serve in programming languages?

- i. \_\_\_\_\_

## Project Details

### Project file

N/A

### Estimated completion time

5-10 minutes

### Video reference

#### Domain 3

**Topic:** File Input and Output

**Subtopic:** open; close

### Objectives covered

#### 3 Input and Output Operations

**3.1** Construct and analyze code segments that perform file input and output operations

**3.1.1** open

**3.1.2** close

# read

When developing apps, storing information in files and reading information from files is common. For a file to be read, it must be opened in read mode and its contents saved to a variable.

## Purpose

Upon completing this project, you will become more familiar with the read operation.

## Steps for Completion

1. Open the **313-read.py** file from your Domain 3 Student folder.
2. On line 7, add code to read the file's contents.
3. Add a statement on the following line to print what has been read.
4. Save the file as **313-read-completed**
5. What is the r+ mode in Python?
  - a. \_\_\_\_\_
6. When reading a file, why is it necessary to disseminate the file's contents through a print statement?
  - a. \_\_\_\_\_

### Project Details

#### Project file

313-read.py

#### Estimated completion time

5 minutes

#### Video reference

##### Domain 3

**Topic:** File Input and Output

**Subtopic:** read

#### Objectives covered

**3** Input and Output Operations

**3.1** Construct and analyze code segments that perform file input and output operations

**3.1.3** read

# write

The write command in Python allows users to write data to a file and have that information ready for later use within an app or the next time an app runs. Knowing what happens with a programming language when trying to write to a file that exists or does not exist is key to managing files.

## Purpose

Upon completing this project, you will better understand the write operation in Python.

## Steps for Completion

1. Review the code, then answer the questions regarding writing to a file.

```
314-write.py > ...
1  message = open('314-message.txt','w')
2  message.write('Testing file for player
   configuration')
3  message.write('Testing file for player
   score')
4  message.close()
5
```

- a. What do lines 2 and 3 do?
  - i. \_\_\_\_\_
- b. What should be written at the end of line 2 to create a new line?
  - i. \_\_\_\_\_
- c. What does the 'w' on line 1 indicate?
  - i. \_\_\_\_\_
2. Label the following statements as true or false.
  - a. \_\_\_\_\_ Python requires code to account for a file that does not exist.
  - b. \_\_\_\_\_ The r+ and w+ modes of opening a file are the same.

## Project Details

### Project file

N/A

### Estimated completion time

10 minutes

### Video reference

#### Domain 3

**Topic:** File Input and Output

**Subtopic:** write

### Objectives covered

**3** Input and Output Operations

**3.1** Construct and analyze code segments that perform file input and output operations

**3.1.4** write

# append

While the write command writes to a new file or overwrites an existing one, the append command adds text to the end of an existing file without changing the original content. The append command allows users to add new data to a file without rewriting the entire file each time.

## Purpose

Upon completing this project, you will become more familiar with the append command.

## Steps for Completion

1. Open the **315-append.py** file from your Domain 3 Student folder.
2. On line 3, add the code needed to indicate that a new line should be formed after the current line of text is written to the file.
3. Copy the open statement on line 1 to line 6.
4. Change the mode on line 6 from write to append.
5. On line 7, add a write statement to add the player name, **Spencer**, to the text file.
6. On line 8, add a statement to close the file.
7. Run the code and verify that the **315-message.txt** document was created.
8. Save the file as **315-append-completed**

### Project Details

#### Project file

315-append.py

#### Estimated completion time

5-10 minutes

#### Video reference

##### Domain 3

**Topic:** File Input and Output

**Subtopic:** append

#### Objectives covered

**3** Input and Output Operations

**3.1** Construct and analyze code segments that perform file input and output operations

**3.1.5** append

# Domain 3

# Lesson 2

Python v2

# Check Existence

Before working on or creating a new file, it's important to check if the file already exists. Checking for a file's existence is especially useful when deciding whether to open it in write or append mode. Users can save time and effort while handling file operations by knowing whether a file exists.

## Purpose

Upon completing this project, you will become more familiar with checking for the existence of a file.

## Steps for Completion

1. Review the code, then answer the questions about checking for a file's existence.

```
316-check_existence.py > ...
1  import os
2
3  if not os.path.exists('316-message.txt'):
4      message = open('316-message.txt', 'w')
5      message.write('Testing file for player configuration\n')
6      message.write('Testing file for player score')
7      print("Configuration file made")
8      message.close()
9  else:
10     message_test = open('316-message.txt', 'r')
11     content = message_test.read()
12     print(content)
13     message_test.close()
```

- a. What does the if statement on line 3 do?

- i. \_\_\_\_\_

- b. If 316-message.txt does not exist, what do lines 4 through 8 do?

- i. \_\_\_\_\_

- c. When would lines 10 through 13 run? What would they do?

- i. \_\_\_\_\_

## Project Details

### Project file

N/A

### Estimated completion time

5 minutes

### Video reference

#### Domain 3

**Topic:** File Input and Output

**Subtopic:** Check Existence

### Objectives covered

**3** Input and Output Operations

**3.1** Construct and analyze code segments that perform file input and output operations

**3.1.6** Check existence

# delete

Files no longer required should be deleted so that data within them does not pose a security risk. Some potential challenges to the delete operation in Python include the file being open elsewhere, the script not having delete permissions, and corruption or disk errors.

## Purpose

Upon completing this project, you will become more familiar with the delete command.

## Steps for Completion

1. Review the code, then answer the questions regarding the delete operation.

```

317-delete.py > ...
1  import os
2  message_file = '317-message.txt'
3
4  if os.path.exists(message_file):
5      os.remove(message_file)
6      print("Message file removed")
7
8  else:
9      print("There was no message file to remove")
10

```

- a. What do lines 4 through 6 do?
  - i. \_\_\_\_\_
- b. What does the else statement on lines 8 and 9 do?
  - i. \_\_\_\_\_

## Project Details

### Project file

N/A

### Estimated completion time

5 minutes

### Video reference

#### Domain 3

**Topic:** File Input and Output

**Subtopic:** delete

### Objectives covered

- 3 Input and Output Operations
  - 3.1 Construct and analyze code segments that perform file input and output operations
    - 3.1.7 delete

# with Statement

Using a with statement can help reduce the amount of code needed when working with files in Python. This statement opens a file, performs an action on it, and then closes the file without telling Python to do so. By ensuring that a file is properly closed, the memory space it uses can be recovered, which can help improve device performance and reduce the risk of data corruption.

## Purpose

In this project, you will practice using a with statement.

## Steps for Completion

1. Open the **318-with.py** from your Domain 3 Student folder.
2. Beginning on line 6, use a with statement to rewrite the code from lines 1 through 4.
3. Comment out the code on lines 1 through 4.
4. On line 9, add a print statement that will return **file created**
5. Save the file as **318-with-completed**

### Project Details

#### Project file

318-with.py

#### Estimated completion time

5 minutes

#### Video reference

##### Domain 3

**Topic:** File Input and Output

**Subtopic:** with Statement

#### Objectives covered

**3** Input and Output Operations

**3.1** Construct and analyze code segments that perform file input and output operations

**3.1.8** with statement

# Review 3.1

## Purpose

Upon completing this project, you will better understand how file input and output work within Python.

## Steps for Completion

1. Open the **318-analyze.py** file from your Domain 3 Student folder.
2. Will the code work as written now?
  - a. \_\_\_\_\_
3. If the code will not work, what change needs to be made for the code to work?
  - a. \_\_\_\_\_  
\_\_\_\_\_
4. Return to the video to see the answer to the question and the change that is needed to allow the code to work as intended.

### Project Details

#### Project file

318-analyze.py

#### Estimated completion time

5 minutes

#### Video reference

##### Domain 3

**Topic:** File Input and Output

**Subtopic:** with Statement; Review 3.1

#### Objectives covered

**3** Input and Output Operations

**3.1** Construct and analyze code segments that perform file input and output operations

# Domain 3

# Lesson 3

Python v2

# Read Input from Console

When developing applications, user input often needs to be captured and stored in a variable for later use. Properly capturing and storing user input ensures that an application will perform the desired actions and provide the expected output.

## Purpose

Upon completing this project, you will become more familiar with reading input from console.

## Steps for Completion

1. Open the **321-input.py** file from your Domain 3 Student folder.
2. Run the code.
3. Enter your first name into the console.
4. What is the response to entering your name?
  - a. \_\_\_\_\_  
\_\_\_\_\_
5. Adjust the code so there is a space after "Please enter your first name" and a comma after "Welcome to the game."
6. Run the code and enter your first name to verify your changes.
7. Save the file as **321-input-completed**

### Project Details

#### Project file

321-input.py

#### Estimated completion time

5-10 minutes

#### Video reference

##### Domain 3

**Topic:** Console Input and Output

**Subtopic:** Read Input from Console

#### Objectives covered

**3** Input and Output Operations

**3.2** Construct and analyze code segments that perform console input and output operations

**3.2.1** Read input from console

# Print Formatted Text

Python provides various methods to control text display, which is especially important when displaying a customized message. Although some methods may be more complicated than others, they all enable users to format text to make the information display more smoothly.

## Purpose

Upon completing this project, you will better understand printing formatted text.

## Steps for Completion

1. Review the code, then answer the questions regarding printing formatted text.

```
322-format.py > ...
1  score = 2000
2  level = 3
3  player1 = "Tristan"
4
5  print("Player1:", player1, "Score:", score, "Level:", level)
6  print("{} has {} points and has reached level {}".format(player1, score, level))
7
```

- a. On line 6, which method is being used to format the text?

- i. \_\_\_\_\_

```
322-format.py > ...
1  score = 2000
2  level = 3
3  player1 = "Tristan"
4
5  print("Player1:", player1, "Score:", score, "Level:", level)
6  print("{}{2} has {0} points and has reached level {1}".format(score, level, player1))
7  print(f"{player1} has {score} points and has reached level {level}")
8
```

- b. On line 6, what are the numbers in curly brackets, and what will they do?

- i. \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

- c. On line 7, which formatting method is being used?

- i. \_\_\_\_\_

2. Which method is the preferred way of formatting strings beginning with Python 3.6?

- a. \_\_\_\_\_

3. What does the Modulo operator mimic the functionality of in Python?

- a. \_\_\_\_\_

## Project Details

### Project file

N/A

### Estimated completion time

5-10 minutes

### Video reference

#### Domain 3

**Topic:** Console Input and Output

**Subtopic:** Print Formatted Text

### Objectives covered

**3** Input and Output Operations

**3.2** Construct and analyze code segments that perform console input and output operations

**3.2.2** Print formatted text (string.format() method, f-String method)

# Use Command-Line Arguments

In some situations, a command-line argument can be used to run an app, such as when testing small blocks of code or completing files without being in a development environment. Using command-line arguments allows an app to be run multiple ways without changing the code within the app.

## Purpose

Upon completing this project, you will become more familiar with command-line arguments.

## Steps for Completion

1. Review the code, then answer the questions regarding command-line arguments.

```
323-command.py > ...
1 message = open('323-message.txt','w')
2 message.write('Testing file for player configuration\n')
3 message.write('Testing file for player score\n')
4 message.close()
5 print("Message file complete")
6
```

- a. What does this code do?

- i. \_\_\_\_\_

2. Open a command prompt, navigate to your Student folder, and run the code from the command line that will run the **323-command.py** file.
3. Take a screenshot of the result and save the file as **323-command-completed.png**
4. Label the following statements as true or false.
  - a. \_\_\_\_\_ The f-string feature is available on all versions of Python.
  - b. \_\_\_\_\_ One may encounter problems running code from a command line if Python is not set up as an environment variable on their system.

## Project Details

### Project file

323-command.py

### Estimated completion time

5 minutes

### Video reference

#### Domain 3

**Topic:** Console Input and Output

**Subtopic:** Use Command-Line Arguments

### Objectives covered

**3** Input and Output Operations

**3.2** Construct and analyze code segments that perform console input and output operations

**3.2.3** Use command-line arguments

# Review 3.2

## Purpose

Upon completing this project, you will have created a file from the start, encompassing pieces of what has been covered in the first three domains of this course.

## Steps for Completion

1. Create a Python file that will output the following:  

You can get a Rock at level 1.

You can get a Pogo Stick at level 1.

You can get a Wand at level 2.

You can get a Pogo Stick at level 2.

You can get a Wand at level 3.

You can get a Rock at level 3.

You can get a Pogo Stick at level 3.
2. Save the file as **323-items-completed** to your Domain 3 Student folder.

### Project Details

#### Project file

N/A

#### Estimated completion time

15 minutes

#### Video reference

##### Domain 3

**Topic:** Console Input and Output

**Subtopic:** Use Command-Line Arguments, First Half Review

#### Objectives covered

**3** Input and Output Operations

**3.2** Construct and analyze code segments that perform console input and output operations

# Domain 4 Lesson 1

Python v2

# Use Indentation

Python uses indentation as part of its code, specifically in any block of code that runs as part of a loop or conditional statement. Indentation is a unique feature of Python, as other programming languages use brackets. Using indentation makes code more readable and may affect code logic.

## Purpose

Upon completing this project, you will become more familiar with indentation.

## Steps for Completion

1. Review the code, then answer the questions regarding indentation.

```
411-indentation.py > ...
1  game_state = True
2  game_lives = 1
3  while game_lives <= 3:
4      for i in range(1,11):
5          print("You have reached position", i, "in game life", game_lives)
6      if game_state == True:
7          game_lives +=1
8  print("Thank you for playing.")
```

- a. How many times will the print statement on line 8 run? Why?
    - i. \_\_\_\_\_
    - \_\_\_\_\_
  - b. How can you change line 8 to make the print statement print with every while loop iteration?
    - i. \_\_\_\_\_
    - \_\_\_\_\_
2. What is the recommended number of spaces for indentation?
    - a. \_\_\_\_\_
  3. Label the following statement as true or false.
    - a. \_\_\_\_\_ Most Python code editors will immediately provide a tooltip telling users when their indentation is inconsistent.
  4. Why is it important to use consistent indentation in Python code?
    - a. \_\_\_\_\_
  5. Why does Python 3 not allow users to mix tabs and spaces in a single block?
    - a. \_\_\_\_\_
    - \_\_\_\_\_

## Project Details

### Project file

N/A

### Estimated completion time

10 minutes

### Video reference

#### Domain 4

**Topic:** Document Code Segments

**Subtopic:** Use Indentation

### Objectives covered

**4** Code Documentation and Structure

**4.1** Document code segments

**4.1.1** Use indentation

# Whitespace

Whitespace refers to the sequence of spaces, tabs, or line breaks between the characters in programming code. The use of whitespace in programming languages is often flexible; however, each language has its own set of best practices for utilizing it effectively. In Python, whitespace has a more significant role than indentation and syntax. It also distinguishes between different code blocks or functions that perform separate tasks. Python's style guide, [PEP 8 – Style Guide for Python Code | peps.python.org](https://peps.python.org/pep-0008/), provides rules to follow when writing Python code.

## Purpose

Upon completing this project, you will better understand whitespace.

## Steps for Completion

1. Review the code, then answer the questions regarding whitespace.

```
412-white_space.py > ...
1 game_state = True
2 game_lives = 1
3 while game_lives <= 3:
4     for i in range(1,11):
5         print(f "You have reached position {i} in game life {game_lives}")
6         if game_state == True:
7             game_lives +=1
8 print("Thank you for playing.")
```

- a. Where might you add a space on lines 1 and 2 to make them more consistent and readable?
    - i. \_\_\_\_\_
  - b. How can you fix the unterminated string error on line 5?
    - i. \_\_\_\_\_
2. According to Python's style guide, PEP 8, how many blank lines should precede function and class definitions?
    - a. \_\_\_\_\_
  3. How many blank lines should separate code blocks within a function that carries out different tasks?
    - a. \_\_\_\_\_

## Project Details

### Project file

N/A

### Estimated completion time

5-10 minutes

### Video reference

#### Domain 4

**Topic:** Document Code Segments

**Subtopic:** Whitespace

### Objectives covered

**4** Code Documentation and Structure

**4.1** Document code segments

**4.1.2** Whitespace

# Comments

A comment is text that follows a number sign and is either on a line by itself or at the end of a line of code. Python will ignore this text during execution, allowing users to annotate code for better understanding. Comments are marked by a number sign (#) and can either be on a line by themselves or at the end of a line of code. During execution, Python ignores comments, making them helpful in adding explanations or notes to the code without affecting its functionality.

## Purpose

In this project, you will practice adding comments to code.

## Steps for Completion

1. Open the **413-comments.py** file from your Domain 4 Student folder.
2. Add a comment to line 4 that reads, **#Prints positions achieved during lives**
3. Add a comment to the end of line 6 that reads, **#ranges are zero-based**
4. Add a number sign before the word, print, on line 10.
5. What does adding a number sign do to line 10?
  - a. \_\_\_\_\_
6. Save the file as **413-comments-completed**
7. Label the following statement as true or false.
  - a. \_\_\_\_\_ Each line of code can have more than one inline comment.

### Project Details

#### Project file

413-comments.py

#### Estimated completion time

5-10 minutes

#### Video reference

##### Domain 4

**Topic:** Document Code Segments

**Subtopic:** Comments

#### Objectives covered

**4** Code Documentation and Structure

**4.1** Document code segments

**4.1.3** Comments

# Documentation Strings

Documentation strings are also known as docstrings, document functions, classes, modules, and, at times, objects. Docstrings play a critical role in explaining the purpose of an application and the components used within it. Providing documentation helps one easily understand the purpose and code of a program, which makes managing enhancements and troubleshooting much more straightforward. Ideally, docstrings should follow [PEP 257 – Docstring Conventions | `peps.python.org`](https://peps.python.org/pep-0257/), Python Enhancement Proposal, which provides docstring writing conventions.

## Purpose

In this project, you will practice adding a documentation string to code.

## Steps for Completion

1. Open the **414-docstrings.py** file from your Domain 4 Student folder.
2. Add four blank lines to the beginning of the code.
3. On line 1, add a docstring that reads, **"""This code shows items a player can obtain on each level in a game. Notice that the rock is not attainable on level 2."""**
4. Add a print statement on line 15 that reads, **print(\_doc\_)** and run the code.
5. What does adding the print statement on line 15 do?
  - a. \_\_\_\_\_
6. Save the file as **414-docstrings-completed**
7. What are the two differences between comments and docstrings?
  - a. \_\_\_\_\_
  - \_\_\_\_\_

### Project Details

#### Project file

414-docstrings.py

#### Estimated completion time

5-10 minutes

#### Video reference

##### Domain 4

**Topic:** Document Code Segments

**Subtopic:** Documentation Strings

#### Objectives covered

**4** Code Documentation and Structure

**4.1** Document code segments

**4.1.4** Documentation strings

# Use Pydoc for Documentation

Pydoc is a Python documentation generation tool that extracts and organizes information from modules, classes, and functions. Pydoc makes it easier for people to understand modules without running countless searches on the internet for the same information.

## Purpose

In this project, you will practice using pydoc to generate documentation.

## Steps for Completion

1. Open a command line command prompt.
2. Run a command to get documentation on the built-in datetime module.
3. What does the first line under CLASSES read?
  - a. \_\_\_\_\_
4. Use a keyboard shortcut to end the file.
5. Run a command to send the datetime module documentation to a text file.
6. Take a screenshot of the results.
7. Save the file as **415-pydoc-completed.png** to your Domain 4 Student folder.

### Project Details

#### Project file

Datetime.txt

#### Estimated completion time

5-10 minutes

#### Video reference

##### Domain 4

**Topic:** Document Code Segments

**Subtopic:** Use Pydoc for Documentation

#### Objectives covered

**4** Code Documentation and Structure

**4.1** Document code segments

**4.1.5** Generate documentation by using pydoc

# Review 4.1

## Purpose

Upon completing this project, you will better understand how to add documentation to code files created in Python.

## Steps for Completion

1. Open the **415-review.py** file from your Domain 4 Student folder.
2. Add text near the top of the file explaining the purpose of the file.
3. Convert the text you have added to a documentation string.
4. Add a line of code that prints the documentation.
5. Compare your results to the answer in the next video.

### Project Details

#### Project file

415-review.py

#### Estimated completion time

5 minutes

#### Video reference

##### Domain 4

**Topic:** Document Code Segments

**Subtopic:** Use Pydoc for  
Documentation; Review 4.1

#### Objectives covered

**4** Code Documentation and Structure

**4.1** Document code segments

# Domain 4

# Lesson 2

Python v2

# Call Signatures

A function is a block of code that can be called multiple times within an app and is best used when a process needs to be repeated. By using functions, developers can avoid repeating the same code repeatedly, making their programs more efficient and easier to manage.

## Purpose

Upon completing this project, you will become more familiar with call signatures.

## Steps for Completion

1. Review the code, then answer the questions regarding functions and call statements.

```
421-signatures.py > ...
1  def total_score(score, multiplier):
2      return score * multiplier
3
4  print(total_score(3000,1.5))
5  print(total_score(4000,2))
```

- a. On line 4, which number represents the score and which represents the multiplier?
  - i. \_\_\_\_\_
- b. What will be the output from running this code?
  - i. \_\_\_\_\_
- c. What type of statements in this file call the function?
  - i. \_\_\_\_\_

## Project Details

### Project file

N/A

### Estimated completion time

5 minutes

### Video reference

#### Domain 4

**Topic:** Function Definitions

**Subtopic:** Call Signatures

### Objectives covered

**4** Code Documentation and Structure

**4.2** Construct and analyze code segments that include function definitions

**4.2.1** Call signatures

# Default Values

When writing code in Python, it is possible to set default values for function arguments. These values are utilized when the caller does not provide a value for them. Default values can save time and prevent errors when calling functions repeatedly with the same values.

## Purpose

Upon completing this project, you will better understand default values.

## Steps for Completion

1. Open the **422-default.py** file from your Domain 4 Student folder.
2. Make **1.5** the default value for the multiplier argument.
3. On line 4, remove the multiplier from the function call.
4. Save the file as **422-default-completed**
5. Review the code, then answer the question regarding the new print statement.

```
422-default.py > ...
1 def total_score(score, multiplier=1.5):
2     return score * multiplier
3
4 print(total_score(3000,))
5 print(total_score(4000,2))
6 print(total_score(multiplier=3, score=15000))
```

- a. What will be the output of running this code?

i. \_\_\_\_\_

## Project Details

### Project file

422-default.py

### Estimated completion time

5-10 minutes

### Video reference

#### Domain 4

**Topic:** Function Definitions

**Subtopic:** Default Values

### Objectives covered

**4** Code Documentation and Structure

**4.2** Construct and analyze code segments that include function definitions

**4.2.2** Default values

# Use return

In Python, functions may either return a value or not, depending on the task. When they return a value, it can be saved in a variable and used later for further calculations or other purposes. Thus, functions save time by eliminating the need to write the same code multiple times and provide a convenient way to organize and reuse code.

## Purpose

Upon completing this project, you will become more familiar with using the return keyword.

## Steps for Completion

1. Review the code, then answer the questions regarding the functions.

```
423-return.py > ...
1  def total_score(score, multiplier):
2      return score * multiplier
3
4  def welcome():
5      print("Welcome to the next level")
6
7  score1 = total_score(3000,2)
8  score2 = total_score(2000,1.5)
9
10 welcome()
11 print(f"Your two scores are {score1} and {score2}.")
12
```

- a. Which function would warrant a value stored for future use, the total score or the welcome message function?

i. \_\_\_\_\_

- b. Why does this code need the return statement on line 2?

i. \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

2. What is a void function?

a. \_\_\_\_\_

## Project Details

### Project file

N/A

### Estimated completion time

5-10 minutes

### Video reference

#### Domain 4

**Topic:** Function Definitions

**Subtopic:** return

### Objectives covered

**4** Code Documentation and Structure

**4.2** Construct and analyze code segments that include function definitions

**4.2.3** return

# Use def

When defining a function in Python, the keyword function is not used, as in many other programming languages. Defining a function increases the efficiency of code and helps prevent errors.

## Purpose

In this project, you will practice defining a function using the def keyword.

## Steps for Completion

1. Open the **424-def.py** file from your Domain 4 Student folder.
2. On line 2, define a function named **calculate\_score** and add two arguments in parentheses: **score** and **multiplier**
3. On line 3 add a return statement that returns the **score** times the **multiplier**
4. On line 5, use a print statement to call the **calculate\_score** function, making the score **3500** and the multiplier **2**
5. Run the code. What is the output of running this code?
  - a. \_\_\_\_\_
6. Copy the print statement on line 5 to line 6, changing the score to **5500** and the multiplier to **1.6**
7. Run the code. What is the output of running this code?
  - a. \_\_\_\_\_
8. Save the file as **424-def-completed**

## Project Details

### Project file

424-def.py

### Estimated completion time

10 minutes

### Video reference

#### Domain 4

**Topic:** Function Definitions

**Subtopic:** def

### Objectives covered

**4** Code Documentation and Structure

**4.2** Construct and analyze code segments that include function definitions

**4.2.4** def

# Use pass in Functions

The pass keyword acts as a temporary placeholder when testing a function. It is useful when all the necessary information to complete a function's calculation is unavailable, as it allows users to ensure the remaining code works as expected.

## Purpose

Upon completing this project, you will become more familiar with using pass in a function.

## Steps for Completion

1. Open the **425-pass.py** file from your Domain 4 Student folder.
2. Run the code.
3. Enter the amount **35000** for the first input statement.
4. Enter the amount **1500** for the second input statement.
5. What is the total?
  - a. \_\_\_\_\_
6. What has the pass statement in this code block allowed you to do?
  - a. \_\_\_\_\_  
\_\_\_\_\_

## Project Details

### Project file

425-pass.py

### Estimated completion time

5 minutes

### Video reference

#### Domain 4

**Topic:** Function Definitions

**Subtopic:** Use pass in Functions

### Objectives covered

**4** Code Documentation and Structure

**4.2** Construct and analyze code segments that include function definitions

**4.2.5** pass

# Review 4.2

## Purpose

Upon completing this project, you will better understand how to define and work with functions.

## Steps for Completion

1. Open the **425-analyze.py** file from your Domain 4 Student folder.
2. When calling the `calculate_total` function, must a tax rate be specified?
  - a. \_\_\_\_\_
3. What will be the amounts of the two subtotals when the code runs?
  - a. \_\_\_\_\_
4. Return to the video portion of the course to compare your answers to the ones in the videos.

### Project Details

#### Project file

425-analyze.py

#### Estimated completion time

5 minutes

#### Video reference

##### Domain 4

**Topic:** Function Definitions

**Subtopic:** Use pass in Functions;  
Review 4.2

#### Objectives covered

**4** Code Documentation and Structure

**4.2** Construct and analyze code segments that include function definitions

# Domain 5 Lesson 1

Python v2

# Syntax Errors

Syntax errors in code are similar to punctuation and spelling errors in writing. In programming, syntax errors cause code not to run. Syntax errors prevent code from being compiled and executed. Python's compiler checks for syntax correctness before running any code.

## Purpose

Upon completing this project, you will better understand how to recognize syntax errors.

## Steps for Completion

1. Open the **511-syntax.py** file from your Domain 5 Student folder.
2. Run the code as many times as needed to help identify the syntax errors within the code.
3. Edit the code to remove the three syntax errors that are present.
4. Save the file as **511-syntax-completed**

### Project Details

#### Project file

511-syntax.py

#### Estimated completion time

5 minutes

#### Video reference

##### Domain 5

**Topic:** Analyze, Detect, and Fix Errors

**Subtopic:** Syntax Errors

#### Objectives covered

**5** Troubleshooting and Error Handling

**5.1** Analyze, detect, and fix code segments that have errors

**5.1.1** Syntax errors

# Logic Errors

With a logic error, there is no syntax problem with the code, and the code does not cause a crash, but it does not perform the way one expects it to when the code is run. Logic errors can be difficult to identify because they do not return any error messages.

## Purpose

Upon completing this project, you will better understand how to recognize logic errors.

## Steps for Completion

1. Open the **512-logic.py** file from your Domain 5 Student folder.
2. Run the code. Does the result match the expected result in the comment on line 5?
  - a. \_\_\_\_\_
3. Edit the code to remove the logic error that is present.
4. Save the file as **512-logic-completed**

### Project Details

#### Project file

512-logic.py

#### Estimated completion time

5 minutes

#### Video reference

##### Domain 5

**Topic:** Analyze, Detect, and Fix Errors

**Subtopic:** Logic Errors

#### Objectives covered

**5** Troubleshooting and Error Handling

**5.1** Analyze, detect, and fix code segments that have errors

**5.1.2** Logic errors

# Runtime Errors

Runtime errors occur when one attempts to run code. They occur when one tries to do something with an application that cannot be done as the application's code is being run. Runtime errors can be a result of logic errors.

## Purpose

Upon completing this project, you will better understand how to recognize runtime errors.

## Steps for Completion

1. Open the **513-runtime.py** file from your Domain 5 Student folder.
2. Run the code to identify the runtime error present in the code.
3. Edit the code to remove the runtime error.
4. Save the file as **513-runtime-completed**

### Project Details

#### Project file

513-runtime.py

#### Estimated completion time

5 minutes

#### Video reference

##### Domain 5

**Topic:** Analyze, Detect, and Fix Errors

**Subtopic:** Runtime Errors

#### Objectives covered

**5** Troubleshooting and Error Handling

**5.1** Analyze, detect, and fix code segments that have errors

**5.1.3** Runtime errors

# Review 5.1

## Purpose

Upon completing this project, you will better understand how to identify, find, and fix errors in code.

## Steps for Completion

1. Open the **513-analyze.py** file from your Domain 5 Student folder.
2. Run the code. Where is there an error, and what type of error is it?
  - a. \_\_\_\_\_
3. What is the error?
  - a. \_\_\_\_\_
4. Fix the error and rerun the code. Are there any other errors?
  - a. \_\_\_\_\_
5. Identify the new error.
  - a. \_\_\_\_\_  
 \_\_\_\_\_
6. Fix the error and rerun the code. Are there any other errors?
  - a. \_\_\_\_\_
7. Return to the videos to compare your answers with those in the videos.

## Project Details

### Project file

513-analyze.py

### Estimated completion time

10 minutes

### Video reference

#### Domain 5

**Topic:** Analyze, Detect, and Fix Errors

**Subtopic:** Runtime Errors; Review 5.1

### Objectives covered

**5** Troubleshooting and Error Handling

**5.1** Analyze, detect, and fix code segments that have errors.

# Domain 5 Lesson 2

Python v2

# Exception Handling: try, except, else, and finally

Many programming languages, Python included, have keywords that can be used to attempt to run code, control the error message displayed if the code would otherwise cause a crash, and then run certain logic depending on whether the original intent to run code worked. Controlling errors and their messages is known as exception handling. Four common exception-handling keywords often used together are try, except, else, and finally.

## Purpose

Upon completing this project, you will better understand how to use the try, except, else, and finally keywords to manage exception handling.

## Steps for Completion

1. Review the code, then answer the questions regarding the try, except, else, and finally statements in the code.

```
524-finally.py > ...
1 figuratives = ['Simile','Metaphor','Personification','Hyperbole','Allusion']
2 try:
3     figurative_input = int(input('Enter a number from 1-5 to get an example '))
4     figurative = figuratives[figurative_input-1]
5 except:
6     print('You did not enter a figurative. Try again')
7 else:
8     print(f'You chose the {figurative} figurative and will get an example soon.')
9 finally:
10    print('Thank you for playing.')
```

- a. What is the purpose of the try keyword on line 2?

- i. \_\_\_\_\_

- b. What is the purpose of the except keyword on line 5?

- i. \_\_\_\_\_

- c. What is the purpose of the else keyword on line 7?

- i. \_\_\_\_\_

- d. What is the purpose of the finally keyword on line 9?

- i. \_\_\_\_\_

## Project Details

### Project file

N/A

### Estimated completion time

10 minutes

### Video reference

#### Domain 5

**Topic:** Exception Handling

**Subtopic:** try; except; else in  
Exception Handling; finally

### Objectives covered

**5** Troubleshooting and Error Handling

**5.2** Analyze and construct code  
segments that handle exceptions

**5.2.1** try

**5.2.2** except

**5.2.3** else

**5.2.4** finally

# Exception Handling: raise

The raise keyword is another keyword commonly used for exception handling. Raising errors allows a developer to control the type of error to raise and log it if necessary.

## Purpose

Upon completing this project, you will better understand how to use the raise keyword to manage exception handling.

## Steps for Completion

1. Review the code, then answer the questions regarding the raise keyword in the code.

```
525-raise.py > temperature
1 temperature = float(input("What temperature is absolute zero "))
2 if temperature > 0:
3     raise ValueError("The temperature has to be negative")
4 else:
5     print("The temperature is negative, yes, -459.67 F to be exact.")
```

- a. What will happen if a negative number is entered for the temperature variable?
  - i. \_\_\_\_\_
- b. What will happen if a positive number is entered for the temperature variable?
  - i. \_\_\_\_\_

## Project Details

### Project file

N/A

### Estimated completion time

5 minutes

### Video reference

#### Domain 5

**Topic:** Exception Handling

**Subtopic:** raise

### Objectives covered

**5** Troubleshooting and Error Handling

**5.2** Analyze and construct code segments that handle exceptions

**5.2.5** raise

# Review 5.2

## Purpose

Upon completing this project, you will better understand the logic flow of exception handling, specifically try-except-else-finally blocks of code.

## Steps for Completion

1. Open the **525-analyze.py** file from your Domain 5 Student folder.
2. Which blocks of code will run as the code is currently written?
  - a. \_\_\_\_\_
3. Change the games variable to **2**
4. Which blocks of code will run after the change in the games variable?
  - a. \_\_\_\_\_

### Project Details

#### Project file

525-analyze.py

#### Estimated completion time

5 minutes

#### Video reference

##### Domain 5

**Topic:** Exception Handling

**Subtopic:** raise; Review 5.2

#### Objectives covered

**5** Troubleshooting and Error Handling

**5.2** Analyze and construct code segments that handle exceptions

# Domain 5 Lesson 3

Python v2

# Assert Methods

Unit testing is done on a small unit of code to check its functionality. One way of performing unit testing is to use assert methods. Common assert methods include assertEquals, assertTrue, assertIs, assertIn, and assertIsInstance.

## Purpose

Upon completing this project, you will better understand assert methods.

## Steps for Completion

1. Review the code, then answer the questions regarding the assert methods present in the code.

```
534-assert.py > TestMain > test_location
1  import unittest
2
3  class TestMain(unittest.TestCase):
4
5      def test_location(self):
6          a = 'red'
7          b = 'red'
8          self.assertEqual(a,b)
9
10     def test_truth(self):
11         self.assertTrue(2 + 5 * 3 == 21)
12
13     def test_is(self):
14         a = 'red'
```

- a. What action does the code on line 8 perform?

i. \_\_\_\_\_

- b. What action does the code on line 11 perform?

i. \_\_\_\_\_

```
13     def test_is(self):
14         a = 'red'
15         b = 'red'
16         self.assertIs(a,b)
17
18     def test_in(self):
19         a = 'red'
20         b = ['red', 'green', 'blue']
21         self.assertIn(a,b)
```

- c. What action does the code on line 16 perform?

i. \_\_\_\_\_

- d. What action does the code on line 21 perform?

i. \_\_\_\_\_

## Project Details

### Project file

N/A

### Estimated completion time

10 minutes

### Video reference

#### Domain 5

**Topic:** Perform Unit Testing

**Subtopic:** Unittest; Assert Methods

### Objectives covered

**5** Troubleshooting and Error Handling

**5.3** Perform unit testing

**5.3.1** Unittest

**5.3.4** Assert methods

(assertIsInstance, assertEquals, assertTrue, assertIs, assertIn)

# Functions and Methods

One of the most common types of unit tests is testing a function to see if it performs as it should. Because classes are often reused in code, it is important that a class's methods be tested for accuracy as well.

## Purpose

Upon completing this project, you will better understand the importance of unit testing on functions and methods.

## Steps for Completion

1. To test a function or method correctly, one must know what \_\_\_\_\_ are expected.
2. All code should be tested \_\_\_\_\_ an application is released to production.
3. \_\_\_\_\_ are functions that belong to classes.
4. Classes are frameworks for \_\_\_\_\_.

### Project Details

#### Project file

N/A

#### Estimated completion time

5 minutes

#### Video reference

##### Domain 5

**Topic:** Perform Unit Testing

**Subtopic:** Functions; Methods

#### Objectives covered

**5** Troubleshooting and Error Handling

**5.3** Perform unit testing

**5.3.2** Functions

**5.3.3** Methods

# Review 5.3

## Purpose

Upon completing this project, you will better understand which assert test to use in a given situation and predict whether a test will pass or fail.

## Steps for Completion

1. Open the **534-analyze.py** file from your Domain 5 Student folder.
2. Replace the comment on line 8 with the assert test needed to test whether variable a is contained within variable b.
3. Which test is needed for this testing situation?
  - a. \_\_\_\_\_
4. Will the test pass in this situation?
  - a. \_\_\_\_\_
5. Return to the videos to compare your answers with those found in the videos.

### Project Details

#### Project file

534-analyze.py

#### Estimated completion time

5 minutes

#### Video reference

##### Domain 5

**Topic:** Perform Unit Testing

**Subtopic:** Assert Methods; Review 5.3

#### Objectives covered

**5** Troubleshooting and Error Handling

**5.3** Perform unit testing

# Domain 6

# Lesson 1

Python v2

# io

Programming languages come with pre-built code libraries that focus on specific functions. In Python, these libraries are called modules and must be imported before they can be used. The io module enables users to store and access data from memory, eliminating the need to work with physical files.

## Purpose

Upon completing this project, you will become more familiar with the io module.

## Steps for Completion

1. Review the code, then answer the questions regarding the io module.

```
611-io.py > ...
1  import io
2
3  game_stream = io.StringIO()
4
5  game_stream.write("The game has started.\n")
6  game_stream.write("Here is your first question. \n")
7
8  game_stream.seek(1)
9  print(game_stream.read())
```

- a. What does the seek function on line 8 of this code do?
    - i. \_\_\_\_\_
  - b. What will be the output of running this code?
    - i. \_\_\_\_\_
2. What is the advantage of using the io module instead of physical files?
    - a. \_\_\_\_\_
  3. Label the following statements as true or false.
    - a. \_\_\_\_\_ Bytes IO is a built-in class that only allows in-memory text data storage.
    - b. \_\_\_\_\_ String IO is a built-in io class that allows users to input text strings into memory and retrieve them later.

## Project Details

### Project file

N/A

### Estimated completion time

5 minutes

### Video reference

#### Domain 6

**Topic:** System and Command-Line Operations

**Subtopic:** io

### Objectives covered

**6** Operations Using Modules and Tools

**6.1** Perform basic file system and command-line operations by using built-in modules

**6.1.1** io

# OS

Python's os module enables programmers to perform various operating system-based actions. The module offers versatile functions allowing users to rename files, access and manipulate environment variables, and execute shell commands from Python code. By offering the ability to manipulate files within a Python application, the os module eliminates the need to use another source to modify those files, thus simplifying working with them.

## Purpose

Upon completing this project, you will better understand the os module.

## Steps for Completion

1. Review the code, then answer the questions regarding the os module.

```
612-os.py > ...
1  import os
2
3  print("Your current directory is:", os.getcwd())
4
5  for text_file in os.listdir():
6      if text_file.endswith('.txt'):
7          print(text_file)
```

- a. What does line 3 do?
    - i. \_\_\_\_\_
  - b. What does os.listdir do in line 5?
    - i. \_\_\_\_\_
2. Open the **612-os.py** file from your Domain 6 Student folder.
  3. Run the code and observe the list of files within the directory.
  4. Add code on line 9 to rename the **601-message.txt** file **OLD601-message.txt**
  5. Cut the for loop and paste it after the rename code.
  6. Run the code to ensure the 601-message.txt file is renamed.
  7. Save the file as **612-os-completed**

## Project Details

### Project file

612-os.py

### Estimated completion time

5-10 minutes

### Video reference

#### Domain 6

**Topic:** System and Command-Line Operations

**Subtopic:** os

### Objectives covered

**6** Operations Using Modules and Tools

**6.1** Perform basic file system and command-line operations by using built-in modules

**6.1.2** os

# os.path

The os.path sub-module provides methods to check for the existence of a file or directory in a specific location. The ability to do this is beneficial when an application depends on particular directory structures and needs to ensure they exist.

## Purpose

In this project, you will practice using the os.path submodule.

## Steps for Completion

1. Open the **613-ospath.py** file from your Domain 6 Student folder.
2. Change line 1 to limit this import to only the os.path submodule.
3. On line 15, as part of the else block of code, write **file\_path**  
**os.path.join('613-test' , '613-test.txt')**
4. On line 16, add code that checks if the path on line 15 is a legitimate file path.
5. On line 17, add a print statement to confirm the file exists.
6. Run the code. Does the file exist? How do you know?
  - a. \_\_\_\_\_
7. Save the file as **613-ospath-completed**

### Project Details

#### Project file

613-ospath.py

#### Estimated completion time

5-10 minutes

#### Video reference

##### Domain 6

**Topic:** System and Command-Line Operations

**Subtopic:** os.path

#### Objectives covered

**6** Operations Using Modules and Tools

**6.1** Perform basic file system and command-line operations by using built-in modules

**6.1.3** os.path

# sys

The sys module provides access to some of the system-specific functionalities in Python. It allows users to import other modules, manage files, and handle command-line arguments. It also offers access to system-based commands like changing file paths and terminating an application.

## Purpose

Upon completing this project, you will better understand the sys module.

## Steps for Completion

1. Review the code, then answer the questions regarding the sys module.

```
614-sys.py > ...
1  import sys
2
3  game_lives = 1
4  while game_lives < 3:
5      print("Game in progress")
6      game_lives +=1
7  sys.exit()
```

- a. What does line 7 of this code do?
  - i. \_\_\_\_\_

```
614-command.py > ...
1  import sys
2
3  filename = sys.argv[1]
4  print (f" {filename} has been specified.")
5
6  with open (filename, 'r') as file:
7      content = file.read()
8      print(content)
```

- b. What is sys.argv[1] on line 3?
  - i. \_\_\_\_\_
- c. Where do you run this file to ensure the sys.argv command works?
  - i. \_\_\_\_\_

## Project Details

### Project file

N/A

### Estimated completion time

5 minutes

### Video reference

#### Domain 6

**Topic:** System and Command-Line Operations

**Subtopic:** sys

### Objectives covered

#### 6 Operations Using Modules and Tools

**6.1** Perform basic file system and command-line operations by using built-in modules

**6.1.4** sys (importing modules, opening, reading and writing files, command-line arguments)

# Review 6.1

## Purpose

Upon completing this project, you will become more familiar with identifying and importing Python libraries to code, and using methods from these built-in libraries.

## Steps for Completion

1. Open the **614-analyze.py** file from your Domain 6 Student folder.
2. Complete the import statement on line 1 to import the module that works with input and output streams.
3. Complete the code on line 3 to use the method needed to enable streaming text to memory.
4. Return to the videos to compare your answers to the answers in the videos.

### Project Details

#### Project file

614-analyze.py

#### Estimated completion time

5 minutes

#### Video reference

##### Domain 6

**Topic:** System and Command-Line Operations

**Subtopic:** sys; Review 6.1

#### Objectives covered

**6** Operations using Modules and Tools

**6.1** Perform basic file system and command-line operations by using built-in modules

# Domain 6

# Lesson 2

Python v2

# Math

Python's Math module is a comprehensive computational category that provides various math functions such as fabs, ceil, floor, trunc, fmod, frexp, and nan. All these functions are readily available in Python's standard library, eliminating the need for additional installations.

## Purpose

Upon completing this project, you will become more familiar with the math submodule.

## Steps for Completion

- Match the math function to its description.

|         |          |          |
|---------|----------|----------|
| A. fabs | B. ceil  | C. floor |
| D. fmod | E. frexp |          |

- \_\_\_\_\_ Returns the mantissa and exponent of a number.
  - \_\_\_\_\_ Returns a number's absolute distance from zero.
  - \_\_\_\_\_ Returns an integer without a decimal number.
  - \_\_\_\_\_ Returns the modulus, also known as a remainder, from dividing two numbers in floating decimal format.
  - \_\_\_\_\_ Returns the next integer up after a decimal number.
- Which math function is similar to ceil and floor?
    - \_\_\_\_\_

## Project Details

### Project file

N/A

### Estimated completion time

5 minutes

### Video reference

#### Domain 6

**Topic:** Solve Complex Problems

**Subtopic:** Math

### Objectives covered

**6** Operations Using Modules and Tools

**6.2** Solve complex computing problems by using built-in modules

**6.2.1** Math (fabs, ceil, floor, trunc, fmod, frexp, nan, isnan, sqrt, isqrt, pow, pi)

# isnan, sqrt, isqrt, and pi

The Math module helps solve complex math problems related to statistics, geometry, trigonometry, and others without writing much code. These math functions can help with gaming apps, as many have math or statistics-based functionality. Some additional math functions include nan, isnan, sqrt, isqrt, and pi.

## Purpose

Upon completing this project, you will become more familiar with the isnan, sqrt, isqrt, and pi math functions.

## Steps for Completion

1. What does the isnan function do?
  - a. \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_
2. Label the following statement as true or false.
  - a. \_\_\_\_\_ nan is a result, not a function.
3. What does isqrt return?
  - a. \_\_\_\_\_
4. What will this print statement return if  $y = 3$  and  $x = 4$ ?  
`print(math.pow(y,x))`
  - a. \_\_\_\_\_
5. What will this print statement return if  $x = 3$ ?  
`print(math.pi * math.pow(x, 2))`
  - a. \_\_\_\_\_

## Project Details

### Project file

N/A

### Estimated completion time

5 minutes

### Video reference

#### Domain 6

**Topic:** Solve Complex Problems

**Subtopic:** isnan, sqrt, isqrt, and pi

### Objectives covered

**6** Operations Using Modules and Tools

**6.2** Solve complex computing problems by using built-in modules

**6.2.1** Math (fabs, ceil, floor, trunc, fmod, frexp, nan, isnan, sqrt, isqrt, pow, pi)

# datetime

Every programming language, including Python, offers several ways to format dates and times. Some apps use fixed dates, while others require the current date, such as when a game logs the current date and time as the starting point for a game based on timing.

## Purpose

In this project, you will practice working with the datetime module.

## Steps for Completion

1. Open the **622-datetime.py** file from your Domain 6 Student folder.
2. On line 2, delete the comment and add code to show the current date and time.
3. On line 3, delete the comment and add code to change the current date and time format to mm-dd-yy.
4. Run the code. What is the result?
  - a. \_\_\_\_\_
5. On line 3, replace the comment with the code required to show the current date and time format as mm-dd-yyyy hh:mm.
6. On line 4, add a print statement to return the number of the weekday.
7. On line 5, add a print statement to return the name of the weekday.
8. Save the file as **622-datetime-completed**

## Project Details

### Project file

622-datetime.py

### Estimated completion time

5-10 minutes

### Video reference

#### Domain 6

**Topic:** Solve Complex Problems

**Subtopic:** datetime

### Objectives covered

**6** Operations Using Modules and Tools

**6.2** Solve complex computing problems by using built-in modules

**6.2.2** datetime(now, strftime, weekday)

# Domain 6 Lesson 3

Python v2

# Random with Numbers

The random module offers multiple methods to generate random numbers or values from a given list of values. In gaming, random numbers play a significant role as many games need different events to happen each time someone plays those games to keep them fun and interesting.

## Purpose

Upon completing this project, you will become more familiar with using the random module with numbers.

## Steps for Completion

1. Review the code, then answer the questions regarding the random module.

```
623-random.py > ...
1  from random import randrange
2  for i in range(10):
3      print(randrange(5,20))
```

- a. What will running this code return?
  - i. \_\_\_\_\_
- b. What can be added to the randrange method on line 3 to return odd numbers only?
  - i. \_\_\_\_\_
- c. How can you make this return a list of even numbers?
  - i. \_\_\_\_\_

```
623-random.py > ...
1  from random import randrange
2  for i in range(10):
3      print(randint(1,20))
```

- d. What will happen if you run this code?
  - i. \_\_\_\_\_
- e. How can you fix this code?
  - i. \_\_\_\_\_
2. What does the random method return?
  - a. \_\_\_\_\_

## Project Details

### Project file

N/A

### Estimated completion time

10 minutes

### Video reference

#### Domain 6

**Topic:** Solve Complex Problems

**Subtopic:** Random with Numbers

### Objectives covered

**6** Operations Using Modules and Tools

**6.2** Solve complex computing problems by using built-in modules

**6.2.3** random (randrange, randint, random, shuffle, choice, sample)

# Random with Lists

The random module is not just for use with numbers; it can also be used with words and phrases. Several random modules are available to use with lists, such as shuffle, choice, and sample.

## Purpose

Upon completing this project, you will become more familiar with using the random module with lists.

## Steps for Completion

- Match the random module with its description.

|            |           |           |
|------------|-----------|-----------|
| A. shuffle | B. choice | C. sample |
|------------|-----------|-----------|

- \_\_\_\_\_ Returns multiple random values from a list.
  - \_\_\_\_\_ Rearranges the order of a list.
  - \_\_\_\_\_ Chooses a value, at random, from a list of values.
- Which random module should you use to ensure you get two unique values returned from a list?
    - \_\_\_\_\_

### Project Details

#### Project file

N/A

#### Estimated completion time

5 minutes

#### Video reference

##### Domain 6

**Topic:** Solve Complex Problems

**Subtopic:** Random with Lists

#### Objectives covered

**6** Operations Using Modules and Tools

**6.2** Solve complex computing problems by using built-in modules

**6.2.3** random (randrange, randint, random, shuffle, choice, sample)

# Review 6.2

## Purpose

Upon completing this project, you will better understand how to build a small app that calculates using random numbers.

## Steps for Completion

1. Build a Python app that does the following:
  - a. Captures two whole numbers via inputs from a user
  - b. Performs a calculation of those two numbers. The calculation itself is random, with a random operator of a plus sign, minus sign, or multiplication sign.
  - c. The results should print in this format:  $3 + 5 = 8$
2. Save the file as **623-final** to your Domain 6 Student folder.

### Project Details

#### Project file

N/A

#### Estimated completion time

15 minutes

#### Video reference

##### Domain 6

**Topic:** Solve Complex Problems

**Subtopic:** Random with Lists; Final Review

#### Objectives covered

**6** Operations using Modules and Tools

**6.2** Solve complex problems by using built-in modules

# Appendix

Python v2

# Glossary

## Domain 1

| Term                        | Definition                                                                                                                                                             |
|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>AND</b>                  | A logical keyword where both sides of the comparison must be true in order for the statement to be true.                                                               |
| <b>Append</b>               | An act that adds items to the end of a list or writes text to the end of a file.                                                                                       |
| <b>Arithmetic Operator</b>  | An operator used to perform basic mathematical operations.                                                                                                             |
| <b>Assignment</b>           | An event that takes place when a variable is set to be equal to a string, number, Boolean operator, list, or date.                                                     |
| <b>Boolean Variable</b>     | A type of variable with two possible values: true or false. A Boolean variable is often used to determine a course of action within a program.                         |
| <b>Comparison Operator</b>  | An operator that is used inside Python to compare arguments. Comparison operators include less than, less than or equal to, greater than, or greater than or equal to. |
| <b>Containment Operator</b> | An operator that determines if a value is contained in a set of values.                                                                                                |
| <b>Dictionary</b>           | A list of data that stores values in key-value pairs.                                                                                                                  |
| <b>Float Variable</b>       | A type of number variable that uses a decimal as part of its storage.                                                                                                  |
| <b>Identity Operator</b>    | An operator in Python that is used to determine if two variables share the same memory space.                                                                          |
| <b>Immutable</b>            | In the context of variables, a type of variable that cannot be changed without redefining the variable.                                                                |
| <b>Index</b>                | The position in which an item is in a list or a character is within a set of characters. The first index value is always 0.                                            |
| <b>Insert</b>               | In the context of lists, the act of adding an item to a specified spot within the list.                                                                                |
| <b>Integer Variable</b>     | A type of variable that stores whole numbers.                                                                                                                          |
| <b>List</b>                 | A variable that stores a collection of items in a defined order.                                                                                                       |
| <b>Logical Operator</b>     | An operator that compares two conditions using keywords and, or, or not.                                                                                               |
| <b>NOT</b>                  | The logical keyword that takes a condition set by the user and checks for its opposite.                                                                                |
| <b>OR</b>                   | A logical keyword where only one of the two possibilities needs to be true in an argument for the argument to be true.                                                 |
| <b>Remove</b>               | In the context of lists, the act of deleting an item from a list.                                                                                                      |
| <b>Set</b>                  | A list of data that stores unique values of data.                                                                                                                      |
| <b>Slicing</b>              | A process that extracts characters from a list, word, or phrase.                                                                                                       |
| <b>String Variable</b>      | A type of variable in Python that is used to store items and information.                                                                                              |
| <b>Tuple</b>                | A list of data with immutable values.                                                                                                                                  |
| <b>Variable</b>             | A container that stores information that can be used elsewhere in code.                                                                                                |

| Term                        | Definition                                                                                                                                   |
|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Break Statement</b>      | A statement used to exit a loop of code.                                                                                                     |
| <b>Compound Conditional</b> | A type of statement that has two or more conditions separated by logical operators.                                                          |
| <b>Continue Statement</b>   | A statement used to skip running the rest of an iteration within a loop.                                                                     |
| <b>Elif Statement</b>       | A conditional statement that checks to see if a condition is true based on an if statement's condition not being true.                       |
| <b>Else Statement</b>       | A statement used in conjunction with if and elif statements. An else statement provides an action in case no if or elif conditions are true. |
| <b>For Loop</b>             | A loop that runs a block of code a set number of times.                                                                                      |
| <b>If Statement</b>         | A statement used to check to see if a condition is true, and, if it is, causes a specific action to be performed.                            |
| <b>Nested If</b>            | An if statement that is placed inside of another if statement.                                                                               |
| <b>Nested Loop</b>          | A loop that is placed inside of another loop.                                                                                                |
| <b>Pass Keyword</b>         | A keyword that is used as a placeholder for code to be filled in later. The Pass keyword is often used as part of a loop.                    |
| <b>While Loop</b>           | A loop that runs a block of code so long as a given condition is true.                                                                       |

## Domain 3

| Term                         | Definition                                                                                                               |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| <b>Append Function</b>       | In the context of file management, a built-in function that adds content to an existing file.                            |
| <b>Close Function</b>        | In the context of file management, a built-in function that closes a file and frees the memory space the file occupies.  |
| <b>Command-Line Argument</b> | A value used to control how a block of code runs via the command line.                                                   |
| <b>Exists Function</b>       | In the context of file management, a built-in function that checks to see if a file or folder exists.                    |
| <b>Open Function</b>         | A built-in function that opens a file, usually for reading purposes.                                                     |
| <b>Read Function</b>         | In the context of file management, a built-in function that reads the contents of a file or stream.                      |
| <b>Remove Function</b>       | In the context of file management, a built-in function that deletes a file from a folder.                                |
| <b>string.format</b>         | A method used to format strings of text and place variables in precise positions within text.                            |
| <b>With Statement</b>        | A statement block that supports file operations and automatically closes a file when the block of code is complete.      |
| <b>Write Function</b>        | In the context of file management, a built-in function that writes content to a new file or overwrites an existing file. |

## Domain 4

| Term                  | Definition                                                                                                                               |
|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Call Signature</b> | A line of code that calls a function and, when applicable, provides needed arguments for said function.                                  |
| <b>Comment</b>        | A symbol used to get an interpreter to ignore a line of code. Comments are often used to explain code.                                   |
| <b>Def Keyword</b>    | A keyword used in Python to begin and define a function.                                                                                 |
| <b>Default Value</b>  | A value or item in a function that is set to be constant but can be overridden.                                                          |
| <b>Docstring</b>      | Also known as a documentation string, a block of code, surrounded by triple quotation marks, that is used to explain what code is doing. |
| <b>Indentation</b>    | The formatting of code in which a block of code knows which statements are part of that block, such as actions within an if statement.   |
| <b>Pydoc</b>          | A feature in Python that acts as a library module. It automatically generates documentation on Python modules or keywords.               |
| <b>Return Keyword</b> | A keyword which defines the end of a function and holds a value to be used outside of the function.                                      |
| <b>White Space</b>    | Empty lines of code found in Python. It can be utilized to make code easier to read.                                                     |

## Domain 5

| Term                    | Definition                                                                                                      |
|-------------------------|-----------------------------------------------------------------------------------------------------------------|
| <b>Assert Test</b>      | A type of unit test that compares two values and returns a True or False based on the result of the comparison. |
| <b>assertEqual</b>      | An assert test that determines whether two values are equal to each other.                                      |
| <b>assertIn</b>         | An assert test that determines whether a value is contained in a set of values.                                 |
| <b>assertIs</b>         | An assert test that determines whether two variables share the same memory space.                               |
| <b>assertIsInstance</b> | An assert test that determines whether a variable is an instance of a class.                                    |
| <b>assertTrue</b>       | An assert test that determines whether a statement is true.                                                     |
| <b>Class</b>            | A framework for a group of objects and methods that help define those objects.                                  |
| <b>Else</b>             | In the context of exception handling, the code block that runs if a Try block succeeds.                         |
| <b>Except</b>           | In the context of exception handling, the code block that runs if a Try block fails.                            |
| <b>Finally Keyword</b>  | A block of code that runs regardless of whether a try block was successful.                                     |
| <b>Function</b>         | A block of code that can be called upon multiple times within a program.                                        |
| <b>Logic Error</b>      | A type of error in Python that occurs when an argument, calculation, or flow is set incorrectly.                |
| <b>Method</b>           | A function that belongs to a class.                                                                             |
| <b>Object</b>           | A tangible asset used as a building block for an app.                                                           |
| <b>Raise</b>            | A type of keyword that is used to display an error message when an exception occurs.                            |
| <b>Runtime Error</b>    | An error type that only occurs when an app runs and often results in the app crashing.                          |
| <b>Syntax Error</b>     | An error in programming code that is caused either by a typo or by trying to use an item incorrectly.           |
| <b>Try</b>              | A block of code that attempts to run without any errors being generated.                                        |
| <b>Unit Test</b>        | A test that is done on a small unit of code to see if the code works as intended.                               |

| Term                   | Definition                                                                                                                    |
|------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| <b>ceil</b>            | A math function that returns the next integer up from a decimal number.                                                       |
| <b>choice</b>          | A random function that returns one value from a list of values.                                                               |
| <b>Datetime Module</b> | A module that provides functionality for dates, times, and date and time formats.                                             |
| <b>fabs</b>            | A math function that measures the absolute distance from zero and is presented as a floating decimal.                         |
| <b>floor</b>           | A math function that returns an integer portion of a number.                                                                  |
| <b>fmod</b>            | A math function that returns the modulus for two numbers and is presented as a floating decimal.                              |
| <b>frexp</b>           | A math function that returns the mantissa and exponent of a number.                                                           |
| <b>Io Module</b>       | A module that provides functionality for file management.                                                                     |
| <b>isnan</b>           | A math function that checks to see if a value is a number and returns False if it is a number and True if it is not a number. |
| <b>isqrt</b>           | A math function that returns the integer of a square root of a number.                                                        |
| <b>Math Module</b>     | A module that provides a means to multiple types of calculations.                                                             |
| <b>nan</b>             | An expression that signifies a value is not a number.                                                                         |
| <b>now</b>             | A date function that returns the current date and time.                                                                       |
| <b>Os Module</b>       | The operating system (os) module allows the user to perform operating system tasks, such as create a folder.                  |
| <b>Os.path</b>         | A piece of the os module, the os.path is used to help users to find files and folders on specific paths.                      |
| <b>pi</b>              | A math function that returns pi (3.14159).                                                                                    |
| <b>pow</b>             | A math function that returns one number raised to the power of another number.                                                |
| <b>randint</b>         | A random function that returns an integer between a starting value and an ending value.                                       |
| <b>random</b>          | A function that returns a random number between 0 and 1.                                                                      |
| <b>Random Library</b>  | A library that contains many random number and list-related functions.                                                        |
| <b>randrange</b>       | A random function that returns a number between a starting value and one less than the ending value.                          |
| <b>sample</b>          | A random function that returns a set number of values from a list of values.                                                  |
| <b>shuffle</b>         | A random function that reorders a list of values randomly.                                                                    |
| <b>sqrt</b>            | A math function that returns the square root of a number.                                                                     |
| <b>strftime</b>        | A date function that formats a date and time as a string, with symbols used to manipulate the format of the string.           |
| <b>Sys Module</b>      | A module used to import built-in system functions that can be used in Python.                                                 |
| <b>trunc</b>           | A math function that returns the next highest positive integer or the next lowest negative integer for a number.              |
| <b>weekday</b>         | A date function that returns the weekday number for a date, with 1 being Monday.                                              |

# Objectives

| Python v2 Objectives                                                                                                                                                                               |                                                                                                                                                                                                                              |                                                                                                                                                                                                                                       |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Domain 1<br>Operations Using Data Types<br>and Operators                                                                                                                                           | Domain 2<br>Flow Control with Decisions<br>and Loops                                                                                                                                                                         | Domain 3<br>Input and Output Operations                                                                                                                                                                                               |
| 1.1 Evaluate expressions to identify the data types Python assigns to variables<br>1.1.1 str<br>1.1.2 int<br>1.1.3 float<br>1.1.4 bool                                                             | 2.1 Construct and analyze code segments that use branching statements<br>2.1.1 if<br>2.1.2 elif<br>2.1.3 else<br>2.1.4 Nested and compound conditional expressions                                                           | 3.1 Construct and analyze code segments that perform file input and output operations<br>3.1.1 open<br>3.1.2 close<br>3.1.3 read<br>3.1.4 write<br>3.1.5 append<br>3.1.6 Check existence<br>3.1.7 delete<br>3.1.8 with statement      |
| 1.2 Perform and analyze data and data type operations<br>1.2.1 Data type conversion<br>1.2.2 Indexing<br>1.2.3 Slicing<br>1.2.4 Construct data structures<br>1.2.5 Lists<br>1.2.6 List operations  | 2.2 Construct and analyze code segments that perform iteration<br>2.2.1 while<br>2.2.2 for<br>2.2.3 break<br>2.2.4 continue<br>2.2.5 pass<br>2.2.6 Nested loops<br>2.2.7 Loops that include compound conditional expressions | 3.2 Construct and analyze code segments that perform console input and output operations<br>3.2.1 Read input from console<br>3.2.2 Print formatted text (string.format() method, f-string method)<br>3.2.3 Use command-line arguments |
| 1.3 Determine the sequence of execution based on operator precedence<br>1.3.1 Assignment<br>1.3.2 Comparison<br>1.3.3 Logical<br>1.3.4 Arithmetic<br>1.3.5 Identity (is)<br>1.3.6 Containment (in) |                                                                                                                                                                                                                              |                                                                                                                                                                                                                                       |
| 1.4 Select operators to achieve the intended results<br>1.4.1 Assignment<br>1.4.2 Comparison<br>1.4.3 Logical<br>1.4.4 Arithmetic<br>1.4.5 Identity (is)<br>1.4.6 Containment (in)                 |                                                                                                                                                                                                                              |                                                                                                                                                                                                                                       |

| Domain 4<br>Code Documentation and Structure                                                                                                                            | Domain 5<br>Troubleshooting and Error Handling                                                                                                                          | Domain 6<br>Operations Using Modules and Tools                                                                                                                                                                                                                          |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 4.1 Document code segments<br>4.1.1 Use indentation<br>4.1.2 Whitespace<br>4.1.3 Comments<br>4.1.4 Documentation strings<br>4.1.5 Generate documentation by using pydoc | 5.1 Analyze, detect, and fix code segments that have errors<br>5.1.1 Syntax errors<br>5.1.2 Logic errors<br>5.1.3 Runtime errors                                        | 6.1 Perform basic file system and command-line operations by using built-in modules<br>6.1.1 io<br>6.1.2 os<br>6.1.3 os.path<br>6.1.4 sys (importing modules, opening, reading and writing files, command-line arguments)                                               |
| 4.2 Construct and analyze code segments that include function definitions<br>4.2.1 Call signatures<br>4.2.2 Default values<br>4.2.3 return<br>4.2.4 def<br>4.2.5 pass   | 5.2 Analyze and construct code segments that handle exceptions<br>5.2.1 try<br>5.2.2 except<br>5.2.3 else<br>5.2.4 finally<br>5.2.5 raise                               | 6.2 Solve complex computing problems by using built-in modules<br>6.2.1 Math (fabs, ceil, floor, trunc, fmod, frexp, nan, isnan, sqrt, isqrt, pow, pi)<br>6.2.2 datetime (now, strptime, weekday)<br>6.2.3 random (randrange, randint, random, shuffle, choice, sample) |
|                                                                                                                                                                         | 5.3 Perform unit testing<br>5.3.1 unittest<br>5.3.2 Functions<br>5.3.3 Methods<br>5.3.4 Assert methods (assertIsInstance, assertEquals, assertTrue, assertIs, assertIn) |                                                                                                                                                                                                                                                                         |

# Lesson Plan

Approximately 34.5 hours of videos,  
application questions, and projects

## Python v2

# Domain 1 Lesson Plan

| Domain 1 - Operations Using Data Types and Operators [approximately 9.5 hours of videos, application questions, and projects] |                                                                                                                            |                                                                                                       |                           |                                                                                                                                                                            |
|-------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Lesson                                                                                                                        | Lesson Topic and Subtopics                                                                                                 | Objectives                                                                                            | Practical Application     | Workbook Projects and Files                                                                                                                                                |
| <b>Pre-Assessment</b><br>Assessment time - 00:30:00                                                                           | Operations Using Data Types and Operators: Pre-Assessment                                                                  |                                                                                                       |                           |                                                                                                                                                                            |
| <b>Lesson 1</b><br>Video time - 00:08:29<br>Practical application time - 00:00:00<br>Workbook time - 00:20:00                 | <b>Identify Data Types Part 1</b><br>How to Study for This Exam<br>What Is Python?<br>What Needs to Be Installed           | 1.1 Evaluate expressions to identify the data types Python assigns to variables                       | N/A                       | Python Introduction – pg. 7<br>N/A<br>Installing Python – pg. 8<br>Domain 1 Student folder                                                                                 |
| <b>Lesson 2</b><br>Video time - 00:10:14<br>Practical application time - 00:24:00<br>Workbook time - 00:35:00                 | <b>Identify Data Types Part 2</b><br>str<br>int<br>float<br>bool<br>Review on 1.1                                          | 1.1.1 str<br>1.1.2 int<br>1.1.3 float<br>1.1.4 bool                                                   | D1Q1-D1Q6 (6 questions)   | Strings and Integers – pg. 10<br>111-str.py<br>112-numbers.py<br>Floats and Booleans – pg. 11<br>113-numbers.py<br>114-boolean.py<br>Review 1.1 – pg. 12<br>114-analyze.py |
| <b>Lesson 3</b><br>Video time - 00:09:33<br>Practical application time - 00:16:00<br>Workbook time - 00:25:00                 | <b>Analyze Data Types and Operators Part 1</b><br>Data Type Conversion<br>Indexing                                         | 1.2 Perform and analyze data and data type operations<br>1.2.1 Data type conversion<br>1.2.2 Indexing | D1Q7-D1Q10 (4 questions)  | Data Type Conversion – pg. 14<br>121-conversion.py<br>Indexing – pg. 15<br>122-indexing.py                                                                                 |
| <b>Lesson 4</b><br>Video time - 00:08:44<br>Practical application time - 00:16:00<br>Workbook time - 00:15:00                 | <b>Analyze Data Types and Operators Part 2</b><br>Slicing<br>Construct Data Structures                                     | 1.2.3 Slicing<br>1.2.4 Construct data structures                                                      | D1Q11-D1Q14 (4 questions) | Slicing – pg. 17<br>123-slicing.py<br>Data Structures – pg. 18<br>N/A                                                                                                      |
| <b>Lesson 5</b><br>Video time - 00:13:47<br>Practical application time - 00:20:00                                             | <b>Analyze Data Types and Operators Part 3</b><br>Lists<br>List Operations<br>Review on 1.2 Part 1<br>Review on 1.2 Part 2 | 1.2.5 Lists<br>1.2.6 List operations                                                                  | D1Q15-D1Q19 (5 questions) | Lists and Their Operations – pg. 20<br>126-list_operations.py<br>Review 1.2 – pg. 21<br>126-list_operations.py<br>126-analyze.py                                           |

## Domain 1 - Operations Using Data Types and Operators [approximately 9.5 hours of videos, application questions, and projects]

| Lesson                                                                                                        | Lesson Topic and Subtopics                                                                                      | Objectives                                                                                                                    | Practical Application     | Workbook Projects and Files                                                                                                                                                          |
|---------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Workbook time - 00:20:00                                                                                      |                                                                                                                 |                                                                                                                               |                           |                                                                                                                                                                                      |
| <b>Lesson 6</b><br>Video time - 00:07:55<br>Practical application time - 00:24:00<br>Workbook time - 00:15:00 | <b>Sequence of Execution Part 1</b><br>Assignment Order<br>Comparison Order<br>Logical Order                    | 1.3 Determine the sequence of execution based on operator precedence<br>1.3.1 Assignment<br>1.3.2 Comparison<br>1.3.3 Logical | D1Q20-D1Q25 (6 questions) | Assignment Operators – pg. 23<br>N/A<br>Comparison Operators – pg. 24<br>N/A<br>Logical Operators – pg. 25<br>N/A                                                                    |
| <b>Lesson 7</b><br>Video time - 00:10:10<br>Practical application time - 00:20:00<br>Workbook time - 00:35:00 | <b>Sequence of Execution Part 2</b><br>Arithmetic Order<br>Identity Order<br>Containment Order<br>Review on 1.3 | 1.3.4 Arithmetic<br>1.3.5 Identity (is)<br>1.3.6 Containment (in)                                                             | D1Q26-D1Q30 (5 questions) | Arithmetic – pg. 27<br>134-arithmetic.py<br>Identity Operator – pg. 28<br>N/A<br>Containment Operator – pg. 29<br>N/A<br>Review 1.3 – pg. 30<br>N/A                                  |
| <b>Lesson 8</b><br>Video time - 00:12:35<br>Practical application time - 00:24:00<br>Workbook time - 00:20:00 | <b>Select Operators Part 1</b><br>Assignment<br>Comparison<br>Logical                                           | 1.4 Select operators to achieve the intended results<br>1.4.1 Assignment<br>1.4.2 Comparison<br>1.4.3 Logical                 | D1Q31-D1Q36 (6 questions) | Using Assignment Operators – pg. 32<br>N/A<br>Using Comparison Operators – pg. 33<br>N/A<br>Using Logical Operators – pg. 34<br>N/A                                                  |
| <b>Lesson 9</b><br>Video time - 00:12:15<br>Practical application time - 00:24:00<br>Workbook time - 00:25:00 | <b>Select Operators Part 2</b><br>Arithmetic<br>Identity<br>Containment<br>Review on 1.4                        | 1.4.4 Arithmetic<br>1.4.5 Identity (is)<br>1.4.6 Containment (in)                                                             | D1Q37-D1Q42 (6 questions) | Using Arithmetic Operators – pg. 36<br>N/A<br>Using the Identity Operator – pg. 37<br>N/A<br>Using the Containment Operator – pg. 38<br>N/A<br>Review 1.4 – pg. 39<br>146-analyze.py |
| <b>Post-Assessment</b><br>Assessment time - 01:00:00                                                          | Operations Using Data Types and Operators: Post-Assessment                                                      |                                                                                                                               |                           |                                                                                                                                                                                      |

# Domain 2 Lesson Plan

| Domain 2 - Flow Control with Decisions and Loops [approximately 4.5 hours of videos, application questions, and projects] |                                                                                                   |                                                                                                                                                                    |                           |                                                                                                                                                                                                                                       |
|---------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Lesson                                                                                                                    | Lesson Topic and Subtopics                                                                        | Objectives                                                                                                                                                         | Practical Application     | Workbook Projects and Files                                                                                                                                                                                                           |
| <b>Pre-Assessment</b><br>Assessment time - 00:30:00                                                                       | Flow Control with Decisions and Loops: Pre-Assessment                                             |                                                                                                                                                                    |                           |                                                                                                                                                                                                                                       |
| <b>Lesson 1</b><br>Video time - 00:16:04<br>Practical application time - 00:36:00<br>Workbook time - 00:25:00             | <b>Branching Statements</b><br>if<br>elif<br>else<br>Nested and Compound Conditions<br>Review 2.1 | 2.1 Construct and analyze code segments that use branching statements<br>2.1.1 if<br>2.1.2 elif<br>2.1.3 else<br>2.1.4 Nested and compound conditional expressions | D2Q1-D2Q9 (9 questions)   | Branching Statements: if – pg. 41<br>N/A<br>Branching Statements: elif – pg. 42<br>N/A<br>Branching Statements: else – pg. 43<br>N/A<br>Nested/Compound Conditions – pg. 44<br>214-nested.py<br>Review 2.1 – pg. 45<br>214-analyze.py |
| <b>Lesson 2</b><br>Video time - 00:11:45<br>Practical application time - 00:36:00<br>Workbook time - 00:15:00             | <b>Iteration Part 1</b><br>while<br>for<br>break<br>continue                                      | 2.2 Construct and analyze code segments that perform iteration<br>2.2.1 while<br>2.2.2 for<br>2.2.3 break<br>2.2.4 continue                                        | D2Q10-D2Q18 (9 questions) | Iteration: while – pg. 47<br>221-while.py<br>Iteration: for – pg. 48<br>222-for.py<br>Iteration: break and continue – pg. 49<br>224-continue.py                                                                                       |
| <b>Lesson 3</b><br>Video time - 00:08:21<br>Practical application time - 00:16:00<br>Workbook time - 00:20:00             | <b>Iteration Part 2</b><br>pass<br>Nested Loops<br>Loops with Compound Conditions<br>Review 2.2   | 2.2.5 pass<br>2.2.6 Nested loops<br>2.2.7 Loops that include compound conditional expressions                                                                      | D2Q19-D2Q22 (4 questions) | Iteration: pass – pg. 51<br>225-pass.py<br>Nested Loops – pg. 52<br>226-nested.py<br>Loops with Compound Conditions – pg. 53<br>227-compound.py<br>Review 2.2 – pg. 54<br>227-analyze.py                                              |
| <b>Post-Assessment</b><br>Assessment time - 01:00:00                                                                      | Flow Control with Decisions and Loops: Post-Assessment                                            |                                                                                                                                                                    |                           |                                                                                                                                                                                                                                       |

# Domain 3 Lesson Plan

## Domain 3 - Input and Output Operations [approximately 5 hours of videos, application questions, and projects]

| Lesson                                                                                                        | Lesson Topic and Subtopics                                                                                                            | Objectives                                                                                                                                                                                                                            | Practical Application     | Workbook Projects and Files                                                                                                                                                     |
|---------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Pre-Assessment</b><br>Assessment time - 00:30:00                                                           | Input and Output Operations: Pre-Assessment                                                                                           |                                                                                                                                                                                                                                       |                           |                                                                                                                                                                                 |
| <b>Lesson 1</b><br>Video time - 00:13:17<br>Practical application time - 00:40:00<br>Workbook time - 00:35:00 | <b>File Input and Output Part 1</b><br>open<br>close<br>read<br>write<br>append                                                       | 3.1 Construct and analyze code segments that perform file input and output operations<br>3.1.1 open<br>3.1.2 close<br>3.1.3 read<br>3.1.4 write<br>3.1.5 append                                                                       | D3Q1-D3Q10 (10 questions) | open and close – pg. 56<br>N/A<br>read – pg. 57<br>313-read.py<br>write – pg. 58<br>N/A<br>append – pg. 59<br>315-append.py                                                     |
| <b>Lesson 2</b><br>Video time - 00:09:18<br>Practical application time - 00:24:00<br>Workbook time - 00:20:00 | <b>File Input and Output Part 2</b><br>Check Existence<br>delete<br>with Statement<br>Review 3.1                                      | 3.1.6 Check existence<br>3.1.7 delete<br>3.1.8 with statement                                                                                                                                                                         | D3Q11-D3Q16 (6 questions) | Check Existence – pg. 61<br>N/A<br>delete – pg. 62<br>N/A<br>with Statement – pg. 63<br>318-with.py<br>Review 3.1 – pg. 64<br>318-analyze.py                                    |
| <b>Lesson 3</b><br>Video time - 00:14:43<br>Practical application time - 00:24:00<br>Workbook time - 00:35:00 | <b>Console Input and Output</b><br>Read Input from Console<br>Print Formatted Text<br>Use Command-Line Arguments<br>First Half Review | 3.2 Construct and analyze code segments that perform console input and output operations<br>3.2.1 Read input from console<br>3.2.2 Print formatted text (string.format() method, f-String method)<br>3.2.3 Use command-line arguments | D3Q17-D3Q22 (6 questions) | Read Input from Console – pg. 66<br>321-input.py<br>Print Formatted Text – pg. 67<br>N/A<br>Use Command-Line Arguments – pg. 68<br>323-command.py<br>Review 3.2 – pg. 69<br>N/A |
| <b>Post-Assessment</b><br>Assessment time - 01:00:00                                                          | Input and Output Operations: Post-Assessment                                                                                          |                                                                                                                                                                                                                                       |                           |                                                                                                                                                                                 |

# Domain 4 Lesson Plan

| Domain 4 - Code Documentation and Structure [approximately 5 hours of videos, application questions, and projects] |                                                                                                                                                  |                                                                                                                                                                         |                               |                                                                                                                                                                                                                                                              |
|--------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Lesson                                                                                                             | Lesson Topic and Subtopics                                                                                                                       | Objectives                                                                                                                                                              | Practical Application         | Workbook Projects and Files                                                                                                                                                                                                                                  |
| <b>Pre-Assessment</b><br>Assessment time - 00:30:00                                                                | Code Documentation and Structure: Pre-Assessment                                                                                                 |                                                                                                                                                                         |                               |                                                                                                                                                                                                                                                              |
| <b>Lesson 1</b><br>Video time - 00:14:35<br>Practical application time - 00:40:00<br>Workbook time - 00:55:00      | <b>Document Code Segments</b><br>Use Indentation<br>Whitespace<br>Comments<br>Documentation Strings<br>Use Pydoc for Documentation<br>Review 4.1 | 4.1 Document code segments<br>4.1.1 Use indentation<br>4.1.2 Whitespace<br>4.1.3 Comments<br>4.1.4 Documentation strings<br>4.1.5 Generate documentation by using pydoc | D4Q1-D4Q10<br>(10 questions)  | Use Indentation – pg. 71<br>N/A<br>Whitespace – pg. 72<br>N/A<br>Comments – pg. 73<br>413-comments.py<br>Documentation Strings – pg. 74<br>414-docstrings.py<br>Use Pydoc for Documentation – pg. 75<br>Datetime.txt<br>Review 4.1 – pg. 76<br>415-review.py |
| <b>Lesson 2</b><br>Video time - 00:13:10<br>Practical application time - 00:40:00<br>Workbook time - 00:45:00      | <b>Function Definitions</b><br>Call Signatures<br>Default Values<br>return<br>def<br>Use pass in Functions<br>Review 4.2                         | 4.2 Construct and analyze code segments that include function definitions<br>4.2.1 Call signatures<br>4.2.2 Default values<br>4.2.3 return<br>4.2.4 def<br>4.2.5 pass   | D4Q11-D4Q20<br>(10 questions) | Call Signatures – pg. 78<br>N/A<br>Default Values – pg. 79<br>422-default.py<br>Use return – pg. 80<br>N/A<br>Use def – pg. 81<br>424-def.py<br>Use pass in Functions – pg. 82<br>425-pass.py<br>Review 4.2 – pg. 83<br>425-analyze.py                       |
| <b>Post-Assessment</b><br>Assessment time - 01:00:00                                                               | Code Documentation and Structure: Post-Assessment                                                                                                |                                                                                                                                                                         |                               |                                                                                                                                                                                                                                                              |

# Domain 5 Lesson Plan

## Domain 5 - Troubleshooting and Error Handling [approximately 5 hours of videos, application questions, and projects]

| Lesson                                                                                                        | Lesson Topic and Subtopics                                                                                 | Objectives                                                                                                                                                              | Practical Application     | Workbook Projects and Files                                                                                                                                            |
|---------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Pre-Assessment</b><br>Assessment time - 00:30:00                                                           | Troubleshooting and Error Handling: Pre-Assessment                                                         |                                                                                                                                                                         |                           |                                                                                                                                                                        |
| <b>Lesson 1</b><br>Video time - 00:11:48<br>Practical application time - 00:28:00<br>Workbook time - 00:25:00 | <b>Analyze, Detect, and Fix Errors</b><br>Syntax Errors<br>Logic Errors<br>Runtime Errors<br>Review 5.1    | 5.1 Analyze, detect, and fix code segments that have errors<br>5.1.1 Syntax errors<br>5.1.2 Logic errors<br>5.1.3 Runtime errors                                        | D5Q1-D5Q7 (7 questions)   | Syntax Errors – pg. 85<br>511-syntax.py<br>Logic Errors – pg. 86<br>512-logic.py<br>Runtime Errors – pg. 87<br>513-runtime.py<br>Review 5.1 – pg. 88<br>513-analyze.py |
| <b>Lesson 2</b><br>Video time - 00:14:58<br>Practical application time - 00:40:00<br>Workbook time - 00:20:00 | <b>Exception Handling</b><br>try<br>except<br>else in Exception Handling<br>finally<br>raise<br>Review 5.2 | 5.2 Analyze and construct code segments that handle exceptions<br>5.2.1 try<br>5.2.2 except<br>5.2.3 else<br>5.2.4 finally<br>5.2.5 raise                               | D5Q8-D5Q17 (10 questions) | Exception Handling: try, except, else, and finally – pg. 90<br>N/A<br>Exception Handling: raise – pg. 91<br>N/A<br>Review 5.2 – pg. 92<br>525-analyze.py               |
| <b>Lesson 3</b><br>Video time - 00:11:38<br>Practical application time - 00:36:00<br>Workbook time - 00:20:00 | <b>Perform Unit Testing</b><br>Unittest<br>Functions<br>Methods<br>Assert Methods<br>Review 5.3            | 5.3 Perform unit testing<br>5.3.1 Unittest<br>5.3.2 Functions<br>5.3.3 Methods<br>5.3.4 Assert methods (assertIsInstance, assertEquals, assertTrue, assertIs, assertIn) | D5Q18-D5Q26 (9 questions) | Assert Methods – pg. 94<br>N/A<br>Functions and Methods – pg. 95<br>N/A<br>Review 5.3 – pg. 96<br>534-analyze.py                                                       |
| <b>Post-Assessment</b><br>Assessment time - 01:00:00                                                          | Troubleshooting and Error Handling: Post-Assessment                                                        |                                                                                                                                                                         |                           |                                                                                                                                                                        |

# Domain 6 Lesson Plan

| Domain 6 - Operations Using Modules and Tools [approximately 5.5 hours of videos, application questions, and projects] |                                                                                                  |                                                                                                                                                                                                                           |                            |                                                                                                                                                        |
|------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| Lesson                                                                                                                 | Lesson Topic and Subtopics                                                                       | Objectives                                                                                                                                                                                                                | Practical Application      | Workbook Projects and Files                                                                                                                            |
| <b>Pre-Assessment</b><br>Assessment time - 00:30:00                                                                    | Operations Using Modules and Tools: Pre-Assessment                                               |                                                                                                                                                                                                                           |                            |                                                                                                                                                        |
| <b>Lesson 1</b><br>Video time - 00:14:57<br>Practical application time - 00:36:00<br>Workbook time - 00:35:00          | <b>System and Command-Line Operations</b><br>io<br>os<br>os.path<br>sys<br>Review 6.1            | 6.1 Perform basic file system and command-line operations by using built-in modules<br>6.1.1 io<br>6.1.2 os<br>6.1.3 os.path<br>6.1.4 sys (importing modules, opening, reading and writing files, command-line arguments) | D6Q1-D6Q9 (9 questions)    | io – pg. 98<br>N/A<br>os – pg. 99<br>612-os.py<br>os.path – pg. 100<br>613-ospath.py<br>sys – pg. 101<br>N/A<br>Review 6.1 – pg. 102<br>614-analyze.py |
| <b>Lesson 2</b><br>Video time - 00:13:47<br>Practical application time - 00:56:00<br>Workbook time - 00:20:00          | <b>Solve Complex Problems Part 1</b><br>Math<br>isnan, sqrt, isqrt, and pi<br>datetime           | 6.2 Solve complex computing problems by using built-in modules<br>6.2.1 Math (fabs, ceil, floor, trunc, fmod, frexp, nan, isnan, sqrt, isqrt, pow, pi)<br>6.2.2 datetime(now, strftime, weekday)                          | D6Q10-D6Q23 (14 questions) | Math – pg. 104<br>N/A<br>isnan, sqrt, isqrt, and pi – pg. 105<br>N/A<br>datetime– pg. 106<br>622-datetime.py                                           |
| <b>Lesson 3</b><br>Video time - 00:10:37<br>Practical application time - 00:24:00<br>Workbook time - 00:30:00          | <b>Solve Complex Problems Part 2</b><br>Random with Numbers<br>Random with Lists<br>Final Review | 6.2.3 random (randrange, randint, random, shuffle, choice, sample)                                                                                                                                                        | D6Q24-D6Q29 (6 questions)  | Random with Numbers – pg. 108<br>N/A<br>Random with Lists – pg. 109<br>N/A<br>Review 6.2 – pg. 110<br>N/A                                              |
| <b>Post-Assessment</b><br>Assessment time - 01:00:00                                                                   | Operations Using Modules and Tools: Post-Assessment                                              |                                                                                                                                                                                                                           |                            |                                                                                                                                                        |