Rittal – The System.

Faster – better – everywhere.





# SK 3239.300


# Blue e+ outlet filter

State: 09/07/2026 (Source: rittal.com/com-en)

# SK 3239.300 - Blue e+ outlet filter

The outlet filter is used in conjunction with the corresponding fan-and-filter unit to dissipate heat loss from enclosures, ventilate the enclosure and protect temperature-sensitive components. This is achieved through the direct infeed of ambient air, the temperature of which must be lower than the permissible internal temperature of the enclosure.







## Features

| | |
|---|---|
| Model No. | SK 3239.300 |
| Design | wall-mounted |
| Benefits | Easy filter changes, thanks to a new opening mechanism on the louvred grille<br>Faster installation on the enclosure with optimised detent hooks<br>Tool-free assembly |
| Material | Plastic |
| Colour | RAL 7035 |
| Supply includes | Outlet filter<br>Pleated filter |
| Mounting cut-out | Cut-out width: 177 mm<br>Cut-out height: 177 mm |
| To fit Model No. | SK 3239.7xx |
| Dimensions | Width: 204 mm<br>Height: 204 mm<br>Depth: 45.8 mm |

© Rittal 2026

# Features

| | |
|---|---|
| Protection category NEMA | Type 12 with chopped-fibre filter/pleated filter<br>Type 3, 3R, 4, 4X with chopped-fibre filter/pleated filter and hose-proof hood |
| IP protection category to IEC 60 529 | IP 54 with chopped-fibre filter/pleated filter<br>IP 55 with pleated filter and absorber mat<br>IP 56 with chopped-fibre filter/pleated filter and hose-proof hood |
| Packs of | 1 pc(s). |
| Net weight | 0.37 kg |
| Gross weight | 0.473 kg |
| Customs tariff number | 39269097 |
| ETIM 9 | EC002513 |
| ETIM 8 | EC002513 |
| ECLASS 8.0 | 27180706 |
| Product description | SK Blue e+ outlet filter, for fan-and-filter unit 3239.7xx, WH 204 x 204 mm, RAL 7035 |

# Approvals

| | |
|---|---|
| Approvals | CSA<br>UL + C-UL - FTTA<br>UR + C-UR (recognized) |