Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for http://147.228.65.117/

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

1. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult **guidance on providing text alternatives for images**.

   From line 157, column 1518; to line 157, column 1695

   ```
   _blank' > <img

   src='http://147.228.65.117/wp-content/uploads/2015/04/American_Travel_Show-
   ```

2. **Error** Element `img` is missing required attribute `src`.

   From line 157, column 1779; to line 157, column 1883

   ```
   y: none'> <img data-src='http://147.228.65.117/wp-
   content/uploads/2015/01/CzT-banner-Billboard-468x60_1377.jpg' /> </a>
   ```

   Attributes for element `img`:

   [Global attributes](#)

   `alt` - Replacement text for use when images are not available

   `src` - Address of the resource

   `srcset` - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

   `sizes` - Image sizes between breakpoints

   `crossorigin` - How the element handles crossorigin requests

   `usemap` - Name of image map to use

   `ismap` - Whether the image is a server-side image map

   `width` - Horizontal dimension

   `height` - Vertical dimension

`longdesc` - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

3. **Error** **An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).**

From line 157, column 1779; to line 157, column 1883

```
y: none'> <img data-src='http://147.228.65.117/wp-
content/uploads/2015/01/CzT-banner-Billboard-468x60_1377.jpg' /> </a>
```

4. **Error** **Element `img` is missing required attribute `src`.**

From line 157, column 9417; to line 157, column 9528

```
h-tools'> <img data-src="http://147.228.65.117/wp-
content/uploads/2015/05/07finale.jpg" alt='Trace your family history' > </a>
```

Attributes for element `img`:

[Global attributes](#)

`alt` - Replacement text for use when images are not available

`src` - Address of the resource

`srcset` - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

`sizes` - Image sizes between breakpoints

`crossorigin` - How the element handles crossorigin requests

`usemap` - Name of [image map](#) to use

`ismap` - Whether the image is a server-side image map

`width` - Horizontal dimension

`height` - Vertical dimension

`longdesc` - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

5. **Error** **Element `img` is missing required attribute `src`.**

From line 157, column 9601; to line 157, column 9729

```
classic'> <img

data-src="http://147.228.65.117/wp-
```

Attributes for element `img`:

[Global attributes](#)

`alt` - Replacement text for use when images are not available

`src` - Address of the resource

`srcset` - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

`sizes` - Image sizes between breakpoints

crossorigin - How the element handles crossorigin requests

usemap - Name of image map to use

ismap - Whether the image is a server-side image map

width - Horizontal dimension

height - Vertical dimension

longdesc - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

6. **Error** **Element img is missing required attribute src.**

From line 157, column 9790; to line 157, column 9901

```
cooking'> <img data-src="http://147.228.65.117/wp-
content/uploads/2015/05/4.slideshow.kitchen.jpg" alt='Czech recipies' > </a>
```

Attributes for element img:

Global attributes

alt - Replacement text for use when images are not available

src - Address of the resource

srcset - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

sizes - Image sizes between breakpoints

crossorigin - How the element handles crossorigin requests

usemap - Name of image map to use

ismap - Whether the image is a server-side image map

width - Horizontal dimension

height - Vertical dimension

longdesc - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

7. **Error** **Element img is missing required attribute src.**

From line 157, column 9971; to line 157, column 10088

```
io-folk'> <img data-src="http://147.228.65.117/wp-
content/uploads/2015/05/3.slideshow.folk_radio.jpg" alt='Listen folk music' >
</a>
```

Attributes for element img:

Global attributes

alt - Replacement text for use when images are not available

src - Address of the resource

srcset - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

sizes - Image sizes between breakpoints

crossorigin - How the element handles crossorigin requests

usemap - Name of image map to use

`ismap` - Whether the image is a server-side image map

`width` - Horizontal dimension

`height` - Vertical dimension

`longdesc` - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

---

8. **Error** **Element `img` is missing required attribute `src`.**

From line 157, column 10147; to line 157, column 10262

`'/class'>` `<img data-src="http://147.228.65.117/wp-content/uploads/2015/05/2.slideshow.class.jpg" alt='Learn czech language' >` `</a>`

Attributes for element `img`:

Global attributes

`alt` - Replacement text for use when images are not available

`src` - Address of the resource

`srcset` - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

`sizes` - Image sizes between breakpoints

`crossorigin` - How the element handles crossorigin requests

`usemap` - Name of image map to use

`ismap` - Whether the image is a server-side image map

`width` - Horizontal dimension

`height` - Vertical dimension

`longdesc` - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

---

9. **Error** **Element `img` is missing required attribute `src`.**

From line 157, column 10325; to line 157, column 10444

`oadcast'>` `<img data-src="http://147.228.65.117/wp-content/uploads/2015/05/1.slideshow.broadcasts.jpg" alt='Archived broadcasts' >` `</a>`

Attributes for element `img`:

Global attributes

`alt` - Replacement text for use when images are not available

`src` - Address of the resource

`srcset` - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

`sizes` - Image sizes between breakpoints

`crossorigin` - How the element handles crossorigin requests

`usemap` - Name of image map to use

`ismap` - Whether the image is a server-side image map

`width` - Horizontal dimension

`height` - Vertical dimension

[longdesc](#) - A url that provides a link to an expanded description of the image, defined in

[html-longdesc]

10. **Error**   The `center` element is obsolete. [Use CSS instead](#).

From line 157, column 14643; to line 157, column 14650

```
='social'><center><a hre
```

11. **Error**   An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 157, column 14887; to line 157, column 14985

```
='_blank'><img src='http://147.228.65.117/wp-
content/themes/tv/images/instagram.png' width="42" height="42"></a><a
```

12. **Error**   An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 157, column 15242; to line 157, column 15350

```
="_blank"><img class='first' src="http://147.228.65.117/wp-
content/themes/tv/images/WESTERNFRATERNALLIFEWFLAnew.jpg" ></a><a
```

13. **Error**   The `scrolling` attribute on the `iframe` element is obsolete. [Use CSS instead](#).

From line 157, column 15504; to line 157, column 15912

```
"></a></p><iframe src="//www.facebook.com/plugins/likebox.php?
adapt_container_width=true&app_id=11386919863748…="border:none;
overflow:hidden; height:258px;" allowTransparency="true" class='fbLikeBox'>
```

14. **Error**   The `frameborder` attribute on the `iframe` element is obsolete. [Use CSS instead](#).

From line 157, column 15504; to line 157, column 15912

```
"></a></p><iframe src="//www.facebook.com/plugins/likebox.php?
adapt_container_width=true&app_id=11386919863748…="border:none;
overflow:hidden; height:258px;" allowTransparency="true" class='fbLikeBox'>
```

15. **Error**   The `allowtransparency` attribute on the `iframe` element is obsolete. [Use CSS instead](#).

From line 157, column 15504; to line 157, column 15912

```
"></a></p><iframe src="//www.facebook.com/plugins/likebox.php?
adapt_container_width=true&app_id=11386919863748…="border:none;
overflow:hidden; height:258px;" allowTransparency="true" class='fbLikeBox'>
```

16. **Error** Element `img` is missing required attribute `src`.

From line 157, column 17172; to line 157, column 17276

```
<img data-src="http://147.228.65.117/wp-
content/uploads/2014/07/czecht.logo_.jpg" alt="Czech turismus" > </a> <a
class='
```

Attributes for element `img`:

Global attributes

`alt` - Replacement text for use when images are not available

`src` - Address of the resource

`srcset` - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

`sizes` - Image sizes between breakpoints

`crossorigin` - How the element handles crossorigin requests

`usemap` - Name of image map to use

`ismap` - Whether the image is a server-side image map

`width` - Horizontal dimension

`height` - Vertical dimension

`longdesc` - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

17. **Error** Element `img` is missing required attribute `src`.

From line 157, column 17351; to line 157, column 17454

```
<img data-src="http://147.228.65.117/wp-
content/uploads/2016/11/fdu.zcu_.logo_.jpg" alt="Fakulta FDU" > </a> <a
class='
```

Attributes for element `img`:

Global attributes

`alt` - Replacement text for use when images are not available

`src` - Address of the resource

`srcset` - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

`sizes` - Image sizes between breakpoints

`crossorigin` - How the element handles crossorigin requests

`usemap` - Name of image map to use

`ismap` - Whether the image is a server-side image map

`width` - Horizontal dimension

`height` - Vertical dimension

longdesc - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

---

18. **Error** Element `img` is missing required attribute `src`.

From line 157, column 17528; to line 157, column 17644

`<img data-src="http://147.228.65.117/wp-content/uploads/2014/07/nulk.logo_.jpg" alt="Národní ústav lidové kultury" > </a> <a class='`

Attributes for element `img`:

Global attributes

`alt` - Replacement text for use when images are not available

`src` - Address of the resource

`srcset` - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

`sizes` - Image sizes between breakpoints

`crossorigin` - How the element handles crossorigin requests

`usemap` - Name of image map to use

`ismap` - Whether the image is a server-side image map

`width` - Horizontal dimension

`height` - Vertical dimension

`longdesc` - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

---

19. **Error** Element `img` is missing required attribute `src`.

From line 157, column 17731; to line 157, column 17834

`<img data-src="http://147.228.65.117/wp-content/uploads/2014/07/czech.c.logo_.jpg" alt="Czech center" > </a> <a class='`

Attributes for element `img`:

Global attributes

`alt` - Replacement text for use when images are not available

`src` - Address of the resource

`srcset` - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

`sizes` - Image sizes between breakpoints

`crossorigin` - How the element handles crossorigin requests

`usemap` - Name of image map to use

`ismap` - Whether the image is a server-side image map

`width` - Horizontal dimension

`height` - Vertical dimension

longdesc - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

20. **Error** **Element** `img` **is missing required attribute** `src`.

From line 157, column 17915; to line 157, column 18069

```
<img data-src="http://147.228.65.117/wp-content/uploads/2015/09/as.muzeii.partners.logo_.jpg" alt="The Czech Association of Museums and Galleries (AMG)" >
```

Attributes for element `img`:

Global attributes

`alt` - Replacement text for use when images are not available

`src` - Address of the resource

`srcset` - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

`sizes` - Image sizes between breakpoints

`crossorigin` - How the element handles crossorigin requests

`usemap` - Name of image map to use

`ismap` - Whether the image is a server-side image map

`width` - Horizontal dimension

`height` - Vertical dimension

`longdesc` - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

21. **Error** **Element** `img` **is missing required attribute** `src`.

From line 157, column 18146; to line 157, column 18306

```
<img data-src="http://147.228.65.117/wp-content/uploads/2015/01/University_Western_Bohemia_Faculty_Applied_Sciences_logo.jpg"
```

Attributes for element `img`:

Global attributes

`alt` - Replacement text for use when images are not available

`src` - Address of the resource

`srcset` - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

`sizes` - Image sizes between breakpoints

`crossorigin` - How the element handles crossorigin requests

`usemap` - Name of image map to use

`ismap` - Whether the image is a server-side image map

`width` - Horizontal dimension

`height` - Vertical dimension

longdesc - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

---

22. **Error** Element `img` is missing required attribute `src`.

From line 157, column 18385; to line 157, column 18533

```
<img data-src="http://147.228.65.117/wp-
content/uploads/2014/07/czech_techinical_University_electrical.logo_.jpg"
 alt="Czech technical univerzity" > </a> <a class='
```

Attributes for element `img`:

Global attributes

`alt` - Replacement text for use when images are not available

`src` - Address of the resource

`srcset` - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

`sizes` - Image sizes between breakpoints

`crossorigin` - How the element handles crossorigin requests

`usemap` - Name of image map to use

`ismap` - Whether the image is a server-side image map

`width` - Horizontal dimension

`height` - Vertical dimension

`longdesc` - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

---

23. **Error** Element `img` is missing required attribute `src`.

From line 157, column 18610; to line 157, column 18713

```
<img data-src="http://147.228.65.117/wp-
content/uploads/2016/11/fek.zcu_.logo_.jpg" alt="Fakulta FEK" > </a> <a
class='
```

Attributes for element `img`:

Global attributes

`alt` - Replacement text for use when images are not available

`src` - Address of the resource

`srcset` - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

`sizes` - Image sizes between breakpoints

`crossorigin` - How the element handles crossorigin requests

`usemap` - Name of image map to use

`ismap` - Whether the image is a server-side image map

`width` - Horizontal dimension

`height` - Vertical dimension

longdesc - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

24. **Error** Element `img` is missing required attribute `src`.

From line 157, column 18786; to line 157, column 18904

```
<img data-src="http://147.228.65.117/wp-content/uploads/2014/07/mpo.logo_.jpg" alt="Ministerstvo průmyslu a obchodu" > </a> <a class='
```

Attributes for element `img`:

Global attributes

`alt` - Replacement text for use when images are not available

`src` - Address of the resource

`srcset` - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

`sizes` - Image sizes between breakpoints

`crossorigin` - How the element handles crossorigin requests

`usemap` - Name of image map to use

`ismap` - Whether the image is a server-side image map

`width` - Horizontal dimension

`height` - Vertical dimension

`longdesc` - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

25. **Error** Element `img` is missing required attribute `src`.

From line 157, column 18987; to line 157, column 19097

```
<img data-src="http://147.228.65.117/wp-content/uploads/2015/04/pilsen.region.logo_.jpg" alt="Pilsen Region" > </a> <a class='
```

Attributes for element `img`:

Global attributes

`alt` - Replacement text for use when images are not available

`src` - Address of the resource

`srcset` - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

`sizes` - Image sizes between breakpoints

`crossorigin` - How the element handles crossorigin requests

`usemap` - Name of image map to use

`ismap` - Whether the image is a server-side image map

`width` - Horizontal dimension

`height` - Vertical dimension

longdesc - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

---

26. **Error** Element `img` is missing required attribute `src`.

From line 157, column 19175; to line 157, column 19292

```
<img data-src="http://147.228.65.117/wp-content/uploads/2015/09/ms.region.logo_.jpg" alt="Moravian-Silesian Region" > </a> <a class='
```

Attributes for element `img`:

Global attributes

`alt` - Replacement text for use when images are not available

`src` - Address of the resource

`srcset` - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

`sizes` - Image sizes between breakpoints

`crossorigin` - How the element handles crossorigin requests

`usemap` - Name of image map to use

`ismap` - Whether the image is a server-side image map

`width` - Horizontal dimension

`height` - Vertical dimension

`longdesc` - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

---

27. **Error** Element `img` is missing required attribute `src`.

From line 157, column 19377; to line 157, column 19487

```
<img data-src="http://147.228.65.117/wp-content/uploads/2015/04/Eastern_Moravia_1.jpg" alt="Eastern Moravia" > </a> <a class='
```

Attributes for element `img`:

Global attributes

`alt` - Replacement text for use when images are not available

`src` - Address of the resource

`srcset` - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

`sizes` - Image sizes between breakpoints

`crossorigin` - How the element handles crossorigin requests

`usemap` - Name of image map to use

`ismap` - Whether the image is a server-side image map

`width` - Horizontal dimension

`height` - Vertical dimension

longdesc - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

---

28. **Error** Element `img` is missing required attribute `src`.

From line 157, column 19569; to line 157, column 19692

```
<img data-src="http://147.228.65.117/wp-
content/uploads/2015/05/karlovy.vary_.region.logo_.jpg"
 alt="Karlovy Vary Region" > </a> <a class='
```

Attributes for element `img`:

Global attributes

`alt` - Replacement text for use when images are not available

`src` - Address of the resource

`srcset` - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

`sizes` - Image sizes between breakpoints

`crossorigin` - How the element handles crossorigin requests

`usemap` - Name of image map to use

`ismap` - Whether the image is a server-side image map

`width` - Horizontal dimension

`height` - Vertical dimension

`longdesc` - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

---

29. **Error** Element `img` is missing required attribute `src`.

From line 157, column 19776; to line 157, column 19891

```
<img data-src="http://147.228.65.117/wp-
content/uploads/2014/07/pardubicky.kraj_.logo_.jpg" alt="Pardubický kraj" >
</a> <a class='
```

Attributes for element `img`:

Global attributes

`alt` - Replacement text for use when images are not available

`src` - Address of the resource

`srcset` - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

`sizes` - Image sizes between breakpoints

`crossorigin` - How the element handles crossorigin requests

`usemap` - Name of image map to use

`ismap` - Whether the image is a server-side image map

`width` - Horizontal dimension

`height` - Vertical dimension

longdesc - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

---

30. **Error** Element `img` is missing required attribute `src`.

From line 157, column 19972; to line 157, column 20095

`<img data-`src="http://147.228.65.117/wp-content/uploads/2015/06/stredocesky.kraj_.logo_.jpg" alt="Central Bohemia Region" > <a c`lass='`

Attributes for element `img`:

Global attributes

alt - Replacement text for use when images are not available

src - Address of the resource

srcset - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

sizes - Image sizes between breakpoints

crossorigin - How the element handles crossorigin requests

usemap - Name of image map to use

ismap - Whether the image is a server-side image map

width - Horizontal dimension

height - Vertical dimension

longdesc - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

---

31. **Error** Element `img` is missing required attribute `src`.

From line 157, column 20180; to line 157, column 20286

`<img data-`src="http://147.228.65.117/wp-content/uploads/2015/01/liberec.region.jpg" alt="Liberec Region" > <a class='`

Attributes for element `img`:

Global attributes

alt - Replacement text for use when images are not available

src - Address of the resource

srcset - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

sizes - Image sizes between breakpoints

crossorigin - How the element handles crossorigin requests

usemap - Name of image map to use

ismap - Whether the image is a server-side image map

width - Horizontal dimension

height - Vertical dimension

longdesc - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

---

32. **Error** **Element** `img` **is missing required attribute** `src`.

From line 157, column 20374; to line 157, column 20497

```
<img data-src="http://147.228.65.117/wp-content/uploads/2014/07/hradeckralove.kraj_.logo_.jpg" alt="Královéhradecký kraj" > </a> <a class='
```

Attributes for element `img`:

Global attributes

alt - Replacement text for use when images are not available

src - Address of the resource

srcset - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

sizes - Image sizes between breakpoints

crossorigin - How the element handles crossorigin requests

usemap - Name of image map to use

ismap - Whether the image is a server-side image map

width - Horizontal dimension

height - Vertical dimension

longdesc - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

---

33. **Error** **Element** `img` **is missing required attribute** `src`.

From line 157, column 20582; to line 157, column 20691

```
<img data-src="http://147.228.65.117/wp-content/uploads/2014/07/jizni.morava.logo_.jpg" alt="South Moravia" > </a> <a class='
```

Attributes for element `img`:

Global attributes

alt - Replacement text for use when images are not available

src - Address of the resource

srcset - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

sizes - Image sizes between breakpoints

crossorigin - How the element handles crossorigin requests

usemap - Name of image map to use

ismap - Whether the image is a server-side image map

width - Horizontal dimension

height - Vertical dimension

longdesc - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

---

34. **Error** Element `img` is missing required attribute `src`.

From line 157, column 20772; to line 157, column 20872

`<img data-`<mark>`src="http://147.228.65.117/wp-content/uploads/2014/07/usti.logo_.jpg" alt="Ústecký kraj" > </a> <a c`</mark>`lass='`

Attributes for element `img`:

Global attributes

`alt` - Replacement text for use when images are not available

`src` - Address of the resource

`srcset` - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

`sizes` - Image sizes between breakpoints

`crossorigin` - How the element handles crossorigin requests

`usemap` - Name of image map to use

`ismap` - Whether the image is a server-side image map

`width` - Horizontal dimension

`height` - Vertical dimension

`longdesc` - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

---

35. **Error** Element `img` is missing required attribute `src`.

From line 157, column 20955; to line 157, column 21069

`<img data-`<mark>`src="http://147.228.65.117/wp-content/uploads/2014/07/eastern.bohemia.logo_.jpg" alt="Eastern Bohemia" > </a> <a class='`</mark>

Attributes for element `img`:

Global attributes

`alt` - Replacement text for use when images are not available

`src` - Address of the resource

`srcset` - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

`sizes` - Image sizes between breakpoints

`crossorigin` - How the element handles crossorigin requests

`usemap` - Name of image map to use

`ismap` - Whether the image is a server-side image map

`width` - Horizontal dimension

`height` - Vertical dimension

`longdesc` - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

36. **Error** **Element** `img` **is missing required attribute** `src`.

From line 157, column 21147; to line 157, column 21247

`<img data-`<mark>`src="http://147.228.65.117/wp-content/uploads/2014/07/slovacko.logo_.jpg" alt="Slovácko" > </a> <a class='`</mark>

Attributes for element `img`:

Global attributes

`alt` - Replacement text for use when images are not available

`src` - Address of the resource

`srcset` - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

`sizes` - Image sizes between breakpoints

`crossorigin` - How the element handles crossorigin requests

`usemap` - Name of image map to use

`ismap` - Whether the image is a server-side image map

`width` - Horizontal dimension

`height` - Vertical dimension

`longdesc` - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

37. **Error** **Element** `img` **is missing required attribute** `src`.

From line 157, column 21329; to line 157, column 21434

`<img data-`<mark>`src="http://147.228.65.117/wp-content/uploads/2015/09/susice.partners.logo_.jpg" alt="Susice" > </a> <a class='`</mark>

Attributes for element `img`:

Global attributes

`alt` - Replacement text for use when images are not available

`src` - Address of the resource

`srcset` - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

`sizes` - Image sizes between breakpoints

`crossorigin` - How the element handles crossorigin requests

`usemap` - Name of image map to use

`ismap` - Whether the image is a server-side image map

`width` - Horizontal dimension

`height` - Vertical dimension

`longdesc` - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

38. **Error** **Element** `img` **is missing required attribute** `src`.

From line 157, column 21511; to line 157, column 21605

```
<img data-src="http://147.228.65.117/wp-
content/uploads/2014/08/decin.logo_.jpg" alt="Děčín" > </a> <a class='
```

Attributes for element img:

Global attributes

alt - Replacement text for use when images are not available

src - Address of the resource

srcset - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

sizes - Image sizes between breakpoints

crossorigin - How the element handles crossorigin requests

usemap - Name of image map to use

ismap - Whether the image is a server-side image map

width - Horizontal dimension

height - Vertical dimension

longdesc - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

39. **Error** **Element** img **is missing required attribute** src **.**

From line 157, column 21683; to line 157, column 21788

```
<img data-src="http://147.228.65.117/wp-
content/uploads/2014/07/hodinin.mesto_.logo_.jpg" alt="Hodonín" > </a> <a
class='
```

Attributes for element img:

Global attributes

alt - Replacement text for use when images are not available

src - Address of the resource

srcset - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

sizes - Image sizes between breakpoints

crossorigin - How the element handles crossorigin requests

usemap - Name of image map to use

ismap - Whether the image is a server-side image map

width - Horizontal dimension

height - Vertical dimension

longdesc - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

40. **Error** **Element** img **is missing required attribute** src **.**

From line 157, column 21869; to line 157, column 21965

```
<img data-src="http://147.228.65.117/wp-
content/uploads/2014/07/znojmo.logo_.jpg" alt="Znojmo" > </a> <a class='
```

Attributes for element img:

Global attributes

alt - Replacement text for use when images are not available

src - Address of the resource

srcset - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

sizes - Image sizes between breakpoints

crossorigin - How the element handles crossorigin requests

usemap - Name of image map to use

ismap - Whether the image is a server-side image map

width - Horizontal dimension

height - Vertical dimension

longdesc - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

41. **Error** **Element** img **is missing required attribute** src **.**

From line 157, column 22045; to line 157, column 22139

```
<img data-src="http://147.228.65.117/wp-
content/uploads/2014/07/kyjov.logo_.jpg" alt="Kyjov" > </a> <a class='
```

Attributes for element img:

Global attributes

alt - Replacement text for use when images are not available

src - Address of the resource

srcset - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

sizes - Image sizes between breakpoints

crossorigin - How the element handles crossorigin requests

usemap - Name of image map to use

ismap - Whether the image is a server-side image map

width - Horizontal dimension

height - Vertical dimension

longdesc - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

42. **Error** **Element** img **is missing required attribute** src **.**

From line 157, column 22224; to line 157, column 22324

```
<img data-src="http://147.228.65.117/wp-
content/uploads/2014/07/mesto.kromeriz.jpg" alt="Kroměříž" > </a> <a class='
```

Attributes for element img:

Global attributes

`alt` - Replacement text for use when images are not available

`src` - Address of the resource

`srcset` - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

`sizes` - Image sizes between breakpoints

`crossorigin` - How the element handles crossorigin requests

`usemap` - Name of image map to use

`ismap` - Whether the image is a server-side image map

`width` - Horizontal dimension

`height` - Vertical dimension

`longdesc` - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

43. **Error** **Element** `img` **is missing required attribute** `src`.

From line 157, column 22403; to line 157, column 22513

`<img data-src="http://147.228.65.117/wp-content/uploads/2014/07/jablonec.logo_.jpg" alt="Jablonec nad Nisou" > </a> <a class='`

Attributes for element `img`:

Global attributes

`alt` - Replacement text for use when images are not available

`src` - Address of the resource

`srcset` - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

`sizes` - Image sizes between breakpoints

`crossorigin` - How the element handles crossorigin requests

`usemap` - Name of image map to use

`ismap` - Whether the image is a server-side image map

`width` - Horizontal dimension

`height` - Vertical dimension

`longdesc` - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

44. **Error** **Element** `img` **is missing required attribute** `src`.

From line 157, column 22591; to line 157, column 22683

`<img data-src="http://147.228.65.117/wp-content/uploads/2014/07/telc.logo_.jpg" alt="Telč" > </a> <a class='`

Attributes for element `img`:

Global attributes

`alt` - Replacement text for use when images are not available

`src` - Address of the resource

`srcset` - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

`sizes` - Image sizes between breakpoints

`crossorigin` - How the element handles crossorigin requests

`usemap` - Name of image map to use

`ismap` - Whether the image is a server-side image map

`width` - Horizontal dimension

`height` - Vertical dimension

`longdesc` - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

---

45. **Error** **Element `img` is missing required attribute `src`.**

From line 157, column 22758; to line 157, column 22856

`<img data-`src="http://147.228.65.117/wp-content/uploads/2014/07/city.brno_.logo_.jpg" alt="Brno" > <a class='`

Attributes for element `img`:

Global attributes

`alt` - Replacement text for use when images are not available

`src` - Address of the resource

`srcset` - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

`sizes` - Image sizes between breakpoints

`crossorigin` - How the element handles crossorigin requests

`usemap` - Name of image map to use

`ismap` - Whether the image is a server-side image map

`width` - Horizontal dimension

`height` - Vertical dimension

`longdesc` - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

---

46. **Error** **Element `img` is missing required attribute `src`.**

From line 157, column 22933; to line 157, column 23031

`<img data-`src="http://147.228.65.117/wp-content/uploads/2014/07/hluboka.logo_.jpg" alt="Hluboká" > <a class='`

Attributes for element `img`:

Global attributes

`alt` - Replacement text for use when images are not available

`src` - Address of the resource

`srcset` - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

sizes - Image sizes between breakpoints

crossorigin - How the element handles crossorigin requests

usemap - Name of image map to use

ismap - Whether the image is a server-side image map

width - Horizontal dimension

height - Vertical dimension

longdesc - A url that provides a link to an expanded description of the image, defined in

[html-longdesc]

---

47. **Error** **Element** `img` **is missing required attribute** `src`.

From line 157, column 23110; to line 157, column 23212

```
<img data-src="http://147.228.65.117/wp-
content/uploads/2015/12/pardubice.logo_.jpg" alt="Pardubice" > </a> <a class='
```

Attributes for element `img`:

Global attributes

alt - Replacement text for use when images are not available

src - Address of the resource

srcset - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

sizes - Image sizes between breakpoints

crossorigin - How the element handles crossorigin requests

usemap - Name of image map to use

ismap - Whether the image is a server-side image map

width - Horizontal dimension

height - Vertical dimension

longdesc - A url that provides a link to an expanded description of the image, defined in

[html-longdesc]

---

48. **Error** **Element** `img` **is missing required attribute** `src`.

From line 157, column 23294; to line 157, column 23403

```
<img data-src="http://147.228.65.117/wp-
content/uploads/2015/11/frydekmistek.logo_.jpg" alt="Frydek-Mistek" > </a> <a
class='
```

Attributes for element `img`:

Global attributes

alt - Replacement text for use when images are not available

src - Address of the resource

srcset - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

sizes - Image sizes between breakpoints

crossorigin - How the element handles crossorigin requests

usemap - Name of [image map](#) to use

ismap - Whether the image is a server-side image map

width - Horizontal dimension

height - Vertical dimension

[longdesc](#) - A url that provides a link to an expanded description of the image, defined in

[html-longdesc]

---

49. `Error` **Element `img` is missing required attribute `src`.**

From line 157, column 23480; to line 157, column 23586

```
<img data-src="http://147.228.65.117/wp-
content/uploads/2015/11/karvina.logo_.jpg" alt="Town of Karvina" > </a> <a
class='
```

Attributes for element `img`:

[Global attributes](#)

alt - Replacement text for use when images are not available

src - Address of the resource

srcset - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

sizes - Image sizes between breakpoints

crossorigin - How the element handles crossorigin requests

usemap - Name of [image map](#) to use

ismap - Whether the image is a server-side image map

width - Horizontal dimension

height - Vertical dimension

[longdesc](#) - A url that provides a link to an expanded description of the image, defined in

[html-longdesc]

---

50. `Error` **Element `img` is missing required attribute `src`.**

From line 157, column 23660; to line 157, column 23751

```
<img data-src="http://147.228.65.117/wp-
content/uploads/2014/05/zlin_logo.jpg" alt="Zlin" > </a> <a class='
```

Attributes for element `img`:

[Global attributes](#)

alt - Replacement text for use when images are not available

src - Address of the resource

srcset - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

sizes - Image sizes between breakpoints

crossorigin - How the element handles crossorigin requests

usemap - Name of [image map](#) to use

ismap - Whether the image is a server-side image map

width - Horizontal dimension

height - Vertical dimension

longdesc - A url that provides a link to an expanded description of the image, defined in
[html-longdesc]

---

51. **Error** **Element** `img` **is missing required attribute** `src`.

From line 157, column 23831; to line 157, column 23933

```
<img data-src="http://147.228.65.117/wp-content/uploads/2014/07/n.jicin_.logo_.jpg" alt="Nový Jičín" > </a> <a class='
```

Attributes for element `img`:

Global attributes

alt - Replacement text for use when images are not available

src - Address of the resource

srcset - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

sizes - Image sizes between breakpoints

crossorigin - How the element handles crossorigin requests

usemap - Name of image map to use

ismap - Whether the image is a server-side image map

width - Horizontal dimension

height - Vertical dimension

longdesc - A url that provides a link to an expanded description of the image, defined in
[html-longdesc]

---

52. **Error** **Element** `img` **is missing required attribute** `src`.

From line 157, column 24016; to line 157, column 24112

```
<img data-src="http://147.228.65.117/wp-content/uploads/2015/02/trebon.logo_.jpg" alt="Třeboň" > </a> <a class='
```

Attributes for element `img`:

Global attributes

alt - Replacement text for use when images are not available

src - Address of the resource

srcset - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

sizes - Image sizes between breakpoints

crossorigin - How the element handles crossorigin requests

usemap - Name of image map to use

ismap - Whether the image is a server-side image map

width - Horizontal dimension

height - Vertical dimension

`longdesc` - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

---

53.   **Error**   **Element** `img` **is missing required attribute** `src`.

From line 157, column 24189; to line 157, column 24287

```
<img data-src="http://147.228.65.117/wp-content/uploads/2015/11/mikulov.logo_.jpg" alt="Mikulov" > </a> <a class='
```

Attributes for element `img`:

Global attributes

`alt` - Replacement text for use when images are not available

`src` - Address of the resource

`srcset` - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

`sizes` - Image sizes between breakpoints

`crossorigin` - How the element handles crossorigin requests

`usemap` - Name of image map to use

`ismap` - Whether the image is a server-side image map

`width` - Horizontal dimension

`height` - Vertical dimension

`longdesc` - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

---

54.   **Error**   **Element** `img` **is missing required attribute** `src`.

From line 157, column 24367; to line 157, column 24461

```
<img data-src="http://147.228.65.117/wp-content/uploads/2014/07/opava.logo_.jpg" alt="Opava" > </a> <a class='
```

Attributes for element `img`:

Global attributes

`alt` - Replacement text for use when images are not available

`src` - Address of the resource

`srcset` - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

`sizes` - Image sizes between breakpoints

`crossorigin` - How the element handles crossorigin requests

`usemap` - Name of image map to use

`ismap` - Whether the image is a server-side image map

`width` - Horizontal dimension

`height` - Vertical dimension

`longdesc` - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

55. **Error** **Element** `img` **is missing required attribute** `src`.

From line 157, column 24543; to line 157, column 24655

`<img data-src="http://147.228.65.117/wp-content/uploads/2014/07/c.budejovice.logo_.jpg" alt="České Budějovice" > </a> <a class='`

Attributes for element `img`:

Global attributes

`alt` - Replacement text for use when images are not available

`src` - Address of the resource

`srcset` - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

`sizes` - Image sizes between breakpoints

`crossorigin` - How the element handles crossorigin requests

`usemap` - Name of image map to use

`ismap` - Whether the image is a server-side image map

`width` - Horizontal dimension

`height` - Vertical dimension

`longdesc` - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

56. **Error** **Element** `img` **is missing required attribute** `src`.

From line 157, column 24745; to line 157, column 24847

`<img data-src="http://147.228.65.117/wp-content/uploads/2014/07/chicago.s.c.logo_.jpg" alt="Chicago" > </a> <a class='`

Attributes for element `img`:

Global attributes

`alt` - Replacement text for use when images are not available

`src` - Address of the resource

`srcset` - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

`sizes` - Image sizes between breakpoints

`crossorigin` - How the element handles crossorigin requests

`usemap` - Name of image map to use

`ismap` - Whether the image is a server-side image map

`width` - Horizontal dimension

`height` - Vertical dimension

`longdesc` - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

57. **Error** **Element** `img` **is missing required attribute** `src`.

From line 157, column 24925; to line 157, column 25032

```
<img data-src="http://147.228.65.117/wp-
content/uploads/2014/07/radio.praha_.logo_.jpg" alt="Radio Praha" > </a> <a
class='
```

Attributes for element [img]:

   [Global attributes]

   `alt` - Replacement text for use when images are not available

   `src` - Address of the resource

   `srcset` - Images to use in different situations (e.g., high-resolution displays, small monitors,
   etc)

   `sizes` - Image sizes between breakpoints

   `crossorigin` - How the element handles crossorigin requests

   `usemap` - Name of [image map] to use

   `ismap` - Whether the image is a server-side image map

   `width` - Horizontal dimension

   `height` - Vertical dimension

   [longdesc] - A url that provides a link to an expanded description of the image, defined in
   [html-longdesc]

58.   **Error**   **Element** [img] **is missing required attribute** `src`.

   From line 157, column 25110; to line 157, column 25208

```
<img data-src="http://147.228.65.117/wp-
content/uploads/2014/07/krajane.logo_.jpg" alt="Krajané" > </a> <a class='
```

   Attributes for element [img]:

      [Global attributes]

      `alt` - Replacement text for use when images are not available

      `src` - Address of the resource

      `srcset` - Images to use in different situations (e.g., high-resolution displays, small monitors,
      etc)

      `sizes` - Image sizes between breakpoints

      `crossorigin` - How the element handles crossorigin requests

      `usemap` - Name of [image map] to use

      `ismap` - Whether the image is a server-side image map

      `width` - Horizontal dimension

      `height` - Vertical dimension

      [longdesc] - A url that provides a link to an expanded description of the image, defined in
      [html-longdesc]

59.   **Error**   **Element** [img] **is missing required attribute** `src`.

   From line 157, column 25286; to line 157, column 25398

```
<img data-src="http://147.228.65.117/wp-
content/uploads/2014/07/ceska.televize.logo_.jpg" alt="Česká televize" > </a>
<a class='
```

Attributes for element <u>img</u>:

  <u>Global attributes</u>

  `alt` - Replacement text for use when images are not available

  `src` - Address of the resource

  `srcset` - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

  `sizes` - Image sizes between breakpoints

  `crossorigin` - How the element handles crossorigin requests

  `usemap` - Name of <u>image map</u> to use

  `ismap` - Whether the image is a server-side image map

  `width` - Horizontal dimension

  `height` - Vertical dimension

  <u>longdesc</u> - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

---

60. **Error**   **Element** <u>img</u> **is missing required attribute** `src`.

From line 157, column 25471; to line 157, column 25561

```
<img data-src="http://147.228.65.117/wp-
content/uploads/2016/01/wmp.logo_.jpg" alt="WMP" > </a> <a class='
```

Attributes for element <u>img</u>:

  <u>Global attributes</u>

  `alt` - Replacement text for use when images are not available

  `src` - Address of the resource

  `srcset` - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

  `sizes` - Image sizes between breakpoints

  `crossorigin` - How the element handles crossorigin requests

  `usemap` - Name of <u>image map</u> to use

  `ismap` - Whether the image is a server-side image map

  `width` - Horizontal dimension

  `height` - Vertical dimension

  <u>longdesc</u> - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

---

61. **Error**   **Element** <u>img</u> **is missing required attribute** `src`.

From line 157, column 25637; to line 157, column 25731

```
<img data-src="http://147.228.65.117/wp-
content/uploads/2014/07/denik.logo_.jpg" alt="Deník" > </a> <a class='
```

Attributes for element <u>img</u>:

    <u>Global attributes</u>

    `alt` - Replacement text for use when images are not available

    `src` - Address of the resource

    `srcset` - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

    `sizes` - Image sizes between breakpoints

    `crossorigin` - How the element handles crossorigin requests

    `usemap` - Name of <u>image map</u> to use

    `ismap` - Whether the image is a server-side image map

    `width` - Horizontal dimension

    `height` - Vertical dimension

    <u>longdesc</u> - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

---

62. **Error** **Element <u>img</u> is missing required attribute `src`.**

From line 157, column 25806; to line 157, column 25896

`<img data-`<mark>`src="http://147.228.65.117/wp-content/uploads/2014/07/laa.logo_.jpg" alt="LAA"`</mark>` > </a> <a class='`

Attributes for element <u>img</u>:

    <u>Global attributes</u>

    `alt` - Replacement text for use when images are not available

    `src` - Address of the resource

    `srcset` - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

    `sizes` - Image sizes between breakpoints

    `crossorigin` - How the element handles crossorigin requests

    `usemap` - Name of <u>image map</u> to use

    `ismap` - Whether the image is a server-side image map

    `width` - Horizontal dimension

    `height` - Vertical dimension

    <u>longdesc</u> - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

---

63. **Error** **Element <u>img</u> is missing required attribute `src`.**

From line 157, column 25973; to line 157, column 26074

`<img data-`<mark>`src="http://147.228.65.117/wp-content/uploads/2014/01/za.nosem_.logo_.jpg" alt="Za Nosem"`</mark>` > </a> </div> </d`

Attributes for element <u>img</u>:

    <u>Global attributes</u>

    `alt` - Replacement text for use when images are not available

`src` - Address of the resource

`srcset` - Images to use in different situations (e.g., high-resolution displays, small monitors, etc)

`sizes` - Image sizes between breakpoints

`crossorigin` - How the element handles crossorigin requests

`usemap` - Name of [image map](#) to use

`ismap` - Whether the image is a server-side image map

`width` - Horizontal dimension

`height` - Vertical dimension

[longdesc](#) - A url that provides a link to an expanded description of the image, defined in [html-longdesc]

64. **Error** **Stray end tag** `div`.

From line 157, column 26131; to line 157, column 26136

`</div><footer class='f`

Document checking completed.

Used the HTML parser. Externally specified character encoding was UTF-8.

Total execution time 257 milliseconds.