



**Verified Carbon
Standard**

ANGOLA CARACULO PV PLANT



Document Prepared by

Eni S.p.A.

Project Title	Angola Caraculo PV Plant
Version	0
Date of Issue	20-December-2022
Prepared By	Eni S.p.A.
Contact	Francesco Schio Address: Via Emilia 1, San Donato Milanese (MI), Italy Telephone: +39 0252042086 Email: francesco.schio@eni.com Website: https://www.eni.com/it-IT/home.html

CONTENTS

1	PROJECT DETAILS.....	4
1.1	Summary Description of the Project	4
1.2	Sectoral Scope and Project Type	4
1.3	Project Eligibility	4
1.4	Project Design	5
1.5	Project Proponent	5
1.6	Other Entities Involved in the Project	5
1.7	Ownership.....	6
1.8	Project Start Date	6
1.9	Project Crediting Period	6
1.10	Project Scale and Estimated GHG Emission Reductions or Removals	6
1.11	Description of the Project Activity	6
1.12	Project Location	7
1.13	Conditions Prior to Project Initiation	9
1.14	Compliance with Laws, Statutes and Other Regulatory Frameworks	9
1.15	Participation under Other GHG Programs	11
1.16	Other Forms of Credit.....	11
1.17	Sustainable Development Contributions	11
1.18	Additional Information Relevant to the Project	12
2	SAFEGUARDS	13
2.1	No Net Harm	13
2.2	Local Stakeholder Consultation	13
2.3	Environmental Impact	13
2.4	Public Comments	13
2.5	AFOLU-Specific Safeguards	13
3	APPLICATION OF METHODOLOGY.....	13
3.1	Title and Reference of Methodology	13
3.2	Applicability of Methodology	14
3.3	Project Boundary	18
3.4	Baseline Scenario	18

3.5	Additionality	18
3.6	Methodology Deviations	18
4	QUANTIFICATION OF GHG EMISSION REDUCTIONS AND REMOVALS	18
4.1	Baseline Emissions	19
4.2	Project Emissions	19
4.3	Leakage.....	19
4.4	Net GHG Emission Reductions and Removals	19
5	MONITORING	19
5.1	Data and Parameters Available at Validation	19
5.2	Data and Parameters Monitored.....	19
5.3	Monitoring Plan.....	19

1 PROJECT DETAILS

1.1 Summary Description of the Project

The proposed project activity aims to generate renewable electricity through a 25MWp photovoltaic power plant located in Caraculo, Namibe province, in Angola Southern Region, which currently relies mainly on diesel thermal plants for electricity production. The project is implemented by Solenova, a company jointly owned by Sonangol and Eni Angola.

This project activity represents the first phase of a larger photovoltaic project having a total capacity of up to 50 MWp. The overall project is implemented in following phases as requested by the Rede Nacional de Transporte (“RNT”) as the sole offtaker, taking into consideration the current load and the need to ensure the full dispatchability of the energy produced. The first phase of 25 MWp will be followed by a second or more phases, up to 25 MWp as soon as the electricity load of the grid increases and RNT requires the additional photovoltaic plant (“PV plant”) capacity.

The area identified for the project is located 2 km west from Caraculo village (Namibe Province), adjacent to the EN 280 road and the South Transmission Grid. The area covers about 165 ha and was proposed for this initiative by the Province Authorities. The provisional concession of the land (Título de Concessão de Terras 28/GPN/2019)- which grants the right to build the plant within a timeline of three years, was issued by the Namibe Provincial Government on August 22nd, 2019, and has been extended for another three more years in July 2022.

The Concession Agreement for the construction and operation of the Caraculo PV Plant was signed in the second half of 2019 and approved through Presidential Decree No. 341/19 of 20 November.

The scope of Caraculo project is to ensure a reliable production of electrical renewable power to be dispatched into the Southern Transmission Grid of the Country, which currently relies mainly on diesel thermal plants for its supply. The expected annual average energy production over the 24 years project technical lifetime is up to 59 GWh/year. The scope of works also includes the construction of a MV/HV substation inside the project area.

The project first phase implementation (25 MWp) will permit a diesel consumption reduction of about 18.000 m3/year. The average annual GHG emission reduction expected with the implementation of the project activity is around 50,000 tCO_{2e} per year.

1.2 Sectoral Scope and Project Type

The project is categorized as below:

- Sectoral scope: 01 - Energy industries (renewable/non-renewable sources);
- Project type: Renewable energy project;
- Grouped project: No.

1.3 Project Eligibility

The project is eligible under the scope of the VCS Program, according to the VCS Standard v4.3, under point 2.1.1.4) “Project activities supported by a methodology approved under an approved GHG program, unless explicitly excluded”.

The project is a large-scale (designations are as per CDM definitions) grid-connected photovoltaic power plant developed in Angola which is listed as a Least Developed Country (LDC) by the United Nations and is then eligible for the scope of the VCS Program, according to Table 1 of the VCS Standard v4.3.

1.4 Project Design

- ☒ The project includes a single location or installation only
- ☐ The project includes multiple locations or project activity instances, but is not being developed as a grouped project
- ☐ The project is a grouped project

1.5 Project Proponent

Organization name	Solenova Ltd
Contact person	Jaime Luzolo
Title	Managing Director
Address	Av. 4 de Fevereiro,197, Torres Atlántico. Luanda, Angola
Telephone	+244 222 637 440
Email	info@azule-energy.com

1.6 Other Entities Involved in the Project

Organization name	Eni S.p.A.
Role in the project	Project Consultant
Contact person	Francesco Schio
Title	Carbon credits portfolio management specialist

Address	20097 Via Emilia 1, San Donato Milanese (MI), Italy
Telephone	+39 0252042086
Email	Francesco.schio@eni.com

1.7 Ownership

Solenova Ltd is the owner of the project by means of Shareholders' Agreement.

1.8 Project Start Date

According to the VCS Standard v4.3, the project start date of a non-AFOLU project is the date on which the project began generating GHG emission reductions or removals. Start date of the project activity is the Commercial Operation Date (COD) of the plant, which is expected to be 18 January 2023. The date is estimated based on the commissioning schedule of the project. Project start date will be set up based on the actual COD.

1.9 Project Crediting Period

The project activity adopts fixed crediting period of 10 years. The crediting period is expected to last from 18 January 2023 to 17 January 2032. Project crediting period will be set up based on the actual COD.

1.10 Project Scale and Estimated GHG Emission Reductions or Removals

The estimated annual GHG emission reductions/removals of the project are:

- ☐ <20,000 tCO₂e/year
- ☒ 20,000 – 100,000 tCO₂e/year
- ☐ 100,001 – 1,000,000 tCO₂e/year
- ☐ >1,000,000 tCO₂e/year

1.11 Description of the Project Activity

The proposed project activity aims to generate renewable electricity through a 25MWp photovoltaic power plant located in Caraculo, Nambibe province, in Angola Southern Region, which currently relies mainly on diesel thermal plants for electricity production.

The project activity is a new facility (Greenfield) and the electricity generated by the project will be exported to the Angolan South Transmission Grid. The project will therefore displace an equivalent amount of electricity which would have otherwise been generated by more fossil fuel

intensive grid-connected power plant. The electricity produced by the power plant will be sold exclusively by Solenova to RNT on the basis of a Power Purchase Agreement with “take or pay” structure. The expected annual average energy production over the 24 years project technical lifetime is close to 56 GWh/year.

The plant will adopt bifacial mono-Si PV modules, Single Axis Trackers and string inverters. Preliminary technological details about the equipment involved are reported in Figure 1.



Figure 1: Technology details

1.12 Project Location

The Project Area identified is located in Caraculo (Namibe Province), within the municipality of Bibala and adjacent to the “Estrada Nacional” EN 280 road. The selected area for the project is indicated in the polygon shown in the figure below and has an extension of about 165 ha, extending from the km 56+700 up to km 58+530 of the EN 280 road. The area is about 500 m a.s.l., with temperatures averaging between Tmax 42 °C and Tmin 9 °C, Tm 24,4 °C (Solargis).

The site is around 65 km from the capital of the Namibe province (Moçâmedes) and 117km from the capital of Huila province (Lubango). An existing 60kV power line, extended from from Namibe to Lubango runs adjacent to the provincial road and to the selected area from east to west.




Figure 2: Project location



Figure 3: Map of the PV Plant location

The coordinates of the above-mentioned identified area are reported below:

Table 1: Reference Coordinates of the project area

Coordinates	Latitude [UTM]	Longitude [UTM]
1	243960	8337950
2	245719	8338134
3	245983	8337898

4	245529	8337278
5	245178	8337028
6	243997	8337147

1.13 Conditions Prior to Project Initiation

The site is located in the Namibe Desert, and it is about two kilometers to the west of the Caraculo village. The area does not show any sign of residential or agricultural use, while it is currently partially used for grazing. The land is covered by spontaneous vegetation with small isolated trees and bushes. The project's prospect site is essentially flat, with some scattered outcrops.

The PV field will be connected to the Angolan Southern grid through a 60/15 kV substation to be built adjacent to the PV plant. As shown in the pictures below, the existing 60kV power line that goes from Namibe to Lubango runs adjacent to the provincial road and to the selected area from east to west. Linear distance between the substation and the existing 60 kV power line is about 200 m.



Figure 4: Project site area

The project will help in increasing the share of renewable energy in the Angolan energy mix. In absence of project activity, the site will continue current practice i.e. equivalent amount of electricity to be generated by the project activity would have been generated from other more fossil fuel intensive grid-connected power plants.

1.14 Compliance with Laws, Statutes and Other Regulatory Frameworks

In order to differentiate its economy and to meet the energy demand of its growing population, Angola government launched a long-term plan for the energy sector, called "Angola Energy 2025". The Angola 2025 strategy's main goal is to provide access to basic energy services to the population.

Eni, in cooperation with Angolan O&G Company Sonangol, are pursuing the opportunity to develop projects to exploit the Angolan renewable potential, in line with their strategy to expand

their activities to zero carbon initiatives and support Angola in the diversification of its energy supply matrix.

In this context, a Memorandum of Understanding has been signed on November 27th, 2017, between Eni Angola and Sonangol setting forth the general terms of parties' cooperation for the development of several initiatives, including renewable energy projects. In 2019, Eni and Sonangol signed in Luanda the Heads of Agreement for the incorporation of Solenova Ltd, a joint controlled company set up to assess and develop renewable energy opportunities in Angola.

The Carcaculo photovoltaic plant is the first business opportunity jointly identified in the renewable energy sector. The project activity meets all relevant national and local laws and regulations, as listed below.

For Civil, Structural and Architectural Works:

- EN Eurocodes 0, 1, 3 and 9 for Structural Analysis and Design;
- ISO 12944 for Corrosion Protection of Steel Structures.

For Electrical, Instrumentation and Telecommunication:

- IEC 60296, IEC 60156, IEC 60422, IEC 60475 for the Transformer;
- IEC61850, IEC 60870 for the PCCS of the Substation;
- IEC 62271, IEC 60529, IEC 60470, IEC 60071, IEC 60282, IEC 61243, IEC 61869, IEC 60721 for the switchgear;
- IEC 62271-203, IEC 62271-100, IEC 62271-102, IEC 61869 for the GIS;
- IEC 60076-1 for the auxiliary transformer.

The project successfully obtained the following main permits and authorization from national and regional authorities, demonstrating compliance with relevant legal requirements:

- Land Concession Title;
- Study of Technical Reference Conditions (ECTR);
- Project Execution Plan;
- Environmental Impact Assessment (EIA);
- Environmental License for Installation;
- Environmental License for Operations;
- Establishment License;
- Registration of the Project to AIPEX (Agency for Private Investment and Promotion of Exports of Angola);
- Comercial Alvara;

- Registration to INE (Instituto Nacional de Estatística);
- Concession Contract for Construction and Exploration of the PV Plant.

1.15 Participation under Other GHG Programs

1.15.1 Projects Registered (or seeking registration) under Other GHG Program(s)

The project has not been registered, and it is not seeking registration under any other GHG Program.

1.15.2 Projects Rejected by Other GHG Programs

The project has not been rejected by any other GHG program.

1.16 Other Forms of Credit

1.16.1 Emissions Trading Programs and Other Binding Limits

The project does not reduce GHG emissions from activities that are included in any emissions trading program or any other mechanism that includes GHG allowance trading.

1.16.2 Other Forms of Environmental Credit

The project has not sought nor received other form of GHG-related credit.

1.17 Sustainable Development Contributions

The transformation of the energy mix by increasing the proportion of renewable energy in order to decarbonize electrical power generation (responsible for almost one third of total CO₂ emissions in the world every year according to IEA) is one of the means to contain climate change. According to literature, it has also relation, directly or indirectly, to one or more of the 17 Sustainable Development Goals identified by the UN as critical challenges that need to be addressed for a peaceful and sustainable path. Together with the GHG emissions reduction, the project contributes to the achievement of several sustainable development goals, such as:

- **SDG 7 Affordable and clean energy for all**

Angola current power demand is about 5GW, but given the developing economy and increasing population, the average annual demand growth is about 12,5%, with the overall system expected to reach above 7GW by 2025. Current installed capacity in the Country is estimated 5.88 GW: in order to meet the growing energy demand, Angola government launched a long term plan for the energy sector (“Angola Energy 2025”) to provide access to basic energy services to the population. This project is in line with the aim to increase the supply energy mix of the Country and afford easy energy access to a large number of populations, thanks to the implementation of the photovoltaic field with a total capacity of up to 50 MWp.

- **SDG 8 Promote sustained, inclusive and sustainable economic growth, full and productive employment and decent work for all**

The construction and improvement of energy infrastructures is essential for the development of industries sector in the Country. The lack of sufficient energy supply slows down the economic growth. The renewable source of energy, moreover, offers long term and durable energy security, representing an investment in energy supply and, since it is critically link to sustainable development, contributing to both environmental needs and economic growth.

The project is also contributing to the knowledge transfer from industrialized countries through the implementation of high-qualified technology and the involvement of local workers for the operational phase; moreover, the reduction of Country's dependency on fossil fuels is also increasing the competitiveness of local industries and contributes indirectly to increase the job opportunities in sustainable industry sectors.

- **SDG 10 reduce inequalities within and among the countries**

The “energy poverty”, that is the condition where there is a lack of “adequate, affordable, reliable, quality, safe and environmentally sound energy services to support development” (World Economic Forum, 2010), affects almost half of the population in Angola, but in rural areas it involves almost the totality of the population, contributing to generate inequality within the Country.

According to World Bank, the lack of sufficient access to energy represents one of the main inequalities within the population of a given Country. Energy access is crucial for the achievement of a wide range of development indicators, such as health, education, food security, gender equality. Energy access has also a social impact since it contributes to spread information; the improvement of the lighting facilities can also increase the security. Overall, energy is a resource that unlocks opportunities and can boost personal and economic growth.

- **SDG 13 Take an urgent action to combat climate change and its impacts**

This photovoltaic plant implemented in the project contest relies in the Southern Region of the Country, which currently relies mainly on diesel thermal plants for electricity production. This initiative aims to reduce the actual diesel consumption and lowering the CO₂ emissions in the area. On the basis of the information gathered from PRODEL, during the year of 2017, the diesel consumption of the main thermal plants of the provinces of Huila and Namibe was equal to ≈86,700 m³. In 2018, the consumption of diesel was ≈42% higher (123,000 m³) when compared to the same period in 2017. The data related to 2019 indicate a further increase of the diesel consumption of 9% higher compared to 2018. Such increase in electricity production and diesel consumption is in line with the Eni analysis of the area that indicates a steady increase of peak production in the period 2017-2022. The installation of the first 25 MWp PV Plant would allow a reduction of diesel consumption for electricity generation of around 18,000 m³/year.

1.18 Additional Information Relevant to the Project

Leakage Management

This section is not applicable as the project is listed on the pipeline as under development.

Commercially Sensitive Information

This section is not applicable as the project is listed on the pipeline as under development.

Further Information

This section is not applicable as the project is listed on the pipeline as under development.

2 SAFEGUARDS

2.1 No Net Harm

This section is not applicable as the project is listed on the pipeline as under development.

2.2 Local Stakeholder Consultation

This section is not applicable as the project is listed on the pipeline as under development.

2.3 Environmental Impact

This section is not applicable as the project is listed on the pipeline as under development.

2.4 Public Comments

This section is not applicable as the project is listed on the pipeline as under development.

2.5 AFOLU-Specific Safeguards

This section is not applicable as the project is listed on the pipeline as under development.

3 APPLICATION OF METHODOLOGY

3.1 Title and Reference of Methodology

The methodology applied for the project is the CDM large scale consolidated methodology “ACM0002: Grid-connected electricity generation from renewable sources”, v21.0.

As required by the methodology, the following tools (last approved versions) are applied by the project:

- “TOOL01: Tool for the demonstration and assessment of additionality”, v7.0.0;
- “TOOL07: Tool to calculate the emission factor for an electricity system”, v7.0.

3.2 Applicability of Methodology

Table 2: Applicability conditions according to methodology ACM002, v21.0

Criteria	Explanation of how the new project activity instances are matching the criteria
4. This methodology is applicable to grid-connected renewable energy power generation project activities that: (a) Install a Greenfield power plant; (b) Involve a capacity addition to (an) existing plant(s); (c) Involve a retrofit of (an) existing operating plant(s)/unit(s); (d) Involve a rehabilitation of (an) existing plant(s)/unit(s); or (e) Involve a replacement of (an) existing plant(s)/unit(s).	The project activity is a grid-connected renewable energy power generation project (i.e. 25MWp photovoltaic power plant) which falls under applicability criteria option (a) “Install a Greenfield power plant”.
5. In case the project activity involves the integration of a BESS, the methodology is applicable to grid-connected renewable energy power generation project activities that: (a) Integrate BESS with a Greenfield power plant; (b) Integrate a BESS together with implementing a capacity addition to (an) existing solar photovoltaic¹ or wind power plant(s)/unit(s); (c) Integrate a BESS to (an) existing solar photovoltaic or wind power plant(s)/unit(s) without implementing any other changes to the existing plant(s); (d) Integrate a BESS together with implementing	The project activity does not involve the integration of a BESS, this condition is not applicable.
6. The methodology is applicable under the following conditions: (a) Hydro power plant/unit with or without reservoir, wind power plant/unit, geothermal power plant/unit, solar	The project activity is a solar power plant (i.e. photovoltaic power plant).

Criteria	Explanation of how the new project activity instances are matching the criteria
power plant/unit, wave power plant/unit or tidal power plant/unit;	
(b) In the case of capacity additions, retrofits, rehabilitations or replacements (except for wind, solar, wave or tidal power capacity addition projects) the existing plant/unit started commercial operation prior to the start of a minimum historical reference period of five years, used for the calculation of baseline emissions and defined in the baseline emission section, and no capacity expansion, retrofit, or rehabilitation of the plant/unit has been undertaken between the start of this minimum historical reference period and the implementation of the project activity;	The project activity is a greenfield solar power plant (i.e. photovoltaic power plant), this condition is not applicable.
(c) In case of Greenfield project activities applicable under paragraph 5 (a) above, the project participants shall demonstrate that the BESS was an integral part of the design of the renewable energy project activity (e.g. by referring to feasibility studies or investment decision documents); (d) The BESS should be charged with electricity generated from the associated renewable energy power plant(s). Only during exigencies ² may the BESS be charged with electricity from the grid or a fossil fuel electricity generator. In such cases, the corresponding GHG emissions shall be accounted for as project emissions following the requirements under section 5.4.4 below. The charging using the grid or using fossil fuel electricity generator should not amount to more than 2 per cent of the electricity generated by the project renewable energy plant during a monitoring period. During the time periods (e.g. week(s), months(s)) when the BESS consumes more than 2 per cent of the electricity for charging, the project participant shall not be entitled to issuance of the certified emission reductions for the concerned periods of the monitoring period.	The project activity does not involve the integration of a BESS, this conditions are not applicable.
7. In case of hydro power plants, one of the following conditions shall apply: (a) The project activity is implemented in existing single or multiple reservoirs, with no change in the volume of any of the reservoirs; or	The project activity is a greenfield solar power plant (i.e. photovoltaic power plant), this condition is not applicable.

Criteria	Explanation of how the new project activity instances are matching the criteria
(b) The project activity is implemented in existing single or multiple reservoirs, where the volume of the reservoir(s) is increased and the power density, calculated using equation (7), is greater than 4 W/m²; or (c) The project activity results in new single or multiple reservoirs and the power density, calculated using equation (7), is greater than 4 W/m²; or (d) The project activity is an integrated hydro power project involving multiple reservoirs, where the power density for any of the reservoirs, calculated using equation (7), is lower than or equal to 4 W/m², all of the following conditions shall apply: (i) The power density calculated using the total installed capacity of the integrated project, as per equation (8), is greater than 4 W/m²; (ii) Water flow between reservoirs is not used by any other hydropower unit which is not a part of the project activity; (iii) Installed capacity of the power plant(s) with power density lower than or equal to 4 W/m² shall be: a. Lower than or equal to 15 MW; and b. Less than 10 per cent of the total installed capacity of integrated hydro power project.	
8. In the case of integrated hydro power projects, project participants shall: (a) Demonstrate that water flow from upstream power plants/units spill directly to the downstream reservoir and that collectively constitute to the generation capacity of the integrated hydro power project; or (b) Provide an analysis of the water balance covering the water fed to power units, with all possible combinations of reservoirs and without the construction of reservoirs. The purpose of water balance is to demonstrate the requirement of specific combination of reservoirs constructed under CDM project activity for the optimization of power output. This demonstration has to be carried out in the specific scenario of water availability in different seasons to optimize the water flow at the inlet of power units. Therefore, this water balance will take into account seasonal flows from river, tributaries (if any), and rainfall	The project activity is a greenfield solar power plant (i.e. photovoltaic power plant), this condition is not applicable.

Criteria	Explanation of how the new project activity instances are matching the criteria
for minimum of five years prior to the implementation of the CDM project activity.	
9. The methodology is not applicable to: (a) Project activities that involve switching from fossil fuels to renewable energy sources at the site of the project activity, since in this case the baseline may be the continued use of fossil fuels at the site; (b) Biomass fired power plants/units.	The project activity is a greenfield solar power plant (i.e. photovoltaic power plant) and there are no fossil fuels used at the site of the project activity prior to the implementation of the project activity.
10. In the case of retrofits, rehabilitations, replacements, or capacity additions, this methodology is only applicable if the most plausible baseline scenario, as a result of the identification of baseline scenario, is “the continuation of the current situation, that is to use the power generation equipment that was already in use prior to the implementation of the project activity and undertaking business as usual maintenance”.	The project activity is a greenfield solar power plant (i.e. photovoltaic power plant), this condition is not applicable.
11. In addition, the applicability conditions included in the tools referred to below apply.	Please refer to tables below.

Table 3: Applicability conditions according to TOOL07, v7.0

Criteria	Explanation of how the new project activity instances are matching the criteria
3. This tool may be applied to estimate the OM, BM and/or CM when calculating baseline emissions for a project activity that substitutes grid electricity that is where a project activity supplies electricity to a grid or a project activity that results in savings of electricity that would have been provided by the grid (e.g. demand-side energy efficiency projects).	The project activity is a grid-connected greenfield photovoltaic power plant, hence the tool is applicable.
4. Under this tool, the emission factor for the project electricity system can be calculated either for grid power plants only or, as an option, can include off-grid power plants. In the latter case, two sub-options under the step 2 of the tool are available to the project participants, i.e. option IIa and option IIb. If option IIa is chosen, the	The emission factor for the project electricity system will be calculated for grid power plants only.

Criteria	Explanation of how the new project activity instances are matching the criteria
conditions specified in “Appendix 1: Procedures related to off-grid power generation” should be met. Namely, the total capacity of off-grid power plants (in MW) should be at least 10 per cent of the total capacity of grid power plants in the electricity system; or the total electricity generation by off-grid power plants (in MWh) should be at least 10 per cent of the total electricity generation by grid power plants in the electricity system; and that factors which negatively affect the reliability and stability of the grid are primarily due to constraints in generation and not to other aspects such as transmission capacity.	
5. In case of CDM projects the tool is not applicable if the project electricity system is located partially or totally in an Annex I country.	Project is located in non-Annex I country, hence the tool is applicable.
6. Under this tool, the value applied to the CO2 emission factor of biofuels is zero.	The project activity is a greenfield solar power plant (i.e. photovoltaic power plant) and there is no involvement of biofuels.

3.3 Project Boundary

This section is not applicable as the project is listed on the pipeline as under development.

3.4 Baseline Scenario

This section is not applicable as the project is listed on the pipeline as under development.

3.5 Additionality

This section is not applicable as the project is listed on the pipeline as under development.

3.6 Methodology Deviations

This section is not applicable as the project is listed on the pipeline as under development.

4 QUANTIFICATION OF GHG EMISSION REDUCTIONS AND REMOVALS

4.1 Baseline Emissions

This section is not applicable as the project is listed on the pipeline as under development.

4.2 Project Emissions

This section is not applicable as the project is listed on the pipeline as under development.

4.3 Leakage

This section is not applicable as the project is listed on the pipeline as under development.

4.4 Net GHG Emission Reductions and Removals

This section is not applicable as the project is listed on the pipeline as under development.

5 MONITORING

5.1 Data and Parameters Available at Validation

This section is not applicable as the project is listed on the pipeline as under development.

5.2 Data and Parameters Monitored

This section is not applicable as the project is listed on the pipeline as under development.

5.3 Monitoring Plan

This section is not applicable as the project is listed on the pipeline as under development.