



**Verified Carbon
Standard**

VERIFICATION REPORT FOR “DELAGUA IMPROVED COOKSTOVE GROUPED PROJECT”



SUSTAINCERT

Report ID	VCS VerR 3699 01012025–30092025
Project title	DelAgua Improved Cookstove Grouped Project
Project ID	3699
Verification period	01-January 2025 – 30-September-2025 (Inclusive both days)
Original date of issue	03-December-2025
Most recent date of issue	15-February-2026
Version	2.0
VCS Standard Version	4.7

Client	DelAgua Trans Africa Stoves Pte. Ltd.(DATAS)
Prepared by	SustainCERT S.A.
Approved by	Mr. Agustín Calle de Miguel <i>Director of GHG Auditing</i>
Work carried out by	Team Leader and Technical Area Expert: Muskan Chawla (TA 3.1) Local Expert and Technical Area Expert: Jean Bosco Rwiyamirira (TA 3.1) Auditor: Zhiyue Wang Independent Reviewer: Dr. Atul Takarkhede (TA 3.1)
Summary:	

A description of the verification of the project

The Verification of the project titled 'DelAgua Improved Cookstove Grouped Project' VCS ID – 3699, have been undertaken by SustainCERT, with accordance to the relevant VCS standard/1/, VCS Program Guide/2/. Relevant requirements of the ISO 14064-2 (2019) and ISO 14064-3 (2019), as well as applicable criteria for consistent project operations, monitoring and reporting has been applied for verification.

The project VCS 3699 involves dissemination of cookstoves in Rwanda under one project instance. The project is a voluntary initiative as host country laws do not mandate the distribution of ICS to the households. The project proponent is DelAgua Trans Africa Stoves Pte. Ltd. (DATAS) and DelAgua Health Rwanda (implementation) Limited is the other entity involved who are using carbon finance to support local partners engaged in different activities like production, distribution, and maintenance of various product technologies. The ICSs disseminated under the grouped project are based on a “rocket stove” and designed to improve fuel combustion and heat transfer which by rocket stove design principles reduces the use of biomass fuel through improved combustion efficiency of wood fuel.

The Purpose and scope of verification

Purpose:

Verification service provided by SustainCERT for group project activity VCS 3699 is to perform independent periodic verification for the monitoring period 01-January-2025 – 30-September-2025. The verification of the project is an independent review and ex-post determination by SustainCERT of the monitored reductions in GHG emissions that have occurred, against the VCS standard/1/, VCS Program Guide/2/, the Project baseline and host party criteria.

Scope of verification

The scope of verification is to establish/verify that:

- The project is implemented in line with methodology VM0050-EE-and-Fuel-Switch-Measures-in-Cookstoves-v1.0/7/.
- The project activity has been implemented and operated as per the changed methodology.
- All the physical features (project technology) of the project are in place in accordance with registered PD and VM0050-EE-and-Fuel-Switch-Measures-in-Cookstoves-v1.0/7/.
- The monitoring report and other supporting documents provided are complete in accordance with the latest applicable version of VCS standard.
- The actual monitoring systems and procedures comply with the monitoring systems and procedures described in the monitoring plan, any registered monitoring plan, the changed methodology including applicable tool(s) and/or, where applicable, the reassessed baseline.
- The data recorded and stored as per the monitoring methodology including applicable tool(s) and, where applicable, the reassessed baseline.

The Monitoring Period:

The group project activity VCS 3699 is undergoing 3rd verification from 01-January-2025 – 30 September 2025 (both days included), under its first crediting period (7 years) from 04-November-2022 to 03-November-2029.

The Method and Criteria used for Verification.

Desk Review:

Review of project information, monitoring plan specifically monitoring frequency, quality assurance and quality control system against the registered PD/5/ and applicable VCS standard and applied methodology VCS Methodology from Sectoral Scope 3 – VM0050-EE-and-Fuel-Switch-Measures-in-Cookstoves-v1.0

- Remote audit Interview with the relevant personnel to confirm the implementation of the project with paying particular attention to the operational and data collection procedures, in accordance with the revised PD/5/ and applied methodology/7/.
- A detailed cross check of the information provided in the monitoring report against the relevant evidence such as data sources, technical specification of measuring equipment.
- A detailed cross check of the calculations made for the estimation of greenhouse gas emissions.
- An evaluation of data management and the quality assurance and quality control system in the context of their influence on the generation and reporting of emissions reduction.

The number of findings raised during verification:

A risk-based approach has been followed for the verification of the project. During verification, 01 CARs, 07 CL and 00 FAR were raised. All the issues raised were resolved successfully, details for which can be found in appendix 4 of the report.

Any uncertainties associated with the verification:

SustainCERT S.A. hereby confirms that the data reported and used in the quantification of the emission reductions are accurate, complete, transparent, free of material error, and consistent with the project activity's monitoring plan and the requirements set out in the applied methodology/7/, and VCS Standard v4.7/1/. The verification team did not detect any significant uncertainties associated with the verification

Summary of the verification conclusion:

The monitoring report/8/, emission reduction calculation sheet along with relevant supporting evidence and the interview with relevant personnel during remote audit have provided the assessment team with sufficient evidence to confirm the applicable criteria. SustainCERT confirms group project activity VCS 3699 has been successfully implemented in accordance with the revised PD/5/ and applied methodology VM0050-EE-and-Fuel-Switch-Measures-in-Cookstoves-v1.0/7/ meeting all the relevant VCS requirements. SustainCERT confirms that the monitoring period 01-January-2025 – 30-September-2025 (including both the days) in its implementation is calculated to generate 722,111 tCO₂e of emission reductions from reducing the amount of wood fuel combustion.

The management of DelAgua Trans Africa Stoves Pte. Ltd. (DATAS) (=Project Proponent) is responsible for the preparation of the GHG emissions data and the reported GHG emission reductions on the basis set out within the project's Monitoring Plan indicated in the registered Project Design and the updated methodology.

CONTENTS

1	INTRODUCTION	7
1.1	Objective	7
1.2	Scope and Criteria	7
1.3	Level of Assurance.....	8
1.4	Summary Description of the Project	9
2	VERIFICATION PROCESS	9
2.1	Method and Criteria.....	10
2.2	Document Review	12
2.3	Interviews	12
2.4	Remote audits	15
2.5	Resolution of Findings	18
2.6	Eligibility for Validation Activities	19
3	VALIDATION FINDINGS	19
3.1	Methodology Deviations.....	19
3.2	Project Description Deviations.....	19
3.3	New Project Activity Instances in Grouped Projects.....	19
3.4	Baseline Reassessment	20
4	VERIFICATION FINDINGS	20
4.1	Project Details	20
4.2	Safeguards and Stakeholder Engagement	25
4.3	Accuracy of Reduction and Removal Calculations.....	37
4.4	Quality of Evidence to Determine Reductions and Removals.....	61
4.5	Non-Permanence Risk Analysis.....	62
5	VERIFICATION OPINION	63
5.1	Verification Summary	63
5.2	Verification Conclusion	64
5.3	Ex-ante vs Ex-post ERR Comparison	65
	APPENDIX 1: COMMERCIALY SENSITIVE INFORMATION	66
	APPENDIX 2: TABLE OF REFERENCE	67

APPENDIX 3: ABBREVIATIONS	71
APPENDIX 4: PROJECT FINDINGS.....	72
APPENDIX 5: COMPETENCY STATEMENT.....	90

1 INTRODUCTION

1.1 Objective

The Verification of the group project titled “DelAgua Improved Cookstove Grouped Project” VCS ID – 3699, has been undertaken by SustainCERT, as requested by DelAgua Trans Africa Stoves Pte. Ltd. (DATAS) project proponent for the monitoring period 01-January-2025 – 30-September-2025 (including both the days). The verification of group project activity is the 3rd periodic verification for the crediting period 04-November-2022 to 03-November-2029. The purpose of the verification is to conduct an independent review of the project information and confirm:

- The group project activity is implemented in accordance with registered and revised project description document/5/, and applied methodology/7/.
- All physical features (project technology) are in place.
- The actual monitoring systems and procedures comply with the monitoring systems and procedures described in the monitoring plan, the updated methodology including applicable tool(s) and/or, where applicable, the reassessed baseline.
- The data collection procedures and records are as per the monitoring methodology VM0050-EE-and-Fuel-Switch-Measures-in-Cookstoves-v1.0/7/.

The verification followed the requirements mentioned in the VCS standard/1/ and VCS Guidelines/2/ ensuring the quality and consistency of the report.

1.2 Scope and Criteria

The scope of verification for this group project activity involves assessing the claims made by the project proponent in the monitoring report/8/, emission reduction calculation sheet/9/ and other supporting evidence (as mentioned in appendix 2) made available to the verifier for this monitoring period from 01-January-2025 – 30-September-2025, in accordance to:

- VCS standard/1/
- VCS program guideline/2/
- VCS Methodology from Sectoral Scope 3 – VM0050-EE-and-Fuel-Switch-Measures-in-Cookstoves-v1.0/7/
- Other relevant rules and requirements, including host part requirements/30/.

A risk-based approach has been followed for the verification of the project activity. Identifying and assessing the high-risk area and ensuring the reliability of the project's emission reductions generated.

The principles of accuracy, completeness, relevance, reliability and credibility were combined with a conservative approach to establish a traceable and transparent verification opinion. The verification considers both quantitative and qualitative information on emission reductions. The verification is not meant to provide any consultancy towards the client. However, stated requests for clarifications, corrective and/or forward actions may provide input for improvement of the monitoring activities.

1.3 Level of Assurance

The verification of the group project activity is conducted by doing a thorough assessment of Monitoring report/8/, Registered PD/5/, emission reduction calculation sheet/9/ and all the relevant documents mentioned including Kitchen Performance Test, and Distribution Database' (as mentioned in appendix 2) of the report.

The level of assurance achieved for the project verification falls under a reasonable level of assurance. Enough evidences were gathered by the assessment team to reduce the risk associated with audit process. In line with VCS standard, V4.7, section 4.1.10, "The threshold for materiality with respect to the aggregate of errors, omissions, and misrepresentations relative to the total reported GHG emission reductions and/or removals shall be five percent for projects and one percent for large projects." As the project is large scale project, therefore materiality threshold considered for the project is 1% during this verification.

1.4 Summary Description of the Project

This is the 3rd monitoring report for the “DelAgua Improved Cookstove Grouped Project” (VCS ID 3699), Grouped Project (“GP”) by DelAgua Trans Africa Stoves Pte. Ltd. (DATAS) which is aimed at distributing fuel-efficient improved cookstoves (ICS) to local communities in Rwanda.

The ICS disseminated under this GP is based on rocket stove design principles, which reduce GHG emissions from biomass burning through improved combustion efficiency of wood fuel and decreased wood fuel consumption. 334,944 ICS have been distributed in the project since the commissioning of the project. No distribution has taken place during the current monitoring period. Technical specification of the stove technology is verified in accordance with registered PD section 1.11, manufacturer’s specifications/36/. A remote audit for the group project activity was conducted from 23-October-2025 to 24-October-2025. Interviews with the PP representatives were conducted through Video call to ensure the implementation of the project activity. Furthermore, it was confirmed that the project involves distribution of improved cookstoves in Rwanda, for period 01-January-2025 – 30-September-2025, project has reduced 722,111tCO₂e/9/ emission reductions.

The start date of the group project activity is 04-November-2022 for PA1/6/ with no other PAI has been implemented so far in the GP. This was verified from the opening meeting, verification against distribution database/11/ and by cross verifying against previous monitoring period reports and verification reports. The crediting period for the group project activity is 04-November-2022 to 03-November-2029, as verified using PD/5/, validation report/6/ and also reconfirmed during the remote audit/10/.

Based on this, the assessment team confirms that the group project activity VCS 3699 ‘DelAgua Improved Cookstove Grouped Project’ is implemented and operational in accordance with applied methodology VM0050-EE-and-Fuel-Switch-Measures-in-Cookstoves-v1.0/7/, Project Description Document/5/, VCS standard/1/ and VCS guidelines/2/. It has also been assessed and verified that emission reduction calculation for this monitoring period from 01-January-2025 – 30-September-2025 has been done conservatively and found to be appropriate.

2 VERIFICATION PROCESS

The Registered group project activity has been undergoing 3rd Verification under its first crediting period (7 years), the approach adapted to ensure the quality and credibility of emission reduction is described in the following sections.

2.1 Method and Criteria

Verification Process: The project assessment is based on the “VCS program guide v.4.4 and VCS standard v.4.7” and is conducted using standard auditing techniques and pre-approved audit plan to assess the correctness of the information provided by the project proponent as per following verification schedule:

Scope of assessment	Date
Desk review	1-October-2025
Remote Audit	23-October-2025 to 24-October-2025
Technical review	21-November 2025

Before the assessment begins, members of the team covering the technical scope(s), sectoral scope(s), and relevant host country experience for evaluating the VCS project activity are appointed in accordance with the SustainCERT procedures and policies, that are in accordance with ISO 14065:2020 regulatory provisions.

SustainCERT has completed a strategic review and risk assessment of the project activities and processes in order to gain a full understanding of:

- Activities associated with all the sources contributing to project emissions and emission reductions, including leakage if relevant;
- Protocols used to estimate or measure GHG emissions from these sources;
- Collection and handling of data;
- Controls on the collection and handling of data;
- Means of verification; and
- Compilation of the information in the VCS MR.

Based on the above, the VVB prepared a Verification Plan and applied an evidence-gathering plan designed to collect sufficient and appropriate evidence upon which to base the conclusion and to consider the inherent risk for the verification under section 3.23.3. The evidence-gathering plan is based on analytical procedures & tests and considers thresholds for materiality as per the regulatory documents applied for this verification (five percent for projects and one percent for large projects as per the applied para 4.1.10 (4) of VCS Standard version 4.7).

The applied evidence-gathering plan is used by VVB to determine the conformity of the statements made by client against the principles and requirements of applied regulatory documents during current verification.

The evidence-gathering plan designed by the VVB takes into consideration, as a minimum:

- The selection and management of the data and information;
- The processes for collecting, processing, consolidating, aggregating and reporting the data & information;
- Systems and processes in place to ensure the validity and accuracy of the data and information;
- The design and maintenance of the system to control the data and information;
- Systems, processes and personnel that support system in place, including activities for ensuring data quality;
- The plans for instrument maintenance and calibration where appropriate;

Once the project's initial documentation is received by the assessment team, the members of the assessment team carried out:

- SustainCERT has verified the implementation of the monitoring plan and the data presented in the Monitoring Report for the monitoring period applicable to this verification process.

The process of verification involved the following relevant milestones:

- The signature of the contract for verification between the PP and the VVB;
- A kick-off meeting/communication to require the documentary material to perform an initial desk review;
- An initial desk review of the documentary evidences prepared by the PP;
- The issuance of findings coming from this initial desk review (if any);
- The conduction of an onsite visit/remote audit, including interviews with project proponent and project stakeholders (see Sections 2.3 and 2.4 below);
- The issuance of findings from the remote inspection and communication of such deviations (if any) to the PP;
- The assessment of their resolution and closure, when appropriate;
- Once all the findings have been closed, the elaboration of this Verification Report, in which such findings (if any) are described;
- The conduction of an independent Technical Review;
- Upon conclusion of the Technical Review, signature of the corresponding Verification Deed & issuance of Final Verification Report (FVR) done.

The process of this verification assessment has not implied sampling plan for data/document verification and described/explained in relevant sections.

.

2.2 Document Review

As part of verification of the project, the primary activity performed was the strategic review and risk assessment of the documents submitted using a dedicated protocol. A detailed review of MR/8/ and ER calculation/9/ was performed to check:

The completeness of the information with reference to the register PD/5/, and updated methodology/7/.

Review of project information, monitoring plan specifically monitoring frequency, quality assurance and quality control system against the registered PD/5/ and applicable VCS standard and updated methodology version 1.0.

A review of the QA/QC procedures was conducted to make sure the implementation is as per the registered PD/5/ and updated methodology.

Project specific assessment against applicable national framework and legislation requirement/30/31/32/.

All the other evidence reviewed is mentioned in Appendix 2 of this report. The cross checks between information provided in the Monitoring report/08/, VM0050/7/ and information from sources other than those used, if available, the team's sectoral or local expertise and, if necessary, independent background investigations.

2.3 Interviews

The grouped project activity is undergoing 3rd MP verification. In line with the para 4.1.12 of VCS Standard, Version 4.7, the VCS Program does not explicitly mandate site visits as part of the verification process (except first verification). Further, as per para 4.1.13 of VCS Standard, Version 4.7, VVB shall identify whether a site visit is needed based on an independent risk assessment. Such risk assessment shall identify the risk of a material misstatement or nonconformity with the audit criteria. VVB carried out the risk assessment for the project activity and in outcome carried out remote audit to achieve a reasonable level of assurance during verification.

A remote Audit/10/ was performed from 23-October-2025 to 24-October-2025 by the assessment team for the project. Remote audit was emphasized on project technology user with remote observation to each household for visual observation as well as verbal confirmation on parameter of:

- Project technology usage
- Project technology model and overall condition (repairs/maintenance)
- Project unique identification barcode

- Confirmation regarding the end user agreements and carbon transfer rights
- Perception on smoke level of project technology vs baseline stove

Table 1: Project technology users interviewed remote for household visit

No	Stove barcode	End-User name	Topic discussed	Assessment team
1	MQ059556	Musabyimana Marie Chantal	Stove usage, baseline stove usage, grievance mechanism, fuel usage, fuel collection,	Muskan Chawla Zhiyue Wang Jean Bosco
2	MQ240507	MUKANZAYIRE Speciose	sustainable development goals, awareness campaigns, Monitoring survey, stove maintenance	
3	MQ097754	TWIZERIMANA Marie		
4	MQ200631	NYIRANDIKURYAYO Josephine		
5	MQ033818	UKWIZABIGIRA Claudette		
6	MQ156512	NGABONZIZA Bertin		
7	MQ239410	MUKANSANGA Frodonatha		
8	MQ119507	MUKANZAYIRE Speciose		
9	MQ263926	Mukasine Beathe		
10	MQ247211	Karuranga Therese		
11	MQ248010	Niyodusenga Godelive		

The below tables outline the personnel involved in the interviews, along with their respective roles. The interviews specifically targeted individuals responsible for monitoring the group project activity, data collection and management, as well as those involved in the quality assurance and quality control (QA/QC) procedures. The tables serve to identify the individuals interviewed and provide relevant information regarding their roles within the project.

Table 3: Project implementation and stakeholders interviewed from 23-October-2025 to 24-October-2025.

S.No	Name of the person interviewed	Affiliation	Details Discussed	Audit Team
------	--------------------------------	-------------	-------------------	------------

1	Cyiliaque Hafashimana	Stakeholder	Grievances mechanism, project awareness campaigns, SDG, project monitoring, Stove distribution, stakeholder consultation	Muskan Chawla Zhiyue Wang Jean Bosco
2	Murebwayire Pridencienne	Stakeholder	Grievances mechanism, project awareness campaigns, SDG, project monitoring, Stove distribution, stakeholder consultation	
3	Habitegeko Thadeo	Stakeholder	Grievances mechanism, project awareness campaigns, SDG, project monitoring, Stove distribution, stakeholder consultation	
4	Sibo	Implementation Partner	Project monitoring survey execution, project distribution mechanism, data collection (distribution database), grievances mechanism	

The list of PP representatives interviewed by the VVB team during the opening meeting is as followed:

S.No	Name of the person Interviewed	Affiliation	Details Discussed	Audit Team
------	--------------------------------------	-------------	-------------------	------------

1	Ashutosh Tiwari	DelAgua	Project implementation and operation, Project design, monitoring procedure, data and information flow, compliance of monitoring plan with monitoring methodology and approved VCS-PD, Roles and responsibility, Qualification and Training, VCU calculation and completeness of monitoring report, Electronic Monitoring system, Data collection and data flow, Monitoring surveys, Sample size	Muskan Zhiyue Jean Bosco Chawla Wang
---	--------------------	---------	---	--

2.4 Site Visits

The VVB carried out a remote audit for the project during the current verification from 23-October-2025 to 24-October-2025. An on-site audit from 18-March-2025 to 21-March-2025 was carried out by SustainCERT S.A. during the 2nd verification. As during the current verification inline with Section 4.1.12 of the standard are no baseline reassessment or project description deviation took place, therefore a remote audit was conducted.

The remote audit was conducted to verify the accuracy and completeness of the project implementation. The views obtained during remote audit observation were considered while concluding the verification opinion.

Duration of the Remote-Audit: 23-October-2025 to 24-October-2025			
S.No	Assessment Criteria	Means of Verification	Assessment Opinion

1	The assessment of the implementation and operation of the registered project activity	Registered PD/5/, revised PD with applied methodology VM0050, V1.0 Interviews with PP and remote audit and photographic evidence/10/	The information mentioned with reference to project implementation, efficiency and commissioning in MR is found consistent with the documents and information received during interviews.
2	A review of the monitoring survey for generating, aggregating and reporting the monitoring parameters.	Monitoring survey/12/ and emission reduction/9/ calculation sheet. Interviews with households/10/	The information related to the monitoring survey generating, aggregating and reporting the monitoring parameters mentioned in MR is found to be consistent with documents crosschecked and information received by interviews.
3	Interviews with relevant personnel to determine whether the operational and data collection procedures are implemented in accordance with the monitoring plan in the PD/5/	Interviews with PP/10/ Training records/21//28/	All the information related to operational and data collection is found to be inline with the PD/5/ and MR/8/.
4	A check of the monitoring equipment including data transfer and observations of monitoring practices against the requirements of the PD, the applied methodology including the tools applied	Interviews with PP/10/	Monitoring practices were verified with interview from PP, and it has been observed that all the practices are found to be in line with the PD.

6	A review on calculation of emission reductions	Monitoring survey/12/ and emission reduction/9/	The values mentioned for ER calculation are found to be in line with the monitoring survey/12/. Methods, formulae, and emission factors for calculating baseline emissions have been followed in accordance with the applied methodology/7/.
7	An identification of quality control and quality assurance procedures in place to prevent or identify and correct any errors or omissions in the reported monitoring parameters	Interviews with PP/10/	Methods, formulae, and emission factors for calculating baseline emissions have been followed in accordance with the applied methodology/7/. All the QA/AC procedures were also verified remote audit

The sampling plan adopted by the VVB for carrying out the verification assessment is as follows.

The Sampling and surveys for CDM project activities and programmes of activities (Version 9.0)/17/ states under paragraph 28 that “When the project participants or the coordinating/managing entity have applied a sampling approach, the VVB may apply acceptance sampling as described in the steps indicated in paragraphs 29–38 below as part of validation/verification activities”.

Since the PP has applied sampling to monitor parameters like usage rate, weight efficiency through surveys, verification team conducted acceptance sampling in line with paragraph 28 of the sampling standard version 9.0/17/.

The verification team selected random sample of PP’s monitoring survey to check the acceptability (or otherwise) of the data for each such record with PP’s sample records and determined if the PP’s sample records meet the requirements.

Sample Size:

AQL	UQL	Producer Risk	Consumers Risk	Sample	Acceptance number
0.5%	15%	10%	10%	11	0

The verification team covered a total of 11 samples.. All samples were randomly selected using acceptance sampling guidelines mentioned in para 28 of CDM Standard for Sampling and Surveys for project activities and programmes of activities (Version 9.0)/17/. It was noted that the population was homogeneous throughout the project, with similar cooking habits. Therefore, by using random sampling, all end users in the population had an equal chance of being selected.

The list of interviewed users, project implementer and PP's representatives that were part of the remote audit process is detailed in section 2.3 of the report.

2.5 Resolution of Findings

As discussed above, a risk-based approach has been applied for the verification of the project activity. During the verification, the assessment team identified the issues which could impact the accuracy and the credibility of the emission reduction claimed by the project. The detailed analysis of the issues raised the approach used to resolve these issues can be found in Appendix 4 of this report.

The Corrective Action Request (CAR) was raised if:

- Modifications to the implementation, operation, and monitoring of the registered project activity have not been sufficiently documented by the project participants.
- Mistakes have been made in applying assumptions, data, or calculations of emission reductions that will impact the number of emission reductions.
- The Clarification Request (CL) was raised if:
 - information is insufficient or not clear enough to determine whether the applicable requirements have been met.
- The Forward Action Request (FAR) was raised if:
 - if the monitoring and reporting require attention and/or adjustment for the next verification period.

During verification a total of 1 CARs, 7 CLs and 0 FARs were raised. The details of all the issues communicated to the PD can be found in the Appendix 4. The issues raised were closed successfully.

2.5.1 Forward Action Requests

The group project activity is undergoing 3rd Verification, monitoring period from 01/01/2025 – 30/09/2025. There are 0 FARs that have been raised during the current verification period and also there is 0 FAR from previous verification period.

2.6 Eligibility for Validation Activities

There is no validation activity undertaken as a part of current verification.

3 VALIDATION FINDINGS

3.1 Methodology Deviations

There is no methodology deviation identified during the current monitoring period and additionally there has been no methodology deviation in the previous monitoring periods as well.

3.2 Project Description Deviations

There is no project description deviation during the current monitoring period. However, during the previous monitoring period (MP2) the group project activity underwent a change in methodology from VMR0006 “Methodology for Installation of High Efficiency Firewood Cookstoves”, version 1.1 to VM0050 Energy Efficiency and Fuel-Switch Measures in Cookstoves V 1.0. The deviation has been approved by VERRA and registered project documents can be found on project webpage. During the current MP, group project has been assessed as per VM0050 Energy Efficiency and Fuel-Switch Measures in Cookstoves V 1.0.

3.3 New Project Activity Instances in Grouped Projects

From the start of crediting period, only 1 PAI is included in the Grouped Project. There has been no new units introduced in the group project activity during the current monitoring period from 01-January-2025 – 30-September-2025. The project currently has a total of 334,944 ICS resulting in a reduction of 722,111 tCO₂e.

3.4 Baseline Reassessment

Did the project undergo baseline reassessment during the monitoring period?

☐ Yes ☒ No

4 VERIFICATION FINDINGS

4.1 Project Details

The project “DelAgua Improved Cookstove Grouped Project” (VCS ID 3699) is a Grouped Project (“GP”) by DelAgua Trans Africa Stoves Pte. Ltd. (DATAS) which falls under sectoral scope 03 and is appropriately selected in the VCS PD & MR and is implemented in Rwanda. The project category and type are correctly indicated in the VCS PD/5/ & MR/08/. It has been indicated as well as accepted that it is a grouped project activity.

The project proponent is DelAgua Trans Africa Stoves Pte. Ltd. (DATAS), and DelAgua Health Rwanda (Implementation) Limited is the other project entity involved in the project implementation. This is verified against previous verification report as well as confirmation from the field team during interviews in the remote audit/10/.

The start date of the grouped project activity is 04-November-2022 which is verified from the joint validation & verification report/6/ and registered PD5/. From the start of crediting period, only 1 PAI is included in the Group Project which is verified from the verification against distribution database/11/. No new units of project stoves have been distributed in MP3. Monitoring period 3rd claimed encompasses period of 01-January-2025 – 30-September-2025 with verified ER claimed of 722,111tCO₂e with total of 334,944 units distributed from the start of the crediting period.

The project crediting period is correctly filled in Monitoring period, which is seven years (twice renewables). The selected crediting period is consistent with the project start date and the first crediting period spans from 04-November-2022 to 03-Novemeber-2029 (both days included).

The project is correctly classified as large project as per VCS Standard /1/ as the average annual emission reductions are more than 300,000 tCO₂e. The estimated emission reductions are consistent with the corresponding ER spreadsheet /9/.

Project design, including eligibility criteria for grouped projects:

The project activity involves distribution of improved cookstoves in households of Rwanda. The project is a voluntary initiative as host country laws do not mandate the distribution of ICS to the local communities/30/. The project proponents is verified to be DelAgua Trans Africa Stoves Pte. Ltd. (DATAS) who is using carbon finance to support local partners engaged in different activities like production, distribution, and maintenance of various product technologies. This project includes technologies designed to reduce GHG emission by supplying high efficiency ICS to end-users and promoting public health to tackle several health challenges caused due to using less efficient stoves. The description of the ICS models is given in MR/8/ and was confirmed from manufacturer's specification (verified from previous monitoring period and verification report (MP1 and MP2)/6/).

The grouped project activity envisages distribution of one model of ICS i.e. Kuniokoa Generation 2, which is verified during the remote audit/10/ and as well as from the previous registered reports.

Item	Evidence gathering activities, evidence checked, and assessment conclusion:
Audit history	The project activity is undergoing 3rd Verification under its first crediting period. The assessment team has verified that audit history using the Project webpage/4/, all the previous verification has been published under Verra. It has been concluded that the information present in section 1.2 of MR is appropriate. CP - 04-November-2022 - 03-November-2029 - VCS MP 1 - 04-November-2022 - 31-December-2022 -VCS MP 2 - 1-January-2023 - 31-December-2024 - VCS MP 3 - 1-January-2025 - 30-September-2025 - VCS (currently Undergoing)
Double counting and participation under other GHG programs	The project activity is not registered under any other GHG and non-GHG program or registry. This has been confirmed by means of research on relevant applicable registries and available information in public domain and through declaration from the Project Owner.

	The assessment team has searched for similar projects with the same nature, project technology, location and project proponent as well as legal owner. The name of the owners mentioned in the regulatory licenses are also matched and checked. Under CDM registry, it is found that Project Proponent (DelAgua Health Rwanda Limited) has one PoA '00009626: DelAgua Public Health Program in Eastern Africa' with crediting period 21 Nov 2013 - 20 Nov 2020 in Rwanda. The monitoring reports were verified for the entirety of the crediting period with different stove model. With this finding, VCS3699 does not claim ER credit for the same activity and same user in the same period, thus it was concluded that no evidence that the project is double claiming the same ER in various carbon schemes like CDM, GCC, and Gold Standard. PP has also submitted a declaration for no double counting of the ERs generated during the current MP, also, the stoves distributed under the current MP will not be double counted with any other project. Similar declaration has also been received from the Cookstove manufacturer.
No double claiming with emissions trading programs or binding emission limits	The project activity has been thoroughly search on the various websites of various emission trading programs and or ETS programs running in various counties, using nature, project technology, location and project proponent as well as legal owner as the search option
No double claiming with other forms of environmental credit	As discussed above the, the project has been thoroughly search in the currently active environment schemes and found that the project is not registered with any other environmental credits. PP has also submitted a declaration stating that the project is not registered with any other registry. Therefore, it can be concluded that the project is not claiming any credits from other programs/schemes.
Supply chain (scope 3) emissions double claiming	The grouped project activity which aims at distribution of ICS to households does not result in any Scope 3 emissions in its supply chain.
Sustainable development contributions	As claimed in section 1.12 of the monitoring report, the project is claiming positive impact on the following:

-SDG 1.4.1 impact for the total number of ICS distributed under the grouped project is 334,944 hence, 334, 944 HHs receiving the project ICS now have access to basic cooking services. This is verified through project databases as well as through remote audit/10/ for the accuracy and completeness of the distribution database.

-SDG 3.9.1 impact calculated at Project instances level and calculated for number of households that are affected with project implementation which is verified to be 334,944 households (100% of surveyed household positively claimed less smoke out of 334,944 units distributed) receiving the project ICS now claiming positive perceived impact in terms of smoke level from the project implementation. Claim is verified against survey monitoring data and verified through remote audit/10/.

-SDG 4.7.1 impact is claimed through 2 indicators:

a) The number of Community Health Workers that were educated (trained for distribution, 6-monthly household visits, surveys, and training on sustainable cooking practices to be disseminated to end user households) which is verified from the total employed personals for project implementation. SDG 4.7.1 impact claim which is verified satisfactorily with 3,239 trained CHWs.

b) The number of end users per household that are educated for stove usage and apply sustainable cooking practices are equal to the exact number of households where project ICS are distributed. PP implemented distribution of project stove together with training material and distributed posters in public event which is verified through sampled signed user agreements, sampled household visit and project distribution list database. With total 334,944 units distributed from start of crediting period, project impact is verified to be 334,944households that had received education on clean cooking under this indicator.

-SDG 5.4.1 impact is claimed through the calculated % respondents from monitoring survey with perceived positive impact on the amount of time tending fire and collecting wood. 100% of the survey participants that claimed the positive impact is used to calculated as distributed 334,944 units. The data is verified using acceptance sampling approach during remote audit/10/.

-SDG 7.1.2 impact is claimed by the number of households with access to clean to clean fuels and technology. In the monitoring period, 100% of the surveyed households claimed the use of project technology, however, as per methodology the usage rate is capped at 90%, which further accounts to 301,449 units from the start date of the project. This is verified through verification from the record of distribution database as well as cross checked with remote audit/10/ conducted to sampled household users.

-SDG 8.3.1 impact is claimed by the number of informal employments that is created by the project implementation. 3,239/16/ informal employments are claimed which is calculated using total employed personnel of DelAgua in various positions and locations that are working in VCS 3699 (and VCS 4150) divided equally. VCS 3699 is verified through Verra Registry (<https://registry.verra.org/app/projectDetail/VCS/4150>) which is verified located in the same area, same PP, same activity which is dissemination of improved cookstoves. PP's approach to divide the employed personals between the 2 projects is reasonable as the same personals are working for both projects. CL 3 was raised and closed successfully.

-SDG 13 impact is claimed through the emission reduction calculated by the project implementation which the detailed assessment can be found in section 5.3 of this report.

	-SDG 15.4 impact is claimed through the reduction firewood as the effect of project implementation. The claim is verified through calculation using number of ICS distributed, usage rate, Fuel saved and stove years. In total, 428,287 tons/9/ of wood savings are claimed in MP. During the current monitoring period (01 January 2025 – 30 September 2025), no new cookstoves were distributed; therefore, the “Current Project Contribution” under SDGs 1.4, 4.7, 5.4 and 7.1 is based on already distributed cookstoves confirmed to be operational through monitoring surveys. As all distributed cookstoves remain operational during this monitoring period, based on the results of the monitoring survey, the current contribution numerically equals the cumulative lifetime contribution.
Additional information relevant to the project	No commercially sensitive information has been excluded by the PP.

4.2 Safeguards and Stakeholder Engagement

4.2.1 Stakeholder Identification

As confirmed with Project Proponent, the makeup of the stakeholders of the group project activities has not changed. The assessment is performed using project database distribution location as well as assessment of whether new project units distributed in the monitoring report are detected no detected with material discrepancies compared to previous monitoring reports.

Within the grouped project activities implementation in the monitoring report, no change is detected in terms of project location, type of technology, monitoring activities as well as changes detected in socio-economic condition within the project area.

The finding is consistent with the claim made by project proponent with the information reflected in section 2.1.1 of the monitoring report/8/.

Item	Evidence gathering activities, evidence checked, and assessment conclusion
Stakeholder identification	N/A as stakeholder is identified to be the same as initial identification process as verified in project description document/5/. The assessment team conducted the interview with stakeholder information can be found in section 2.4 of the report.

Legal or customary tenure/access rights	The project activity does not involve land use, land access, or biomass harvesting rights. Cookstoves are distributed for voluntary use within individual households. No changes to legal or customary tenure or access rights were observed or reported. The same information was also verified during the remote audit of the project/10/. The verification team concludes that this requirement is not applicable to this project.
Stakeholder diversity and changes over time	Section 2.1.1 of the MR and verification interviews confirm that the project continues to engage a diverse range of stakeholders, including women, youth, and vulnerable households/8/10/. The demographic composition of stakeholders remains consistent with that identified during validation. No significant shifts or exclusions were noted during this monitoring period and same was also confirmed from the PP during the remote interview/10/ and there has been no additional ICS distribution in the project.
Expected changes in well-being	Evidence was drawn from the Monitoring Report and stakeholder interviews during the remote audit. Reported co-benefits include reduced indoor air pollution, time savings in fuel collection, and reduced household fuel expenses. These impacts were consistently reported by ICS users and are in line with project expectations. The verification team finds the expected improvements to be credible and supported.
Location of stakeholders	It has been observed and verified during remote audit by interviewing different personnel that the project activity is in line with the monitoring plan/5/ and there is no change in the location of stakeholders.
Location of resources	The project does not involve access to or use of shared or contested natural resources. The ICS units operate independently within households and do not require external resource extraction. This criterion is not applicable to the project and was confirmed through field observations and MR review.

4.2.2 Stakeholder Consultation and Ongoing Communication

Item	Evidence gathering activities, evidence checked, and assessment conclusion
------	--

Ongoing consultation	No additional stakeholder consultation was carried out in this monitoring period as the initial stakeholder has the same stakeholder composition as from the start of crediting period, only 1 PAI is included in the GP. PP has a continuous grievance mechanism/20/42/ in place for the local stakeholders. The beneficiaries of the project ICS have been provided with the following means to contact the PP: •Directly registering complains at the nearest cell office. •A toll-free helpline on which the end users can seek assistance (which is available nation wide). •Speaking to the DelAgua CHW network to share their feedbacks An online grievance submission platform via the PP's website https://www.delagua.org/project-rwanda/ It is confirmed by PP that there has been no grievances/complaints/42/ received in the monitoring period which could impact the applicability of the project and methodology, it has been also confirmed by the means of interview with stakeholder and implementation partner.
Date(s) of stakeholder consultation	No additional stakeholder consultation was executed in this MP. However, PP has a mechanism for conducting training and awareness campaigns, also regular monitoring surveys are conducted. CL 3 and CL 4 were raised and closed successfully.
Communication of monitored results	No major grievances/42/ received in this MP. From the remote audit carried out by verifier team, it is confirmed that there is no inputs/complaints from users that could effect the applicability of methodology and project operationalization on ground.
Consultation records	PP claimed that there are no major inputs/grievances that is recorded that is relevant to project implementation process. The same is concluded from the data collected from users and stakeholder interviewed during remote audit/10/.

Stakeholder input

PP claimed that there are no major inputs/grievances that is recorded that is relevant to project implementation process. The same is concluded from the data collected from users and stakeholder interviewed during remote audit/10/.

4.2.3 Free, Prior, and Informed Consent

Item	Evidence gathering activities, evidence checked, and assessment conclusion
Consent	From the communication channel established and communicated to project technology user through: •Directly registering complains at the nearest cell office. •A toll-free helpline on which the end users can seek assistance. •Speaking to the DelAgua CHW network to share their feedbacks From the information collected from remote audit interviews with project technology users and project implementer partners' field team, no inputs/grievances/42/ that are identified that is evaluated to be material to project design and implementation. VCS standard/1/ para 3.18.8 is applicable in case the project is affecting property rights. The grouped project is an improved cookstove dissemination which is evaluated to have no risk on affecting any property right, Indigenous Peoples (IPs), local communities, nor customary rights
Outcome of FPIC discussion	No concerns or objections regarding participation were reported. The verification team concludes that FPIC was appropriately obtained and documented in line with the VCS Program and project safeguards.

4.2.4 Grievance Redress Procedure

Item	Evidence gathering activities, evidence checked, and assessment conclusion
------	--

Grievance received and steps taken to resolve the grievance including the outcomes of the resolution

The verification team conducted remote audit and interacted with local stakeholders, as detailed in section 2.3 of the report. Notably, no negative comments or feedback were received from the local stakeholders during these interactions, according to the verification team's records.

The PP has a continuous grievance mechanism/42/20/ in place for the local stakeholders. The beneficiaries of the project ICS have been provided with the following means to contact the PP:

- Directly registering complains at the nearest cell office.
- A toll-free helpline on which the end users can seek assistance.
- Speaking to the DelAgua CHW network to share their feedbacks

The assessment team has conducted interviews with the PP representatives and the end users and found that there was the constant on-going communication directly with the beneficiary households. The project proponent has disclosed its feedback and grievance redressal mechanism under section 2.1.2 - 2.1.4 of the MR/8/.

It is crucial to emphasize that the responsibility for addressing grievances related to the grouped project activity is shared between the local implementation partners and the project proponent.

Any grievances that arise during the operation of the grouped project activity will be conveyed to the project proponent for resolution. To facilitate ongoing communication with stakeholders, an established grievance mechanism is in place.

Based on interviews and observations, the assessment team evaluated that the grievance redressal procedure adequately addresses issues that may arise during project planning and implementation. Beneficiaries and stakeholders are provided with the project proponent's contact information and are encouraged to reach out with any problems, questions, or grievances.

	During the current monitoring period, no grievance/42/ is claimed received. The same is concluded from the remote audit (interviews with users).
Grievance redress procedure	PP has a continuous grievance mechanism in place for the local stakeholders. The beneficiaries of the project ICS have been provided with the following means to contact the PP: Directly register complaints at the nearest cell office. •A toll-free helpline on which the end users can seek assistance. •Speaking to the DelAgua CHW network to share their feedbacks Activities of the field team is presented in form of log of activities extracted from internal data monitoring which includes household visits & training in which grievances can be collected. From the information collected from remote audit interviews with project technology users and project implementer partners' field team, no input/grievances that are identified that is evaluated to be material to project design and implementation. VCS standard/1/ para 3.18.8 is applicable in case the project is affecting property rights. The grouped project is an improved cookstove dissemination which is evaluated to have no risk on affecting any property right, Indigenous Peoples (IPs), local communities, nor customary rights. It has been confirmed that the grievance redress mechanism is accessible throughout the project distribution area via CHWs, routine household visits, a nationwide toll-free helpline, and an online platform. The grievance register is maintained electronically at the Kigali office for administrative purposes only, and stakeholders are not required to travel to Kigali to submit grievances. Additionally, it is also verified that separate, project-specific grievance registers are maintained for VCS 3699 and VCS 4150, with no overlap between the two.

4.2.5 Public Comments

Comments received	Actions taken by the project proponent	Evidence gathering activities, evidence checked, and assessment conclusion
From the evidence gathered, no public comment has been received	N/A	N/A

4.2.6 Risks to Local Stakeholders and the Environment

4.2.6.1 Management Experience

It was confirmed during the remote audit that the DelAgua staff are well-trained, with prior experience in distribution and monitoring. They received training on the questionnaire before conducting the surveys. The Training records and personnel competency have been verified by the assessment team during the remote audit/10/

4.2.6.2 Risk Assessment

Item	Evidence gathering activities, evidence checked, and assessment conclusion
Natural and human induced risks to stakeholders' wellbeing	During the remote audit/10/ interview with of the personnel and stakeholders was conducted where they confirmed that climate crises and natural disasters can precipitate displacement and migration, resulting in the relocation of households. Further they added that the group project involved distribution of ICS that are portable and lightweight. Consequently, users of the project's ICS could easily carry them in case relocation becomes necessary. The structure of ICS was verified remotely during the current MP, and end users were interviewed to verify the risk associated. No Risk was detected with respect to the project activity
Risks to stakeholder participation	From the communication channel established and communicated to project technology user through several mechanisms: Directly register complaints at the nearest cell office. •A toll-free helpline on which the end users can seek assistance.

	•Speaking to the DelAgua CHW network to share their feedbacks With this communication approach in place, inputs from stakeholders are able to be received, collected and follow up upon. Project proponent also clarified that communication can take place following normal tribal route where beneficiaries log the grievance with their tribal leader which then shall notify field team to log the grievances and follow up on it. From the information collected from remote audit interviews with project technology users and project implementer partners' field team, no inputs/grievances/42/ that are identified that is evaluated to be material to project design and implementation CAR 04 was raised and closed successfully.
Working conditions	No risk identified. DelAgua internal policies and Handbook which are mandatory to be signed by employed personals/17/ is verified. Rwanda has Labor Law in effect /23/ in place that cover employee's right. No issues detected from the interviewed personals during the remote audit/10/.
Safety of women and girls	No risk identified. No issues detected from the interviewed personals during the remote audit/10/. The nature of the project is through the dissemination of improved cookstove which based on technology performance claimed from manufacturer and perceived stove performance from user from monitoring survey/12/ and cross checked through verifier's remote audit/10/, the project implementation benefits women and girls through reduction of smoke during meal preparation and shorter cooking time.
Safety of minority and marginalized groups, including children	No risk identified, PP have code of conduct and policy in place in relevant to hiring workers under legal age as well as Rwanda Labor Law/23/ in effect. No evidence is detected from the remote audit and interaction between verifier team and monitoring field team.

Pollutants discharges generation hazardous chemical fertilizers (air, noise, to water, and release of materials and pesticides and	No risk identified. Project technology BURN which is provided with manufacturer's technology specification which is verified through BURN Website/26/ also Burn letter for no double counting has also been submitted with higher thermal efficiency which in effect reduces wood fuel usage. The project technology utilize wood fuel and operate as cookstove which does not generate more waste than baseline stove. Based on perception of users as verified from monitoring survey, majority of the users claimed less smoke is generated from the project stove.
--	--

4.2.7 Respect for Human Rights and Equity

4.2.7.1 Labor and Work

Item	Evidence gathering activities, evidence checked, and assessment conclusion
Discrimination	No risk identified. Rwanda has Labor Law in effect/22/ in place that cover employee's right. PP their own internal code of conduct and policy in place which covers both discrimination and sexual harassment issues/16/. No issues detected from the interviewed personals during the remote audit/10/.
Sexual harassment	No risk identified. Rwanda has Labor Law in effect/22/ in place that cover employee's right. PP their own internal code of conduct and policy in place which covers both discrimination and sexual harassment issues/17/. No issues detected from the interviewed personals during the remote audit/10/.
Gender equity in labor and work	No risk identified. Rwanda has Labor Law in effect/22/ in place that cover employee's right. PP their own internal code of conduct and policy in place which covers both discrimination and sexual harassment issues/16/. No issues detected from the interviewed personals during the remote audit/10/.
Forced labor	No risk identified. Rwanda has Labor Law in effect/22/ in place that cover employee's right. PP their own internal code of conduct and policy in place which forced labor/16/. No issues detected from the interviewed personals during the remote audit/10/.

Child labor	No risk identified. Rwanda has Labor Law in effect/22/ in place that cover employee's right. PP their own internal code of conduct and policy in place which child labor/16/. No issues detected from the interviewed personals during the remote audit/10/.
Human trafficking	No risk identified. Rwanda has Labor Law in effect/22/ in place that cover employee's right. PP their own internal code of conduct and policy in place which covers human trafficking/16/. No issues detected from the interviewed personals during the remote audit/10/.

4.2.7.2 Human Rights

Risks identified	Evidence gathering activities, evidence checked, and assessment conclusion
Human Rights	N/A. The nature of the project implementation is through the dissemination of improved cookstove which presents no risk to Human Rights. The employed worker's rights are assessed in section 4.2.7.1. Rwanda has been a member of ILO since 1962 which summary of the ratifications over the years by the country/33/.

4.2.7.3 Indigenous Peoples and Cultural Heritage

Risks identified	Evidence gathering activities, evidence checked, and assessment conclusion
Preservation and protection of cultural heritage	N/A. The nature of the project implementation is through the dissemination of improved cookstove which present no risk to Indigenous Peoples and Cultural Heritage.

4.2.7.4 Property Rights

Risks identified	Evidence gathering activities, evidence checked, and assessment conclusion
------------------	--

Disputes over rights to territories and resources	N/A. The nature of the project implementation is through the dissemination of improved cookstove which present no risk to property rights. Through signed user agreements it is clearly communicated that the stove is distributed free of charge and in return the credit for claiming carbon emission reduction is with PP. Assessment of the project based on the project technology and activities was executed against applicable Financial rules and regulations/30/, and international human rights laws and standards/33/.
Respect for property rights	N/A. The nature of the project implementation is through the dissemination of improved cookstove which presents no risk to property rights.

4.2.7.5 Benefit Sharing

Item	Evidence gathering activities, evidence checked, and assessment conclusion
Summary of the benefit sharing plan	N/A. The nature of the project implementation is through the dissemination of improved cookstove which present no risk to property rights. Through signed user agreements it is clearly communicated that the stove is distributed free of charge and in return the credit for claiming carbon emission reduction is with PP.
Benefit sharing during the monitoring period	N/A. The nature of the project implementation does not have benefit sharing arrangements through all parties involved.

4.2.8 Ecosystem Health

Item	Evidence gathering activities, evidence checked, and assessment conclusion
Impacts on biodiversity and ecosystems	N/A. The nature of the project is implementation through the dissemination of improved cookstove to replace the traditional baseline stove. The project implementation has no effect on biodiversity and ecosystem. Through use of improved cookstove, reduction in wood fuel consumption can serve a positive impact on the surrounding ecosystem.

Soil degradation and soil erosion	N/A. The nature of the project is implementation through the dissemination of improved cookstove to replace the traditional baseline stove. The project implementation has no effect on biodiversity and ecosystem. Through use of improved cookstove, wood fuel consumption reduction can serve a positive impact on surrounding ecosystem.
Water consumption and stress	N/A. The nature of the project is implementation through the dissemination of improved cookstove to replace the traditional baseline stove. The use of project technology has no impact on water consumption since it is simply aimed at replacing the use of baseline stove.

4.2.8.1 Rare, Threatened, and Endangered species

Item	Evidence gathering activities, evidence checked, and assessment conclusion
Species or habitat	N/A. The nature of the project implementation is through the dissemination of improved cookstove to replace the traditional baseline stove which does not present risk for local species or habitat. .
Areas needed for habitat connectivity	N/A.

4.2.8.2 Introduction of Species

Species introduced	Evidence gathering activities, evidence checked, and assessment conclusion
N/A	

Existing invasive species	Evidence gathering activities, evidence checked, and assessment conclusion
N/A	

Evidence gathering activities, evidence checked, and assessment conclusion	
Invasive species	N/A

4.2.8.3 Ecosystem conversion

Item	Evidence gathering activities and evidence checked
Ecosystem conversion	N/A. The nature of the project implementation is through the dissemination of improved cookstove to replace the traditional baseline stove which does not present as risk to local ecosystem.

4.3 Accuracy of Reduction and Removal Calculations

The monitoring has been carried out in accordance with the provision of monitoring plan; the verification team reviewed if:

- The monitoring of reductions in GHG emissions resulting from the VCS project activity is verified against the monitoring plan contained in the registered VCS-PD/5/ and the applied methodology/7/.
- All parameters stated in the monitoring plan, the applied methodologies and relevant standards and requirements have been sufficiently monitored and updated.
- The responsibilities and authorities for monitoring and reporting were in accordance with the responsibilities and authorities stated in the monitoring plan.

The monitoring system and all applied procedures are in compliance with the monitoring plan contained in the registered VCS-PD/5/ and the applied methodology VM0050-EE-and-Fuel-Switch-Measures-in-Cookstoves-v1.0 /7/, based on the information included in the final monitoring report, there are several procedures for data collecting depending on the methodology applicable for each step of the project.

PP conducted sampling surveys to gather information needed for the monitoring of $\eta_{j,k,y}$, $\eta_{new,avg,y}$.

Where,

$\eta_{j,k,y}$: Visual inspection of the premises to see if ICS is operational and in use. Interview with end user if required to verify that ICS is still in use (Yes/No)

$\eta_{new,avg,y}$: WBT tests were conducted in the sampled households.

Monitoring surveys were conducted in 26-August-2025 to 05-september-2025. Minimum sample size is calculated and verified for each parameter and PAI in reference to CDM Guideline Sampling and Surveys for CDM Project Activities and PoA/26/ using total distributed units as target population. Using stratified random sampling approach, PP has identified different sample sets for different parameters.

Parameter	Calculated minimum samples needed	Actual Samples Surveyed the listed parameters
n _{j,k,y} ,	43	120
n _{new,avg,y}	8	20 (10 for pot skirt and 10 for without pot-skirt)

PP has applied vintage-based stratified sampling approach for parameter n_{i,k,y} and confirmed that strata were clearly defined by commissioning year (2022 and 2023 vintages). Given the uniform stove technology and implementation conditions, therefore each stratum is considered homogeneous. The monitored sample size exceeded the minimum requirement and achieved the required 95/10 confidence and precision in accordance with CDM sampling guidelines.

PP's calculation for sample size is presented in transparent spreadsheet in ER calculation/9/ tab Sample Size Cal & Results. PP has applied a confidence and precision of 95/10 and it has been confirmed that relative precision has been met as demonstrated in ER sheet and Monitoring report.

Sampling captured information on monitoring variables with required confidence/precision

95/10 confidence/precision basis in corresponding to the scale of the Group Project which is large project in accordance to VCS Standard/1/ and CDM Guideline Sampling and Surveys for CDM Project Activities and PoA/26/.

Accuracy and data traceability from the presented survey data is requested to be demonstrated by PP from the internal data management system to the extracted spreadsheet. Data presented and used for ER calculation is concluded to be complete and accurate. PP further provided justification and rationale behind data interpretation from the survey data during the opening meeting.

Calculation for relative precision from survey data is calculated at for both monitored parameters n_{j,k,y} and n_{new,avg,y} is presented in the ER calculation/9/ tab Sample Size Cal & Results.

Verifier team approach to determine sample remote audit in terms of minimum sample as well as sample selection is detailed in section 2.4. of this report.

Details of the sampled users are detailed in section 2.3 of the verification report. Data collected from the remote audit on the sampled survey/10/ verified against monitoring survey^{/12/} and project distribution database/11/.

Emission reduction (ER)

The methodology calculates baseline and project emissions separately. The steps taken and the equations and parameters applied in the VCS-PD/05/ and VM0050/7/ to calculate the project emissions, baseline emissions, leakage and emission reductions comply with the requirements of the selected methodology including applicable tool(s).

$$BE_y = \sum EC_{i,y} \times N_{j,k,y} \times n_{j,k,y} \times (EF_{b,i,CO_2} \times f_{NRB,y} + EF_{b,i,nonCO_2}) \quad \text{Equation (1)}$$

Where:

BE_y	Baseline emissions during year y (t CO ₂ e)
$EC_{i,y}$	Average energy consumption of baseline device type i in year y (TJ)
$N_{j,k,y}$	Number of commissioned project devices of type j from batch k in year y
$n_{j,k,y}$	Proportion of commissioned project devices of type j from batch k that remain operating in year y (fraction)
EF_{b,i,CO_2}	CO ₂ emission factor for fuel used by baseline device type i in the baseline scenario (t CO ₂ /TJ)
$f_{NRB,y}$	Fraction of woody biomass that is established to be non-renewable used by baseline device in year y (fraction)
$EF_{b,i,nonCO_2}$	Non-CO ₂ emission factor for fuel used by baseline device type i in the baseline scenario (t CO ₂ e/TJ)
i	Baseline device type and its respective fuel type
j	Project device type and its respective fuel type

The average energy consumption of baseline device type i is calculated as follows:

$$EC_{i,y} = BC_{b,i,y} \times NCV_{b,i} \quad \text{Equation (2)}$$

Where:

$BC_{b,i,y}$	Fuel used per baseline device type i during year y (tonnes)
$NCV_{b,i}$	Net calorific value of baseline fuel for baseline device type i (TJ/tonne)

Cross-check of $EC_{i,y}$ to address stove stacking:

Baseline consumption from the back calculation is calculated as follows:

$$EC_{est,y} = EC_{p,y} \times \eta_{new,avg,y} / \eta_{old,avg} \quad \text{Equation (3)}$$

Where:

$EC_{est,y}$	Back-calculated energy consumption of the potential mix of devices and fuels in the baseline in year y (TJ)
$EC_{p,y}$	Energy used in project scenario by project devices during year y (TJ)
$\eta_{new,avg,y}$	Weighted average efficiency of project devices in year y (fraction)
$\eta_{old,avg}$	Weighted average efficiency of baseline devices that are replaced by project devices (fraction)

Note: Where the results indicate that baseline consumption ($EC_{i,y}$) is higher than that indicated by back-calculation from the project scenario ($EC_{est,y}$) then the back-calculation results ($EC_{est,y}$) will be applied in Equation (1) as a conservative cap.

$$EC_{p,y} = \sum_{j,k} BC_{p,j,k,y} \times NCV_{p,j} \quad \text{Equation (4)}$$

Where:

$BC_{p,j,k,y}$	Average quantity of fuel used by project device type j from batch k during year y (tonnes or m ³)
$NCV_{p,i}$	Net calorific value of project fuel used in project device type i (TJ/tonne or TJ/m ³)

Given that the grouped project involves the distribution of non-renewable biomass-based improved cookstoves exclusively to the target users, Equation (5) of the methodology applies to electric stoves and is therefore not applicable

Quantification of leakage emissions:

In accordance with the section 8.3 of the applied methodology, VM0050, version 1.0/7/, a default factor of 0.95 to account for leakage has been applied.

Verification team confirms that all relevant assumptions and data are listed in the project description, including their references and sources and that all data and parameter values used in the project description are considered reasonable in the context of the project and all estimates of the baseline emissions can be replicated using the data and parameter values provided in the project description. No uncertainties associated with the calculations of emissions have been observed by the verification team.

Quantification of project emissions:

As per the applied methodology VM0050, ver. 1.0, project emissions are calculated as follows:

$$PE_y = PE_{Energy,y} + PE_{Others,y}$$

Equation (6)

Where:

PE_y	Project emissions during year y (t CO ₂ e)
$PE_{Energy,y}$	Project emissions from energy consumption of project devices in year y (t CO ₂ e)
$PE_{Others,y}$	Project emissions from other sources in year y (t CO ₂ e)

$$PE_{Energy,y} = \sum_j \sum_k BC_{p,j,k,y} \times N_{j,k,y} \times NCV_{p,j} \times n_{j,k,y} \times (EF_{p,j,CO_2} \times f_{NRB,y} + EF_{p,j,nonCO_2}) \text{ Equation (7)}$$

Where:

EF_{p,j,CO_2}	CO ₂ emission factor for fuel used by project device type j in the project scenario (t CO ₂ /TJ) = 112 tCO ₂ e/TJ (Meth Default Value)
$EF_{p,j,nonCO_2}$	Non-CO ₂ emission factor for fuel used by project device type j in the project scenario (t CO ₂ e/TJ) = 9.46 tCO ₂ e/TJ (Meth Default Value)

Given that the grouped project involves the distribution of non-renewable biomass-based improved cookstoves exclusively to the target users, Equation (8) and Equation (10) of the methodology applies to electric stoves and are therefore not applicable. Further, the ICS distributed under the project is designed for wood fuel, and beneficiaries procure the wood fuel either from nearby fields or the market. Therefore, Equation (9) is not applicable.

The grouped project employs methodology namely VM0050⁷⁷/ v1.1. Following Project Description Document /5/ section 5.1 and 5.2, the parameters determined ex-ante and monitored ex-post as per methodology requirements are as followed:

The data and parameters fixed (ex-ante):

S.No	Parameter	Value	Means of verification
1	EF_{b,i,CO2}, EF_{p,j,CO2}, EF_{fuel,hCO2} CO₂ Emission factor for fuel used by baseline device type i in the baseline scenario CO₂ Emission factor for fuel used by project device type j in the project scenario Emission factor for fuel used by backup generator h	112 tCO ₂ e/TJ	Verification against methodology default value and IPCC Guidelines/25/
2	EF_{b,i,nonCO2} EF_{p,j,nonCO2} Non-CO₂ emission factor for fuel used by baseline device type i in the baseline scenario Non-CO₂ emission factor for fuel used by project device type j in the project scenario	9.46 tCO ₂ e/TJ	Verification against methodology default value and IPCC Guidelines/25/
3	NCV_{b,i} NCV_{p,j} NCV_h	Wood: 0.0156 TJ/tonne	Verification against methodology default value and IPCC Guidelines/25/

	Net calorific value of baseline fuel used by baseline device type i Net calorific value of project fuel used by project device type j Net calorific value of fuel used by backup generator		
4	BCex-ante,b,i Ex-ante annual average quantity of fuel used per baseline	4.04 tonnes/year	Assessment team has reviewed baseline KPTs as per VM0050 v1.0 requirements and cross check firewood consumption from previous verification.
5	$\eta_{old,avg}$ Weighted average efficiency of baseline devices that are replaced by project devices	15%	Verification against methodology default value and IPCC Guidelines/25/.
6	Hhi Hhj,k	Average household size of the target population using device type i is 4.31 Average household size of the target population using device type j from batch k	Assessment team has reviewed baseline survey and KPTs as per VM0050 v1.0 requirements and cross check firewood consumption from the previous verification.

The data and parameters monitored (ex-post):

1. Parameter: $N_{y,k,y}$ (Number of commissioned project devices of type j from batch k in year y)

Means of verification	Measuring /Reading /Recording frequency	Assessment team has reviewed total ICS distribution database following methodology/7/ requirement. As per methodology/7/ requirement and PD/5/, the monitoring frequency is Every time that new project devices are distributed. Frequency monitoring for this parameter is evident meeting the methodology requirement.
	Is measuring and reporting frequency in accordance with the monitoring plan and monitoring methodology? (Yes / No)	N/A. This is based on distribution records of ICS.
	Monitoring equipment	N/A. This is based on distribution records of ICS.
	Is accuracy of the monitoring equipment as stated in the monitoring plan? If the monitoring plan does not specify the accuracy of the monitoring equipment, does the accuracy of the monitoring equipment comply with local/national standards, or as per the manufacturer's specification?	N/A
	Calibration frequency /interval:	This is based on distribution records of ICS.

	Is the calibration interval in line with the monitoring plan and/or methodology? If the monitoring plan does not specify the frequency of calibration, is the selected frequency in accordance with the local/national standards, or as per the manufacturer's specifications?	N/A
	Is the calibration of measuring equipment carried out by an accredited person or institution?	N/A
	Is(are) calibration(s) valid for the whole reporting period?	N/A
	How were the values in the monitoring report verified?	Assessment team has reviewed the total distribution database which has date of distribution. VVB has also verified CTF for the selected households. There has been no distribution in the current monitoring period. Value of $N_{j,k,y}$ is verified as 334,944units
	If applicable, has the reported data been cross checked with other available data?	N/A
	Does the data management ensure correct transfer of data and reporting of emission reductions and are necessary QA/QC processes in place?	Assessment team has reviewed number of ICS devices recorded in database, sales record. Value of $N_{j,k,y}$ is verified as 334,944units
	In case project participants have temporarily not monitored the parameter, has either deviation?	Monitoring is verified to be carried out as per Project Description Document/5/ and methodology/7/ requirement with no deviation.

Findings	NA
Conclusion	Total distribution database was crosschecked with sales record and CTF. Total project stove commissioned are accepted as: 334,944units

2. Parameter: $n_{j,k,y}$ (Proportion of commissioned project devices of type j from batch k that are still being used regularly in year y)

Means of verification	Measuring /Reading /Recording frequency	Following methodology/7/ requirement, the parameter is measured directly or based on a representative sample. Project Proponent carried out habit survey/12/ with questionnaire determining whether project technology is used (user vs non-user) for each project instances sample sets. Calculation is carried out for the project instance using total units distributed with usage rate % from monitoring survey. As per methodology/7/ requirement and PD/5/, the monitoring frequency is annually. The parameter is calculated using usage rate obtained from monitoring survey carried out in 26/08/2025 to 05/10/2025.
-----------------------	---	--

		As per methodology/7/ requirement and PD/5/, the monitoring frequency is annual. Sampling requirement for the survey to obtain the data parameter is assessed with presented data that Project Proponent sampling plan is adjusted to satisfy sample size to achieve 95/10 confidence precision relevant to the size of the project. Sampling approach adopted by Project proponent is in line with Sampling and Surveys for CDM Project Activities and Programmes of Activities requirement/17/.
	Is measuring and reporting frequency in accordance with the monitoring plan and monitoring methodology? (Yes / No)	As per methodology/7/ requirement and PD/5/, the monitoring frequency is annually. The parameter is calculated using usage rate obtained from monitoring survey carried out in. Sampling requirement for the survey to obtain the data parameter is assessed with presented data that Project Proponent sampling plan is adjusted to satisfy sample size to achieve 95/10 confidence precision relevant to the size of the project. Sampling approach adopted by Project proponent in accordance with Sampling and Surveys for CDM Project Activities and Programmes of Activities requirement/18/

	Monitoring equipment	N/A. The parameter is calculated using equation 5 of the methodology.
	Is accuracy of the monitoring equipment as stated in the monitoring plan? If the monitoring plan does not specify the accuracy of the monitoring equipment, does the accuracy of the monitoring equipment comply with local/national standards, or as per the manufacturer's specification?	N/A
	Calibration frequency /interval:	N/A, no equipment is used as the parameter is calculated using total stove distributed multiplied with usage rate derived from monitoring survey (survey habit/14/).
	Is the calibration interval in line with the monitoring plan and/or methodology? If the monitoring plan does not specify the frequency of calibration, is the selected frequency in accordance with the local/national standards, or as per the manufacturer's specifications?	N/A
	Is the calibration of measuring equipment carried out by an accredited person or institution?	N/A
	Is(are) calibration(s) valid for the whole reporting period?	N/A

	How were the values in the monitoring report verified?	Stove Operating Fraction for determination of $N_{y,i,j}$ values are verified through data analysis of data presented as survey habit/12/ for each project instances for usage rate of project technology is at 100%. The usage rate was capped to 90% in accordance VM0050. PP has submitted monitoring usage survey under usage survey data tab of the ER spreadsheet.
	If applicable, has the reported data been cross checked with other available data?	NA, as this is a calculated value using methodology equation.
	Does the data management ensure correct transfer of data and reporting of emission reductions and are necessary QA/QC processes in place?	The value of usage survey is based on the monitoring survey analysis which is captured and recorded electronically. Traceability of the data from the presented excel data file/12/ was performed from the data source using sampled data set during opening meeting with no discrepancy sighted. Similar feedback from households is obtained during remote audits. Calculation of the value is verified as well as the value claimed in both ER/9/ and monitoring report/8/.
	In case project participants have temporarily not monitored the parameter, has either deviation?	Monitoring is verified to be carried out as per Project Description Document/5/ and methodology/7/ requirement with no deviation.

Findings	No finding raised
Conclusion	The value of this parameter is verified and accepted as: Value Applied is 0.9

3. Parameter fnrb,b,y (Fraction of woody biomass that can be established as non-renewable biomass.)

Means of verification	Measuring /Reading /Recording frequency	In accordance with VM0050 requirement, fNRB value registered in PD is multiplied with uncertainty discount of 26%. Value of the Parameter is verified through registered PD. This parameter must be fixed ex ante for 1st crediting period. The calculation of this parameter is found to be in accordance with the updated methodology.
	Is measuring and reporting frequency in accordance with the monitoring plan and monitoring methodology? (Yes / No)	Calculation of this parameter is as per updated methodology. This parameter is calculated once per crediting period. The frequency of calculation of fNRB for the host country is in line with VM0050 v1.0.
	Monitoring equipment	N/A. The parameter is calculated as per tool 30 (already in registered PD) multiplied by uncertainty discount of 26%.

	Is accuracy of the monitoring equipment as stated in the monitoring plan? If the monitoring plan does not specify the accuracy of the monitoring equipment, does the accuracy of the monitoring equipment comply with local/national standards, or as per the manufacturer's specification?	N/A
	Calibration frequency /interval:	N/A
	Is the calibration interval in line with the monitoring plan and/or methodology? If the monitoring plan does not specify the frequency of calibration, is the selected frequency in accordance with the local/national standards, or as per the manufacturer's specifications?	N/A
	Is the calibration of measuring equipment carried out by an accredited person or institution?	N/A
	Is(are) calibration(s) valid for the whole reporting period?	N/A
	How were the values in the monitoring report verified?	Calculation of this parameter is as per updated methodology. This parameter is calculated once per crediting period.
	If applicable, has the reported data been cross checked with other available data?	N/A Calculation of this parameter is as per updated methodology. This parameter is calculated once per crediting period. The frequency of calculation of fNRB for the host country is in line with VM0050 v1.0.

	Does the data management ensure correct transfer of data and reporting of emission reductions and are necessary QA/QC processes in place?	N/A. The parameter is as per registered PD. fNRB is updated in accordance with section 9.2 of the updated methodology
	In case project participants have temporarily not monitored the parameter, has either deviation?	N/A. The parameter is as per registered PD. fNRB is updated in accordance with section 9.2 of the updated methodology.
Findings	No finding raised.	
Conclusion	The raised CLs were resolved satisfactorily. The value of this parameter is verified and accepted as: 0.6565	

4. Parameter BC_{b,i,y} (Fuel used per baseline device type i during year y)

Means of verification	Measuring /Reading /Recording frequency	Following methodology/7/ requirement, the parameter is to be obtained from survey at five years. The parameter is to be monitored using 2 options with option 1 being used. This option requires measurement campaign followed by KPTs that are not the part of the project activity.
	Is measuring and reporting frequency in accordance with the monitoring plan and monitoring methodology? (Yes / No)	Following methodology/7/ requirement, under option 1 the parameter is to be obtained from survey designed to capture the cooking habits and baseline firewood consumption of households in project boundary.

	Monitoring equipment	NA, as the survey data is obtained by verbal confirmation and is followed by KPT.
	Is accuracy of the monitoring equipment as stated in the monitoring plan? If the monitoring plan does not specify the accuracy of the monitoring equipment, does the accuracy of the monitoring equipment comply with local/national standards, or as per the manufacturer's specification?	NA, as the survey data is obtained by verbal confirmation on the frequency on the consumption of firewood in the baseline and is then followed by KPT.
	Calibration frequency /interval:	NA.
	Is the calibration interval in line with the monitoring plan and/or methodology? If the monitoring plan does not specify the frequency of calibration, is the selected frequency in accordance with the local/national standards, or as per the manufacturer's specifications?	N/A, as no monitoring/measuring equipment used.
	Is the calibration of measuring equipment carried out by an accredited person or institution?	N/A, as no monitoring/measuring equipment used.
	Is(are) calibration(s) valid for the whole reporting period?	N/A, as no monitoring/measuring equipment used.
	How were the values in the monitoring report verified?	Assessment team has reviewed the baseline surveys and KPTs. Data analysis on survey data concluded that the value is calculated accordingly. Data Traceability for the survey data presented was carried out during opening meeting.

	If applicable, has the reported data been cross checked with other available data?	N/A.
	Does the data management ensure correct transfer of data and reporting of emission reductions and are necessary QA/QC processes in place?	The approach PP has implemented based on the questionnaire format of the survey, data interpretation and analysis for precision level, it is concluded to satisfy methodology requirement/7/. The approach resulted in simplified questionnaires that is easily conveyed by survey team and understood by survey participants. The calculation of the value of itself is also simple fraction based on the frequency.
	In case project participants have temporarily not monitored the parameter, has either deviation?	N/A. BC _{b,i,y} is already surveyed during MP2 and needs to be updated every 5 years.
Findings	NA	
Conclusion	The raised CLs were resolved satisfactorily. The value of this parameter is verified and accepted as: 4.04 tonnes/year	

5. Parameter BC_{p,j,k,y} (Fuel used per project device type i during year y)

Means of verification	Measuring /Reading /Recording frequency	Following methodology/7/ requirement, the parameter is to be obtained from survey biennial or annually. The parameter is to be monitored using 2 options with option 1 being used. This option requires measurement campaign followed by KPTs that are not the part of the project activity. Project KPT was already performed during MP2 dec 2024, therefore based on Biannual frequency KPT is not required.
	Is measuring and reporting frequency in accordance with the monitoring plan and monitoring methodology? (Yes / No)	Following methodology/7/ requirement, under option 1 the parameter is to be obtained from survey designed to capture the cooking habits and project activity firewood consumption of households. Yes, the frequency of reporting is inline with the requirement.
	Monitoring equipment	NA.
	Is accuracy of the monitoring equipment as stated in the monitoring plan? If the monitoring plan does not specify the accuracy of the monitoring equipment, does the accuracy of the monitoring equipment comply with local/national standards, or as per the manufacturer's specification?	NA, as the survey data is obtained by verbal confirmation on the frequency on the consumption of firewood in the project and is then followed by KPT.

Calibration frequency /interval:	NA, as the survey data is obtained by verbal confirmation on the frequency on the consumption of firewood in the project and is then followed by KPT.
Is the calibration interval in line with the monitoring plan and/or methodology? If the monitoring plan does not specify the frequency of calibration, is the selected frequency in accordance with the local/national standards, or as per the manufacturer's specifications?	N/A, as no monitoring/measuring equipment used.
Is the calibration of measuring equipment carried out by an accredited person or institution?	N/A, as no monitoring/measuring equipment used.
Is(are) calibration(s) valid for the whole reporting period?	N/A, as no monitoring/measuring equipment used.
How were the values in the monitoring report verified?	VVB has reviewed the baseline surveys and KPTs. Data analysis on survey data concluded that the value is calculated accordingly. Data Traceability for the survey data presented was carried out during opening meeting.
If applicable, has the reported data been cross checked with other available data?	N/A. BCp,j,k,y is surveyed and has a frequency of biannual. Reported data has been cross check with KPT sheets and also with the already registered verification report.

	Does the data management ensure correct transfer of data and reporting of emission reductions and are necessary QA/QC processes in place?	The approach PP has implemented based on the questionnaire format of the survey, data interpretation and analysis for precision level, it is concluded to satisfy methodology requirement/7/. The approach resulted in simplified questionnaires that is easily conveyed by survey team and understood by survey participants. The calculation of the value of itself is also simple fraction based on the frequency.
	In case project participants have temporarily not monitored the parameter, has either deviation?	N/A. BC _{p,j,k,y} is surveyed and updated in accordance with section 9.2 of the updated methodology.
Findings	N/A	
Conclusion	VVB reviewed monitoring survey and Project KPTs. VVB analysed sampling calculation The value of this parameter is verified and accepted as: 1.21 tonnes/year	

5. Parameter $\eta_{new,avg,y}$ (Weighted average efficiency of project devices in year y)

Means of verification	Measuring /Reading /Recording frequency	Following methodology/7/ requirement, the parameter is established by Water Boiling Test campaigns achieving 90/10 confidence and precision levels as per the most recent version of the CDM Standard for Sampling and Surveys for CDM Project Activities and Programmes of Activities. The monitoring have to be performed on annual bases. Please refer to CL 6
	Is measuring and reporting frequency in accordance with the monitoring plan and monitoring methodology? (Yes / No)	Following methodology/7/ requirement, the parameter is established by Water Boiling Test campaigns achieving 90/10 confidence and precision levels as per the most recent version of the CDM Standard for Sampling and Surveys for CDM Project Activities and Programmes of Activities. The monitoring have to be performed on annual bases. Please refer to CL 6
	Monitoring equipment	N/A . Lab test was performed for 20 samples. Samples were selected to achieve 90/10 confidence and precision levels as per the most recent version of the CDM Standard for Sampling and Surveys for CDM Project Activities and Programmes of Activities. The monitoring have to be performed on annual bases. Please refer to CL 6

	Is accuracy of the monitoring equipment as stated in the monitoring plan? If the monitoring plan does not specify the accuracy of the monitoring equipment, does the accuracy of the monitoring equipment comply with local/national standards, or as per the manufacturer's specification?	PP submitted WBT reports for 20 samples (10 for pot skirt and 10 for without pot-skirt). These are lab authenticated documents.
	Calibration frequency /interval:	N/A as the parameter is tested in lab annually.
	Is the calibration interval in line with the monitoring plan and/or methodology? If the monitoring plan does not specify the frequency of calibration, is the selected frequency in accordance with the local/national standards, or as per the manufacturer's specifications?	N/A.
	Is the calibration of measuring equipment carried out by an accredited person or institution?	N/A.
	Is(are) calibration(s) valid for the whole reporting period?	N/A.
	How were the values in the monitoring report verified?	Data analysis is performed with the presented project distribution database

	If applicable, has the reported data been cross checked with other available data?	N/A the parameter value is calculated based on weighted average of efficiency of 20 tested samples (10 for pot skirt and 10 for without pot-skirt) selected to achieve 90/10 confidence and precision levels as per the most recent version of the CDM Standard for Sampling and Surveys for CDM Project Activities and Programmes of Activities.		
	Does the data management ensure correct transfer of data and reporting of emission reductions and are necessary QA/QC processes in place?	WBT reports, hard copy data collection forms, and sample photographs of the Water Boiling Test being are submitted.		
	In case project participants have temporarily not monitored the parameter, has either deviation?	N/A		
Findings	CL 06 was raised and closed successfully			
Conclusion	The raised CLs were resolved satisfactorily.			
	The value of this parameter is verified and accepted as:			
	Kuniokoa Efficiency value			
	With pot skirt		Without pot skirt	
	0.4761		0.4024	
	Monitored Utilization of Pot-skirt	Final Weighted Average $\eta_{new,i,j}$		
	94.31%	0.4719		

Full assessment of value and data used in ER calculation is verified as detailed above. Clarifications and inconsistencies raised as CLs and CARs have been resolved as provided in each specific parameter.

The assessment team has thoroughly verified the calculation done for the quantification of the emissions reduction for the group project activity, under this monitoring period from 01/01/2025 – 30/09/2025.

4.4 Quality of Evidence to Determine Reductions and Removals

Verification team was able to confirm that the data presented is able to be traced to initial raw source of record/data. The spreadsheets used to calculate the VCUs calculations, and all figures were tracked, checked and found to be consistent.

The transfer of carbon rights and other supporting documents related to quality and maintenance were checked by the verification team during the remote audit assessment to confirm the authenticity of the documents and to check the correctness of the calculation.

The verification team can confirm that sufficient evidence is available for the whole monitoring period and the same is verifiable. Based on the distribution database, 334,944 were distributed. The follow up household visit is for collection is to collect information including type of baseline stove which is used to determine value of monitored parameter nold value. Verifier team evaluated the approach chosen by PP to be acceptable from the conservativeness principle as well while still meeting the requirement of the applied methodology.

In accordance with the above details the verification team confirms that:

A complete set of data for the monitoring period was available for the monitoring period, and the verification of each monitoring parameter is elaborated under this report.

The complete monitoring data is also presented in the corresponding ER sheet and the final monitoring report.

The information provided in the monitoring report was cross-checked with other sources, wherever appropriate and available, and such information is also included under this report.

The calculations of baseline emissions as presented in the corresponding ER sheet of final Monitoring Report were checked and found to be consistent with the formulae and methods described in the registered monitoring plan/05/ and the applied methodology.

All assumptions used in the emission calculations were found appropriate and therefore justified.

Appropriate emission factors and other reference values have been correctly applied.

The assessment team has verified all the primary supporting related to operations, quality, and generation of data during the monitoring period such as cross verification against initial/raw data source (users' signed agreements/14/, internal database record for distribution database for user's information, baseline stove and fuel type/11/; monitoring survey/12/ and; technical specification of ICS model/26/, training sessions for competence evaluation of monitoring personals and survey execution guidance/28/, data quality check for plausibility and accuracy, VVB verified the 4.3.3 and 4.3.4 section of the MR in relation to QA/QC measures and training in relation to the competence of the field team. Evidence provided in form of internal audit reports, training records, project stove training material used for households visit/training/21//28/.

ER calculation with formulations and units conversion as well as data transfer from data sources into reports. The photographs were only used as means of secondary cross check of the information verified from Primary sources. As this is the 3rd monitoring period of the project's first crediting period, information regarding project capacity commission and monitoring system are already verified in previous monitoring report which are also cross checked with previous report. Thus, a reasonable level of assurance is achieved.

4.5 Non-Permanence Risk Analysis

VCS standard/1/ section 2.4, non-permanence risk analysis is applicable for Agriculture, Forestry, and Other Land Use (AFOLU) and Geologic Carbon Storage (GCS) projects.

5 VERIFICATION OPINION

5.1 Verification Summary

The group project activity VCS – 3699, “DelAgua Improved Cookstove Grouped Project” has undergone 3rd verification with monitoring period from 01-January-2025 – 30-September-2025 (including both days). DelAgua Trans Africa Stoves Pte. Ltd. (DATAS) is responsible for the collection, analysis, aggregation, preparation (conversion factors, assumptions, methodology, calculations) and presentation of activities and related GHG data in its public disclosures (including but not limited to monitoring report, emission reduction calculation sheet, submitted documents/ emails/ communications). Our responsibility of performing this work is to the management of DelAgua Trans Africa Stoves Pte. Ltd. (DATAS) and in accordance with terms of reference agreed with the DelAgua Trans Africa Stoves Pte. Ltd. (DATAS) in the master service agreement. The verification engagement is based on the assumption that the GHG data provided to us is complete, sufficient, true and free from material misstatements. SustainCERT disclaims any liability or co-responsibility for any decision a person or an entity would make based on this verification statement towards the issuance and utilization of VCU's hereby verified and certified. The verification was carried out during Oct 25 – Dec 2025 by a team of qualified GHG auditors.

SustainCERT applies its own quality management system and compliance policies for quality control, in accordance with ISO/IEC 17029:2019 – Conformity Assessment Requirements for Validation and Verification bodies providing environmental information (ISO 14065:2020) and greenhouse gas audit (ISO 14064-3:2019) and certifications, and accordingly maintains a comprehensive system of quality control including documented policies and procedures regarding compliance with ethical requirements, professional standards and applicable legal & regulatory requirements.

The verification can confirm that:

- The project is implemented and operated as per the registered PD/5/;
- The monitoring plan in registered PD is as per the applied methodology/7/;
- The monitoring complies with the monitoring plan in the registered PD/5/;
- The monitoring report and other supportive documents provided are complete and verifiable and in accordance with the applicable VCS requirements and any other applied regulatory document;
- The installed ICS being essential for generating emission reductions runs reliably and are regularly used by end users (where applicable);
- The monitoring/survey system is in place and generates GHG emission reductions data;
- The GHG emission reductions are calculated without material misstatements.

A Reasonable Level of assurance was achieved as planned, during verification process.

We have complied with the VCS standard/1/ and other requirements mentioned, during the verification engagement and maintained independence. SustainCERT was not involved in the preparation of any statements or reports or data except for this Verification Statement and Report. SustainCERT maintains complete impartiality toward stakeholders interviewed during the verification process. SustainCERT did not provide any services to DelAgua Trans Africa Stoves Pte. Ltd. (DATAS) (current Project Proponent) & DelAgua Health Rwanda Voluntary Limited (previous Project Proponent) and its subsidiaries in the scope of verification that could compromise the independence or impartiality of our work.

5.2 Verification Conclusion

The Verification of the group project titled ‘DelAgua Improved Cookstove Grouped Project’ VCS ID – 3699, has been undertaken by SustainCERT, as requested by, DelAgua Trans Africa Stoves Pte. Ltd. (DATAS) project proponent for the monitoring period 01-January-2025 – 30-September-2025 (including both the days) as reported in monitoring report/8/. The group project activity is implemented in accordance with the registered monitored plan in PD/5/ and the emission reduction from the group project activity are calculated inline with the applied methodology. It is our responsibility to express an independent verification statement on the reported GHG emission reductions from the group project activity.

SustainCERT Verification approach was based on understanding the risk associated with reporting of GHG emission data and the controls in place to mitigate these. SustainCERT planned and performed the verification by obtaining evidence and other information and explanations that SustainCERT considered necessary to give reasonable assurance that reported GHG emission reductions are fairly stated.

In our opinion, the GHG emissions reductions reported for the group project activity for the period 01-January-2025 – 30-September-2025 are fairly stated in the project monitoring report/8/. The GHG emission reductions were calculated correctly based on the approved baseline and monitoring methodology VM0050-EE-and-Fuel-Switch-Measures-in-Cookstoves-v1.0 and the monitoring plan contained in the PD/5/.

Verification period: From 01 January 2025 – 30 September 2025

Verified GHG emission reductions and carbon dioxide removals in the above verification period:

Vintage period	Baseline emissions (tCO ₂ e)	Project emissions (tCO ₂ e)	Leakage emissions (tCO ₂ e)	Reduction VCUs (tCO ₂ e)	Removal VCUs (tCO ₂ e)	Total VCUs (tCO ₂ e)
01-January-2025 – 30-	1,114,307	354,190	38,006	722,111	0	722,111

September-2025						
Total	1,114,307	354,190	38,006	722,111	0	722,111

5.3 Ex-ante vs Ex-post ERR Comparison

Vintage period	Ex-ante estimated reductions/removals	Achieved reductions/removals	Percent difference	Explanation for the difference
01-January-2025 – 30-September-2025	998,545	722,111	~28% lower	There is a 28% difference in the ex-ante estimates and the actual emission reductions obtained for this monitoring period. The lower ER achieved is observed due to the no ICS distribution than envisaged ex-ante. Therefore, leads to a difference in the estimates and actuals for the ERs/VCUs. .
Total	998,545	722,111	~28% lower	

APPENDIX 1: COMMERCIALLY SENSITIVE INFORMATION

<i>Section</i>	<i>Information</i>	<i>Justification</i>	<i>Assessment conclusion</i>	<i>method</i>	<i>and</i>
N/A					

APPENDIX 2: TABLE OF REFERENCE

S. No	Document Title	Version	Date
1	VCS standard https://verra.org/documents/vcs-standard-v4-7/	4.7	16-April-2024
2	VCS guidelines https://verra.org/wp-content/uploads/2023/08/VCS-Program-Guide-v4.4.pdf	4.4	29-August-2023
3	Validation and Verification Manual https://verra.org/wp-content/uploads/2018/03/VCS_Validation_Verification_Manual_v3.2.pdf	3.2	19-October-2016
4	VCS Project Webpage, VCS ID - 3699 (https://registry.verra.org/app/projectDetail/VCS/3699)	-	-
5	Project description Document	11.0	21-August-2025
6	Joint Validation and Verification (MP1) report 'VCS.VAL.23.33_DelAgua_FVR_15122023_Clean'	2.1	14-December-2023
	MP2 verification report – 01-January-2025 to 31-December-2024	3.0	28-August-2025
7	Updated Methodology: VM0050 ENERGY EFFICIENCY AND FUEL-SWITCH MEASURES IN COOKSTOVES	1.0	-
8	Monitoring report MP 3 (01/01/2025 – 30/09/2025)	3.0	06-February-2026
9	Emission reduction calculation sheet	1.0	Corresponding to MR
10	Remote audit	-	23-October-2025 to 24-October-2025
11	Project distribution database '9.0 VCS 3699 ICS Distribution Database'	-	01/01/2025 – 30/09/2025
12	Monitoring Survey	-	-

S. No	Document Title	Version	Date
13	Project platform data collection and retention	-	-
14	User's signed agreements (samples selected by the assessment team)	-	-
15	KML files		
16	DelAgua internal policy and employment handbook: CHSS Policy – Rwanda Risk Register _ Rwanda Signed Employee Handbook – Rwanda Approved Code of Conduct-CBW Anti Child and Modern Slavery signed statements Signed Code of Conduct Employee play slip	-	-
17	Sampling and surveys for CDM project activities and programmes of activities https://cdm.unfccc.int/Reference/Standards/index.html	9 -	-
18	No Double counting declaration Burn no double counting declaration	-	01-January-2025 to 30-Septemeber-2025
19	UN List of Least Developed Country (https://unfccc.int/topics/resilience/workstreams/national-adaptation-programmes-of-action/ldc-country-information).	-	Accessed on 01-October-2025
20	DelAgua field team activity log records	-	-
21	Attendance list for training sessions field team	-	-
22	Rwanda Labor Law (https://webapps.ilo.org/dyn/travail/docs/530/rwanda_)	-	-
23	Kuniokoa Stove Purchase Order	-	-
24	2006 IPCC Guidelines for National Greenhouse Gas Inventories; Chapter 2 Stationary Combustion	2006	-

S. No	Document Title	Version	Date
25	Burns Website (product specification) Kuniokoa https://www.burnstoves.com/products/wood-stoves/kuniokoa/	-	-
26	CDM Guideline Sampling and Surveys for CDM4 Project Activities and PoA		16-October-2015
27	Local Stakeholder Consultation records: --District collaboration agreements -LSC report in district level -Sampled invitation	-	2022
28	Training evidences for monitoring team: -CHWs Attendance list -Household Visit photo -Tubebo Neza Flipbook UPDATE 2019 V5 (Training Material) -MS and WBT Training Attendance -Training Photo (monitoring survey team and WBT team) -1.0 SDG 8 - List of Employees – Rwanda	-	-
29	Rwanda environmental laws and regulations: 1. Law No. 04/2005 2. Ministerial Order No. 003/2008 Ministerial Order No. 004/2008 4. General Guidelines and procedure for EIA (https://elaw.org/resource/rwanda-environmental-impact-assessment-law-and-regulations)	-	-
30	Rwanda Clean Cooking Initiatives: Clean Cooking Results-based Financing (CC-RBF) (https://www.reg.rw/what-we-do/rbf-programs/rbf-clean-cooking/)	-	-

S. No	Document Title	Version	Date
31	Rwanda 7 Years Government Programme: National Strategy for Transformation (NST1) 2017–2024 <i>National_Strategy_For_Transformation_-NST1.pdf (minaloc.gov.rw)</i>	-	-
32	Rwanda (country profiles) from ILO database <i>International Labour Standards country profile: Rwanda (ilo.org)</i>	-	-
34	WBT reports WBT excel records	-	-
35	Baseline survey and Baseline KPTs (from the previous MP)	-	-
36	Product Factsheet_manufacturer's specs	-	-
37	Project 3699 LoA	-	-
38	National Survey on Cooking Fuel Energy and Technologies	-	-
39	Project stove purchase order (Burn Invoice)	-	-
40	Project stove KPT (from the previous MP)	-	-
41	Grievance Register (GRM - 3699 - LIVE_Grievance Register) Household visit report Photos of household visit and community engagement	-	01/01/2025 30/09/2025

APPENDIX 3: ABBREVIATIONS

MR	Monitoring report
PD	Project description
MP	Monitoring Period
PP	Project Proponent
PAI	Project Instances
ICS	Improved Cook Stove
VCS	Verified Carbon Standard
SDG	Sustainable Development Goals
VCU	Verified Carbon Unit
IPCC	Intergovernmental Panel on Climate Change
AQI	Acceptable Quality Level
UQL	Unacceptable Quality Level
GP	Grouped Project
CHW	Community Health Worker

APPENDIX 4: PROJECT FINDINGS

Rule	Assessment Question	Findings/Comments CL 1	Developer Response
VCS standard, V4.7	Documents required	PP shall submit the following documents: - Distribution Database - KPT sheet	The Distribution Database is being submitted as requested. No KPT was required for the current Monitoring Period, as the baseline and project KPTs were already conducted during the previous monitoring period — between 13 January 2025 and 17 January 2025 for the baseline KPT, and between 16 December 2024 and 20 December 2024 for the project KPT. As per the registered PD and applicable methodology, the project KPT is required to be conducted biennially, and the baseline KPT remains valid for up to five years. Therefore, the KPT was not applicable and was not conducted during this monitoring period.

Rule	Assessment Question	Findings/Comments CL 1	Developer Response
	Rd 2	PP has submitted the distribution database for the project, However, as per the methodology at minimum The information captured for each project device included in the project activity must include: 1)Date of sale; 2) Geographic area of sale; 3) Model/type of project technology sold/distributed; 4) Name, telephone number (where available), and address of recipient; and 5) Unique alpha/numeric ID for each device that is sold/distributed. – however, in the database submitted 4) Name, telephone number (where available) are missing. PP shall submit a revise a database mentioning this information. #open Details of the KPT have been provided, dates are also reflected in the monitoring report, therefore, the finding stands closed. #Closed.	The ICS distribution database was fully verified in the previous MP (MP2) by SustainCert as the VVB and subsequently reviewed and approved by Verra. Both the public and confidential versions of the database were submitted at that time, and the confidential file—including household names and contact details—was approved by Verra as per the response to MP2 PRR Comment 2, also referenced in Appendix 2 of the MP2 FVR, Document No. 11. As there has been no new distribution in the current Monitoring Period, the database remains unchanged from the previously verified and approved version. Further, it is important to note that the database contains personal information of end users. Sharing such information publicly would breach Rwandan Data Protection Law No. 058/2021 of 13/10/2021 and may also contravene broader data protection regulations such as the GDPR and the UK Data Protection Act 2018. Therefore, these personal details were not included in the version of the database shared earlier in this MP, and also, they were already verified by the same VVB and approved by Verra.

Rule	Assessment Question	Findings/Comments CL 1	Developer Response
			However, the confidential version of the already approved database, including household names, is now being submitted again for reference in line with Section 9.3 of the methodology.
	R3	PP has provided the explanation and the database has also been submitted. The assessment team has verified the requirements applicable Law and the database submitted by the PP. Therefore, the finding stands closed, #Closed	

Rule	Assessment Question	Findings/Comments CL 2	Developer Response
VCS standard, V4.7	Double Counting	PP shall submit the declaration stating that there is no doubling counting of all the ICS distributed under the project activity. Additionally, PP shall demonstrate the procedure used to avoid double counting with the another project operational in the same area.	A signed declaration is being submitted to the VVB confirming that no double counting of ICS distributed under the project activity. The PP confirms that robust measures have been implemented to ensure that there is no double counting of Improved Cookstoves (ICS) distributed under the project activity. The following mechanisms are in place to prevent any overlap or duplication of stoves being registered under multiple projects: 1. Unique Identification of ICS

Rule	Assessment Question	Findings/Comments CL 2	Developer Response
			Each Improved Cookstove (ICS) distributed under the DelAgua project has a unique serial number, a physical DelAgua logo marking, and a barcode. Scanning the barcode retrieves the complete end-user details associated with that specific stove, ensuring full traceability and preventing any duplication or overlap across projects. 2. Declaration Letter from the Project Proponent In accordance with VCS Standard v4.7, Section 3.23, a signed declaration is being submitted to the VVB confirming that no double counting of credit claims occurs. This declaration is providing formal assurance that all emission reductions are accounted for exclusively under this project. 3. Operational Safeguards The signed household poster agreement includes a clause by which recipients commit not to purchase or accept any other improved cookstove from any entity after receiving a DelAgua ICS. ICS are distributed only to eligible households who do not already own or use an improved stove from another carbon project and whose primary cooking continues to rely on traditional wood biomass-based technologies.

Rule	Assessment Question	Findings/Comments CL 2	Developer Response
			Through these measures, the project ensures that all ICS are provided exclusively to eligible households reliant on traditional wood-based stoves and that no overlaps occur with other carbon initiatives. These procedures provide robust assurance that there is no double counting of stoves or emission reductions across multiple GHG projects.
	Rd 2	PP has submitted the no double counting declaration and also submitted a declaration from Burn. PP has also provided measures in place to avoid any double counting with the area, also distribution database has been cross checked for the ICS IDs to check that there is no duplicate by the assessment team. Therefore, the finding stands closed. #closed	

Rule	Assessment Question	Findings/Comments CL 3	Developer Response
VCS standard, V4.7	SDGs	PP shall submit the records of the employment, awareness campaigns and training conducted during the current monitoring period.	The records of employment, awareness campaigns, and training conducted during the current monitoring period are being submitted as requested.

Rule	Assessment Question	Findings/Comments CL 3	Developer Response
	Rd 2	PP has provided the evidence for the project awareness campaigns in the form of photographs, however the schedule and date of these campaigns are missing, PP shall submit the Schedule and dates of these campaigns #open The training records have been submitted and found to be satisfactory, #Closed For the employment, the MR mentions 3,239 employees were temp contracted, PP shall confirm if all these employees were contracted for the current monitoring period #open	The PP has provided evidence of the project awareness campaigns in the form of photographs. It is important to note that DelAgua conducts continuous awareness and engagement activities with end users as part of its ongoing best practices in the market. As these activities are continuous in nature, specific dates and schedules cannot be assigned. During stove distribution activities, DelAgua demonstrates the use of improved cookstoves (ICS) to households and provides key usage instructions using local-language materials, including a 16-page flipbook (being submitted). In addition, each household receives a large pictorial poster, displayed near the kitchen or another visible area within the home. These posters, written in the local language and supported by illustrations, guide households on proper stove usage and maintenance, serving as a lasting element of the ongoing awareness campaign.

Rule	Assessment Question	Findings/Comments CL 3	Developer Response
			DelAgua also implements continuous engagement through household visits conducted by the local field teams across multiple districts. These visits are a key part of the ongoing communication and awareness process with end users. In 2024, a total of 1,207 Community Health Workers (CHWs) conducted visits covering 106,243 households across 11 districts. The household visit report is being submitted. Due to the transition to Verra VM0050 this year, several activities—such as the Project KPT, baseline KPT, and the surveys for MP2 and the current monitoring period—were prioritised, resulting in a temporary pause in household visits. These visits are planned to resume within the next 2–3 months. The household visits serve multiple purposes: • Reinforcing key stove usage and maintenance practices through flipbooks and posters. • Providing households with an opportunity to share feedback or raise concerns. • Ensuring households are aware of grievance mechanisms, including direct communication with field staff and the toll-free helpline.

Rule	Assessment Question	Findings/Comments CL 3	Developer Response
			These continuous activities promote sustained use of improved cookstoves and strengthen relationships with the community, forming an integral part of DelAgua's ongoing awareness campaigns. PP confirms that all 3,239 employees (CHWs) referenced in the MR were contracted during the current monitoring period as well. Additionally, the sample pay sheets for August 2025 and September 2025, along with the list of employees—already shared—further demonstrate their active engagement in this MP. Please note that PP has a total of 6,479 such employees across both the DelAgua projects in Rwanda. However, reporting all 6,479 employees under both projects would result in double counting. Therefore, the total number of employees has been proportionally allocated between Projects 3699 and 4150. All these employees were active during this MP and participated in relevant activities such as distributions, monitoring, and household visits, as applicable.

Rule	Assessment Question	Findings/Comments CL 3	Developer Response
	Rd 3	PP has provided the explanation and the documents referring the same. The assessment team has verified the details mentioned. It is found to be appropriate with the explanation provided by the PP. Therefore, the finding stands closed. #Closed	

Rule	Assessment Question	Findings/Comments CAR 1	Developer Response
VCS standard, V4.7	Stakeholders	Section 2.1.1 mentions, “Household air pollution (HAP) is estimated to lead to 3.2 million premature deaths globally each year, with the majority of those occurring in sub-Saharan Africa and Asia . By providing improved cookstoves and education on the benefits of clean cooking, the project will see positive changes in health.” The information and link mention is for world wide, Pp shall include the project location specific link. PP shall submit the scanned copy of grievance registers kept at different locations and also submit the records of all the grievance have been recorded during the current monitoring period. In section 2.1.2, “Ensuring that households have access to grievance mechanisms, including direct communication with local field staff and information about the toll-free helpline”. PP shall also mention the toll free number in the MR for the purpose of traceability and transparency.	Section 2.1.1 has been revised to include a Rwanda-specific reference along with the previously cited global data. The added reference states as follows: A country profile by the World Health Organization (WHO) titled “Rwanda — Environmental Health Scorecard” (2023) indicates that the annual mean level of fine particulate matter (PM_{2.5}) in Rwanda was approximately 36 µg/m³, exceeding the WHO guideline values, and highlights that air pollution is a significant health risk in the country. The same report notes that around 50% of deaths from stroke and ischaemic heart disease are attributable to air pollution. The grievance register is stored electronically (in excel format) and managed on DelAgua’s data server at the Kigali office. Any grievances received through any of the channels referenced in Section 2.1.4 of the MR are directly recorded in this register. For the current monitoring period, no grievances were received. For reference, the copy of the register is being submitted, which includes entries up to the previous monitoring period only, as there were no new entries during this MP.

Rule	Assessment Question	Findings/Comments CAR 1	Developer Response
			The toll-free helpline number “8788” has been included in Section 2.1.4 of the MR for full traceability and transparency.
	Rd 2	PP has revised the link, therefore the finding stands closed. grievance register has been submitted and conformed that there are no grievance received. Toll free number has also been included therefore the finding stands closed. #Closed.	

Rule	Assessment Question	Findings/Comments CL 4	Developer Response
VCS standard, V4.7	Stakeholders	PP shall submit the maintenance activity log, also confirm of there were any charges/money taken/collected from the end users. In section 2.2.2, the risk to stakeholder Participation is mentioned as NA, PP shall clarify why it is mentioned as Not applicable.	There is no separate maintenance activity log, as maintenance-related information is recorded within the grievance register. In case any issues are reported by end-users, the concerned stove is replaced or rectified accordingly. During the current monitoring period, no such cases were received. The PP further confirms that no charges or money have been taken or collected from the end-users at any stage. The ICS distribution under the project has been carried out entirely free of cost, and any future maintenance or replacement, if required, will also be provided free of charge. With respect to Section 2.2.2, the risk to stakeholder participation was previously marked as “Not Applicable” because the stakeholder consultation process has already been completed in accordance with the VCS requirements. All relevant stakeholders were identified prior to the consultation meeting and informed through appropriate means such as posters, public notices, and community channels. Stakeholders were consulted during project development, and their feedback was duly addressed.

Rule	Assessment Question	Findings/Comments CL 4	Developer Response
			The project has demonstrated strong community support and is expected to contribute positively to the social, economic, and environmental development of stakeholders directly or indirectly impacted by the grouped project. Stakeholder engagement will continue throughout the project's implementation to ensure transparency, inclusiveness, and responsiveness to community needs. MR has been revised accordingly, with the "Not Applicable" marking removed and the above justification provided under Section 2.2.2.
	Rd 2	PP has provided information that ICS is distributed free of charge and maintenance is also free charge the same was also conformed from the end users, therefore the finding stands closed. #closed	

Rule	Assessment Question	Findings/Comments CL 5	Developer Response
VCS standard, V4.7	Eligibility Criteria	PP shall submit the end user agreement of all the households visited during the remote audit by VVB for current monitoring period and additionally also submit the photographic evidence inline with clarification 3 of the methodology.	The end-user agreements are being submitted for all the sampled households audited by the VVB during the site visit of the current monitoring period. Additionally, please refer to columns S, T, and BA of the Usage Survey tab, which include the picture of the stove, the picture of the barcode clearly visible, and the picture of the cooking area, in line with Clarification 3 of the methodology.
	Rd 2	PP has submitted the end user agreement and information provided has been verified and found to be appropriate, therefore, the finding stands closed. #Closed	

Rule	Assessment Question	Findings/Comments CL 6	Developer Response
VCS standard, V4.7	Monitoring parameters	PP shall submit the evidence of WBT conducted during the current monitoring period. MR mentions, "All equipment used at the time of measurements were newly purchased; therefore, calibration was not required" PP shall submit the purchase receipt of WBT and KPT equipment. Under parameter, BCp,j,k,y - PP shall mention the date/period in which the KPTs were conducted. For both the period, to demonstrate compliance and transparency	The WBT Excel calculator, hard copy data collection forms, and sample photographs of the Water Boiling Test being conducted are being submitted as evidence of WBT activities carried out during the current monitoring period. Invoices for the WBT equipment, along with sample photographs of the equipment, are also being shared as proof of purchase, supporting the statement in the Monitoring Report that all instruments were newly procured and therefore within the calibration period, and no additional calibration was required. As no KPT was required or conducted during this monitoring period, no KPT equipment was utilized.

Rule	Assessment Question	Findings/Comments CL 6	Developer Response
			Under the parameter BCp,j,k,y, the Monitoring Report has been revised to include the date/period during which the KPTs were conducted. No new distributions were undertaken in the current monitoring period; therefore, no new KPT was required. For ICS distributed during 2022–2023, a project KPT was conducted during MP2, between 16 December 2024 and 20 December 2024. As the required frequency of KPT is biennial, no separate measurements were necessary for these vintages in the current monitoring period.
	Rd 2	PP has provided the evidence for the WBTs conducted along with the certificates of the personal involved and calibration records, therefore, the findings stands closed. Details of the KPT has also been provided by the PP in the monitoring report, therefore, the finding stands closed. #Closed	

Rule	Assessment Question	Findings/Comments CL 7	Developer Response
VCS standard, V4.7	Monitoring Survey	There are some households with duplicate phone number, PP shall clarify the reason for duplicate phone number as no telecom company gives the duplicate phone number for anyone. Example: row 65 and 70, 104 and 105	In rural areas of Rwanda, it is quite common for households not to have their own phone numbers. In such cases, they often provide the contact number of a neighbour, relative, or village leader so that they can be reached if required. This is a common practice across sub-Saharan Africa, particularly in rural regions. In the cited examples where duplicate phone numbers appear, the respective households belong to the same village; however, their household information and respondent names are distinct, each with a unique ICS ID. This clearly indicates that while the households are different, some of them have shared contact numbers due to the absence of personal phones. Furthermore, this matter was cross-checked and confirmed by the audit team during the on-site verification, where the respective households confirmed that they do not possess their own phone numbers and therefore provided their neighbour's contact details.

Rule	Assessment Question	Findings/Comments CL 7	Developer Response
	Rd 2	PP has provided the explanation and it has been confirmed during remote audit as well, therefore, the explanation related to duplicate phone number has been found to be appropriate, hence, the finding stands closed. #Closed.	

APPENDIX 5: COMPETENCY STATEMENT

COMPETENCY STATEMENT	
Name	Muskan Chawla
Years of Experience	3+
QUALIFYING ROLES	
Team Leader	Yes
Auditor	Yes
Country Expert	Yes, CE Region 1 (English) / CE Region 6 (Hindi)
Technical Expert	Yes (1.1, 1.2)
Financial Expert	No
Independent Reviewer	Yes
APPROVAL	
Approved by	Head of Quality and Compliance, SustainCERT
Date	05/09/2023

COMPETENCY STATEMENT	
Name	Jean Bosco Rwiyamirira
Years of Experience	1+
QUALIFYING ROLES	
Team Leader	No
Auditor	Yes
Country Expert	Yes, CE Region 1 (English), CE Region 6 (Other language Kinyarwanda, Swahili)
Technical Expert	Yes (1.1)
Financial Expert	No
Independent Reviewer	No

APPROVAL	
Approved by	Head of Quality and Compliance, SustainCERT
Date	05/02/2024

COMPETENCY STATEMENT	
Name	Zhiyue Wang
Years of Experience	10 months+
QUALIFYING ROLES	
Team Leader	No
Auditor	Yes
Country Expert	Yes, CE Region 1 (English) / CE Region 6 (other languages)
Technical Expert	No
Financial Expert	No
Independent Reviewer	No
APPROVAL	
Approved by	Head of Quality and Compliance, SustainCERT
Date	23/09/2024

COMPETENCY STATEMENT	
Name	Atul Takarkhede
Years of Experience	18+
QUALIFYING ROLES	
Team Leader	Yes
Auditor	Yes
Country Expert	Yes, CE Region 1 (English) / CE Region 6 (Hindi)
Technical Expert	Yes (1.1, 1.2,3.1, 13.1)

Financial Expert	No
Independent Reviewer	Yes
APPROVAL	
Approved by	Head of Quality and Compliance, SustainCERT
Date	05/22/2025