

TEMPLATE

KEY PROJECT INFORMATION & VPA DESIGN DOCUMENT (PDD)

PUBLICATION DATE **7.10.2020**

VERSION **v. 1.1**

RELATED SUPPORT

– TEMPLATE GUIDE Key Project Information & VPA Design Document v.1.1

This document contains the following Sections

Key Project Information

Section A – Description of project

Section B - Application of approved Gold Standard Methodology (ies) and/or demonstration of SDG Contributions

Section C – Duration and crediting period

Section D – Summary of Safeguarding Principles and Gender Sensitive Assessment

Section E – Summary of Local stakeholder consultation

Appendix 1 – Safeguarding Principles Assessment (mandatory)

Q - Contact information of VPA Implementer (mandatory)

Q - Summary of Approved Design Changes (project specific)

KEY PROJECT INFORMATION

GS ID of Project	GS11155
Title of Project	GS5658 VPA 38: Fuel-efficient cookstoves for the resilience of rural communities in Burundi
Time of First Submission Date	03/05/2021
Date of Design Certification	N/A
Version number of the VPA-DD	06
Completion date of version	30/09/2022
Coordinating/managing entity	Carbonsink Group S.r.l (Carbonsink)
VPA Implementer (s)	Carbonsink Group S.r.l (Carbonsink)
Project Participants and any communities involved	AVSI Foundation
Host Country (ies)	Burundi
GS ID and Title of applicable Design Certified VPA	N/A
GS ID and Title of applicable Performance Certified VPA	N/A
Activity Requirements applied	☒ Community Services Activities ☐ Renewable Energy Activities ☐ Land Use and Forestry Activities/Risks & Capacities ☐ N/A
Scale of the project activity	☒ Micro scale ☐ Small Scale ☐ Large Scale
Other Requirements applied	Community Services Activity Requirements (version 1.2) Microscale Project Requirements version 1.2
Methodology (ies) applied and version number	GS MS Simplified Methodology for Efficient Cookstoves v1.1
Product Requirements applied	☒ GHG Emissions Reduction & Sequestration

	☐ Renewable Energy Label ☐ N/A
Project Cycle:	☒ Regular ☐ Retroactive

Table -1 – Estimated Sustainable Development Contributions

Sustainable Development Goals Targeted	SDG Impact	Estimated Annual Average	Units or Products
13 Climate Action (mandatory)	Emission Reductions	7,184	VERs
1 No Poverty	Households with access to basic services (fuel-efficient cookstoves)	3,201	households
3 Good Health and Well-Being	Reduction in firewood consumption within the project households.	63%	percentage
7 Ensure access to affordable energy	Households with access to basic services (fuel-efficient cookstoves)	3,201	households
15 Life On Land	Reduction in firewood consumption within the project households.	63%	percentage

SECTION A. DESCRIPTION OF PROJECT

A.1. Purpose and general description of project

The project is implemented by AVSI Foundation in collaboration with Carbonsink in the provinces of Kayanza, Kirundo and Ngozi, in Burundi. The activity is implemented within the framework of the project "UMUCO W'ITERAMBERE - Contribution à la resilience intégrée des communautés rurales à travers l'accès à l'énergie durable".¹

In the project areas, firewood is the main biomass based fuel used for cooking activities. Moreover, families traditionally use cookstoves with low energy efficiency which implies high consumption of cooking fuels. This means that also a lot of economic resources / time are needed to be spent for the fuel sourcing. Moreover, there is an exposure to smoke during cooking activities especially to women and girls who are responsible of cooking activities. The use of inefficient cooking methods also has unintentional negative impacts on the environment as the fuel sourcing causes stress for the local forest resources and as the biomass burning causes greenhouse gas emissions responsible for climate change.

The project aims to address these issues by distributing fuel-efficient cookstoves in the rural areas of three provinces of Kayanza, Kirundo and Ngozi. The stove distribution has started in the end of September 2021 mainly as door-to-door selling and it has started, final number of the distributed stoves is estimated to reach around 3,500 fuel-efficient cookstoves sold in the area. The cookstove model distributed is locally produced fuel-efficient firewood fueled model "BIIKIGITI". Later eventually also other efficient cookstove models might be introduced.

No other improved cookstoves model having a different efficiency will replace the currently distributed "BIIKIGITI" model. For this reason no multiple project scenarios can be assumed.

Besides reducing fuel consumption during the cooking activities and thus reducing greenhouse gas emission and contributing to climate change mitigation in line with the UN's Sustainable Development Goals, the project is foreseen to provide several SDG benefits for the local families and communities.

¹ For further information on project and methodology NGO entity promoting the activities, please refer to the following link: <https://www.avsi.org/en/what-we-do/countries/burundi>

A.1.1. Eligibility of the project under approved PoA

No.	Eligibility Criterion	Description/ Required condition	Means of Verification/Supporting evidence for inclusion
1	Scale of the activity	The annual emission reductions achieved by the VPA are limited to a maximum of 10,000 tons of CO ₂ e in any year of the crediting period as described in the Section B.6.4. of this VPA-DD. Whenever actual emission reductions as per the verification report exceed the applicable limit the upper threshold for aduring any verification, the given registered project, claimable emission the project can still request reductions shall be capped for issuance, but that at 10,000 CO ₂ e per year. claimable emission reductions are capped at 10,000 tonnes of CO ₂ per year.	The annual ex-ante emission reductions are a maximum of 10,000 tons of CO ₂ e in any year of the crediting period. described in the Section B.6.4. of this VPA-DD. In case the VPA is found to exceed the applicable limit during any verification, the claimable emission reductions shall be capped for issuance, but that at 10,000 CO ₂ e per year. claimable emission reductions are capped at 10,000 tonnes of CO ₂ per year.
2	Type of activity, scope and used technology	The VPA is a Community Service Activity (end-use energy efficiency project) which includes distribution of energy efficient cookstoves to households, SMEs, institutions and/or communities	The VPA provides for efficient cooking devices being thus a Community Service of energy efficient activity. The distributed cookstove devices are wood fired and their technology is described in more in details in section A.3 of this VPA-DD.
3	Target group and distribution mechanism	The target group of the activity shall be households, SMEs, institutions and/or communities. The distribution of the project technologies needs to be recorded via an accurate and complete sales/dissemination/installation record.	The target group of the activity are the households living in the project area and/or currently using inefficient cooking devices. Each sold efficient cookstove will be recorded in the project database together with the contact details of the family as described in Section B.7.3 of this VPA-DD.
4	Host country, boundary and location	The VPA is located within the host parties listed in section A.4.1.1. of the PoA-DD.	VPA is located in Burundi which is one of the Host parties of the PoA.

The detailed VPA location is described in Section A.2 of this VPA-DD.

5	Crediting period duration	The duration of the crediting period of the VPA doesn't exceed the end date of the registered PoA. The crediting period will not exceed the end date of the final date for which ERs can be credited shall be no later than 20 years after the start date of the PoA.	The start date of the crediting period of this VPA is 12/09/2021 and, thereafter, the duration of the crediting period will not exceed the end date of the registered PoA (i.e. 03/08/2036).
6	Financial Additionality Ongoing Financial Need	All VPAs are micro-scale projects and can thus be considered as deemed additional in line with the demonstrated in section paragraph 2.5.2 of the Community Services Activity Requirements (Version 1). The Financial Additionality is not required to be proven at the time of Design Certification. Either there is no need to demonstrate the ongoing financial need at Certification Renewal.	This is a micro-scale VPA and can thus be considered as deemed additional as demonstrated in section B.5 of this VPA-DD.
7	Conditions to check the start date of the VPA through documentary evidence	The start date of an activity being defined as the earliest date on which the Project Developer has committed to expenditures related to the implementation of the activity. Examples of start date may be the date on which contracts have been signed for equipment or construction/operation services required for the Project.	The start date of the activity is 11/09/2021 i.e. the date when the first efficient project cookstoves are foreseen to be sold. The documentary evidences of the start date (i.e. the selling contracts) will be provided.
8.	Regular and retroactive project activities	Regular VPAs (Projects where the Stakeholder Consultation meeting has taken place prior to the Project Start Date) submit GS (time of first submission) within three months of the event	This VPA is a regular project activity since the stakeholder consultation took place on 25/03/2021 (which is prior to the Project Start Date 11/09/2021) and since the Stakeholder Consultation Report was

(though this date may be submitted to GS by after the Project Start 25/06/2021 i.e. within 3 Date). months from the stakeholder meeting date.

Retroactive VPAs (with a start date before or after the time of first submission of PoA) submit the required documents to GS (time of first submission) within one year of its start date.

9. Stakeholder inclusivity	VPAs shall identify and engage relevant stakeholders and seek expert stakeholder input where necessary in the design planning and implementation. The activity level Stakeholder Consultation is carried out, either for a single VPA or for a group of VPAs in a two-step process, i.e. the Stakeholder Consultation meeting and Stakeholder Feedback Round (SFR) in line with the Gold Standard "Stakeholder Procedure, Requirements & Guidelines (version 1)" and "Community Service Activity Requirements (version 1)". The Section E of this VPA-DD includes the demonstration that the Stakeholder Consultation process was conducted in line with the Gold Standard requirements. In case of a grouped Stakeholder Consultation, the following conditions need to be fulfilled: i) same host country, ii) same technology iii) similar distribution mechanism shall be employed. VPAs implementation shall start within 3 years from the date of grouped stakeholder meeting.
----------------------------	--

10. Baseline and Monitoring Methodology	The VPA applies one of the following methodologies: - Microscale Methodology for Improved Cookstoves, version 1.0 - or - GS MS Simplified Methodology for Efficient Cookstoves v1.1. The VPA applies the GS methodology "GS MS Simplified Methodology for Efficient Cookstoves v1.1". The applicability of the methodology is demonstrated in Section B.2 and the defined Baseline and Project Scenarios in Section B.4 and B.6 of this VPA-DD respectively.
11. Conditions related to environmental impact analysis	The VPA has to fulfill host country requirements concerning environmental impact analysis. N/A. The legislation of Burundi (Decree no. 100, October 22, 2010, on Environmental Impact Assessment) doesn't require Environmental Impact Assessment for activities included in the current project framework.
12. Conditions to provide an affirmation that funding from Annex I Parties, if any, does not result in a diversion of ODA	In case that any of the VPA receives ODA, it is ensured that there is no diversion of ODA, i.e. that no ODA is provided under the condition that all or part of the carbon credits have to be returned to the donor country/entity providing ODA. The VPA has a signed ODA declaration² confirming that there is no diversion of ODA as described in Section A.7 of this VPA-DD.
13. Credit ownership	The transfer of credit ownership all along the investment chain is clearly described and communicated to end-users and stove producer and will be confirmed by project participants and written assertions. For example, each stove end-user sign, at the moment they receive the cookstove, a "Carbon Transfer For technology producers Statement". Also, the stove and the retailers of the producers sign a written improved technology or the

² Signed ODA declaration has been uploaded to SustainCERT

renewable fuel in use, this assertion on the carbon must be communicated by rights. contract or clear written. Moreover, the generation assertions in the of the carbon credits as transaction paperwork. The well as the transfer of the end-users will need to be credit ownership was informed and notified that discussed during the they cannot claim for stakeholder meeting. emission reductions from the project. This can be proofed for example with the waiver forms signed by end-users.

- | | |
|-----------------------------------|--|
| 14. Avoiding double counting | <p>The VPA applies anThe avoiding of the double identification system counting is confirmed in enabling unique identifying two ways:</p> <ul style="list-style-type: none"> - The relevant online carbon registries have been consulted to confirm that the proposed activity is neither registered as a standalone project activity or as a part of a PoA with GS or other carbon standard. - Each project cookstove will be identified with unique ID number which enables the unique identification of the cookstove to be part of this VPA. <p>of each unit (sold, installed or constructed) or its users so that the double counting of emission reductions can be avoided. The VPA will also shows that it is exclusive to the PoA and not registered as a standalone project activity or as part of another PoA</p> |
| 15. Conditions related to the PoA | <p>The VPA complies with theThe VPA-DD outlines the sampling requirements for sampling plan as outlined sampling plan in section in PoA-DD, section B.3 and B.7.2 which is in line with VPA-DD, section B.6.1. the one stipulated in the PoA-DD.</p> |

A.1.2. Legal ownership of products generated by the project and legal rights to alter use of resources required to service the project

The project owner (AVSI Foundation) has full and uncontested legal ownership of the Verified Emission Reductions (VERs) that are generated under Gold Standard Certification which is demonstrated as follows:

- The transfer of credit ownership is demonstrated transparently and with full, prior and informed consent from cookstove end-users and cookstove producers. Each project stove end-users sign a written assertion giving their permission for the credit transfer at the time they buy the project stove. The written assertions of the same are also given by each stove producer supplying the project.
- Moreover, before inclusion of this VPA into the PoA, a legally-binding contractual agreement between CME of the PoA (Carbonsink) and the VPA owner (AVSI Foundation) has been made. As part of this agreement, the ownership and selling rights of the emission reductions resulting from the project activity are clearly defined.

A.2. Location of project

Rural areas of Kayanza, Kirundo and Ngozi provinces, Burundi (Figure 1).

Geographical center coordinates are:

Location	Latitude	Longitude
Kayanza	3° 7'52.16"S	29°49'43.01"E
Ngozi	2°56'31.69"S	29°59'39.52"E
Kirundo	2°38'31.86"S	30°10'29.77"E




Figure 1 - Location of the three project provinces within boundaries of Burundi

A.3. Technologies and/or measures

The efficient cookstove model distributed by the project is “BIIKIGITI” model (Figure A-2) which is a firewood fueled cookstove household devices. This model is composed of clay with a frontal opening for wood insertion. The stoves are manufactured by experienced local producers and using local and easily accessible materials.



Figure 2 - BIIKIGITI firewood stove (left) and local stove producer (right)

Table A -2 - Technical characteristics of BIIKIGITI

	BIIKIGITI firewood stove
Average Thermal Efficiency	29.7 %
Fuel	Firewood
Stove technology	Combustion
Single pot / multi pot	Single pot
Portable / fixed model	Portable
Unit Size (height x diameter)	23 x 26 cm
Life/age of the device	Up to 5 years ³

Contribution to sustainable development

Besides reducing GHG emission in line with the UN's Sustainable Development Goal (SDG) number 13 this VPA will contribute also to the following SDGs:

- SDG 1

³ <https://fopabu.org/wp-content/uploads/2020/07/Rapport-technique-et-Foire-agricole-edition-2019.pdf>

The VPA includes the distribution of fuel-efficient cookstove to replace the inefficient baseline cooking technologies and thus result in reduction in firewood consumption. The provision of the technology at a subsidized price, coupled with the reduced fuel demand for the daily cooking activities, increases access to affordable energy and improved cooking technologies (i.e. basic services) for the stove users. Moreover, the efficient cookstoves required less cooking fuel for the daily cooking activities which will results also as reduction in firewood collection time as well as reduced cooking time, and thus more time will be allowed to be spent on other tasks like education/income generating activities.

- SDG 3

The use of fuel efficient cookstoves will lead to a firewood usage reduction compared to traditional cooking methods. The reduction in the firewood burning is usually associated with reduced smoke, which can lessen exposure to dangerous indoor air pollution especially for women and girls responsible of the cooking activities. As lower respiratory infection is one of the main causes of death and disability it can be inferred that a reduction in firewood burning will be beneficial to the health of stove users.

- SDG 7

The distribution of fuel-efficient cookstoves to replace the inefficient baseline cooking methods as well as the provision of the fuel-efficient cookstove technology at a subsidized price, coupled with the reduced fuel demand for the daily cooking activities, increases access to affordable energy for the local community.

- SDG 15

Firewood collection for cooking purposes is one of the factors of affecting forest degradation and deforestation and, therefore, it can be inferred that a reduction in firewood demand created by this project (through the use of fuel-efficient project stoves), will turn in reduced forest degradation and risk for degradation and thus have a positive impact on soil conditions and biodiversity.

A.4. Scale of the project

The VPA is a micro-scale project. In line with section 3.1.2 of the Community Services Activity Requirements the micro-scale projects are defined as projects issuing emission reductions less than or equal to 10,000 tons of CO₂eq per year.

A.5. Funding sources of project

The VPA is funded by the Project Developer and with the financial contribution of AICS (Italian Agency for Development Cooperation), which has no role within the project certification rollout. The activities of the VPA are implemented within the framework of the project "UMUCO W'ITERAMBERE - Contribution à la resilience intégrée des communautés rurales à travers l'accès à l'énergie durable" which is financed by AICS). Carbonsink is the account owner and Project Developer of the VPA while the Project implementer in the field is AVSI. There are no official development assistance (ODA) fundings for this project activity in exchange of the carbon credits. Please see the signed ODA declaration uploaded to SustainCERT⁴.

⁴ The signed ODA declaration has been uploaded to SustainCERT.

SECTION B. APPLICATION OF APPROVED GOLD STANDARD METHODOLOGY (IES) AND/OR DEMONSTRATION OF SDG CONTRIBUTIONS

B.1. Reference of approved methodology (ies)

GHG baseline and monitoring methodology: [GS MS Simplified Methodology for Efficient Cookstoves v1.1](#)

Activity Requirements: [Community Services Activity Requirements v1.2](#)

Stakeholder Engagement: [Stakeholder Consultation And Engagement Requirements v1.2](#)

Sample selections: [Sampling and surveys for CDM project activities and programmes of activities v3.0](#)

Calculation of the fraction of non-renewable Biomass – [Methodological tool v3.0](#)

B.2. Applicability of methodology (ies)

The choice of the selected methodology and activity requirements are justified by demonstrating that the project meets each of their applicability conditions (see the below tables).

Table B-1 - Applicability of the methodology "Microscale Methodology for Improved Cookstoves"

Methodology applicability requirement	Justification regarding this VPA
This methodology is applicable to the	This VPA is a micro-scale activity (as micro-scale programmes and micro-scale demonstrated in the section A-4) and it activities introducing new wood fired introduces new wood fired cookstoves cookstoves that reduce use of non- (refer the section A.3) that reduce use of renewable firewood or switch from non- non-renewable firewood for household renewable to renewable firewood to meet cooking.
thermal energy requirement for household cooking.	

A project proponent implements the The project activity is implemented by the activity or programme of activities. The Italian NGO AVSI Foundation, in individual households and institutions do collaboration with Carbonsink. The not act as project proponents. individual households and institutions will not act as project participants.

This methodology is applicable	According to statistics of Burundi, the balance of energy in Burundi is dominated
i. If the baseline fuel is only firewood; by wood energy at 97% ⁵ . This finding is and	supported also by the Baseline Survey
ii. If the baseline stove is a three stone made in the project are which indicates fire, or a conventional device without that firewood is the dominant fuel type in a grate or a chimney i.e., with no the project rural areas where wood fuelled improved combustion air supply or efficient stoves are meant to be distributed. flue gas ventilation; and	
iii. If the project stove is single pot or The project is focused in the rural areas multi pot portable or in-situ cook where it is rare to use other cooking stoves with specified efficiency of at methods than a three stone fire or a least 20%.	conventional device without a grate or a chimney. According to the Baseline Survey three stone fires were used in fact by 72% of the local families.
	Project stove model BIIKIGITI has a thermal efficiency > 20% as described in more detail in section A.3 of this PDD.

The project boundary can be clearly The project boundary is clearly identified in identified, and the cookstoves counted in section B.3. Moreover, each project stove the proposed project activity are not has unique identification number (ID) included in another voluntary market or which will be recorded into the project CDM project activity (i.e. no double database together with end-user's contact counting takes place). The project details to demonstrate that the stove is a proponent must have a mechanism in place part of the project activity and to prevent together with appropriate mitigation the double counting. The stove ID is also measures to prevent double counting indicated in carbon transfer contracts made with the end-users at the moment of stove selling.

⁵ [An Analysis of the Urban Consumption of Charcoal by Household: The Case of the City of Bujumbura in Burundi \(2015\)](#)

The project proponent must clearly state end-users will enter into an agreement with AVSI Foundation ownership rights and selling of the emission transferring rights to the VERs generated in reductions resulting from the project return for the subsidized efficient stove activity. This must be communicated to the Also, stove producers are communicated efficient cookstoves producers, retailers with clear written assertions about AVSI and end users by contract or clear written having the ownership rights to sell the assertions in the transaction paperwork. emission reductions resulting from the project activity. The transfer of credit ownership was also discussed during local Stakeholder Consultation meetings.

The use of the baseline cookstove as a backup or auxiliary technology in parallel with the improved cookstove introduced by the project activity is permitted as long as the subsidized price and the informing of local communities about the benefits of the the removal of the old cookstove (e.g. efficient stoves. The information of the discounted price for the improved benefits is distributed through specifically cookstove) and the definitive discontinuity designed awareness creation campaign of its use. The project documentation must be organized by AVSI at community level. provide a clear description of the approach Monitoring activities will study the extent of chosen and the monitoring plan must allow the baseline technology remaining in use for a good understanding of the extent to and thereafter, the success of the which the baseline technology is still in use mechanism put into the place, as described after the introduction of the improved technology, adjusted if proven unsuccessful. whether the existing baseline cookstove is In case the baseline cookstoves remains in not surrendered at the time of the use in parallel with the project cookstoves, introduction of the improved technology, or corresponding emissions are accounted for whether a new baseline cookstove is as part of the project emissions as acquired and put to use by targeted end users described in section B.6. users during the project crediting period. The success of the mechanism put into place must therefore be monitored, and the approach must be adjusted if proven unsuccessful. If the baseline cookstove remains in use in parallel with the project cookstove, corresponding emissions must of course be accounted for as part of the project emissions, using the guidance given in Section III.

Table B-2 - Applicability of Community Services Activity Requirements (version 1.2)

Eligibility criteria	Justification
Eligibility project types	
Paragraph 2.1.2: All CSA Projects This VPA claim credits for the Emission Reductions shall lead to climate change mitigation associated with the use of fuel-efficient cookstove and/or adaptation by providing or distributed by the project which is an eligible improving access to component of the project. services/resources at the household or community or institution level. Eligible services include electricity and energy, water and sanitation, waste management, housing, etc.	
Paragraph 2.1.3: Conformity to The VPA conforms with the Principles and Requirements as Principles & Requirements (and per Section A.2 and A.3. associated documents).	
General eligibility criteria	
Paragraph 3.1.1: Types of project	The VPA is an "End-use energy efficiency" project which is one of the pre-identified CSA project types noted in para 3.1.1. of the "Community Services Activity Requirements (Version 1.2)." "End-use energy efficiency" projects are defined as project activities that reduce energy requirements as compared to baseline scenario without affecting the level and quality of services or products, where the end-user of the products and services are clearly identified and when the physical intervention is required at the user end.
Paragraph 3.1.2: Project area, boundary and scale	The VPA is a Microscale Project i.e. a CSA Project issuing emission reductions less than or equal to 10,000 tCO ₂ eq per annum.
Paragraph 3.1.3: Suppressed Demand Scenario	The VPA is a Microscale Project and therefore it is eligible for suppressed demand in the baseline scenario. The baseline scenario applied by the VPA has been assessed in terms of suppressed demand.

B.3. Project boundary

The project boundary is the physical, geographical site of the project technologies, in other words, the baseline and project stoves which are located in the three provinces as described in above Section A.2, project area includes: Province of KAYANZA

(Communes Kayanza, Matongo, Muruta et Butaganzwa), Province of NGOZI (Communes Mwumba et Gashikanwa) and Province of KIRUNDO (Communes Ntega et Vumbi). The sources and gases included in the project boundary are described in the below table.




Figure 3 - Flow diagram of the project boundary

No other improved cookstoves model having a different efficiency will replace the currently distributed “BIIKIGITI” model. For this reason no multiple project scenarios can be assumed.

Source	GHGs	Included?	Justification/Explanation
Baseline	Heat delivery	CO ₂ Yes	Important source of emissions as CO ₂ is emitted any time firewood is burned.
		CH ₄ Yes	Important source of emissions released during partial or incomplete combustion of firewood.
		N ₂ O Yes	Important source of emissions released during partial or incomplete combustion of firewood.
Project	Heat delivery	CO ₂ Yes	Important source of emissions as CO ₂ is emitted any time firewood is burned.
		CH ₄ Yes	Important source of emissions released during partial or incomplete combustion of firewood.
		N ₂ O Yes	Important source of emissions released during partial or incomplete combustion of firewood.

B.4. Establishment and description of baseline scenario

As for the applied methodology, the baseline scenario is the consumption of non-renewable firewood to meet thermal energy requirements for household cooking.

Moreover, the baseline stove is a three stone fire, or a conventional device without a grate or a chimney i.e. with no improved combustion air supply or flue gas ventilation.

The baseline is to be considered by-default fixed until the end of the useful lifetime of the cookstoves introduced in the project activity or the registered crediting period, whichever occurs earlier. If the project cookstove is replaced with a cookstove of similar efficiency prior the end of the crediting period, the original baseline shall be applicable till the end of the replaced cookstoves useful lifetime or the registered crediting period, whichever occurs earlier.

In all cases, whenever the project proponent applies a renewable crediting period, the baseline must be reassessed as per the latest version of the applied methodology and Gold Standard rules on renewal of crediting period.

The following baseline studies has been carried out at VPA-level:

A. Baseline non-renewable biomass (NRB) assessment, if biomass is one of the baseline fuels

As the biomass is the baseline fuel of the VPA, the fractional non-renewability of biomass needs to be established. In line with the PoA-DD, the following national default value provided by the CDM Executive Board and endorsed by the DNA of the host country Burundi is used in this VPA.

The value of fNRB is fixed ex-ante for entire crediting period even though the project activity may choose to update the fNRB during the crediting period.

Country	Default Value of fNRB ⁶
Republic of Burundi	0.837

B. Baseline firewood consumption and target population characteristics

The quantity of firewood consumed in the baseline is determined based on the estimated average annual consumption of firewood per household (tones/year), which may be derived, in line with the section 4.2 of the applied methodology, using any of the following options:

⁶ Calculated on the basis of most recently available data from Global FRA, 2020 (FAO)

- a) Historical data; or
- b) Survey of local usage; or
- c) Minimum service level; or
- d) Field performance test (e.g. Kitchen Performance Test, KPT)

In this VPA the above option (c) is followed. In line with the methodology (for option c), the project proponent may use the minimum service level i.e. energy derived from the combustion of 0.5 tons per capita per year as the default baseline biomass consumption. The household size shall be determined instead by using credible references/literature or target population specific survey.

According to the data of [Population Reference Bureau](#), the mean household size in Burundi, in 2020, was 4.8 persons/household. For estimating the baseline wood consumption in the project area, the national average household size is chosen to be applied. This can be considered a conservative choice in respect to the results of the Baseline Survey (including 145 households), according to which the average household size was in the foreseen project area 5.7 persons.

According to the above, quantity of firewood consumed in the baseline ($B_{b,y}$) can be calculated as follows:

$$B_{b,y} = 0.5 \text{ tons/capita/year} * 4.8 \text{ persons/household} = 2.4 \text{ tons/household/year}$$

Households state to collect firewood both in close proximity to the houses and farther from the houses in sites where forest coverage is higher.

B.5. Demonstration of additionality

The table below is only applicable if the proposed project is deemed additional, as defined by the applied approved methodology or activity requirement or product requirement.

Specify the methodology, activity requirement or product requirement that establishes deemed additionality for the proposed project (including the version number and the specific paragraph, if applicable).	Community Services Activity Requirements (Version 1.2), paragraph 4.1.9: "Projects that meet any of the following criteria are considered as deemed additional and therefore are not required to prove Financial Additionality at the time of Design Certification: (a) Positive list (Annex B) (b) Projects located in LDC, SIDS, LLDC
---	---

(c) Micro-scale projects”

Describe how the proposed project meets the criteria for deemed additionality.	The VPA meets the criteria (c)“ Micro-scale projects” of the section 1.2.3 of the Community Services Activity Requirements as demonstrated in the section A.4 of this VPA-DD. The demonstration of the VPA being a “Community Services Activity” is made instead in section B.2 of this VPA-DD.
--	---

B.5.1. Prior Consideration

N/A

B.5.2. Ongoing Financial Need

N/A

B.6. Sustainable Development Goals (SDG) outcomes

Relevant Target/Indicator for each of the three SDGs

Sustainable Development Goals Targeted	Most relevant SDG Target	SDG Impact		
		Indicator (Proposed or SDG Indicator)		
SDG 13 Climate Action (mandatory)	N/A ⁷	Emissions Reductions		
SDG 1: No Poverty	1.4: By 2030, ensure that all men and women, in particular the poor and the	1.4.1	Proportion living	of in

⁷ As per the Template Guide, SDG 13 is mandatory and may simply be demonstrated by VERs/CERs – no SDG 13 Target is required in this case. The SDG Impact is Emissions Reductions/Removals.

vulnerable, have equal households with access to rights to economic basic services resources, as well as access to basic services, ownership and control over land and other forms of property, inheritance, natural resources, appropriate new technology and financial services, including microfinance.

SDG 3: Good Health and Well-being	3.9: By 2030, substantially reduce the number of deaths attributed to household and illnesses from ambient air pollution hazardous chemicals and air, water and soil pollution and contamination.
-----------------------------------	---

SDG 7: Ensure access to affordable, reliable, Sustainable and modern energy for all	7.1: By 2030, ensure universal access to modern energy services 7.1.2: Proportion of population with primary reliance on clean fuels and technology
---	--

SDG15: Life on land	15.1: By 2020, ensure the conservation, restoration and sustainable use of terrestrial and inland freshwater ecosystems and their services, in particular forests, wetlands, mountains and drylands, in line with obligations under international agreements
---------------------	--

B.6.1. Explanation of methodological choices/approaches for estimating the SDG Impact

Methodological choices/approaches related to SDG 13

In line with the applied methodology "[GS MS Simplified Methodology for Efficient Cookstoves v1.1](#)", emission reductions can be estimated by using the following formulas. The applied GS Emission Reduction calculation tool is based on these formulas.

$$ER_y = \sum_{t=0}^{x-1} N_{P,y} * P_y * U_{P,y} * (f_{NRB,y} * EF_{b,fuel,CO_2} + EF_{b,fuel,non_CO_2}) * (1 - DF_{b,Stove,y})$$

Where:

$N_{P,y}$	Number of project cookstoves of each age group operational in the year y
P_y	Quantity of firewood that is saved in the year y (tonnes per household in year y)
$U_{P,y}$	Usage rate for project cookstoves in year y, based on adoption rate and drop off rate revealed by usage survey (fraction)
$f_{NRB,b,y}$	Fraction of biomass, used in year y for baseline scenario, which can be established as non-renewable.
$EF_{b,fuel,CO_2}$	CO ₂ emission factor of firewood that is substituted or reduced. (Default value for wood fuel 1.747 tCO ₂ /ton of wood)
$EF_{b,fuel,non_CO_2}$	Non-CO ₂ emission factor of firewood that is substituted or reduced. (Default value for wood fuel 0.455 tCO ₂ /ton of wood)
$DF_{b,Stove,y}$	Discount factor to account for the baseline stove use in project scenario p during the year y
x	y-1
y	Year of the crediting period

Determination of quantity of biomass saved (P_y)

Quantity of firewood that is saved (P_y) is estimated as follows:

$$P_y = B_{b,y} * (1 - \eta_b / \eta_{p,y})$$

Where:

$B_{b,y}$	Quantity of firewood consumed in baseline scenario during year y
$\eta_{p,y}$	Efficiency of project cookstove in year y (fraction)
η_b	Efficiency of the baseline cookstove being replaced (fraction). A default value of 10% shall be used if the replaced cookstoves is a three stone fire, or a conventional device without a grate or a chimney i.e. with no improved combustion air supply or flue gas ventilation

Determination of project cookstove efficiency ($\eta_{p,y}$ and η_p)

Efficiency of project cookstoves in year y ($\eta_{p,y}$) is estimated as follows:

$$\eta_{p,y} = \eta_p * (DF_\eta)^{y-1} * 0.94$$

Where:

$\eta_{p,y}$	Efficiency of project cookstove in year y (fraction)
η_p	Efficiency of project cookstove (fraction) determined at the start of the project activity
DF_η	Discount factor to account for efficiency loss of project cookstove per year of operation (Fraction). The default value for this parameter is 0.99 i.e. 1% efficiency loss/year.
0.94	Adjustment factor to account for uncertainty related to project cookstove efficiency test

Methodological choices/approaches related to SDG 1

The VPA includes the distribution of fuel-efficient cookstove technologies to replace the inefficient baseline cooking methods and thus result in reduction in firewood consumption. The provision of the technology at a subsidized price, coupled with the reduced fuel demand for the daily cooking activities, increases access to affordable energy and improved cooking technologies (i.e. basic services) for the stove users.

The contribution of the project to this target of SDG 1 will be measured by calculating the number of beneficiaries i.e. households using fuel-efficient cookstoves disseminated by the project. This will be calculated as follows:

Households using the fuel-efficient cookstoves disseminated by project

= Number of project cookstoves * Usage rate

= $N_{p,y} * U_{p,y}$

Moreover, annual Usage Survey will study based on the qualitative auto-evaluation of the sample families the time spent for firewood collection and education/income generating activities in the project scenario in comparison with the baseline scenario (The sample of project households are asked to evaluate if they estimate to spend less,

more or the same amount of time for collecting the firewood and education/income generating activities than prior to the project).

Methodological choices/approaches related to SDG 3

The use of fuel efficient cookstoves will lead to a firewood usage reduction compared to traditional cooking methods. The reduction of the firewood combustion is usually associated with reduced smoke, which can lessen exposure to dangerous indoor air pollution of especially the women and girls responsible of the cooking activities. As lower respiratory infection is one of the main causes of death and disability it can be inferred that a reduction in firewood consumption will be beneficial to the health of stove users.

The reduction in firewood consumption will be demonstrated through comparing the project firewood consumption with the baseline firewood consumption.

$$WR_y = P_y / B_{b,y}$$

Where:

WR_y = Reduction in firewood consumption in year y (%)

P_y = Quantity of fire wood that is saved in the year y (tonnes per household in year y)

$B_{b,y}$ = Quantity of fire wood consumed in baseline scenario during year y (tonnes per household per year)

Moreover, annual Usage Survey will study based on the qualitative auto-evaluation of the sample families the frequency of smoke inhalation related diseases (like e.g. itchy eyes or respiratory infections project scenario in comparison with the baseline scenario: The sample of project households are asked to evaluate if they experience less, more or the same amount of these diseases than prior to the project.

Methodological choices/approaches related to SDG 7

The VPA includes the distribution of fuel-efficient cookstove technologies to replace the inefficient baseline cooking methods. The provision of the technology at a subsidized price, coupled with the reduced fuel demand for the daily cooking activities, increases access to affordable energy for the stove users.

The contribution of the project to this target on SDG 7 will be measured by calculating the number beneficiaries i.e. households using fuel-efficient cookstoves disseminated by the project. This will be calculated as follows:

Households using the fuel-efficient cookstoves disseminated by project

= Number of project cookstoves * Usage rate

= $N_{p,y} * U_{p,y}$

Methodological choices/approaches related to SDG 15

The VPA includes the distribution of fuel-efficient cookstove technologies to replace the inefficient baseline cooking methods and thus result in reduction in firewood consumption. Firewood collection for cooking purposes is one of the factors of affecting forest degradation and deforestation and, therefore, it can be inferred that a reduction in firewood demand created by this project (through the use of fuel-efficient project stoves), will turn in reduce forest degradation and risk for degradation and have a thus positive impact on soil conditions and biodiversity.

The reduction in firewood consumption will be demonstrated through comparing the project firewood consumption with the baseline firewood consumption.

$WR_y = P_y / B_{b,y}$

Where:

WR_y = Reduction in firewood consumption in year y (%)

P_y = Quantity of fire wood that is saved in the year y (tonnes per household in year y)

$B_{b,y}$ = Quantity of fire wood consumed in baseline scenario during year y (tonnes per household per year)

Methodological choices/approaches related to leakage accounting

A default discount factor of 0.95 shall be applied to the net Emission Reductions as per the applied methodology.

B.6.2. Data and parameters fixed ex ante

SDG13

Data/parameter	$EF_{b,fuel,CO_2}$
Unit	tCO ₂ /tonnes of firewood
Description	CO ₂ emission factor arising from use of firewood in baseline scenario
Source of data	IPCC default values, table 1.4 of chapter 1 of Vol. 2, 2006 IPCC Guidelines for National Greenhouse Gas Inventories
Value(s) applied	1.747
Choice of data or Measurement methods and procedures	Deemed valid by Microscale Methodology for Improved Cookstoves
Purpose of data	Calculation of project scenario
Additional comment	Fixed for entire crediting period

Data/parameter	$EF_{b,fuel,non-CO_2}$
Unit	tCO ₂ /tonnes of firewood
Description	Non-CO ₂ emission factor arising from use of firewood in baseline scenario
Source of data	Applied methodology
Value(s) applied	0.455
Choice of data or Measurement methods and procedures	Deemed valid by Microscale Methodology for Improved Cookstoves
Purpose of data	Calculation of project scenario
Additional comment	Fixed ex-ante for entire crediting period

Data/parameter	η_b
Unit	Fraction
Description	Efficiency of the cookstove being used in the baseline scenario
Source of data	Default value of the applied Microscale Methodology for Improved Cookstoves
Value(s) applied	0.10
Choice of data or Measurement methods and procedures	As per the methodology section 4.1: "A default value of 10% shall be used if the replaced cookstoves is a three stone fire, or a conventional device without a grate or a chimney i.e. with no improved combustion air supply or flue gas ventilation."
Purpose of data	Calculation of project scenario
Additional comment	Fixed for entire crediting period

Data/parameter	η_p
Unit	Fraction
Description	Efficiency of project cookstove (fraction) determined at the start of the project activity
Source of data	Water Boiling test (WBT)
Value(s) applied	29.7
Choice of data or Measurement methods and procedures	Efficiency test made in accordance with section 4.3 of the applied Microscale Methodology for Improved Cookstoves (test conducted by independent expert, following the Water Boiling Test protocol)
Purpose of data	Calculation of project scenario
Additional comment	Fixed for entire crediting period.

	Since the default factor option (equation 3 of the methodology) will be applied, the project cookstove efficiency shall be adjusted by the default factor for efficiency loss during the year of operation.
--	---

Data/parameter	$f_{NRB,y}$
Unit	Fractional of non-renewable biomass
Description	Non-renewability status of wood fuel during year y
Source of data	https://cdm.unfccc.int/DNA/fNRB/index.html Values expired will be updated within validation stage
Value(s) applied	0.837
Choice of data or Measurement methods and procedures	Calculated on the basis of most recent available data from FAO (Global FRA, 2020)
Purpose of data	Calculation of project scenario
Additional comment	The value of fNRB is fixed ex-ante for entire crediting period even though the project activity may choose to update the fNRB during the crediting period.

Data/parameter	$B_{b,y}$
Unit	Tonnes of firewood per household per year
Description	Quantity of firewood consumed in baseline scenario during year y
Source of data	Minimum service level in line with the 4.2 option (c) of the Section 4.2 of the applied methodology
Value(s) applied	2.4

Choice of data or Measurement methods and procedures	Default value baseline firewood consumption i.e. 0.5 tons/capita/year can be applied as discussed in section 4.2 option (c) of the applied methodology (see page 6 of the methodology). According to the data of latest available data, the mean household size in rural areas in Burundi in 2021, was 4.8 persons/household. For estimating the baseline wood consumption in the project area, the national average household size for rural areas is chosen to be applied. This can be considered conservative choice in respect to the results of the Baseline Survey (including 145 households), according to which the average household size was in the foreseen project area 5.7 persons. According to the above, quantity of firewood consumed in the baseline ($B_{b,y}$) can be calculated as follows: $B_{b,y} = 0.5 \text{ tons/capita/year} * 4.8 \text{ persons/household} \\ = 2.4 \text{ tons/household/year}$
Purpose of data	Calculation of project scenario
Additional comment	Parameter is also used to calculate: SDG 3 and SDG 15

B.6.3. Ex ante estimation of SDG Impact

Ex ante calculations related to the outcomes of SDG 13

The transparent ex-ante calculations of the outcomes of SDG 13 (i.e. CO₂e reductions) are provided in a separate Excel Spreadsheet uploaded to SustainCERT. For data/parameters available before design certification values contained in section B.6.2 and for data/parameters not available before design certification the estimates included in section B.7.1 have been used.

Ex ante calculations related to the outcomes of SDG 1, SDG 3, SDG 7 and SDG 15

The transparent ex-ante calculations of the outcomes of SDG 1 and 7 are provided in a separate Excel Spreadsheet uploaded to SustainCERT. For data/parameters available

before design certification values contained in section B.6.2 and for data/parameters not available before design certification the estimates contained included in section B.7.1 have been used.

Moreover, please note that the monitoring of SDG 1 and SDG 3 is made also through a qualitative auto-evaluation of the sample families during the annual Usage Survey as described above in section B.6.1. For these aspects no specific calculations are needed to be made.

B.6.4. Summary of ex ante estimates of each SDG outcome

SDG 13 - ER

Year	Baseline estimate	Project estimate	Project estimate with leakage	Net Benefit
2021(12/09-31/12)	935	475	451	484
2022	20.617	10.403	9.882	10.735
2023	20.617	10.343	9.826	10.791
2024	20.674	9.022	8.571	12.103
2025	20.617	8.944	8.497	12.120
2026 (01/01-11/09/04)	14.347	6.187	5.878	8.470
Total	97,807	45.374	43.105	54.702
Total number of crediting years	5			
Annual average over the crediting period	19,561	7,562	7,184	9,117

SDG 1 & 7 - Households using fuel-efficient cookstoves disseminated by project

Year	Baseline estimate	Project estimate	Net benefit
2021 (11/09-31/12)	0	561	561
2022	0	3,729	3,729
2023	0	3,729	3,729

2024	0	3,729	3,729
2025	0	3,729	3,729
2026 (01/01-10/09)	0	3,729	3,729
Total	N/A	N/A	N/A
Total number of crediting years	5		
Annual average over the crediting period	0	3,201	3,201

SDG 3 & 15 – Reduction in firewood consumption

Year	Baseline estimate	Project estimate	Net benefit
2021 (11/09-31/12)	0%	64%	64%
2022	0%	64%	64%
2023	0%	63%	63%
2024	0%	63%	63%
2025	0%	63%	63%
2026 (01/01-10/09)	0%	62%	62%
Total	N/A	N/A	N/A
Total number of crediting years	5		
Annual average over the crediting period	0%	63%	63%

B.7. Monitoring plan

B.7.1. Data and parameters to be monitored

SDG 13

Data / Parameter	$U_{p,y}$
Unit	Percentage
Description	Usage rate in project scenario p during year y
Source of data	Annual usage survey/Monitoring survey
Value(s) applied	Ex ante estimation: 0.80 for the first and second year of project and 0.70 for the rest of the years
Measurement methods and procedures	The usage survey is carried out annually as described in section B.7 of this VPA-DD
Monitoring frequency	Annual
QA/QC procedures	Transparent data analysis and reporting
Purpose of data	Calculation of project scenario
Additional comment	A usage parameter is derived for each age group of project cookstove being credited. Parameter is also used to calculate: SDG 1 and SDG 7

Data / Parameter	$N_{p,y}$														
Unit	Number of project cookstove credited (units)														
Description	Cookstove in the project database for project scenario p through year y														
Source of data	Total sales and distribution record														
Value(s) applied	Ex ante estimation: <table border="1"> <thead> <tr> <th>Project year</th><th>$N_{p,y}$</th></tr> </thead> <tbody> <tr> <td>2021 (11/09/05-31/12)</td><td>702</td></tr> <tr> <td>2022</td><td>4.662</td></tr> <tr> <td>2023</td><td>4.662</td></tr> <tr> <td>2024</td><td>4.662</td></tr> <tr> <td>2025</td><td>4.662</td></tr> <tr> <td>2026 (01/01-10/09)</td><td>4.662</td></tr> </tbody> </table>	Project year	$N_{p,y}$	2021 (11/09/05-31/12)	702	2022	4.662	2023	4.662	2024	4.662	2025	4.662	2026 (01/01-10/09)	4.662
Project year	$N_{p,y}$														
2021 (11/09/05-31/12)	702														
2022	4.662														
2023	4.662														
2024	4.662														
2025	4.662														
2026 (01/01-10/09)	4.662														

Measurement methods and procedures	Continuous monitoring. The number of project cookstoves is recorded in the stoves selling database.
Monitoring frequency	Continuous
QA/QC procedures	Transparent data analysis and reporting
Purpose of data	Calculation of project scenario
Additional comment	Parameter is also used to calculate: SDG 1 and SDG 7

Data / Parameter	$DF_{p, stove, y}$
Unit	Fraction
Description	Discount factor to account for the baseline stove use in project scenario p during the year y
Source of data	Monitoring survey
Value(s) applied	0.04
Measurement methods and procedures	The usage survey is carried out annually as described in section B.7 of this VPA-DD
Monitoring frequency	Annual
QA/QC procedures	Transparent data analysis and reporting
Purpose of data	Calculation of project scenario
Additional comment	The discount factor for baseline-stove use may be determined based on number of meals cooked using the baseline stoves. The required information shall be captured through sample-surveys carried out following a random sampling approach for each age-group of the project stove. The minimum number of samples sizes shall be selected following the guidelines provided in section 4.2, option (b) of the applied Microscale Methodology for Improved Cookstoves. The survey format B (Annex A of the applied methodology) will be followed to capture the required information. The impact of seasonal variations on use of baseline stove should be considered as part of the monitoring survey.

Data / Parameter	DF _n
Unit	Fraction
Description	Discount factor to account for efficiency loss of project cookstoves
Source of data	Default value of the applied methodology: 0.99, i.e. 1% efficiency loss per year
Value(s) applied	0.99
Measurement methods and procedures	Annual monitoring. The physical conditions of the cookstoves are monitored as described in section B.7 of this VPA-DD.
Monitoring frequency	Annual
QA/QC procedures	Transparent data analysis and reporting
Purpose of data	Calculation of project scenario
Additional comment	This default value can be used if stoves are found in good condition during annual surveys. For each year, the stoves of the age-group x-y should be physically verified. In the case of progressive installations, stove of age-group 0-1 shall also be physically verified each year through a random sampling approach. The survey format B (Annex A of the applied methodology) will be followed to capture the required information. Minimum number of sample size shall be selected following the guidelines provided in section 4.2, option (b) of the applied methodology.

Data / Parameter	DF _n
Unit	Fraction
Description	Discount factor to account for efficiency loss of project cookstoves
Source of data	Default value of the applied methodology: 0.99, i.e. 1% efficiency loss per year

Value(s) applied	0.99
Measurement methods and procedures	Annual monitoring. The physical conditions of the cookstoves are monitored as described in section B.7 of this VPA-DD.
Monitoring frequency	Annual
QA/QC procedures	Transparent data analysis and reporting
Purpose of data	Calculation of project scenario
Additional comment	This default value can be used if stoves are found in good condition during annual surveys. For each year, the stoves of the age-group x-y should be physically verified. In the case of progressive installations, stove of age-group 0-1 shall also be physically verified each year through a random sampling approach. The survey format B (Annex A of the applied methodology) will be followed to capture the required information. Minimum number of sample size shall be selected following the guidelines provided in section 4.2, option (b) of the applied methodology.

SDG 1

Data / Parameter	Time spent for collecting firewood and education/income generating activities
Unit	Percentage of total respondents
Description	Time spent in the project scenario in comparison with the baseline scenario estimated via qualitatively self-estimation by the families
Source of data	Monitoring survey
Value(s) applied	Ex-ante estimation: Less time consumed for woodfuel collection in comparison with the baseline, hence more time is available for other tasks, like education or income generating activities.
Measurement methods and procedures	Monitoring Survey will study qualitatively the time spent for firewood collection and education/income generating activities in the project scenario in comparison with the

	baseline scenario (The sample of project households are asked to evaluate if they estimate to spend less, more or the same amount of time for collecting the firewood and education/income generating activities than prior to the project).
Monitoring frequency	Annual
QA/QC procedures	Trained survey team and transparent data reporting. At the verification stage, the results of the monitoring survey can be used also for cross checking the results obtained from the baseline survey.
Purpose of data	Calculation of project scenario (Monitoring of SDG 1)
Additional comment	Households in the area who are using three stone fires in baseline scenario werethus consuming lots of firewood for their daily cooking activities. This means also that lots of time is spent and efforts made for firewood collection which reduces the available time for education and income generating activities.

SDG 3

Data / Parameter	Frequency of smoke inhalation related health problems (like smoke levels, itchy eyes and respiratory problems)
Unit	Percentage of total respondents
Description	Frequency of smoke related health problems with the project families estimated via qualitatively self-estimation by the families
Source of data	Monitoring survey
Value(s) applied	Ex-ante estimation: Less smoke inhalation related health problems (like e.g. itchy eyes or respiratory infections) in project scenario in comparison with the baseline scenario.
Measurement methods and procedures	Monitoring Survey will study qualitatively the smoke levels, itchy eyes and respiratory problems in the project scenario in comparison with the baseline scenario (The sample of project households are asked to evaluate if they experience less, more or the same amount of smoke,

	itchy eyes and respiratory problems as before the project).
Monitoring frequency	Annual
QA/QC procedures	Trained survey team and transparent data reporting. At the verification stage, the results of the monitoring survey can be used also for cross checking the results obtained from the baseline survey.
Purpose of data	Calculation of project scenario (Monitoring of SDG 3)
Additional comment	In the baseline situation large levels of smoke and TSPM are emitted by inefficient firewood combustion during the cooking with three stone fires which is causing discomfort and health problems like itchy eyes. It is not justifiable to measure smoke and TSPM levels quantitatively, but it will be measured qualitatively through the experienced smoke levels, itchy eyes and respiratory problems.

Data / Parameter	WR_y														
Unit	Fraction														
Description	Reduction in firewood consumption in year y (%)														
Source of data	ER calculations made in line with the applied SDG 13 methodology (i.e. parameters P_y and $B_{b,y}$ defined during the ER calculations)														
Value(s) applied	Ex-ante estimation: <table border="1"> <tr> <td>Project year</td><td></td></tr> <tr> <td>2021 (11/09-31/12)</td><td>64%</td></tr> <tr> <td>2022</td><td>64%</td></tr> <tr> <td>2023</td><td>63%</td></tr> <tr> <td>2024</td><td>63%</td></tr> <tr> <td>2025</td><td>63%</td></tr> <tr> <td>2026 (01/01-10/09)</td><td>62%</td></tr> </table>	Project year		2021 (11/09-31/12)	64%	2022	64%	2023	63%	2024	63%	2025	63%	2026 (01/01-10/09)	62%
Project year															
2021 (11/09-31/12)	64%														
2022	64%														
2023	63%														
2024	63%														
2025	63%														
2026 (01/01-10/09)	62%														
Measurement methods and procedures	Calculated as $P_y / B_{b,y}$														
Monitoring frequency	Annual														
QA/QC procedures	Trained survey team and transparent data reporting														

Purpose of data	Calculation of project scenario (Monitoring of SDG 3 and SDG 15)
Additional comment	Parameter is also used to calculate SDG 15

B.7.2. Sampling plan

In line with the Gold Standard “GS MS Simplified Methodology for Efficient Cookstoves Microscale Methodology for Improved Cookstoves” and “Sampling and surveys for CDM project activities and programme of activities” a field survey will be conducted annually from a representative sample of project stoves in order to consider the variation of the monitored parameters listed in above section B.7.1.

In line with the applied methodology, a minimum project cookstove sample size of each age-group should be in line with the following guidelines:

- Target population < 300: Minimum sample size 30
- Target population 300 to 1,000: Minimum sample size 10% of group size
- Target population > 1,000: Minimum sample size 100

B.7.3. Other elements of monitoring plan

The monitoring of the project will be made in accordance with the “Gold Standard Simplified Methodology for Efficient Cookstoves” v1.1. A field survey will be conducted annually on a representative sample of project stoves in order to consider the variation of the monitored parameters listed in section B.7.1. Principles of the monitoring procedures are described below.

A. Sale Record

The Sale Record will include the following data as required by the methodology:

- i. Date of sale and of installation
- ii. Geographic area of sale
- iii. Model/type of project cookstove(s) sold
- iv. Name and telephone number (if available), address.
 - a. Required for all bulk purchasers, i.e. retailers

- b. All end users; the names and telephone numbers or names and addresses collected must be commensurate with representative sampling, i.e. the names and addresses or phone numbers (where possible) within sales records shall be large enough so that surveys can be based on representative, random selected sample.

The above information will be collected during the stove distribution and recorded in electronic format. In case the original documentation is in hard copy format, they will be stored for entire life cycle of the project and backed up electronically.

B. Project database

The project database is derived from the total sales record with project cookstoves differentiated by different project scenarios. The differentiation of the project database into sections is based on the results of the applicable monitoring studies for each project scenario, in order that emissions reduction calculations can be conducted appropriately section by section. Project database is maintained and updated by the project participant, AVSI. The data will be backed up electronically, with original documentation being stored for entire life cycle of the project.

C. Ongoing Monitoring Studies

The ongoing monitoring studies are conducted for each project scenario annually, at least beginning one year after the project registration and on time for any request of issuance. Survey format B in Annex A of the applied methodology will be applied for carrying out the studies.

- i. Monitoring consists of checking of a representative sample, once every year (annually) to ensure that project cookstoves are still operating by carrying out the usage survey as per the guidelines below.

Usage survey must be conducted to estimate the drop off rates as project cookstove may not be adopted or may be disposed of and potentially replaced again by a baseline stove. Moreover, through the usage survey it will be ensured that the possible households using in the baseline improved stoves or other fuels than firewood, will be excluded from the ER calculations.

Prior to the verification, a usage survey for each cookstove age-groups is required. For example, if only cookstoves in the first year of use (age 0-1) are being credited, a usage parameter must be established for age-group 0-1, through a usage survey for cookstove age 0-1. If cookstoves of age 0-1 and age 1-2 are being credited (as

part of first request for issuance), usage parameters must be established for age-group 0-1 and 1-2, respectively through a usage survey. If cookstoves of age-group 0-1 and age-group 1-2 are being credited (as part of second request for issuance), usage parameter must be established for age group 1-2 only through a usage survey as the usage rate for cookstoves of age-group 0-1 can be applied from the previous issuance.

To successfully conduct a usage survey, a minimum project cookstove sample size of each age-group should be in line with the following guidelines:

- Target population < 300: Minimum sample size 30
 - Target population 300 to 1,000: Minimum sample size 10% of group size
 - Target population > 1,000: Minimum sample size 100
- ii. Where replacements are made, monitoring shall ensure that the efficiency of the new cookstove is similar to the appliance being replaced.
 - iii. The project must monitor the use of baseline stove in the project activity during annual surveys.
 - iv. The project must monitor the physical conditions of the cookstoves during annual surveys.

SECTION C. DURATION AND CREDITING PERIOD

C.1. Duration of project

C.1.1. Start date of project

11/09/2021⁸

The above mentioned date is the date when the first project stoves were sold.

C.1.2. Expected operational lifetime of project

15 years

C.2. Crediting period of project

⁸ Refer to file named "Selling_DB"" as a proof of start date of this project activity. Stoves have been distributed on September 2021.

C.2.1. Start date of crediting period

12/09/2021⁹

C.2.2. Total length of crediting period

5 years. The crediting period may be renewed twice in line with Community Services Activity Requirements.

SECTION D. SUMMARY OF SAFEGUARDING PRINCIPLES AND GENDER SENSITIVE ASSESSMENT

D.1. Safeguarding Principles that will be monitored

A completed Safeguarding Principles Assessment is in [Appendix 1](#), ongoing monitoring is summarised below.

Principles	Mitigation Measures added to the Monitoring Plan
Principle 1. Human Rights	N/A
Principle 2. Gender Equality	N/A
Principle 3. Community Health, Safety and Working Conditions	N/A
Principle 4.1 Sites of Cultural and Historical Heritage	N/A
Principle 4.2 Forced Eviction and Displacement	N/A
Principle 4.3 Land Tenure and Other Rights	N/A
Principle 5. Corruption	N/A
Principle 6.1 Labour Rights	N/A
Principle 6.2 Negative Economic Consequences	N/A
Principle 7.1 Emissions	N/A

⁹ Crediting period start date coincides to the day after the delivery of the first project technology (which defines the project start date).

Principle 7.2 Energy Supply	N/A
Principle 8.1 Impact on Natural Water Patterns/Flows	N/A
Principle 8.2 Erosion and/or Water Body Instability	N/A
Principle 9.1 Landscape Modification and Soil	N/A
Principle 9.2 Vulnerability to Natural Disaster	N/A
Principle 9.3 Genetic Resources	N/A
Principle 9.4 Release of pollutants	N/A
Principle 9.5 Hazardous and Non-hazardous Waste	N/A
Principle 9.6 Pesticides & Fertilisers	N/A
Principle 9.7 Harvesting of Forests	N/A
Principle 9.8 Food	N/A
Principle 9.9 Animal husbandry	N/A
Principle 9.10 High Conservation Value Area sand Critical Habitats	N/A
Principle 9.11 Endangered Species	N/A

D.2. Assessment that project complies with GS4GG Gender Sensitive requirements

Question 1 - Explain how the project reflects the key issues and requirements of Gender Sensitive design and implementation as outlined in the Gender Policy?	The project reflects the key issues and requirements of gender sensitive design and implementation: the project activities provide access to fuel efficient cookstoves for local communities. Especially women and girls, mainly responsible on fuel collection and cooking activities, will benefit of the use of fuel efficient cookstoves. The project will not reduce or put at risk women's access to or control of resources or benefits. Instead, it's foreseen that women, as main responsible form cooking fuel resources and cooking activities will have better
---	--

	control of these resources (quantity of wood needed/day is reduced and time will be saved as the cooking may be made faster) and moreover to benefit most for the expected health improvements caused by the reduced smoke inhalation during the cooking activities. Moreover, the already implemented activities related to the Stakeholder Consultation (for example, the cooking demonstration made during the stakeholder consultation meetings) as well as the future implementation of the project activities takes into the account gender roles and the abilities of women and men to participate in the decision/designs of the project activities. The more detailed description of the Stakeholder Consultation made in the project design phase and its design in a way which enabled both women and men participating in the consultation meeting are described in the separate Stakeholder Consultation Report.
Question 2 - Explain how the project aligns with existing country policies, strategies and best practices	Project activities are in line with the country policies, strategies, and best practices. In fact, the project activities are foreseen to improve the daily conditions of the local families, especially woman and girls by providing access to efficient cooking technology. The access to improved cooking technology, in addition to the contribute on reduction of smoke inhalation during the cooking activities, will reduce the need of wood for daily cooking activities and consequently will reduce the effort for firewood supplying.
Question 3 - Is an Expert required for the Gender Safeguarding Principles & Requirements?	Not required. The safeguarding principles and requirements assessment of this VPA do not include particular challenges regarding gender perspective and, thus, it has been enough to address gender issue following the default requirements of the GS4GGs.
Question 4 - Is an Expert required to assist with Gender issues at the Stakeholder Consultation?	Not required. The stakeholder consultation of this VPA do not include particular challenges regarding gender perspective and, thus, it has been enough to address gender issue following the default requirements of the GS4GGs.

SECTION E. SUMMARY OF LOCAL STAKEHOLDER CONSULTATION

The below is a summary of the 2 step GS4GG Consultation for monitoring purposes. Please refer to the separate Stakeholder Consultation Report for a complete report on the initial consultation and stakeholder feedback round.

E.1. Summary of stakeholder mitigation measures

E.2. During the Stakeholder consultation some questions were raised by people. In particular were asked about stoves lifetime, end-users and ICS type selection. All the answers were clearly provided, as reported in the LSC report¹⁰. The accent was put in particular to the zone of intervention, in fact was explained that the end-users have been chosen, by the local partner, within those families who did not yet have an improved stove and the stove model was selected because produced with good quality local clay, by local producers. With a result on the local economy. Final continuous input / grievance mechanism

Method	Include all details of Chosen Method (s) so that they may be understood and, where relevant, used by readers.
Continuous Input / Grievance Expression Process Book (mandatory)	Bureau AVSI at: -Kayanza, quartier Musave Mukoro -Ngozi, quartier Gabiro -Kirundo, quartier Nyange Bushaza
GS Contact (mandatory)	help@goldstandard.org
Other	davide.mariani@avsi.org viola.stefanizzi@carbonsink.it

¹⁰ Please refer to the "GS11155 GS11156 GS11157_SC Report.docx" document already provided, for any further detail.

APPENDIX 1 - SAFEGUARDING PRINCIPLES ASSESSMENT

Complete the Assessment below and copy all Mitigation Measures for each Principle into [SECTION D](#) above. Please refer to the instructions in the [Guide to Completing](#) this Form below.

Assessment Questions/ Requirements	Justification of Relevance (Yes/potentially/no)	How Project will achieve Requirements through design, management or risk mitigation.	Mitigation Measures added to the Monitoring Plan (if required)
Principle 1. Human Rights			
1. The Project Developer and the Project shall respect internationally proclaimed human rights and shall not be complicit in violence or human rights abuses of any kind as defined in the Universal Declaration of Human Rights 2. The Project shall not discriminate with regards to participation and inclusion	No	The project is implemented respecting internationally proclaimed human rights and is no complicit in violence or human rights abuses of any kind as defined in the Universal Declaration of Human Rights. The project doesn't either discriminate with regards to participation and inclusion as the efficient project stoves are free and are distributed for the families selected in collaboration with the representatives of the local communities	N/A
Principle 2. Gender Equality			

1. The Project shall not directly or indirectly lead to/contribute to adverse impacts on gender equality and/or the situation of women 2. Projects shall apply the principles of nondiscrimination, equal treatment, and equal pay for equal work 3. The Project shall refer to the country's national gender strategy or equivalent national commitment to aid in assessing gender risks 4. (where required) Summary of opinions and recommendations of an Expert Stakeholder(s)	No	JUSTIFICATION POINT 1: The project activity doesn't endorse any form of discrimination based on gender. The cookstoves can be brought by anyone living in the project area. It's not foreseen that the Project reduces or put at risk women's access to or control of resources, entitlements and benefits. Instead, it's foreseen that the women, as main responsible for firewood collection and cooking activities will have better control of resources (firewood and time will be saved) and moreover to benefit most for the possible health improvements caused by the reduced smoke inhalation during the cooking activities. It is thereafter not either foreseen that the Project would adversely affect man and women in marginalised or vulnerable communities. There will be less burden on women, men and children, as less firewood for cooking needs to be collected. This will reduce the time burden on women and men in the	N/A
--	-----------	---	------------

		socially isolating activity of collecting resources. The Project takes into account gender roles and the abilities of women and men to participate in the decision/designs of the project activities. For example, the Stakeholder Consultation made in the project design phase included both women and men participating in the consultation meeting. In fact, women's participation and engagement in the project (as they are the main responsible of the cooking activities) will be essential for the success of the whole project. The Project will take into account gender roles and the abilities of women and men to participate and benefit from the project activities. For example, the training/cooking demonstrations on using the new stoves and on their benefits will be targeted especially for women who are traditionally responsible for the cooking activities. The project is not contributing to an increase in women's workload or	
--	--	--	--

		preventing them from engaging in other activities. In fact, the efficient cookstoves will reduce the firewood need for daily cooking activities and will thereafter reduce women's and girls' workload related to the firewood collection. The project is not foreseen to reproduce or depend discrimination against women. The women's role will be essential as the cookstove users and they will have the possibility for giving feedback regarding the project as any other community member. The project is not foreseen to limit women's ability to use, develop and protect natural resources. Instead, the use of the efficient cookstoves will reduce the firewood consumption and will thereafter give a possibility for saving and local natural wood resources. The project activity will not expose women or girls to further risks or hazards. Instead, the risk related to the smoke inhalation during the cooking activities or the risks related	
--	--	---	--

		to the firewood collection are foreseen to be reduced. JUSTIFICATION POINT 2: The Project will not directly or indirectly lead or contribute to adverse impacts on gender equality or the situation of women. In fact, the use of the efficient project cookstoves is foreseen to improve the general conditions of women and not to lead to any risk of contributing issues like sexual harassment/exploitation, violence, human trafficking slavery, imprisonment, drudgery or restriction of women's rights or access to resources. The Project will not have any impact on women's ownership rights to inherit and own land, homes and other assets. The Project applies the principles of nondiscrimination and equal treatment and equal pay for equal work. For the project monitoring activities and for any other eventual paid or	
--	--	---	--

		volunteer work the principle of the equal pay for equal work will be applied and it will be organized in way to provide the conditions for equitable participation of men and women whenever possible. Project activities like using the efficient cookstoves is not having any limitations on participation or benefiting from the Project depending on the pregnancy, maternity/paternity leave or marital status. JUSTIFICATION POINT 3: The Project will not include any specific gender related risks. The “National Gender Policy” of Burundi has been consulted to assess this risk. Please refer to: https://undocs.org/CEDAW/C/BDI/4 JUSTIFICATION POINT 4: Not applicable.	
Principle 3. Community Health, Safety and Working Conditions			
1. The Project shall avoid community exposure to increased health	No	The project activities doesn't include exposing the community to increased health risks and is not adversely	N/A

risks and shall not adversely affect the health of the workers and the community		affecting the health of workers and the community. In fact, the project activities provide the distribution of improved cookstoves, with the aim, omitting the other objectives, to improve the health of households, for example through the reduction of smoke and therefore less harmful inhalations.	
Principle 4.1 Sites of Cultural and Historical Heritage			
Does the Project Area include sites, structures, or objects with historical, cultural, artistic, traditional or religious values or intangible forms of culture?	No	The project activity doesn't include sites, structures or objects with historical, cultural, artistic, traditional or religious value or intangible forms of culture.	N/A
>>			
Principle 4.2 Forced Eviction and Displacement			
Does the Project require or cause the physical or economic relocation of peoples (temporary or permanent, full or partial)?	No	The Project will provide improved cookstoves to the households in the project area and it does not require alternation, damage or removal of any historical, artistic, traditional, religious or cultural heritage issues.	N/A
>>			
Principle 4.3 Land Tenure and Other Rights			

Does the Project require any change, or have any uncertainties related to land tenure arrangements and/or access rights, usage rights or land ownership?	No	The project activity consists of distributing improved cookstoves and therefore no physical or economic relocation of peoples is involved. The project activity consists of distributing improved cookstoves and therefore no physical or economic relocation of peoples is involved.	N/A
>>		Stoves distribution doesn't need additional lands to be used and, therefore, doesn't require any change to land tenure arrangements and/or other rights. In fact, the aim of the project is to reduce the quantity of firewood consumed in the project area.	
4.4. Indigenous People			
Are indigenous peoples present in or within the area of influence of the Project and/or is the Project located on land/territory claimed by indigenous peoples?	Yes	The indigenous people, Batwa minority is directly involved into the project. Some of the stoves producers were chosen among this minority.	N/A
>>			

Principle 5. Corruption			
1. The Project shall not involve, be complicit in or inadvertently contribute to or reinforce corruption or corrupt Projects	No	The Project doesn't involve, be complicit in or inadvertently contribute to or reinforce corruption or corrupt Projects. The project is, in fact, implemented in the field by AVSI Foundation in collaboration with Carbonsink. The ethical codes of both entities are against corruption. Moreover, Burundi has ratified the UN Convention against Corruption.	N/A
Principle 6.1 Labour Rights			
1. The Project Developer shall ensure that all employment is in compliance with national labour occupational health and safety laws and with the principles and standards embodied in the ILO fundamental conventions 2. Workers shall be able to establish and join labour organisations	No	The project is implemented in the field by AVSI NGO in collaboration with Carbonsink. The employees' rights are a cross-cutting issue and respected in all of the projects of project partners. Burundi has ratified ILO Convention 87 and 98. All employees, mainly hired for production and distribution of the cookstoves (in the first phase) and for monitoring activities, will work voluntarily for the project, no forced labour is used and all employment is in compliance with national laws and	N/A

3. Working agreements with all individual workers shall be documented and implemented and include: a) Working hours (must not exceed 48 hours per week on a regular basis), AND b) Duties and tasks, AND c) Remuneration (must include provision for payment of overtime), AND d) Modalities on health insurance, AND e) Modalities on termination of the contract with provision for voluntary resignation by employee, AND f) Provision for annual leave of not less than 10 days per year, not		consistency with the principles of standard ILO conventions. Indeed, Burundi has ratified ILO Convention 29 and 105. The workers can establish and join labour organizations. In case of new workers will be hired, the working agreement will be documented and implemented in compliance with the Section 3.6.1 of GS4GG Safeguarding Principles & Requirements version 1.2. The employment model applied will be also locally and culturally appropriate. Moreover, all the possible staff hired has a minimum age of 18. Burundi has ratified ILO Convention 138 and 182. The use of the efficient cookstove will reduce the quantity of firewood used in daily cooking activities and can thereafter release economical and time resources of the local families for other tasks which can be considered to support the financial sustainability of the project.	
---	--	--	--

including sick and casual leave. 4. No child labour is allowed (Exceptions for children working on their families' property requires an Expert Stakeholder opinion) 5. The Project Developer shall ensure the use of appropriate equipment, training of workers, documentation and reporting of accidents and incidents, and emergency preparedness and response measures		The use of efficient cookstoves will reduce the firewood consumption and will thereafter save the resources of the project families and can be considered to have positive impacts on the project families' economic situation.	
Principle 6.2 Negative Economic Consequences			
1. Does the project cause negative economic consequences during and after project implementation?	No	No potential risks for the local economy are expected.	N/A
>>			
Principle 7.1 Emissions			

Will the Project increase greenhouse gas emissions over the Baseline Scenario?	No	The Project will reduce the GHG emissions as will be monitored and verified in line with the GS4GG.	N/A
>>			
Principle 7.2 Energy Supply			
Will the Project use energy from a local grid or power supply (i.e., not connected to a national or regional grid) or fuel resource (such as wood, biomass) that provides for other local users?	No	The Project will not use energy from a local grid or power supply. The efficient cookstoves are fired with firewood and therefore no change for the currently used cooking fuel will be made.	N/A
>>			
Principle 8.1 Impact on Natural Water Patterns/Flows			
Will the Project affect the natural or pre-existing pattern of watercourses, ground-water and/or the watershed(s) such as high seasonal flow variability, flooding potential, lack of aquatic connectivity or water scarcity?	No	The project will not affect the natural or pre-existing pattern of watercourses, groundwater and/or the watersheds etc. water related issues.	N/A
>>			
Principle 8.2 Erosion and/or Water Body Instability			

Could the Project directly or indirectly cause additional erosion and/or water body instability or disrupt the natural pattern of erosion?	No	The Project will not cause additional erosion directly or indirectly and/or water body instability or disrupt the natural pattern of erosion.	N/A
>>			
Principle 9.1 Landscape Modification and Soil			
Does the Project involve the use of land and soil for production of crops or other products?	No	The project impact on environment is positive, no negative impacts are expected. Moreover, the stove distribution activities does not include planting or other agricultural activities, producing chemicals or use of GMOs. The project will distribute one clay stove model produced locally. The local stove production is not having any significant environmental impacts as for example the quantities of clay collection needed for the stove production are low compared to other activities like house construction. Neither hazardous waste is produced.	N/A
>>			
Principle 9.2 Vulnerability to Natural Disaster			
Will the Project be susceptible to or lead to	No	Furthermore, the aim of the project is to reduce the quantity of firewood	N/A

increased vulnerability to wind, earthquakes, subsidence, landslides, erosion, flooding, drought or other extreme climatic conditions?		consumed in the project area for cooking activities which will save the natural resources. The Project is not suspected to or will lead to increased vulnerability to any extreme climatic conditions.	
>>			
Principle 9.3 Genetic Resources			
Could the Project be negatively impacted by or involve genetically modified organisms or GMOs (e.g., contamination, collection and/or harvesting, commercial development, or take place in facilities or farms that include GMOs in their processes and production)?	No	The Project doesn't involve or is negatively impacted by the use of genetically modified organisms or GMOs.	N/A
>>			
Principle 9.4 Release of pollutants			
Could the Project potentially result in the release of pollutants to the environment?	No	The Project is not potentially resulting in release of pollutants to the environment.	N/A
>>			

Principle 9.5 Hazardous and Non-hazardous Waste			
Will the Project involve the manufacture, trade, release, and/ or use of hazardous and non-hazardous chemicals and/or materials?	No	The Project is not involving the manufacture, trade, release, and/or use of hazardous chemicals and or materials.	N/A
>>			
Principle 9.6 Pesticides & Fertilisers			
Will the Project involve the application of pesticides and/or fertilisers?	No	The Project doesn't involve the application of pesticides and/or fertilisers.	N/A
>>			
Principle 9.7 Harvesting of Forests			
Will the Project involve the harvesting of forests?	No	Neither harvesting of forests is involved.	N/A
>>			
Principle 9.8 Food			
Does the Project modify the quantity or nutritional quality of food available such as through crop regime alteration or export or economic incentives?		The Project doesn't modify the quantity or nutritional quality of food available.	
>>			

Principle 9.9 Animal husbandry			
Will the Project involve animal husbandry?	No	The Project doesn't involve animal husbandry.	N/A
>>			
Principle 9.10 High Conservation Value Areas and Critical Habitats			
Does the Project physically affect or alter largely intact or High Conservation Value (HCV) ecosystems, critical habitats, landscapes, key biodiversity areas or sites identified?	No	The project boundary is the physical, geographical sites of the project technologies, in other words, the physical location of the project stoves.	N/A
>>		1.	1.
Principle 9.11 Endangered Species			
Are there any endangered species identified as potentially being present within the Project boundary (including those that may route through the area)? AND/OR Does the Project potentially impact other areas where endangered species may be	No	There are no endangered species identified as potentially being present the project boundary and the project is not foreseen to have any negative potential impacts on other areas where endangered species may be present through transboundary affects.	N/A

present through transboundary affects?			
>>			

APPENDIX 2- CONTACT INFORMATION OF VPA IMPLEMENTER

Organization name	Carbonsink Group S.r.l. (Carbonsink)
Registration number with relevant authority	
Street/P.O. Box	Piazza Beverini
Building	4
City	La Spezia
State/Region	
Postcode	19121
Country	Italy
Telephone	+39 055 4574675
E-mail	info@carbonsink.it
Website	www.carbonsink.it
Contact person	Gianluca Persia
Title	
Salutation	Mr.
Last name	Persia
Middle name	
First name	Gianluca
Department	
Mobile	
Direct tel.	+39 055 4574675
Personal e-mail	gianluca.persia@carbonsink.it

APPENDIX 3-SUMMARY OF APPROVED DESIGN CHANGES

Please refer to Annex A of [Principles and Requirements](#) for more information on procedures governing Design Changes

Revision History

Version	Date	Remarks
1.1	7 October 2020	Hyperlinked section summary to enable quick access to key sections Improved clarity on Key Project Information Inclusion criteria table added Gender sensitive requirements added Prior consideration (1 yr rule) and Ongoing Financial Need added Safeguard Principles Assessment as annex and a new section to include applicable safeguards for clarity Improved Clarity on SDG contribution/SDG Impact term used throughout Clarity on Stakeholder Consultation information required Provision of an accompanying Guide to help the user understand detailed rules and requirements
1.0	10 July 2017	Initial adoption