GRAPHIC GUIDELINES

FOR COMPETITION/ CONCEPT DESIGN

30.01.2026 VERSION 1.0

INTENTION

Clarify what information should be **communicated** through **drawings** and **diagrams** during competition and early concept design

Organize diagram types by **purpose**

Provide example-based reference using **LAVA competition work**


DIAGRAM CATALOUGE – WIP

Diagrams are categorized by what they are used for, not by graphic style.

LAVA

What is a diagram?

In general, **diagrams are best known and understood as visual tools used for the compression of information**. A specialist diagram, such as a statistics table or a schematic image, can contain, as **much information in a few lines** as would fill pages in writing.



In architecture, diagrams have in the last few years been introduced as part of a technique that **promotes a proliferating, generating and instrumentalising approach** to design. The essence of the diagrammatic technique is that **it introduces into a work qualities that are unspoken, disconnected from an ideal or an ideology, random, intuitive, subjective, not bound to a linear logic** - qualities that can be physical, structural, spatial or technical.



UNStudio: the floating space, 2007

TYPES OF DIAGRAMS

1. Information Diagrams
2. Mood Diagrams
3. Instrumental Diagrams
4. Conceptual Narrative Diagrams
5. Representation Diagrams

1. Information Diagrams


Collect and organize **key data** to understand site conditions, requirements, constraints, and dominant forces.

INFORMATION DIAGRAM





INFORMATION DIAGRAM






INFORMATION DIAGRAM









LAVA

INFORMATION DIAGRAM




INFORMATION DIAGRAM


PLOT A6



REQUIRED PROGRAM




PROGRAM ON PLOT



LAVA


INFORMATION DIAGRAM




Points of access



Airflow




Native vegetation




Topography




Sun direction




Key views



Circulation



Noise nuisance



Existing framework

2. Mood Diagrams


Mood diagrams define **atmosphere** and **experience**, not form, geometry, or systems.

MOOD DIAGRAM

A JOURNEY OF LIGHT AND DARK

Light is used as a guiding element in the Cube, stimulating the curiosity and excitement of visitors to follow it and discover what lies beyond each threshold.














A PLACE OF EXQUISITE CULTURAL AND COMMERCIAL EXPERIENCES


Inside the Cube a plethora of cultural experiences, tasting delights and shopping adventures are brought to the visitor. Commercial destinations have more in common to gallery visits than any known shopping experience - surfaces and spaces appeal to the senses like precious gemstones. Materialities take cues from the three main elements in the Cube - rock, water and technology.






MOOD DIAGRAM





MOOD DIAGRAM




3. Instrumental Diagrams

Use constraints and analysis to test spatial, programmatic, and **system-based design logic**.

INSTRUMENTAL DIAGRAMS

morning




evening

afternoon





night





overlay






018 – Masdar City

L/\V/\

INSTRUMENTAL DIAGRAMS




INSTRUMENTAL DIAGRAMS


GF



+1



+2




GREEN

LIGHT

PRIVACY

SPATIAL QUALITY MAPS


INSTRUMENTAL DIAGRAMS




L/\V/\

INSTRUMENTAL DIAGRAMS


CHAIN OF PEARLS




VISITORS EXPERIENCE AS CHAIN OF PEARLS




CHAIN OF PEARLS ON PLOT




INSTRUMENTAL DIAGRAMS





Répartition du programme basée sur le temps d'accès


INSTRUMENTAL DIAGRAMS






IMPRESSION OF SPACES ALONG THE MOUNTAIN EXCAVATION

REFERENCE IMAGES



1. Distance w/ the mountain (visible yet unreachable)




4. Contrast of materiality and textures


4. Conceptual Narrative Diagrams

Synthesize design logic into a clear and communicable design idea, often shown as an abstracted version of the proposal.


CONCEPTUAL NARRATIVE DIAGRAM



CAMPUS




VERTICAL CAMPUS



VERTICAL CAMPUS DUBAI

CONCEPTUAL NARRATIVE DIAGRAM





























First Layer of circle packing

Second Layer of circle packing


Third Layer of circle packing

CONCEPTUAL NARRATIVE DIAGRAM


Typical Neighborhood



The Cube Neighborhood:
Public space is integrated into the building program




CONCEPTUAL NARRATIVE DIAGRAM






typical central core highrise

- only horizontal communication
- central core increases this situation
- anonymus working situation
- strictly divided by floorplates







KACST HQ Deep Plan

- areas carved out of facade and floor plan to allow for light penetration and to create
- no central core; windmill organisation allows for open space in the center of the tower
- communication inside; views to outside

CONCEPTUAL NARRATIVE DIAGRAM




CONCEPTUAL NARRATIVE DIAGRAM



ATRIUM


Als vertikales Verbindungselement für Sichtbeziehungen
und Licht



IRRATIONALE TREPPE

Als vertikales Verbindungselement kurzer Wege

CONCEPTUAL NARRATIVE DIAGRAM



NATURE


HYBRID PLAZA


CULTURE

5. Representation Diagrams

Clearly **communicate the designed proposal** and its key architectural qualities


REPRESENTATION DIAGRAM






LAVA


REPRESENTATION DIAGRAM




1) QUEUE AND PRESHOW



2) BELLEVUE




3) ENERGY LAB AND TERRACE




4) FUTURE CITY LAB AND TERRACE




5) BIO DIVERSITY LAB AND TERRACE



6) MAIN SHOW



7) PLAZA




8) AUDITORIUM, RESTAURANT AND EXIT

L/\\

REPRESENTATION DIAGRAM


rock screen | rock passage | fire canyon | evening plaza | panorama garden | cliff edge | layers of discovery | frame sequence | stalactite/stalagmite forest | data frames




cave rooms | blank void | water cascade | grand void | lightframe maze | golden gem | tokyo lights | carved chamber | glow of marakesh | water ripple

LAVA


REPRESENTATION DIAGRAM



Multi Performance + Exhibition (Independent halls)




Large Event Space (Interconnected halls)




Indoor to Outdoor Event (Fully Open)

REPRESENTATION DIAGRAM



REPRESENTATION DIAGRAM



RESPONSIBLE CONSTRUCTION
The building employs a hybrid system combining timber and concrete to balance structural efficiency with reduced environmental impact.

CLIMATE-RESPONSIVE FACADE
The façade is strategically designed to minimize glare and control heat gain, enhancing visual comfort and energy performance.

REDUCED SOLAR HEAT
The green courtyard reduces solar heat gain and contributes to a cooler microclimate within the courtyard by providing natural shading and surface cooling.

NATURAL SUNLIGHT
The sun is softly filtered into the reading rooms through an inner garden space.

RAINWATER MANAGEMENT
Rainwater is collected through the green roof systems and directed into a storage system.

RENEWABLE ENERGY
Photovoltaic panels are integrated into the roof to generate renewable energy and reduce the building's dependence on non-renewable resources.

BIODIVERSITY
Green roofs, courtyards, and pocket gardens are designed to support local vegetation and urban biodiversity, in the meantimecontributing to ecological resilience and a healthier environment.

MICROCLIMATE
The pocket gardens help create a moderated microclimate, improving thermal comfort and air quality within and around the building.

PASSIVE COOLING
Warm air naturally rises and is released through the openings, reducing heat accumulation and improving thermal comfort within the building.

EFFECTIVE SHADING
To prevent glare and overheating, direct sunlight is blocked by façade elements and the offset façade within the reading rooms.

CROSS VENTILATION
The inner garden, together with operable glass openings on the façade, enables natural cross ventilation. This system facilitates continuous airflow through the building, improving indoor air quality and thermal comfort.

ACOUSTIC CALM
Zonning and layered absorption on the building creates comfortable reading zones.

WATER REUSE
The collected water is reused as greywater and for irrigation, contributing to sustainable water management within the building.

COMMUNITY ENGEGAMENT
The building functions as a public living room where the community can interact, study, exhibit, debate, and celebrate, fostering social exchange and cultural vitality.

SHARED RESOURCES
Incorporating facilities like multipurpose halls and workshops to be used beyond the building's primary function.

PUBLIC ACCESIBILITY
Providing open spaces such as courtyards, gardens, or plazas that invite the community to gather, interact, and benefit from the building.


INTENT-DRIVEN DRAWINGS REPRESENTATION


Define **What** we want to communicate


PROGRAM DISTRIBUTION

PROGRAMMATIC RELATION












PUBLIC/ NON PUBLIC

ACCESS AND CONTROL






SPATIAL SEQUENCE
EXPERIENCE/ JOURNEY









ELEMENTS/ COMPONENT


HIGHLIGHTING ARCHITECTURAL FEATURES















ELEMENTS/ COMPONENT
HIGHLIGHTING ARCHITECTURAL FEATURES




E-W












STRUCTURE & LOAD LOGIC

STRUCTURE INFORMED DESIGN






GEOMETRIC LOGIC
RULE-BASED CONFIGURATION








GEOMETRIC LOGIC
RULE-BASED CONFIGURATION





MULTI – POTENTIAL USE
DISPLAY OPPURTUNITIES

















DRAWINGS REPRESENTATION BY SCALES

Define How the information is structured, layered and graphically expressed

LAVA

REPRESENTATION BY SCALES

1:500/ 1:1000

Site Plan & Massing

•Buildings as simple volumes (without detailed façade)
•Major roads and pathways
•Public spaces (plazas, parks, green areas)
•Key site boundaries and plot divisions
•Basic topography (if relevant)
•Important landmarks for context
•North arrow and scale bar

1:200/ 1:100

Building, general architecture

•Building footprint and massing
•Major walls and openings
•Circulation spaces (stairs, corridors, elevators)
•Structural elements (columns, slabs, beams if necessary)
•Key materials and textures (in elevations)
•Windows and doors as simplified symbols
•Basic furniture layouts (if relevant)
•Ground treatment (pavements, landscaping elements)
•Adjacent context (neighboring buildings as outlines)
•Basic annotations and dimensions
•Hatching for different material zones


1:50, 1:20 +/-

Materials, facade

•Walls with detailed layering (materials, insulation, etc.)
•Door and window types with clear profiles
•Staircases with treads, risers, and railings
•Structural details (columns, beams, floor slabs)
•Finishes (flooring, ceiling details, surface treatments)
•Detailed furniture and fixtures
•Wall sections and connection details
•Annotation with construction notes and dimensions
•Hatch patterns for materials


1:500/1:1000

•Buildings as simple volumes (without detailed façade)
•Major roads and pathways
•Public spaces (plazas, parks, green areas)
•Key site boundaries and plot divisions
•Basic topography (if relevant)
•Important landmarks for context
•North arrow and scale bar



L/\V/\

1:500/1:1000



L/\\

1:500/1:1000



LAVA

1:500/1:1000






327 NBH Heidelberg

LAVA

1:200


- Building footprint and massing
- Major walls and openings
- Circulation spaces (stairs, corridors, elevators)
- Structural elements (columns, slabs, beams if necessary)
- Key materials and textures (in elevations)
- Windows and doors as simplified symbols
- Basic furniture layouts (if relevant)
- Ground treatment (pavements, landscaping elements)
- Adjacent context (neighboring buildings as outlines)
- Basic annotations and dimensions
- Hatching for different material zones




499 - BUR

LAVA


1:200




1:200



1:200


General storage
FLS
Tech room
Janitor room
Toilets
Service Area


Staff Offices
596 sqm
FLS
Staff Cafeteria
64 sqm
Legacies
Restoration and conservation room
Researchers room
Special collection
Toilets
Accessible Female Meeting room
Special collection
Elevated Terrace


LAVA

1:200


Zone Schule
Co-learning Spaces
Terrassen
Fitness
Toiletten
Küche
Food court
Gymnasium
Mini
Co-Learning
Co-learning Spaces
Co-learning
Spaces
Co-learning Spaces
Mini
Co-Learning
Fitness
Umkleideräume
Rezeption
Kinderwagen
Agora
Mini
Co-Learning
Toiletten
Waiting Area
Gadget Lab
Co-learning Spaces
Fitness Cardio
Theater
Erste Hilfe
Raum
Eingang
0 2 4 8 16
N


L/\V/\

1:100



L/\V/\


1:200



475 - ONCF

L/\

1:200



VIP		
2.1	VIP terrace	85 m²
2.2	VIP Bypass	73 m²
2.3	VIP area	216 m²
2.4	Corridor	9 m²
2.5	Entrance to the toilet (F)	5 m²
2.6	Entrance to the toilet (M)	5 m²
2.7	Ablution Room VIP (F)	6 m²
2.8	Toilets VIP(F)	5 m²
2.10	Toilets VIP(M)	5 m²
2.11	Prayer Room VIP	6 m²
2.12	Telephone room	12 m²
		426 m²

Restaurant		
2.13	Cafe	51 m²
2.14	Restaurant	117 m²
2.15	Restaurant	234 m²
2.16	Corridor	15 m²
2.17	Handicap toilet	6 m²
2.18	Toilets Guest (M)	13 m²
2.19	Toilets Guest (F)	16 m²
2.20	Kitchen (Washing Area)	23 m²
2.21	Kitchen (Food Preparation)	44 m²
2.22	Precast cold room	6 m²
2.23	Precast cold room	6 m²
2.24	Locker Room (M)	6 m²
2.25	Toilet Staff (M)	8 m²
2.26	Toilet Staff (F)	8 m²
2.27	Locker Room (F)	6 m²
2.28	Storage	8 m²
2.29	Filter	11 m²
2.30	Stairs	19 m²
		597 m²

BOH		
2.31	Stairs	22 m²
2.32	Corridor	35 m²
2.33	Pav. Director Office	14 m²
2.34	Management Office	23 m²
2.35	Meeting room	33 m²
2.36	GC Office	14 m²
2.37	Assistant's office	6 m²
2.38	Janitors Room	3 m²
2.39	Storage	6 m²
2.40	Stairs	21 m²
		177 m²
		1199 m²

second floor

5


VIP


RESTAURANT
CAFE

WHEELCHAIR ACCESS

LAVA

1:200







499 - BUR

LAVA

1:200







475 - ONCF

LAVA


1:200




east elevation



west elevation



south elevation





north elevation





LAVA

1:200


17.0
12.0
6.5
3.3
0.0
VIP TERRACE
INFO
EXIT + SHOP
EXHIBITION AREA DOME
EXHIBITION AREA INNER YARD
RESTAURANT KITCHEN
OFFICE
EXHIBITATION AREA
STAFFROOMS
TECHNICAL SPACE
MAINROAD
87.58
SECTION AA


17.0
12.0
6.5
3.3
0.0
VIP BYPASS
EXHIBITION AREA DOME
RESTAURANT
QUEUING EXPERIENCE AREA
TECHNICAL SPACE
SECTION BB
MAINROAD


17.0
12.0
6.5
3.3
0.0
VIP BYPASS
RESTAURANT
VIP AREA
EXHIBITION AREA
EXHIBITION AREA INNER YARD
EXHIBITION AREA
SECTION CC
MAINROAD



17.0
12.0
6.5
3.3
0.0
Carpet panels
OFFICE
STAFFROOMS
TECHNICAL SPACE
SECTION DD
MAINROAD
5
10

LAVA

1:50


Materials, façade, detail

- Walls with detailed layering (materials, insulation, etc.)
- Door and window types with clear profiles
- Staircases with treads, risers, and railings
- Structural details (columns, beams, floor slabs)
- Finishes (flooring, ceiling details, surface treatments)
- Detailed furniture and fixtures
- Wall sections and connection details
- Annotation with construction notes and dimensions
- Hatch patterns for materials



LAVA


1:50



253 - EZS


L/\V/\


1:50




L/\V/\

1:50


12.0
Insulated PVC membrane
Light strip
Roof structure
Mullion transom facade
VIP
DIWANIYA
Square hollow section columns
7.3
6.5
Carpet panels
CLT slabs
I-beams
Big scaled fiber cement panels
3.3
EXHIBITION SPACE
Drywall with insulation
Prefabricated lightweight steel structure outer walls
MAINROAD
0.0


12.0
Insulated PVC membrane
Light strip
Roof structure
Mullion transom facade
7.7
6.5
VIP BYPASS
Glass railing
CLT slabs
Square hollow section beams
Metal Facade Cladding
Big scaled fiber cement panels
3.3
Triangle shaped fiber cement panels
Dome arches - I-profiles
CHS profiles
1.0
DUNESCAPE (QUEUE)
EXHIBITION SPACE
DOME
Drywall with insulation
3D Printed concrete colored
Concrete plates colored in two different shades of grey
MAINROAD
0.0


12.0
Insulated PVC membrane
Light strip
Roof structure
Continuous louvers
10.5
Square hollow section columns
Window with aluminium frame
OFFICE
7.3
6.5
Carpet panels
CLT slabs
I-beams
Big scaled fiber cement panels
STAFF ROOMS
3.3
Vinyl flooring
TECHNICAL SPACES
Drywall with insulation
Prefabricated lightweight steel structure outer walls
MAINROAD
0.0


L/\V/\

DETAIL CATALOUGE

To have quick understanding on build up and support consistency across projects


WIP

FLOORS




3 | FL-ST-01 NATURAL STONE ON CONCRETE SLAB

9200 | 1:5




4 | FL-ST-01A NATURAL STONE WITH ACOUSTIC UNDERLAY

9200 | 1:5



6 | FL-TM-01 ENGINEERED WOOD FLOORING ON CONCRETE SLAB

9200 | 1:5




8 | FL-I-08 TERRAZZO / HOMOGENOUS TILE ON CONCRETE SLAB


9200 | 1:5

LAVA


FLOORS




01 | FL-E-01 ROOF STONE PAVERS
9202 | 1:5



02 | FL-E-02 ROOF TIMBER DECKING
9202 | 1:5




03 | FL-E-03 GREEN ROOF
9202 | 1:5




04 | FL-E-04 EPOXY PAINT ON SCREED
9202 | 1:5

LAVA


WALLS




31 | IWS-31 - 100mm STUD WALL + PASTERBOARD
9300 | 1:5




32 | IWS-32 - 100mm STUD WALL + PLASTERBOARD (WITH INSULATION)
9300 | 1:5




33 | IWS-33 - 225mm THICK BLOCKWORK + PLASTERBOARD
9300 | 1:5




34 | IWS-34 - 200mm THICK RC WALL + PLASTERBOARD
9300 | 1:5




35 | IWS-35 - 300mm THICK RC WALL + FIRE RATED PLASTERBOARD (WITH INSULATION)
9300 | 1:5




41 | IWS-41 - METAL CLADDING
9300 | 1:5




42 | IWS-42 - 30% PERFORATED METAL CLADDING
9300 | 1:5




43 | IWS-43 - WOOD VENEER ON METAL SUBSTRUCTURE
9300 | 1:5




44 | IWS-44 - TRANSLUCENT GLASS PANEL
9300 | 1:5



45 | IWS-45 - SOLID SURFACE MATERIAL
9300 | 1:5




46 | IWS-46 - CERAMIC TILES ON CONCRETE OR BLOCKWORKS
9300 | 1:5




47 | IWS-47 - GRG PANELS
9300 | 1:5

LAVA


CEILINGS




1 | ARRIVAL HALL- WOOD VENEER CEILING TO ALUMINIUM CLADDING
9516 | 1:5 (CEILING TO WALL - JUNCTION DETAIL)




10 | UPPER SPINE - GYPSUM CEILING LIGHTING DETAIL
9527 | 1:5




07 | MT VIP LOUNGE - MOISTURE RESISTANT PLASTERBOARD (WITH AIR GRILLE)
9539 | 1:5



05 | MT FOYER - STAINLESS STEEL CEILING TO STAINLESS STEEL
9535 | 1:5 (L03 - DECOMPRESSION ZONE)



05 | MT VIP LOUNGE - MOISTURE RESISTANT PLASTERBOARD
9539 | 1:5 SUSPENDED CEILING



06 | MT VIP LOUNGE - MOISTURE RESISTANT PLASTERBOARD
9539 | 1:5 SUSPENDED CEILING

LAVA