

JomSantai / prima-estates

Code

Issues

Pull requests

Actions

Projects

Wiki

Security and quality

Insights

Settings

Watch

0

0 stars

0 forks

0 watching

Branches

Activity

Tags

Public repository

1 Branch

0 Tags

Go to file

T

Go to file

Add file

+

Code

...

JomSantai

Prima Estates - deploy ready

725ffb1 · 4 minutes ago

Controllers	Prima Estates - deploy ready	4 minutes ago
Data	Prima Estates - deploy ready	4 minutes ago
Models	Prima Estates - deploy ready	4 minutes ago
Properties	Prima Estates - deploy ready	4 minutes ago
Services	Prima Estates - deploy ready	4 minutes ago
Views	Prima Estates - deploy ready	4 minutes ago
wwwroot	Prima Estates - deploy ready	4 minutes ago
.dockerignore	Prima Estates - deploy ready	4 minutes ago
.env.example	Prima Estates - deploy ready	4 minutes ago
.gitignore	Prima Estates - deploy ready	4 minutes ago
DEPLOY.md	Prima Estates - deploy ready	4 minutes ago
Dockerfile	Prima Estates - deploy ready	4 minutes ago
PrimaEstates.csproj	Prima Estates - deploy ready	4 minutes ago
Program.cs	Prima Estates - deploy ready	4 minutes ago
README.md	Prima Estates - deploy ready	4 minutes ago
appsettings.Production.json	Prima Estates - deploy ready	4 minutes ago
appsettings.json	Prima Estates - deploy ready	4 minutes ago

Prima Estates — ASP.NET Core Real Estate Website

A complete real estate website with a public listing site and a secure admin dashboard, built for the Malaysian market (RM pricing, Klang Valley sample data, REN agent licences).

Stack

- ASP.NET Core 8 MVC (Razor views)
- Entity Framework Core 8 + SQLite (zero-config; swap the connection string for SQL Server/PostgreSQL later)
- Cookie authentication for the admin area
- No frontend build step — plain CSS with Google Fonts

Features

Public site

- Homepage with hero search, featured & latest listings
- Property listings with filters: keyword, buy/rent, type, area, price range, bedrooms + pagination
- Property detail page with image gallery, specs, agent card, and enquiry form
- Agents page and contact page (enquiries saved to the database)

Admin dashboard (/account/login)

- Stats overview: total/active listings, sold/rented, unread enquiries
- Full property CRUD with cover image + gallery upload (or paste image URLs)
- Agent CRUD with photo upload
- Enquiry inbox with read/unread and delete
- Anti-forgery tokens on all forms; uploads restricted to jpg/png/webp, max 5 MB

Getting started

Requires the [.NET 8 SDK](#).

```
cd PrimaEstates
dotnet run
```



Open the URL shown in the console (e.g. <https://localhost:5001>). The SQLite database `primaestates.db` is created and seeded automatically on first run (8 sample properties, 3 agents, 1 admin user).

Default admin login

- URL: /account/login
- Username: admin

README

Change this before going live. To change it, delete the row in Adminusers (or delete primaestates.db to reseed) after editing the password in Data/SeedData.cs .

Project structure

```
PrimaEstates/
├─ Program.cs           # App startup, auth, EF, seeding
├─ appsettings.json     # Connection string
├─ Models/Entities.cs   # Property, Agent, Enquiry, PropertyImage, AdminUser
├─ Data/AppDbContext.cs # EF Core context
├─ Data/SeedData.cs     # Seed admin + sample Klang Valley data
├─ Controllers/
│   ├─ HomeController.cs # Home, agents, contact
│   ├─ PropertiesController.cs # Listings, filters, details, enquiries
│   ├─ AccountController.cs # Admin login/logout (cookie auth)
│   └─ AdminController.cs  # Dashboard + all CRUD ([Authorize])
├─ Views/               # Razor views (public + admin layouts)
└─ wwwroot/
    ├─ css/site.css      # Public site styles
    ├─ css/admin.css     # Admin styles
    └─ uploads/          # Uploaded images land here
```

Deploying

- **Windows / IIS or Linux + Nginx:** dotnet publish -c Release and host the output.
- **Railway / Docker:** add a Dockerfile based on `mcr.microsoft.com/dotnet/aspnet:8.0` .
- For production, switch SQLite to SQL Server or PostgreSQL by changing the provider package and `UseSqlite` → `UseSqlServer` / `UseNpgsql` in `Program.cs` .
- Uploaded images are stored on disk in `wwwroot/uploads` — on ephemeral hosts (Railway), move uploads to Cloudinary/S3 or mount a volume.

Releases

No releases published

[Create a new release](#)

Packages

No packages published
[Publish your first package](#)

Contributors 1



JomSantai