

NOTE: This schematic is technically for ONE circuit, but will be contained on TWO boards; This is to allow the transceiver to be placed farther away from the control board/station to allow for better placement, modularity, and other reasons for ease of the operator/user.

1132 Martin Luther King Jr. Way
Pocatello, ID 83209
Drawn By: Jonas Cram
Idaho State University

Idaho State University

ROBOTICS & COMMUNICATION SYSTEMS ENGINEERING TECHNOLOGY


Sheet: /
File: Smokehouse Control Board.kicad_sch

Project: Smokehouse Control Board


Title: Block Diagram

Size: USLetter	Date: 2026–11–05	**Rev: A**
KiCad E.D.A. 10.0.6		Id: 1/3


RS422–TTL Logic Converter




12V to 5V 3.5A Buck Regulator



RS232–TTL Logic Converter




PIC and Logic Level Selectors/Jumpers




1132 Martin Luther King Jr. Way Pocatello, ID 83209 Drawn By: Jonas Cram **Idaho State University**	**Idaho State University** **ROBOTICS & COMMUNICATION SYSTEMS ENGINEERING TECHNOLOGY**	
Sheet: /PIC–Logic Circuit/ File: PIC_LogicCircuit.kicad_sch		
Project: Smokehouse Control Board		
Title: PIC–Logic Circuit		
Size: USLetter	Date: 2026-11-05	**Rev: A**
KiCad E.D.A. 10.0.6		Id: 2/3


RS232–TTL Logic Converter



RS422–TTL Logic Converter



RF Module



1132 Martin Luther King Jr. Way
Pocatello, ID 83209
Drawn By: Jonas Cram
Idaho State University

Idaho State University
ROBOTICS & COMMUNICATION SYSTEMS ENGINEERING TECHNOLOGY

Sheet: /Transceiver Circuit/
File: TransceiverCircuit.kicad_sch

Project: Smokehouse Control Board

Title: Transceiver Circuit

Size: USLetter	Date: 2026–11–05	**Rev: A**
KiCad E.D.A. 10.0.6		Id: 3/3