

Practice Quiz: While Loops

Total points 5

1. What are while loops in Python?

1 / 1 point

- ☒ While loops let the computer execute a set of instructions while a condition is true.
- ☐ While loops instruct the computer to execute a piece of code a set number of times.
- ☐ While loops let us branch execution on whether or not a condition is true.
- ☐ While loops are how we initialize variables in Python.

✓ Correct

Right on! Using while loops we can keep executing the same group of instructions until the condition stops being true.

2. Fill in the blanks to make the `print_prime_factors` function print all the prime factors of a number. A prime factor is a number that is prime and divides another without a remainder.

1 / 1 point

```
1 def print_prime_factors(number):
2     # Start with two, which is the first prime
3     factor = 2
4     # Keep going until the factor is larger than the number
5     while factor <= number:
6         # Check if factor is a divisor of number
7         if number % factor == 0:
8             # If it is, print it and divide the original number
9             print(factor)
10            number = number / factor
11        else:
12            # If it's not, increment the factor by one
13            factor += 1
14    return "Done"
15
16 print_prime_factors(100)
17 # Should print 2,2,5,5
18 # DO NOT DELETE THIS COMMENT
```

Run

Reset

✓ Correct

You nailed it! You've got the code to print all the right prime factors. Well done!

3. The following code can lead to an infinite loop. Fix the code so that it can finish successfully for all numbers.

1 / 1 point

Note: Try running your function with the number 0 as the input, and see what you get!

```

1  def is_power_of_two(n):
2      # Check if the number can be divided by two without a remainder
3      while n % 2 == 0:
4          if(n == 0):
5              return False
6          n = n / 2
7      # If after dividing by two the number is 1, it's a power of two
8      if n == 1:
9          return True
10     return False
11
12
13     print(is_power_of_two(0)) # Should be False
14     print(is_power_of_two(1)) # Should be True
15     print(is_power_of_two(8)) # Should be False
16     print(is_power_of_two(9)) # Should be False

```

Run

Reset

✓ **Correct**

Awesome! You fixed a tricky error that was hard to find and the function now behaves correctly.

4. Fill in the empty function so that it returns the sum of all the divisors of a number, without including it. A divisor is a number that divides into another without a remainder.

1 / 1 point

```

1  def sum_divisors(n):
2      sum = 0
3      z = 1
4      # Return the sum of all divisors of n, not including n
5      while n > z:
6          if n % z == 0:
7              sum += z
8              z += 1
9          else:
10             z += 1
11     return sum
12
13     print(sum_divisors(0))
14     # 0
15     print(sum_divisors(3)) # Should sum of 1
16     # 1
17     print(sum_divisors(36)) # Should sum of 1+2+3+4+6+9+12+18
18     # 55
19     print(sum_divisors(102)) # Should be sum of 2+3+6+17+34+51
20     # 114
21

```

Run

Reset

✓ **Correct**

Well done, you! You've written a complex while loop and got Python to do the work for you.

5. The multiplication_table function prints the results of a number passed to it multiplied by 1 through 5. An additional requirement is that the result is not to exceed 25, which is done with the break statement. Fill in the blanks to complete the function to satisfy these conditions.

0 / 1 point

```

1  def multiplication_table(number):
2      # Initialize the loop by setting i to 1
3      i = 1
4      # Complete the while loop condition. It should be i <= 5
5      while i <= 5:
6          # Complete the inner loop by setting j to 1
7          j = 1
8          # Complete the inner loop condition. It should be j <= number
9          while j <= number:
10             # Complete the body of the inner loop. Print the product of i and j
11             # (hint: you can use the multiplication sign to get products in python)
12             # Complete the body of the inner loop by printing the product, followed by a space
13             print(i * j, end=" ")
14             # Complete the inner loop by incrementing j by 1
15             j += 1
16         # Complete the body of the outer loop by printing a new line after the inner loop has ended
17         print("\n")
18         # Complete the outer loop by incrementing i by 1
19         i += 1

```

```
2      # Initialize the starting point of the multiplication table
3      multiplier = 1
4      # Only want to loop through 5
5      while multiplier <= 5:
6          result = multiplier * number
7          # What is the additional condition to exit out of the loop?
8          if result > 25:
9              break
10         print(str(number) + "x" + str(multiplier) + "=" + str(result))
11         # Increment the variable for the loop
12         multiplier += 1
13
14 multiplication_table(3)
15 # Should print: 3x1=3 3x2=6 3x3=9 3x4=12 3x5=15
16
17 multiplication_table(5)
18 # Should print: 5x1=5 5x2=10 5x3=15 5x4=20 5x5=25
19
20 multiplication_table(8)
21 # Should print: 8x1=8 8x2=16 8x3=24
```

RunReset

⊗ **Incorrect**

Not quite. Did you set up the correct multiplication equation that's inside the loop?