## **Practice Quiz: Dictionaries**

## **Total points** 5

1. The email\_list function receives a dictionary, which contains domain names as keys, and a list of users as values. Fill in the blanks to generate a list that contains complete email addresses (e.g. diana.prince@gmail.com).

1/1 point

```
def email_list(domains):
    emails = []
    for domain, users in domains.items():
        for user in users:
        emails.append(user +"@"+ domain)
        return(emails)
    print(email_list({"gmail.com": ["clark.kent", "diagna" | Reset)
```

✓ Correct

Well done! You've created quite an email list!

2. The groups\_per\_user function receives a dictionary, which contains group names with the list of users. Users can belong to multiple groups. Fill in the blanks to return a dictionary with the users as keys and a list of their groups as values.

1/1 point

```
def groups per user(group dictionary):
1
 2
         user_groups = {}
 3
         # Go through group dictionary
         for group, users in group_dictionary.items():
 4
             # Now go through the users in the group
 5
 6
             for user in users:
 7
                  user_groups[user] = user_groups.get(u
8
                  # Now add the group to the the list o
     # groups for this user, creating the entry
9
     # in the dictionary if necessary
10
11
12
         return(user_groups)
13
     print(groups_per_user({"local": ["admin", "userA"
14
              "public": ["admin", "userB"],
15
                                                            Run
              "administrator": ["admin"] }))
                                                              Rasat
```

$\langle \rangle$	Correct
-------------------	---------

Well done, you! You're now creating dictionaries out of other dictionaries!

**3.** The dict.update method updates one dictionary with the items coming from the other dictionary, so that existing entries are replaced and new entries are added. What is the content of the dictionary "wardrobe" at the end of the following code?

0 / 1 point

- wardrobe = {'shirt': ['red', 'blue', 'white'], 'jear
- 2 new\_items = {'jeans': ['white'], 'scarf': ['yellow'
- 3 wardrobe.update(new items)
- ('jeans': ['white'], 'scarf': ['yellow'], 'socks': ['black', 'brown']
- ('shirt': ['red', 'blue', 'white'], 'jeans': ['white'], 'scarf': ['yellow'], 'socks': ['black', 'brown']
- ('shirt': ['red', 'blue', 'white'], 'jeans': ['blue', 'black', 'white'], 'scarf': ['yellow'], 'socks': ['black', 'brown']}
- {'shirt': ['red', 'blue', 'white'], 'jeans': ['blue', 'black'], 'jeans': ['white'], 'scarf': ['yellow'], 'socks': ['black', 'brown']}
  - (X) Incorrect

Not quite. The dict.update method updates the dictionary (wardrobe) with the items coming from the other dictionary (new\_items), adding new entries and replacing existing entries. It does not combine the values of the existing keys, so the "jeans" item will be replaced by the value in the new dictionary.

4. What's a major advantage of using dictionaries over lists?

1 / 1 point

- Dictionaries are ordered sets
- O Dictionaries can be accessed by the index number of the element
- Elements can be removed and inserted into dictionaries
- It's quicker and easier to find a specific element in a dictionary
  - ✓ Correct

Right on! Because of their unordered nature and use of key value pairs, searching a dictionary takes the same amount of time no matter how many elements it contains

**5.** The add\_prices function returns the total price of all of the groceries in the dictionary. Fill in the blanks to complete this function.

1/1 point

```
def add prices(basket):
1
         # Initialize the variable that will be used f
 2
 3
         total = 0
4
         # Iterate through the dictionary items
         for groceries, prices in basket.items():
 5
             # Add each price to the total calculation
 6
 7
             # Hint: how do you access the values of
 8
             # dictionary items?
 9
             total += prices
         # Limit the return value to 2 decimal places
10
11
         return round(total, 2)
12
     groceries = {"bananas": 1.56, "apples": 2.50, "or
13
         "coffee": 6.99, "milk": 3.39, "eggs": 2.98, "
14
15
     print(add_prices(groceries)) # Should print 28,44
                                                           Run
16
17
                                                             Reset
```

## 

Nicely done! Dictionaries are a helpful way to store information, and access it easily when it's needed.