MAINFREIGHT WAREHOUSING INTEGRATION SPECIFICATION

MAINFREIGHT

Table of Contents

Executive Summary 3
Document Definition & Purpose 3
Document Version History 3
Getting Started 4
Document Types 5
Method of Transfer 6
API 9
Product Specification 11
Dangerous Good Specification 16
Product Extra 17
Kitsets 18
Inward Order Overview & Requirements 19
Inward Order Standard Format 20
Inwards Types 22
Action Flag – Header Level 22
Inward Order Line Record (Repeated) 23
Action Flag – Line Level 25
Inward Order XML Format 26
Header External Reference Types 27
Inwards Types 30
Action Flag – Header Level 30
Inward Order Line Record (Repeated) 31
Action Flag – Line Level 35
Inward Order Acknowledgement Overview & Requirements 35
Inward Order Acknowledgement Line Record (repeated multiple times) 38
Inward Order Confirmation Overview & Requirements 40
Inward Order Confirmation Standard Format 41
Inward Order Confirmation Line Record (Repeated multiple times) 43
Inward Order Confirmation XML Format 45
Sales Orders Overview & Requirements 54
Sales Order Standard Format 55
Sales Order Line Record 60
Sales Order XML Format 62
Sales Order Line Record 68
Sales Order Acknowledgement 72
Sales Order Acknowledgement Line Record 77
Sales Order confirmation (Dispatch) 79
Order Confirmation Standard Format 80
Sales Order Line Record (repeated multiple times) 86
Sales Order Confirmation XML Format 89
Sales Order Confirmation Lines 97
SCP 100
Inventory Status Change 102
Inventory Status Standard Format Inventory Status Change Header Record 102
Inventory Status Change Line Record (Repeated) 103
Inventory Status XML Format 105
Inventory Status Change Line Record (Repeated) 105
Inventory Reporting 108
Inventory Report Standard Format 108
Inventory Adjustments 111
Inventory Adjustment Standard Format 111
Inventory Adjustment XML Format 114
Inventory Adjustment Line Record (XML Repeated) 114
Order Reconciliation 117
Order Reconciliation Standard Format 117
Inventory Reconciliation 119
Stock Reconciliation Standard Format 119
Inventory Reconciliation XML Format 120

Executive Summary

This document provides you, the customer, with the necessary information for setting up and implementing EDI with Mainfreight. It is intended to be used in conjunction with API if customers decide to integrate with Mainfreight using APIs.

Each section provides a high-level explanation of the basic concepts of how each interface complements the business process.

The **Getting started** section contains the background information you need to know before you can begin setting up. This section explains why you would choose to implement EDI, it covers useful things to know and the steps you will need to take to make sure you are successful in B2B with Mainfreight. It is important that you become familiar with the B2B process and the documents that are involved.

Document Definition & Purpose

The purpose of this document is to give both perspective and existing clients of Mainfreight:

- Requirements specification for business-to-business communication.

This document details file formats required to be implemented in order for our customers in house accounting/ERP systems to communicate electronically with Mainfreight Warehouse Management Systems.

Document Version History

Revision	Date	Who	Comment
B01	01/05/2021	Kishan Dhanji	Created
B02	10/05/2022	Jeremy Collins	Reviewed
B03	08/07/2023	Jason Moroney	Added Acknowledgements and Adjustments
B04	15/08/2023	Jeremy Chin	Added Dangerous Goods and Kitsets
B04	09/01/2024	Rhonda Marroun	Added XML Adjustments and Bonded fields
B05	01/04/2024	Kishan Dhanji	Added new fields to Order and Purchase Orders

Getting Started

Follow the steps outlined below to make sure you successfully set up and implement B2B with Mainfreight:

1. Read this document and become familiar with the Mainfreight B2B process.
2. Method of Transfer. Decide on which transmission method you will implement.
3. File type. Decide on a file type – if you choose CSV or XML (recommended) make sure that you receive the latest version of the XML schemas or CSV field definitions from Mainfreight IT team before commencing development.
4. Testing. Create test scripts and test files.
5. Go live.



Document Types

The document types are broken down as follows:

Product

Product Create

Dangerous Goods (only applicable to dangerous goods)

Product Extra (only applicable to bond book management)

Kitset (bill of material management)

Inbound

Inward Order

Inward Order Acknowledgment

Inward Order Confirmation

Outbound

Sales Orders

Sales Order Acknowledgment

Sales Order Confirmation

Inventory Management

Inventory Report

Inventory Status Changes

Inventory Adjustment

Reports

Sales Order Reconciliation

Inventory Reconciliation



Method of Transfer

Mainfreight support the following transmission method for B2B:

1. File Transfer Protocol (FTP)
2. Secure File Transfer Protocol (SFTP)
3. Applicability Statement 2 (AS2) *
4. HTTP Web Services
5. Email (only supported for PDF documents)

* AS2 requires Mainfreight to purchase a license at your cost. Any additional methods developed will be at your cost.

FTP – file transfer protocol

FTP is a standard method for transferring files over the Internet. A password protected FTP site is provided by Mainfreight for each customer to pick up and drop off files using an automated process, or by manually copying to and from the FTP site.

Automated processes can be configured to look for new files at regular intervals and then retrieve them without human intervention. Mainfreight can also send files to a supplier via FTP rather than the supplier having to pick them up. It is best practice to delete all files you have retrieved.

The Mainfreight FTP server is located at: xftp.mainfreight.com

SFTP – secure file transfer protocol

The automated process is much the same as normal FTP but uses port 22. This is preferred over plain FTP.

HTTP Web Services – hypertext transfer protocol

This method is like FTP, in that Documents sent and received via these delivery methods are dropped off to and picked up from sites from Mainfreight server or your website. The difference with HTTPS is the added security of using SSL certificates to encrypt data.

Using HTTP, messages can be:

- Pushed to Mainfreight via an HTTP POST in the 'request' section
- Pulled from Mainfreight via a HTTP POST and received in the 'response'
- Pushed from the Mainfreight an HTTP POST

Note: Mainfreight does not ‘poll’ (i.e. pull) from a remote site.

Mainfreight HTTP Receivers (submit.aspx) will recognize the two common types of HTTP form-encoding. These are specified in the HTTP header name/value pair called "ContentType".

The content type header is present on every HTTP connection and describes how the "body" of the HTTP message is to be decoded.

The form encoding content types supported are: "application/x-www-form-urlencoded" "multipart/form-data"

Pushing to the Mainfreight:

https://secure.mainfreight.co.nz/crossfire/submit.aspx?TransportName={UniqueID}

https://securetest.mainfreight.com/crossfire/submit.aspx?TransportName={UniqueID}

*Note UniqueID will be supplied by Mainfreight Integration team which will be required to call the HTTP Receivers

Pushing from the Mainfreight:

Your HTTP server URL to which Mainfreight can send the post request to.

AS2 – Applicability statement 2

The AS2 transport protocol is a well-defined standard. Mainfreight strictly conforms to this standard.

Current settings:

Host	https://as-2.mainfreight.com http://as-2.mainfreight.com https://as2test.mainfreight.com http://as2test.mainfreight.com
HTTP Port	80
HTTPS Port	443
Type of encoding	3DES
Type of signature	SHA-1
Compression	None
MDN	Synchronous Signed
Authentication	None

- IP Addresses used by Mainfreight AS2
- 203.174.30.0/24

Email

When using this method of transfer, it is a requirement that you attach PDF Invoices to the email.

The email address to send the PDF Invoice files to, will be advised by your Mainfreight contact.

Mainfreight have automated processes in place that detach files from the email you send and place it into the Warehouse Management System. This system is always polling the inbox that you send the email to so there is no down time from when you send the email, to when the invoices are sent to the Warehouse Management System.

The email method can also be used to send confirmation files back to the customer.

In order to use this method, you must supply the following information to the Mainfreight team:

The email address you will be sending the EDI files from.

Will confirmations be a requirement back to you when an order / inward has been finalised in MIMS.

The email address to send the order / inwards confirmations to.

API

Warehousing API

The Mainfreight Warehousing API allows customers to create, update and delete orders and also retrieve stock on hand for products at Mainfreight.

All methods utilize a RESTful approach, supporting both XML and JSON formats.

Available Methods (version 1.1)

- Order Create
- Order Update
- Order Delete
- Inward Create
- Inward Update
- Inward Delete
- Stock On Hand

Tracking API

The Tracking API allows users to get the current status of freight references, providing two methods: References and References with Events.

Provided in the response are chained references (currently offered for Warehousing and Transport), Proof of Delivery links and Signed By.

All methods utilize a RESTful approach, supporting both XML and JSON formats.

Available Methods (version 1.1)

- References
- References with Events

Security

An API key is required for all requests. Please contact the Mainfreight team to receive an API key. These API keys will only be valid in the environment it is created for.

More information regarding Mainfreight Warehousing API can be found on https://developer.mainfreight.com

Import Templates

Product information in MIMS (Mainfreight Inventory Management System) is very important. In order for our team to make sure they are picking your product correctly; we must have up to date information and the satisfaction that what we are picking is correct and accurate in a Mainfreight warehouse.

Requirements

If you are providing Mainfreight with Dangerous Goods information, fields marked with '(M)' must be provided to Mainfreight.

The files sent to Mainfreight must be in a CSV Format

Fields marked with a '(M)' are mandatory and must be provided.

MIMS has the ability to import multiple Pack Types, Pack Descriptions and Barcodes. This can be described by repeating the last three fields Pack Size, Pack Description and Barcode. An example would be if you have a carton that contains 12 bottles of fly spray, when you order products from Mainfreight you would like us to pick out the individual bottles of spray. When you send this information through in the initial product import you would duplicate the Pack Size, Pack Description, and Barcode e.g. Pack Size = 1, Pack Description = BOTTLE, Barcode = 1234567, Pack Size = 12 Pack Description = CARTON, Barcode = 789065

Descriptions that contain comma's must be enclosed in quotes e.g. "Blue,Tank"

Available Import Templates

- **Product**: Standard Product import template to upload products into Mainfreight WMS
- **Dangerous Goods**: Dangerous Goods import template to assign DG data against certain products in Mainfreight WMS
- **Product Extra**: Template to upload bonded attributes to certain products in Mainfreight WMS
- **Kitsets**: Template to upload bundled products into Mainfreight WMS

Product Specification

#	Field	Description	Data Type	Max Length	Mandatory	Example
1	Product Code	Unique SKU that represents the product	A	40	(M)	P1234
2	Product Description 1	Product description line	A	40	(M)	PRODUCT DESCRIPTION
3	Product Description 2	Additional product description line	A	40		PRODUCT DESCRIPTION
4	Unit Weight	Lowest saleable unit weight of the product. Region specific UOM (e.g. AU = kg, NZ = kg, US = lb.)	N (4dp)	8	(M)	12.25
5	Unit Volume	Lowest saleable unit volume of the product. Region specific UOM (e.g. AU = m^3, NZ = m^3, US = ft^3)	N (4dp)	8	(M)	0.012
6	Unit Price	Lowest saleable unit price of the product. Only required if price needs to be maintained in MIMS	N (2dp)	8		40.50
7	Grade1	Product attribute for inventory management and tracking	Y/N	1	(M)	Y
8	Grade2	Product attribute for inventory management and tracking	Y/N	1	(M)	N
9	Grade3	Product attribute for inventory management and tracking	Y/N	1	(M)	N
10	Expiry Date	Product attribute for inventory management and tracking	Y/N	1	(M)	N
11	Packing Date	Product attribute for inventory management and tracking	Y/N	1	(M)	N
12	Stock Take Type*	Product filter for cycle count management	N	8		68001
13	Description Group*	Product filter for reporting purposes	A	40		0204.42.00/19
14	Product Type*	Product filter for reporting purposes	A	40		ACCESSORIES
15	Reorder Min*	Quantity filter for product level management	N	8		144
16	Reorder Quantity*	Quantity filter for product level management	N	8		1200
17	Warehouse ID*	Mainfreight team to confirm value if required	N	3		68
18	Alternative Unit Description*	Alternative pack description for EDI translation purposes	A	20		LITRES

Product Specification

#	Field	Description	Data Type	Max Length	Mandatory	Example
19	Alternative Unit Value*	Alternative pack size for EDI translation purposes	N	8		1000
20	Carton Per Layer	Ti-Hi information for pallet configuration purposes	N	8	(M)	16
21	Layer Per Pallet	Ti-Hi information for pallet configuration purposes	N	8	(M)	5
22	Default Pack Size	Pack quantity for the product	N	8	(M)	12
23	Default Pack Description	Pack description for the product	A	20	(M)	INNER
24	Default Barcode	Pack barcode for the product	A	40	(M)	123456789012
25	Default Alternative Pack Description	Alternative pack description if outside standard Mainfreight prescribed list for EDI translation purposes	A	20		INN
26	Default Length	Length measure of product pack size. Region specific UOM (e.g. AU = m, NZ = m, US = in)	N (4dp)	8		0.3
27	Default Width	Width measure of product pack size. Region specific UOM (e.g. AU = m, NZ = m, US = in)	N (4dp)	8		0.12
28	Default Height	Height measure of product pack size. Region specific UOM (e.g. AU = m, NZ = m, US = in)	N (4dp)	8		0.12
29	Pack Size 2**	Pack quantity for the product	N	8		1
30	Pack Description 2**	Pack description for the product	A	20		UNIT
31	Pack Barcode 2**	Pack barcode for the product	A	40		123456789012
32	Pack Alternative Pack Description 2**	Alternative pack description if outside standard Mainfreight prescribed list for EDI translation purposes	A	20		EACH
33	Length 2**	Length measure of product pack size. Region specific UOM (e.g. AU = m, NZ = m, US = in)	N (4dp)	8		0.0012
34	Width 2**	Width measure of product pack size. Region specific UOM (e.g. AU = m, NZ = m, US = in)	N (4dp)	8		0.003

35	Height 2**	Height measure of product pack size. Region specific UOM (e.g. AU = m, NZ = m, US = in)	N (4dp)	8		0.0025
36	Pack Size 3**	Pack quantity for the product	N	8		75

Product Specification

#	Field	Description	Data Type	Max Length	Mandatory	Example
37	Pack Description 3**	Pack description for the product	A	20		OUTER
38	Pack Barcode 3**	Pack barcode for the product	A	40		123456789012
39	Pack Alternative Pack Description 3**	Alternative pack description if outside standard Mainfreight prescribed list for EDI translation purposes	A	20		OUT
40	Length 3**	Length measure of product pack size. Region specific UOM (e.g. AU = m, NZ = m, US = in)	N (4dp)	8		0.12
41	Width 3**	Width measure of product pack size. Region specific UOM (e.g. AU = m, NZ = m, US = in)	N (4dp)	8		0.45
42	Height 3**	Height measure of product pack size. Region specific UOM (e.g. AU = m, NZ = m, US = in)	N (4dp)	8		0.42
43	Pack Size 4**	Pack quantity for the product	N	8		1200
44	Pack Description 4**	Pack description for the product	A	20		PALLET
45	Pack Barcode 4**	Pack barcode for the product	A	40		123456789012
46	Pack Alternative Pack Description 4**	Alternative pack description if outside standard Mainfreight prescribed list for EDI translation purposes	AN	20		PLT
47	Length 4**	Length measure of product pack size. Region specific UOM (e.g. AU = m, NZ = m, US = in)	N (4dp)	8		1.0
48	Width 4**	Width measure of product pack size. Region specific UOM (e.g. AU = m, NZ = m, US = in)	N (4dp)	8		1.2
49	Height 4**	Height measure of product pack size. Region specific UOM (e.g. AU = m, NZ = m, US = in)	N (4dp)	8		1.68
50	Outbound Serial Number*	Product feature to capture attribute (e.g. serial number) at time of order fulfilment	Y/N	1		N
51	Override Pickface Picking*	Product feature to ignore Mainfreight pickface setup	Y/N	1		N

52	Crossdock*	Product rule to enable ability to fulfil product from inbound staging	Y/N	1		N
53	Shipping Conditions*	Product feature to regulate expected transport medium	A	40		AMBIENT

Product Specification

#	Field	Description	Data Type	Max Length	Mandatory	Example
54	Area Name*	Product feature to enforce specific pick location	A	40		BULK
55	Product Category*	Product filter for reporting purposes	A	40		GENERAL
56	Freight Class*	Product filter for reporting purposes	A	40		100
57	Product Group*	Product filter for reporting purposes	A	40		ACCESSORIES
58	On Hold Product Stock Status To Release*	Product feature to define time period (day) for product to remain on hold status upon inward receipt	N	8		12
59	Weight Capture*	Product feature to capture attribute (e.g. product weight) at time of order fulfilment	Y/N	1		N
60	Grade1 Grade Type*	Product rule to define value as information or attribute	A	1		A
61	Grade2 Grade Type*	Product rule to define value as information or attribute	A	1		A
62	Grade3 Grade Type*	Product rule to define value as information or attribute	A	1		A
63	Expiry Grade Type*	Product rule to define value as information or attribute	A	1		A
64	Packing Grade Type*	Product rule to define value as information or attribute	A	1		A
65	Julian Batch Days*	Product feature to define time period (day) for shelf life and transit management	N	8		180
66	Serial Capture*	Product feature to capture attribute (e.g. serial number) at time of order fulfilment	Y/N	1		N
67	Country Of Manufacture*	Product filter for order management purposes	A	20		AUSTRALIA
68	Continuous Count*	Product feature to enable perpetual counting for Stock Control module	Y/N	1		Y
69	Stock Control Percentage Threshold*	Product feature to define perpetual counting parameter for Stock Control module	N	8		10

70	Stock Control Unit Threshold*	Product feature to define perpetual counting parameter for Stock Control module	N	8		10
71	VFD*	Product feature to capture Value For Duty on inward receipt (Bond Book Management)	Y/N	1		N

Product Specification

#	Field	Description	Data Type	Max Length	Mandatory	Example
72	VTI*	Product feature to capture Value for Transport and Insurance on inward receipt (Bond Book requirement)	Y/N	1		N
73	Entry Number*	Product feature to capture FCL Entry Number on inward receipt (Bond Book requirement)	Y/N	1		N
74	Entry Line Number*	Product feature to capture FCL Entry Line Number on inward receipt (Bond Book requirement)	Y/N	1		N
75	Dutiable*	Product feature for duty and excise managed products	Y/N	1		N
76	Excise*	Product feature excise only managed products	Y/N	1		N
77	Max Storage Days*	Product feature to define time period (day) for warehouse shelf life and transit management	N	8		60

*** Information does not need to be provided. Mainfreight team will advise if this is a requirement.**

**** If there are multiple pack breakdowns that need to be stated, fill in additional Pack Size(s), Pack Description(s) and Pack Barcode(s) information**

Dangerous Good Specification

Line	Field	Description	Data Type	Max Length	Mandatory	Example
1	Product Code	Unique SKU that represents the product	A	40	(M)	METH20
2	Proper Name	Shipping name for DG	A	40	(M)	CARBAMATE PESTICIDE, LIQUID, FLAMMABLE, TOXIC
3	Additional Information	Additional information to be captured against product	A	40		METHOMYL 200SL
4	UN Number	UN Number for DG	N	4	(M)	2758
5	Class	Class for DG	N	4	(M)	3
6	Sub Risk	Sub Risk for DG	N	4		6.1
7	Flashpoint	Flashpoint for DG	A	8		BELOW 23°C
8	Packing Group	Packing Group for DG	A	4		II
9	Hazchem Code	Hazchem Code for DG	A	4		3WE
10	Marine Pollutant	Marine pollutant attribute for DG	Y/N	1	(M)	N
11	Acid	Acid attribute for DG	Y/N	1	(M)	N
12	Alkali	Alkali Attribute for DG	Y/N	1	(M)	N
13	Package Type	Outer shipper package type	A	20	(M)	PAIL
14	Package Instruction	Additional information for package specific instructions	A	40		PACKED INDIVIDUALLY
15	Technical Name	Chemical name(s) as per MSDS	A	40		(METHOMYL, METHANOL)
16	Variant	Variant for DG	N	2		2

Dangerous Good Specification

Line	Field	Description	Data Type	Max Length	Mandatory	Example
17	Validation Error	Left blank (Placeholder for Mainfreight export feature)				
18	Validated	Left blank (Placeholder for Mainfreight validation feature)				
19	Tertiary Sub Risk	Tertiary Sub Risk for DG	A	20		8
20	Inner Quantity	Inner shipper package count	N	4	(M)	1
21	DG Weight	Nett weight of DG element per inner quantity. Region specific UOM (e.g. AU = kg, NZ = kg, US = lb.)	N (4dp)	8	(M)	20.0000
22	DG Volume	Nett volume of DG element per inner quantity. Region specific UOM (e.g. AU = m^3, NZ = m^3, US = ft^3)	N (4dp)	8	(M)	0.0300
23	Inner Type	Inner shipper package type	A	20	(M)	PAIL

Product Extra

Line	Field	Description	Type	Max Length	Mandatory	Example
1	Product Code	Unique SKU Code	A	50	(M)	1020001
2	MCC	Multiple Clearance Code	A		(M)	MH2204CH
3	Duty Rate	Excise Duty Rate	N		(M)	87.68
4	Percentage	Alcohol Percentage	N		(M)	0.05
5	LAL	Litres of Alcohol	N		(M)	0.0818

Kitsets

Line	Field	Description	Type	Max Length	Mandatory	Example
1	Kitset Code	Parent Kitset Code	A	50	(M)	123456
2	Description	Kitset Description	A	50		BABY BUNDLE KIT
3	Instructions	Instructions	A	200		COMBINE IN ONE BOX
4	Alt Unit Description	Alternative Unit Description	A	20		BOX
5	Alt Unit Value	Alternative Unit Value	N	8		1.5
6	Product Code	Component Product Code	A	50	(M)	X14786
7	Component Units	Component Units	N	8	(M)	2
8	Record EDI Grades	Record EDI Grades	Y/N	1		N
9	Customs License Number	Customs License Number	A	50		FLH102
10	ATO License Number	ATO License Number	A	50		405201

Inward Order Overview & Requirements

It is encouraged that you send Mainfreight information of an Inwards Goods transaction even before we receive your goods at a Mainfreight warehouse.

This will sit in our MIMS system until your product arrives at a Mainfreight warehouse. Once your product arrives at a Mainfreight warehouse our team can start locating your products into a location.

The benefits of you providing this information to Mainfreight is that it will give our Mainfreight team the ability to pre-plan locating your product into our warehouse in advance and increase the efficiency and accuracy of providing you a service of a very high quality.

Requirements

- The file names you send to Mainfreight must be unique. E.g. [Inward_Reference].XML.
- If implementing the XML format a Root Element Name of “Inward” must be specified.
- If implementing the STD format, the file must be sent in a Comma Delimited File format E.g. [Inward_Reference]_[CustomerID].CSV.
- If implementing the STD format, a carriage return must be entered between the Header and the Line record.
- Fields in the specification highlighted in bold must be left blank.
- Fields marked with an ‘(M)’ are mandatory.
- Field ‘Types’ stated as ‘D’ (Date) should either be in the format of DD/MM/YYYY
- Commas sent through in text fields must be enclosed in quotes

Inward Order Standard Format

#	Format: STD	Description	Type	Max Length	Mandatory	Example
0	Fixed value = 'INWH' – This record is a header	Defines this record as the header	A	4	(M)	INWH
1	Warehouse Code	Mainfreight warehouse code	A	3	(M)	99
2	Inwards Reference (must be a unique number)	This is the inward ID or the reference for the transaction. This value has to be unique.	A	40	(M)	PO12345
3	Booking Date	The date that the inward is booked in to arrive at the receiving warehouse	D	12	(M)	15/07/2022
4	Arrival Date	The date that the inward is expected to arrive at the receiving warehouse	D	12		15/07/2022
5	Carrier Name	The name of the carrier that is transporting the physical stock to the receiving warehouse	A	50		Mainfreight
6	Supplier Name	The name of the supplier or manufacturer of the stock	A	50		Demo Industries
7	Connote No	The consignment number or container number for the shipment of the inward to the receiving warehouse	A	40		MFT123456
8	Total Units	Total number of units on the inward order	N	8	(M)	100
9	Total Pallets	Total number of pallets used	N	8		10
10	Total Weight	Total weight of the inward order	N	8		100
11	Total Volume	Total volume (m3) of the inward order	N	8		1.00
12	Vendor No	The vendor reference for the inward order	A	40		12345
13	Plant / SOC	Plant location reference for inward	A	40		PL112
14	Notes	Used for notes or instructions relating to the inward order	A	250		Please unload onto Chep pallets
15	Inwards Type	The type of inward order	A	1		G

Inward Order Standard Format

#	Format: STD	Description	Type	Max Length	Mandatory	Example
16	Customer Code (For Returns)	The customer code for the customer that the returned stock is sent from	A	40		CUST12
17	Free Store	Field to store free variable	A	40		PO933922
18	Pickup Customer Name	The name of the customer that the inward is being picked up from	A	40		Demo Industries
19	Pickup Address 1	The pickup address that the inward is being picked up from	A	40		10 Demo Street
20	Pickup Address 2	The pickup address that the inward is being picked up from	A	40		Level 1
21	Pickup Suburb	The pickup suburb that the inward is being picked up from	A	30		Penrose
22	Pickup City	The pickup city that the inward is being picked up from	A	30		Auckland
23	Pickup Post Code	The pickup postcode that the inward is being picked up from	A	40		1041
24	Pickup State	The pickup state that the inward is being picked up from	A	30		NI
25	Pickup Country	The pickup country that the inward is being picked up from	A	30		New Zealand
26	CustomerID	Unique ID assigned to the client	N	50	(M)	332323
27	ActionFlag	Indicates the type of special action that will need to take place for the inward order. Refer to “Action Flag” table for more information.	A	1		U
28	InwardClientRef1	Additional reference for inward	A	50		INWARDREF1
29	InwardClientRef2	Additional reference for inward	A	50		INWARDREF2
30	InwardDutyFree	Duty free to flag inward has duty free products	A	1		Y

Inwards Types

An Inwards Type represents what type of Inwards you are sending through to a Mainfreight warehouse.

Below is a table breaking down what each Inwards type means.

Inwards Type Code	Inwards Type Name	Description
G	General	This is the default Inwards Type, if field 15 is not populated, MIMS sets the inwards with this value.
D	Damaged Goods	If you are sending back goods to the warehouse and they are damaged, you can pre-notify the Mainfreight team.
O	Overseas Receipt	Goods coming from overseas can be pre-notified to the team.
R	Return Goods	Placing a value in this field indicates a goods return from a customer. If this is a customer return, then fields 18-25 must be populated.
T	Warehouse Transfer	Ability to indicate to the receiving warehouse the goods coming in is from another Mainfreight warehouse.
X	X-Dock	Used for X-Dock inwards

Action Flag – Header Level

An Action Flag represents what type of special action you are sending through for an existing inward order in a Mainfreight warehouse.

This field works in conjunction with field 27 (Action Flag) on the STD inward line record.

Below is a table breaking down what each Action Flag means.

Action Flag Code	Action Flag Name	Description
U	Update existing inward	Indicates that an update is to be made to an existing inward order.
A	Adjust existing line units	Indicates that an adjustment is to be made to existing line units only.
R	Replace existing lines	Indicates that existing lines are to be replaced.
D	Delete existing lines	Indicates that existing lines are to be deleted.
C	Change existing lines	Indicates that there are changes to existing lines.

Inward Order Line Record (Repeated)

#	Format: STD	Description	Type	Max Length	Mandatory	Example
0	Fixed value = 'INWL' – This record is a line	Defines this record as the inward line	A	4	(M)	INWL
1	Inwards Reference	This is the inward ID or the reference for the transaction. This value has to be unique.	A	40	(M)	PO12345
2	Line No	The EDI inward line	N	8	(M)	001
3	Product Code	Product/SKU code	A	40	(M)	PRODUCTA
4	Product Description	Description of the product	A	40		Product of Matches
5	Units	Number of units	N	8	(M)	10
6	Unused (Leave Blank)		N	8		
7	Weight	Total line weight	N	6+2		10.00
8	Volume	Total line volume	N	6+2		1.10
9	Grade 1 (User defined field)	Leave blank or populate attribute. Actual attribute value is shown in the confirmation file if applicable	A	40		BATCH1
10	Grade 2 (User defined field)	Leave blank or populate attribute. Actual attribute value is shown in the confirmation file if applicable	A	40		SERIAL1
11	Grade 3 (Used defined field)	Leave blank or populate attribute. Actual attribute value is shown in the confirmation file if applicable	A	40		ATTRI1
12	Packing Date	Date that the product was manufactured/packed	D	12		29/01/2022
13	Expiry Date	Date that the product is due to expire	D	12		31/02/2024
14	Notes	Inward line notes	A	250		This is a Note
15	Shipping Notification No	Shipping notification number	A	40		AA1239499

Inward Order Line Record (Repeated)

#	Format: STD	Description	Type	Max Length	Mandatory	Example
16	Purchase Order No	Purchase order number	A	40		PO12345
17	Purchase Order Line number	Purchase order line number	A	40		0020
18	PackType	The expected pack type for the inward line	A	40		CA
19	StockStatus	Product status of the inward line	A	50		NORMAL
20	LicensePlateNo	License plate or SSCC number assigned to the inward line	A	50		1123891289899
21	ArrivalDate	Date that the stock arrives	D	12		20/07/2022
22	VFD	For duty/underbond customers. This is the VFD value for the inward line	I	11+4		300.00
23	VTI	For duty/underbond customers. This is the VTI value for the inward line	I	10+4		230.00
24	EntryNo	For duty/underbond customers. This is the Entry Number for the inward line	A	50		AA0001
25	EntryLineNo	For duty/underbond customers. This is the Entry Line Number for the inward line	A	50		001
26	UnderBond	For duty/underbond customers. This indicates if the inward line is under bond or is duty paid	A	1		1
27	ActionFlag	Indicates the type of special action that will need to take place for the inward order line. Refer to “Action Flag – Line Level” table for more information.	A	1		M

Action Flag – Line Level

An Action Flag represents what type of special action you are sending through for an existing inward order line.

This field works in conjunction with field 27 (Action Flag) on the STD inward header record.

Below is a table breaking down what each Action Flag means.

Action Flag Code	Action Flag Name	Description
M	Modify existing inward lines	Indicates that an update is to be made to an existing inward order.
A	Add new lines	Indicates that an adjustment is to be made to existing line units only.
R	Replace existing lines	Indicates that existing lines are to be replaced.
D	Delete existing lines	Indicates that existing lines are to be deleted.

Inward Order XML Format

#	XML Tag	Description	Type	Max Len	Mandatory	Example
0	INWH	Defines this record as the header	A	4	(M)	<INWH>
1	WhsID	Mainfreight warehouse code	A	3	(M)	<WhsID>99</WhsID>
2	InwardsRef	This is the inward ID or the reference for the transaction. This value has to be unique.	A	40	(M)	<InwardsRef>PO12345</InwardsRef>
3	BookingDate	The date that the inward is booked in to arrive at the receiving warehouse	D	12	(M)	<BookingDate>15/07/2022</BookingDate>
4	ArrivalDate	The date that the inward is expected to arrive at the receiving warehouse	D	12		<ArrivalDate>15/07/2022</ArrivalDate>
5	Carrier	The name of the carrier that is transporting the physical stock to the receiving warehouse	A	50		<Carrier>Mainfreight</Carrier>
6	Supplier	The name of the supplier or manufacturer of the stock	A	50		<Supplier>Demo Industries</Supplier>
7	ConnoteNo	The consignment number or container number for the shipment of the inward to the receiving warehouse	A	40		<ConnoteNo>MFT123456</ConnoteNo>
8	TotalUnits	Total number of units on the inward order	N	8		<TotalUnits>100</TotalUnits>
9	TotalPallets	Total number of pallets used	N	8		<TotalPallets>10</TotalPallets>
10	TotalWeight	Total weight of the inward order	N	8		<TotalWeight>100</TotalWeight>
11	TotalVolume	Total volume (m3) of the inward order	N	8		<TotalVolume>1.00</TotalVolume>
12	VendorNo	The vendor reference for the inward order	A	40		<VendorNo>12345</VendorNo>
13	Plant	Plant location reference for inward	A	40		<Plant>PL112</Plant>
14	HeaderNotes	Used for notes or instructions relating to the inward order	A	250		<HeaderNotes>Please unload onto Chep pallets</HeaderNotes>

Inward Order XML Format

#	XML Tag	Description	Type	Max Len	Mandatory	Example
15	InwardsType	The type of inward order	A	1		<InwardsType>G</InwardsType>
16	CustCode	The customer code for the customer that the returned stock is sent from	A	40		<CustCode>CUST12</CustCode>
17	FreeStore	Field to store free variable	A	40		<FreeStore>PO933922</FreeStore>
18	PickupCustName	The name of the customer that the inward is being picked up from	A	40		<PickupCustName>Demo Industries</PickupCustName>
19	PickupAdd1	The pickup address that the inward is being picked up from	A	40		<PickupAdd1>10 Demo Street</PickupAdd1>
20	PickupAdd2	The pickup address that the inward is being picked up from	A	40		<PickupAdd2>Level 1</PickupAdd2>
21	PickupSuburb	The pickup suburb that the inward is being picked up from	A	30		<PickupSuburb>Penrose</PickupSuburb>
22	PickupCity	The pickup city that the inward is being picked up from	A	30		<PickupCity>Auckland</PickupCity>
23	PickupPostCode	The pickup postcode that the inward is being picked up from	A	40		<PickupPostCode>1041</PickupPostCode>
24	PickupState	The pickup state that the inward is being picked up from	A	30		<PickupState>NI</PickupState>
25	PickupCountry	The pickup country that the inward is being picked up from	A	30		<PickupCountry>New Zealand</PickupCountry>
26	CustomerID	Unique ID assigned to the client	N	50	(M)	<CustomerID>332323</CustomerID>
27	ActionFlag	Indicates the type of special action that will need to take place for the inward order. Refer to “Action Flag” table for more information.	A	1		<ActionFlag>U</ActionFlag>
28	InwardClientRef1	Additional reference for inward	A	50		<InwardClientRef1>INWARDREF1</InwardClientRef1>
29	InwardClientRef2	Additional reference for inward	A	50		<InwardClientRef2>INWARDREF2</InwardClientRef2>
30	InwardDutyFree	Duty free to flag inward has duty free products	A	1		<InwardDutyFree>Y</InwardDutyFree>

Header External Reference Types

#	XML Tag	Description	Type	Max Len	Example
0	References	Object Tag for References segment	O	10	<References>
1	ExternalSystem	External system to be used options are: SPS, Retail, General	A	50	<ExternalSystem>General</ExternalSystem>
2	Reference	Object Tag for Reference segment	O	9	<Reference>
3	ReferenceName	Reference Name to be used from available type from Reference Types table	A	50	<ReferenceName>Vendor</ReferenceName>
4	ReferenceValue	Reference value	A	50	<ReferenceValue>MAINFREIGHT</ReferenceValue>

References

A Reference represents what type of additional references you can send through to a Mainfreight warehouse.

Below is a table breaking down what each Reference type means

Reference Name	Additional Fields	Description
TradingPartnerId	value	Trading Partner ID
Vendor	value	Vendor Number
StoreNumber	value	Store Number
ShipToAddressAddressLocationNumber	value	Ship to Address Location Number
Department	value	Department Number
BuyersCurrency	value	Buyers Currency
CustomerAccountNumber	value	Customer Account Number
PurchaseOrderNumber	value	Purchase Order Number
FOBPayCode	value	Free On Board Pay Code
FOBLocationQualifier	value	Free On Board Location Qualifier
FOBLocationDescription	value	Free On Board Location Description
TsetPurposeCode	value	T Set Purpose Code
PurchaseOrderTypeCode	value	Purchase Order Type Code
Division	value	Division
BusinessFamily	value	Business Family
StoreName	value	Store Name
StoreAddress1	value	Store Address 1
StoreCity	value	Store City
StoreState	value	Store State
StorePostalCode	value	Store Postal Code
Z7	value	Z7

Inwards Types

An Inwards Type represents what type of Inwards you are sending through to a Mainfreight warehouse.

Below is a table breaking down what each Inwards type means.

Inwards Type Code	Inwards Type Name	Description
G	General	This is the default Inwards Type, if field 15 is not populated, MIMS sets the inwards with this value.
D	Damaged Goods	If you are sending back goods to the warehouse and they are damaged, you can pre-notify the Mainfreight team.
O	Overseas Receipt	Goods coming from overseas can be pre-notified to the team.
R	Return Goods	Placing a value in this field indicates a goods return from a customer. If this is a customer return, then fields 18-25 must be populated.
T	Warehouse Transfer	Ability to indicate to the receiving warehouse the goods coming in is from another Mainfreight warehouse.
X	X-Dock	Used for X-Dock inwards

Action Flag – Header Level

An Action Flag represents what type of special action you are sending through for an existing inward order in a Mainfreight warehouse.

This field works in conjunction with field 27 (Action Flag) on the XML inward line record.

Below is a table breaking down what each Action Flag means.

Action Flag Code	Action Flag Name	Description
U	Update existing inward	Indicates that an update is to be made to an existing inward order.
A	Adjust existing line units	Indicates that an adjustment is to be made to existing line units only.
R	Replace existing lines	Indicates that existing lines are to be replaced.
D	Delete existing lines	Indicates that existing lines are to be deleted.
C	Change existing lines	Indicates that there are changes to existing lines.

Inward Order Line Record (Repeated)

#	XML Tag	Description	Type	Max Length	Mandatory	Example
0	INWL	Defines this record as the inward line	A	4	(M)	<INWL>
1	Line	Line segment	A	4	(M)	<Line>
2	InwardsRef	This is the inward ID or the reference for the transaction. This value has to be unique.	A	40	(M)	<InwardsRef>PO12345</InwardsRef>
3	LineNo	The EDI inward line	N	8	(M)	<LineNo>001</LineNo>
4	WhsStockCode	Product/SKU code	A	40	(M)	<WhsStockCode>PRODUCTA</WhsStockCode>
5	WhsStockDesc	Description of the product	A	40		<WhsStockDesc>Product of Matches</WhsStockDesc>
6	Quantity	Number of units	N	8	(M)	<Quantity>10</Quantity>
7	LineWeight	Total line weight	N	6+2		<LineWeight>10.00</LineWeight>
8	LineVolume	Total line volume	N	6+2		<LineVolume>1.10</LineVolume>
9	Grade1	Leave blank or populate attribute. Actual attribute value is shown in the confirmation file if applicable	A	40		<Grade1>BATCH1</Grade1>
10	Grade2	Leave blank or populate attribute. Actual attribute value is shown in the confirmation file if applicable	A	40		<Grade2>SERIAL1</Grade2>
11	Grade3	Leave blank or populate attribute. Actual attribute value is shown in the confirmation file if applicable	A	40		<Grade3>ATTRI1</Grade3>
12	PackingDate	Date that the product was manufactured/packed	D	12		<PackingDate>29/01/2022</PackingDate>
13	ExpiryDate	Date that the product is due to expire	D	12		<ExpiryDate>31/02/2024</ExpiryDate>

Inward Order Line Record (Repeated)

#	XML Tag	Description	Type	Max Length	Mandatory	Example
14	Notes	Inward line notes	A	250		<Notes>This is a Note</Notes>
15	ShippingNotification	Shipping notification number	A	40		<ShippingNotification>AA1239499</ShippingNotification>
16	PurchaseOrderNo	Purchase order number	A	40		<PurchaseOrderNo>PO12345</PurchaseOrderNo>
17	PurchaseOrderLineNo	Purchase order line number	A	40		<PurchaseOrderLineNo>0020</PurchaseOrderLineNo>
18	PackType	The expected pack type for the inward line	A	40		<PackType>CA</PackType>
19	StockStatus	Product status of the inward line	A	50		<StockStatus>NORMAL</StockStatus>
20	LicensePlateNo	License plate or SSCC number assigned to the inward line	A	50		<LicensePlateNo>1123891289899</LicensePlateNo>
21	ArrivalDate	Date that the stock arrives	D	12		<ArrivalDate>20/07/2022</ArrivalDate>
22	VFD	For duty/underbond customers. This is the VFD value for the inward line	I	11+4		<VFD>300.00</VFD>
23	VTI	For duty/underbond customers. This is the VTI value for the inward line	I	10+4		<VTI>230.00</VTI>
24	EntryNo	For duty/underbond customers. This is the Entry Number for the inward line	A	50		<EntryNo>AA0001</EntryNo>
25	EntryLineNo	For duty/underbond customers. This is the Entry Line Number for the inward line	A	50		<EntryLineNo>001</EntryLineNo>
26	UnderBond	For duty/underbond customers. This indicates if the inward line is under bond or is duty paid	A	1		<UnderBond>1</UnderBond>
27	ActionFlag	Action for the inward line	A	1		<ActionFlag>M</ActionFlag>

#	XML Tag	Description	Type	Max Lenght	Example
0	References	Object Tag for References segment	O	10	<References>
1	ExternalSystem	External system to be used options are: SPS, Retail, General	A	50	<ExternalSystem>General</ExternalSystem>
2	Reference	Object Tag for Reference segment	O	9	<Reference>
3	ReferenceName	Reference Name to be used from available type from Reference Types table	A	50	<ReferenceName>Vendor</ReferenceName>
4	ReferenceValue	Reference value	A	50	<ReferenceValue>MAINFRIGHT</ReferenceValue>

References

Reference Type	Additional Fields	Description
TradingPartnerId	value	Trading Partner ID
Vendor	value	Vendor Number
StoreNumber	value	Store Number
ShipToAddressAddressLocationNumber	value	Ship to Address Location Number
Department	value	Department Number
BuyersCurrency	value	Buyers Currency
CustomerAccountNumber	value	Customer Account Number
PurchaseOrderNumber	value	Purchase Order Number
FOBPayCode	value	Free On Board Pay Code
FOBLocationQualifier	value	Free On Board Location Qualifier
FOBLocationDescription	value	Free On Board Location Description
TsetPurposeCode	value	T Set Purpose Code
PurchaseOrderTypeCode	value	Purchase Order Type Code
Division	value	Division
BusinessFamily	value	Business Family
StoreName	value	Store Name
StoreAddress1	value	Store Address 1
StoreCity	value	Store City
StoreState	value	Store State
StorePostalCode	value	Store Postal Code
Z7	value	Z7

Action Flag – Line Level

An Action Flag represents what type of special action you are sending through for an existing inward order line.

This field works in conjunction with field 27 (Action Flag) on the XML inward header record.

Below is a table breaking down what each Action Flag means.

Action Flag Code	Action Flag Name	Description
M	Modify existing inward lines	Indicates that an update is to be made to an existing inward order.
A	Add new lines	Indicates that an adjustment is to be made to existing line units only.
R	Replace existing lines	Indicates that existing lines are to be replaced.
D	Delete existing lines	Indicates that existing lines are to be deleted.

Inward Order Acknowledgement Overview & Requirements

Mainfreight recognises the need for a third-party warehousing solution to send their clients back information concerning Inwards they may have receipted into their system.

All acknowledgement files are sent back in a Comma Delimited.

When an inward order has been entered into the warehouse an inwards acknowledgement can be automatically generated out of MIMS.

Requirements

If an acknowledgement file is required, then you must provide Mainfreight with the following information:

CSV Confirmations will have the filename [IA_CustomerID_WarehouseID_reference].CSV

Inward Order Acknowledgement

#	Format: STD	Description	Type	Max Length	Example
0	Fixed value = 'ACKH' – This record is a header	Defines this record as the header	A	4	ACKH
1	Warehouse Code	Mainfreight warehouse code	A	3	99
2	Inwards Reference (must be a unique number)	This is the inward ID or the reference for the transaction. This value has to be unique.	A	40	PO12345
3	Booking Date	The date that the inward is booked in to arrive at the receiving warehouse	D	12	15/07/2022
4	Arrival Date	The date that the inward is expected to arrive at the receiving warehouse	D	12	15/07/2022
5	Carrier Name	The name of the carrier that is transporting the physical stock to the receiving warehouse	A	50	Mainfreight
6	Supplier Name	The name of the supplier or manufacturer of the stock	A	50	Demo Industries
7	Connote No	The consignment number or container number for the shipment of the inward to the receiving warehouse	A	40	MFT123456
8	Unused	Not used.			
9	Unused	Not used.			
10	Total Weight	Total weight of the inward order	N	8	100
11	Total Volume	Total volume (m3) of the inward order	N	8	1.00
12	Vendor No	The vendor reference for the inward order	A	40	12345
13	Plant / SOC	Plant location reference for inward	A	40	PL112
14	Notes	Used for notes or instructions relating to the inward order	A	250	Please unload onto Chep pallets

Inward Order Acknowledgement

#	Format: STD	Description	Type	Max Length	Example
15	Inwards Type [G|D|R] Default to 'G' Normal	The type of inward order	A	1	G
16	Customer Code (For Returns)	The customer code for the customer that the returned stock is sent from	A	40	CUST12
17	Free Store	Field to store free variable	A	40	PO933922
18	Pickup Customer Name	The name of the customer that the inward is being picked up from	A	40	Demo Industries
19	Pickup Address 1	The pickup address that the inward is being picked up from	A	40	10 Demo Street
20	Pickup Address 2	The pickup address that the inward is being picked up from	A	40	Level 1
21	Pickup Suburb	The pickup suburb that the inward is being picked up from	A	30	Penrose
22	Pickup City	The pickup city that the inward is being picked up from	A	30	Auckland
23	Pickup Post Code	The pickup postcode that the inward is being picked up from	A	40	1041
24	Pickup State	The pickup state that the inward is being picked up from	A	30	(AU) NSW or New South Wales (US) GEORGIA
25	Pickup Country	The pickup country that the inward is being picked up from	A	30	New Zealand
28	InwardClientRef1	Additional reference for inward	A	50	INWARDREF1
29	InwardClientRef2	Additional reference for inward	A	50	INWARDREF2
30	InwardDutyFree	Duty free to flag inward has duty free products	A	1	Y

Inward Order Acknowledgement Line Record (repeated multiple times)

#	Format: STD	Description	Type	Max Length	Example
0	Fixed value = 'ACKL' – This record is a line	Defines this record as the line	A	4	ACKL
1	Inwards Reference	This is the inward ID or the reference for the transaction. This value has to be unique.	A	40	PO12345
2	Line No	The EDI inward line	N	8	001
3	Product Code	Product/SKU code	A	40	PRODUCTA
4	Product Description	Description of the product	A	40	Product of Matches
5	Units	Number of units	N	8	10
6	Unused (Leave Blank)		N	8	
7	Weight	Total line weight	N	8	10.00
8	Volume	Total line volume	N	8	1.10
9	Grade 1 (User defined field)	Leave blank or populate attribute. Actual attribute value is shown in the confirmation file if applicable	A	40	BATCH1
10	Grade 2 (User defined field)	Leave blank or populate attribute. Actual attribute value is shown in the confirmation file if applicable	A	40	SERIAL1
11	Grade 3 (Used defined field)	Leave blank or populate attribute. Actual attribute value is shown in the confirmation file if applicable	A	40	ATTRI1
12	Packing Date	Date that the product was manufactured/packed	D	12	29/01/2022
13	Expiry Date	Date that the product is due to expire	D	12	31/02/2024
14	Notes	Inward line notes	A	250	This is a Note
15	Shipping Notification No	Shipping notification number	A	40	AA1239499
16	Purchase Order No	Purchase order number	A	40	PO12345

Inward Order Acknowledgement Line Record (repeated multiple times)

17	Purchase Order Line number	Purchase order line number	A	40	0020
18	Unused (Leave Blank)	The expected pack type for the inward line	A	40	CA
19	StockStatus	Product status of the inward line	A	40	NORMAL
20	LicensePlateNo	License plate or SSCC number assigned to the inward line	A	40	1123891289899
21	ArrivalDate	Date that the stock arrives	D	12	20/07/2022
22	VFD	For duty/underbond customers. This is the VFD value for the inward line	I	11+4	300.00
23	VTI	For duty/underbond customers. This is the VTI value for the inward line	I	10+4	230.00
24	EntryNo	For duty/underbond customers. This is the Entry Number for the inward line	A	50	AA1234567
25	EntryLineNo	For duty/underbond customers. This is the Entry Line Number for the inward line	A	50	001
26	UnderBond	For duty/underbond customers. This indicates if the inward line is under bond or is duty paid	A	1	1

Inward Order Confirmation Overview & Requirements

Mainfreight recognises the need for a third-party warehousing solution to send their clients back information concerning Inwards they may have receipted into their system.

All confirmation files are sent back in either a Comma Delimited (STD) or XML File format.

When an inward receipt has been finalised and stock has been booked into the warehouse an inwards confirmation can be automatically generated out of MIMS.

The receipting of stock into the warehouse can take several hours. The inwards receipt confirmation will not be generated until all stock has been physically checked, counted and located into the warehouse.

Requirements

If a confirmation file is required, then you must provide Mainfreight with the following information:

- Format you require (XML or STD)
- XML Confirmations will have the filename [IC_CustomerID_WarehouseID_reference].XML
- CSV Confirmations will have the filename [IC_CustomerID_WarehouseID_reference].CSV

Inward Order Confirmation Standard Format

#	Format: STD	Description	Type	Max Length	Example
0	Fixed value = 'INWH' – This record is a header	Defines this record as the header	A	4	INWH
1	Warehouse Code	Mainfreight warehouse code	A	3	99
2	Inwards Reference (must be a unique number)	This is the inward ID or the reference for the transaction. This value has to be unique.	A	40	PO12345
3	Booking Date	The date that the inward is booked in to arrive at the receiving warehouse	D	12	15/07/2022
4	Arrival Date	The date that the inward is expected to arrive at the receiving warehouse	D	12	15/07/2022
5	Carrier Name	The name of the carrier that is transporting the physical stock to the receiving warehouse	A	50	Mainfreight
6	Supplier Name	The name of the supplier or manufacturer of the stock	A	50	Demo Industries
7	Connote No	The consignment number or container number for the shipment of the inward to the receiving warehouse	A	40	MFT123456
8	Total Units	Total number of units on the inward order	N	8	100
9	Total Pallets	Total number of pallets used	N	8	1
10	Total Weight	Total weight of the inward order	N	8	100
11	Total Volume	Total volume (m3) of the inward order	N	8	1.00
12	Vendor No	The vendor reference for the inward order	A	40	12345
13	Plant / SOC	Plant location reference for inward	A	40	PL112
14	Notes	Used for notes or instructions relating to the inward order	A	250	Please unload onto Chep pallets
15	Inwards Type [G|D|R] Default to 'G' Normal	The type of inward order	A	1	G

Inward Order Confirmation Standard Format

#	Format: STD	Description	Type	Max Length	Example
16	Customer Code (For Returns)	The customer code for the customer that the returned stock is sent from	A	40	CUST12
17	Free Store	Field to store free variable	A	40	PO933922
18	Pickup Customer Name	The name of the customer that the inward is being picked up from	A	40	Demo Industries
19	Pickup Address 1	The pickup address that the inward is being picked up from	A	40	10 Demo Street
20	Pickup Address 2	The pickup address that the inward is being picked up from	A	40	Level 1
21	Pickup Suburb	The pickup suburb that the inward is being picked up from	A	30	Penrose
22	Pickup City	The pickup city that the inward is being picked up from	A	30	Auckland
23	Pickup Post Code	The pickup postcode that the inward is being picked up from	A	40	1041
24	Pickup State	The pickup state that the inward is being picked up from	A	30	(AU) NSW or New South Wales (US) GEORGIA
25	Pickup Country	The pickup country that the inward is being picked up from	A	30	New Zealand
26	CustomerID	Unique ID assigned to the client	N	50	332323
27	InwardClientRef1	Additional reference for inward	A	50	INWARDREF1
28	InwardClientRef2	Additional reference for inward	A	50	INWARDREF2

Inward Order Confirmation Line Record (Repeated multiple times)

#	Format: STD	Description	Type	Max Len	Example
0	Fixed value = 'INWL' – This record is a line	Defines this record as the line	A	4	INWL
1	Inwards Reference	This is the inward ID or the reference for the transaction. This value has to be unique.	A	40	PO12345
2	Line No	The EDI inward line	N	8	001
3	Product Code	Product/SKU code	A	40	PRODUCTA
4	Product Description	Description of the product	A	40	Product of Matches
5	Units	Number of units	N	8	10
6	Unused (Leave Blank)		N	8	
7	Weight	Total line weight	N	8	10.00
8	Volume	Total line volume	N	8	1.10
9	Grade 1 (User defined field)	Leave blank or populate attribute. Actual attribute value is shown in the confirmation file if applicable	A	40	BATCH1
10	Grade 2 (User defined field)	Leave blank or populate attribute. Actual attribute value is shown in the confirmation file if applicable	A	40	SERIAL1
11	Grade 3 (Used defined field)	Leave blank or populate attribute. Actual attribute value is shown in the confirmation file if applicable	A	40	ATTRI1
12	Packing Date	Date that the product was manufactured/packed	D	12	29/01/2022
13	Expiry Date	Date that the product is due to expire	D	12	31/02/2024
14	Notes	Inward line notes	A	250	This is a Note
15	Shipping Notification No	Shipping notification number	A	40	AA1239499

Inward Order Confirmation Line Record (Repeated multiple times)

16	Purchase Order No	Purchase order number	A	40	PO12345
17	Purchase Order Line number	Purchase order line number	A	40	0020
18	Unused (Leave Blank)	The expected pack type for the inward line	A	40	CA
19	StockStatus	Product status of the inward line	A	40	NORMAL
20	LicensePlateNo	License plate or SSCC number assigned to the inward line	A	40	1123891289899
21	ArrivalDate	Date that the stock arrives	D	12	20/07/2022
22	VFD	For duty/underbond customers. This is the VFD value for the inward line	A	11+4	300.00
23	VTI	For duty/underbond customers. This is the VTI value for the inward line	A	10+4	230.00
24	EntryNo	For duty/underbond customers. This is the Entry Number for the inward line. Entry numbers are 9 digits long	A	50	AA1234567
25	EntryLineNo	For duty/underbond customers. This is the Entry Line Number for the inward line	A	50	001
26	UnderBond	For duty/underbond customers. This indicates if the inward line is under bond or is duty paid	A	1	1
27	LineID	The EDI Line ID value	N	10	1

Inward Order Confirmation XML Format

#	XML	Description	Type	Max Length	Example
0	INWH	Defines this record as the header	A	4	<INWH>
1	WarehouseID	Mainfreight warehouse code	A	3	<WarehouseID>99</WarehouseID>
2	InwardsRef	This is the inward ID or the reference for the transaction. This value has to be unique.	A	40	<InwardsRef>PO12345</InwardsRef>
3	BookingDate	The date that the inward is booked in to arrive at the receiving warehouse	D	12	<BookingDate>15/07/2022</BookingDate>
4	ArrivalDate	The date that the inward is expected to arrive at the receiving warehouse	D	12	<ArrivalDate>15/07/2022</ArrivalDate>
5	Carrier	The name of the carrier that is transporting the physical stock to the receiving warehouse	A	50	<Carrier>Mainfreight</Carrier>
6	Supplier	The name of the supplier or manufacturer of the stock	A	50	<Supplier>Demo Industries</Supplier>
7	ConnoteNo	The consignment number or container number for the shipment of the inward to the receiving warehouse	A	40	<ConnoteNo>MFT123456</ConnoteNo>
8	TotalUnits	Total number of units on the inward order	N	8	<TotalUnits>100</TotalUnits>
9	TotalPallets	Total number of pallets used	N	8	<TotalPallets>1</TotalPallets>
10	TotalWeight	Total weight of the inward order	N	8	<TotalWeight>100</TotalWeight>
11	TotalVolume	Total volume (m3) of the inward order	N	8	<TotalVolume>1.00</TotalVolume>
12	VendorNo	The vendor reference for the inward order	A	40	<VendorNo>12345</VendorNo>
13	Plant	Plant location reference for inward	A	40	<Plant>PL112</Plant>
14	HeaderNotes	Used for notes or instructions relating to the inward order	A	250	<HeaderNotes>Please unload onto Chep pallets</HeaderNotes>
15	InwardsType	The type of inward order	A	1	<InwardsType>G</InwardsType>

Inward Order Confirmation XML Format

#	XML	Description	Type	Max Length	Example
16	CustCode	The customer code for the customer that the returned stock is sent from	A	40	<CustCode>CUST12</CustCode>
17	FreeStore	Field to store free variable	A	40	<FreeStore>PO933922</FreeStore>
18	PickupCustName	The name of the customer that the inward is being picked up from	A	40	<PickupCustName>Demo Industries</PickupCustName>
19	PickupAdd1	The pickup address that the inward is being picked up from	A	40	<PickupAdd1>10 Demo Street</PickupAdd1>
20	PickupAdd2	The pickup address that the inward is being picked up from	A	40	<PickupAdd2>Level 1</PickupAdd2>
21	PickupSuburb	The pickup suburb that the inward is being picked up from	A	30	<PickupSuburb>Penrose</PickupSuburb>
22	PickupCity	The pickup city that the inward is being picked up from	A	30	<PickupCity>Auckland</PickupCity>
23	PickupPostCode	The pickup postcode that the inward is being picked up from	A	40	<PickupPostCode>1041</PickupPostCode>
24	PickupState	The pickup state that the inward is being picked up from	A	30	<PickupState>(AU) NSW or New South Wales</PickupState> < PickupState>(US) GEORGIA</PickupState>
25	PickupCountry	The pickup country that the inward is being picked up from	A	30	<PickupCountry>New Zealand</PickupCountry>
26	CustomerID	Unique ID assigned to the client	N	50	<CustomerID>332323</CustomerID>
27	InwardClientRef1	Additional reference for inward	A	50	<InwardClientRef1>INWARDREF1</InwardClientRef1>
28	InwardClientRef2	Additional reference for inward	A	50	<InwardClientRef2>INWARDREF2</InwardClientRef2>

#	XML Tag	Description	Type	Max Len	Example
0	References	Object Tag for References segment	O	10	<References>
1	ExternalSystem	External system to be used options are: SPS, Retail, General	A	50	<ExternalSystem>General</ExternalSystem>
2	Reference	Object Tag for Reference segment	O	9	<Reference>
3	ReferenceName	Reference Name to be used from available type from Reference Types table	A	50	<ReferenceName>Vendor</ReferenceName>
4	ReferenceValue	Reference value	A	50	<ReferenceValue>MAINFREIGHT</ReferenceValue>

References

A Reference represents what type of additional references you can send through to a Mainfreight warehouse.

Below is a table breaking down what each Reference type means

Reference Name	Additional Fields	Description
TradingPartnerId	value	Trading Partner ID
Vendor	value	Vendor Number
StoreNumber	value	Store Number
ShipToAddressAddressLocationNumber	value	Ship to Address Location Number
Department	value	Department Number
BuyersCurrency	value	Buyers Currency
CustomerAccountNumber	value	Customer Account Number
PurchaseOrderNumber	value	Purchase Order Number
FOBPayCode	value	Free On Board Pay Code
FOBLocationQualifier	value	Free On Board Location Qualifier
FOBLocationDescription	value	Free On Board Location Description
TsetPurposeCode	value	T Set Purpose Code
PurchaseOrderTypeCode	value	Purchase Order Type Code
Division	value	Division
BusinessFamily	value	Business Family
StoreName	value	Store Name
StoreAddress1	value	Store Address 1
StoreCity	value	Store City
StoreState	value	Store State
StorePostalCode	value	Store Postal Code
Z7	value	Z7

Inward Order Confirmation Line Record (Repeated multiple times)

#	XML	Description	Type	Max Length	Example
0	INWL	Defines this record as the line	A	4	<INWL>
1	Line	Line segment	A	4	<Line>
2	InwardRef	This is the inward ID or the reference for the transaction. This value has to be unique	A	40	<InwardRef>PO12345</InwardRef>
3	LineNo	The EDI inward line	N	8	<LineNo>001</LineNo>
4	WhsStockCode	Product/SKU code	A	40	<WhsStockCode>PRODUCTA</WhsStockCode>
5	WhsStockDesc	Description of the product	A	40	<WhsStockDesc>Product of Matches</WhsStockDesc>
6	Quantity	Number of units	N	8	<Quantity>10</Quantity>
7	ActualQuantity	Number of actual units	N	8	<ActualQuantity>100</ActualQuantity>
8	LineWeight	Total line weight	N	8	<LineWeight>10.00</LineWeight>
9	LineVolume	Total line volume	N	8	<LineVolume>1.10</LineVolume>
10	Grade1	Leave blank or populate attribute. Actual attribute value is shown in the confirmation file if applicable	A	40	<Grade1>BATCH1</Grade1>
11	Grade2	Leave blank or populate attribute. Actual attribute value is shown in the confirmation file if applicable	A	40	<Grade2>SERIAL1</Grade2>
12	Grade3	Leave blank or populate attribute. Actual attribute value is shown in the confirmation file if applicable	A	40	<Grade3>ATTRI1</Grade3>
13	PackingDate	Date that the product was manufactured/packed	D	12	<PackingDate>29/01/2022</PackingDate>
14	ExpiryDate	Date that the product is due to expire	D	12	<ExpiryDate>31/02/2024</ExpiryDate>
15	Notes	Inward line notes	A	250	<Notes>This is a Note</Notes>

Inward Order Confirmation Line Record (Repeated multiple times)

16	ShippingNotification	Shipping notification number	A	40	<ShippingNotification>AA1239499</ShippingNotification>
17	PurchaseOrderNo	Purchase order number	A	40	<PurchaseOrderNo>PO12345</PurchaseOrderNo>
18	PurchaseOrderLineNo	Purchase order line number	A	40	<PurchaseOrderLineNo>0020</PurchaseOrderLineNo>
19	PackType	The expected pack type for the inward line	A	40	<PackType>CA</PackType>
20	StockStatus	Product status of the inward line	A	40	<StockStatus>NORMAL</StockStatus>
21	LicensePlateNo	License plate or SSCC number assigned to the inward line	A	40	<LicensePlateNo>1123891289899</LicensePlateNo>
22	ArrivalDate	Date that the stock arrives	D	12	<ArrivalDate>20/07/2022</ArrivalDate>
23	VFD	For duty/underbond customers. This is the VFD value for the inward line	A	11+4	<VFD>300.00</VFD>
24	VTI	For duty/underbond customers. This is the VTI value for the inward line	A	10+4	<VTI>230.00</VTI>
25	EntryNo	For duty/underbond customers. This is the Entry Number for the inward line. Entry numbers are 9 digits long	A	50	<EntryNo>AA1234567</EntryNo>
26	EntryLineNo	For duty/underbond customers. This is the Entry Line Number for the inward line	A	50	<EntryLineNo>001</EntryLineNo>
27	UnderBond	For duty/underbond customers. This indicates if the inward line is under bond or is duty paid. 0/1.	A	1	<UnderBond>1</UnderBond>
28	LineID	The EDI Line ID value	N	10	<LineID>1</LineID>

#	XML Tag	Description	Type	Max Length	Example
0	References	Object Tag for References segment	O	10	<References>
1	ExternalSystem	External system to be used options are: SPS, Retail, General	A	50	<ExternalSystem>General</ExternalSystem>
2	Reference	Object Tag for Reference segment	O	9	<Reference>
3	ReferenceName	Reference Name to be used from available type from Reference Types table	A	50	<ReferenceName>Vendor</ReferenceName>
4	ReferenceValue	Reference value	A	50	<ReferenceValue>MAINFREIGHT</ReferenceValue>

References

A Reference represents what type of additional references you can send through to a Mainfreight warehouse.

Below is a table breaking down what each Reference type means

Reference Name	Additional Fields	Description
TradingPartnerId	value	Trading Partner ID
Vendor	value	Vendor Number
StoreNumber	value	Store Number
ShipToAddressAddressLocationNumber	value	Ship to Address Location Number
Department	value	Department Number
BuyersCurrency	value	Buyers Currency
CustomerAccountNumber	value	Customer Account Number
PurchaseOrderNumber	value	Purchase Order Number
FOBPayCode	value	Free On Board Pay Code
FOBLocationQualifier	value	Free On Board Location Qualifier
FOBLocationDescription	value	Free On Board Location Description
TsetPurposeCode	value	T Set Purpose Code
PurchaseOrderTypeCode	value	Purchase Order Type Code
Division	value	Division
BusinessFamily	value	Business Family
StoreName	value	Store Name
StoreAddress1	value	Store Address 1
StoreCity	value	Store City
StoreState	value	Store State
StorePostalCode	value	Store Postal Code
Z7	value	Z7

#	XML Tag	Description	Type	Max Length	Example
0	INWP	Defines this record as the pack segment	O	3	<INWP>
1	Packs	Start of the pack line segment.	O	50	<Packs>
2	OrderID	This is the inward ID or the reference for the transaction. This value has to be unique.	N	8	<InwardRef>PO1234</InwardRef>
3	ExternalSystem	External system to be used options are: SPS, Retail, General	A	50	<ExternalSystem>General</ExternalSystem>
4	Pack	Start of pack information segment.	O		<Pack>
5	SSCCNumber	System-generated SSCC number	A	50	<SSCCNumber>33429829423948234</SSCCNumber>
6	OrigLicensePlateNo	License Plate value provided on the EDI inward order	A	50	<OrigLicensePlateNo>MF38399398484</OrigLicensePlateNo>
7	LicensePlateNo	License plate number that was used to book away stock under	A	50	<LicensePlateNo>LP3242234245</LicensePlateNo>
8	PackLine	Internal pack line number.	O		<PackLine>
9	ReceivedQuantity	The quantity that is booked into the WMS	N	6+2	< ReceivedQuantity>300.00</OrderedQuantity>
10	ReceivedUOM	The pack type or unit of measure that was received	A	50	< ReceivedUOM>CARTON</ReceivedUOM>
11	ExpectedQuantity	The expected quantity to be booked in	N	6+2	< ExpectedQuantity>300.00</ ExpectedQuantity>
12	ExpectedUOM	The expected pack type or unit of measure to be booked in	A	50	< ExpectedUOM>CARTON</ ExpectedUOM>
13	LineID	EDI LineID	N	50	<LineID>1</LineID>
14	ProductCode	The product code	A	50	<ProductCode>SK220939</ProductCode>

Sales Orders Overview & Requirements

A Sales Order is when you would like to send your product out a Mainfreight warehouse to your customer.

Just like the Inwards Order EDI file the Sales Order is very similar in format.

Sales Order EDI Orders have proven how valuable an EDI implementation process is when you are dealing with a third-party warehousing solution.

This type of EDI removes the 'human error' factor, but not only that it increases the efficiency, productivity and accuracy of your orders that you place with Mainfreight.

Requirements

- The file names you send to Mainfreight must be unique for each Order E.g. [Order_Reference].XML
- If implementing the STD format, the file must be sent in a Comma Delimited File format and include the CustomerID E.g. [Order_Reference]_[CustomerID].CSV
- If implementing the STD format, a carriage return must be entered between the Header and the Line record.
- Fields in the specification highlighted in bold must be left blank.
- Fields marked with a '(M)' are mandatory.
- Field 'Types' stated as 'D' (Date) should either be in the format of DD/MM/YYYY
- Suburb, City, State, Postcode and Country fields must be filled in correctly. Authentication when this information is sent through in the EDI files are performed in MIMS, if they are incorrect or not valid then the EDI Order will be held up in an EDI Process Error screen in MIMS (refer to the Locations and Suburbs.xls document, if this has not been provided then please ask your Mainfreight contact for this information).
- Commas sent through in text fields must be enclosed in quotes

Sales Order Standard Format

#	Format: STD	Description	Type	Max Leng	Mandatory	STD Example
0	Record Type - 'SOH' Header	Defines this record as the header	A	3	(M)	SOH
1	Client Order Number	This is the order ID or the reference for the transaction. This value is used for queries, reporting and tracking purposes. This value has to be unique.	A	50	(M)	29082101
2	Unused	Leave Blank				
3	Client Reference	This is an additional reference that can be used for the order	A	50		12345
4	Customer Order Number	This is your customer's reference number.	A	50		PO123456
5	Consignee Code	Code for the delivery recipient	A	18	(M)	001212
6	Delivery Name	Name of your consignee	A	50	(M)	CLIFFORD BOTTLE SHO
7	Delivery Address 1	Street Number and Name	A	50	(M)	107 GATEWAY BOULEVARD
8	Delivery Address 2	Additional Address detail	A	50	(M)	VIA 2ND GATE
9	Delivery Suburb	Town. This is mandatory for NZ addresses when the City is AKL, CHC and WGN. Mandatory field for all AU addresses	A	50	(M)	EPPING
10	Delivery Post Code	Postal Code	A	50	(M)	3076
11	Delivery City	City Or Location. This is mandatory field for NZ and US addresses.	A	50	(M)	Melbourne
12	Delivery State	State. Not mandatory for NZ addresses	A	50	(M)	VIC
13	Delivery Country	Country name, i.e. New Zealand	A	50	(M)	AU

Sales Order Standard Format

#	Format: STD	Description	Type	Max Length	Mandatory	STD Example
14	Delivery Instructions	Customer, Carrier or Warehouse instructions	A	500		No Deliveries on Monday and Sunday. All deliveries between 2pm-5pm all other days
15	Invoice Name	Bill To Name	A	60		Clifford Pty Ltd
16	Invoice Address 1	Bill To Street Name & Number	A	50		50 Pepper Road
17	Invoice Address 2	Bill To Additional Address	A	50		Unit 1
18	Invoice Address Suburb	Bill To Town	A	50		EPPING
19	Invoice Address Post Code	Bill To Postal Code	A	50		3076
20	Invoice Address City	Bill To City	A	50		Melbourne
21	Invoice Address State	Bill To State	A	50		VIC
22	Invoice Country	Bill To Country	A	50		AU
23	Invoice Contact	Contact Name	A	50		Peter Clifford
24	Warehouse Code	Warehouse ID where the products are stored. *Mainfreight will provide you with this code.	A	3	(M)	22
25	Rep code	Extra header field.	A	50		TEST
26	Rep Name	Extra header field	A	50		TEST
27	Unused	Leave Blank				
28	Date Required	Required date for delivery	D	12		2022-10-02

Sales Order Standard Format

#	Format: STD	Description	Type	Max Length	Mandatory	STD Example
29	Unused	Leave Blank				
30	Unused	Leave Blank				
31	Total Units Ordered	Total number of units in the order	N	8		36
32	Miscellaneous Charges Total	Misc Charges for Order	N	6+2		10
33	Freight Charge	Freight Charges for Order	N	6+2		10.00
34	GST	Tax Chargers for Order	N	6+2		10.00
35	Comment	Extra order notes header field	A	50		COMMENT 1
36	Comment	Extra order notes header field	A	50		COMMENT 2
37	Comment	Extra order notes header field	A	50		COMMENT 3
38	Carrier Ref	Carrier Reference for the order	A	50		TEST12345
39	Pallets	Number of Pallets on the Order	N	8		1
40	Total Weight Kg	Approximate order total weight	N	6+2		10
41	Total Volume M^3	Approximate order total volume	N	6+2		0.10
42	Net Invoice	Net Invoice Charge	N	6+2		10.00
43	Carrier Description	Designated carrier for the shipment	A	50		MAINFREIGHT
44	Connote Number	Carrier Reference for the order	A	50		TEST12345
45	ETA	Estimate Time Arrival for Order	D	12		2022-10-02

Sales Order Standard Format

#	Format: STD	Description	Type	Max Length	Mandatory	STD Example
46	Service Description	Designated carrier service description for the shipment	A	50		TRANSPORT
47	Scan Pack	Y or N	A	1		N
48	ASN Cross dock Reference	Crossdock reference for order	A	50		PO12345
49	Booking Required	Y or N	A	1		N
50	Booking From Date	Booking From date for order	D	12		2022-10-02
51	Booking To Date	Booking To date for order	D	12		2022-10-02
52	Booking Comment	Booking comment for order	A	50		Between 2pm - 5pm
53	Debtor Phone	Contact phone number	N	15		0399541234
54	VIP Email	VIP email notification email address	A	50		Clifford@gmail.com
55	Order Type	See OrderType Table	A	1		N
56	Booking Reference	Booking reference for order	A	50		PO123456
57	Custom Stock Status	Custom stock status code, discuss usage with the integration team	A	50		AVL
58	Urgent	Indicates that the order should be dispatched with urgent priority	A	1		N
59	Consignee Group ID	Consignee group name that can be used for setting process or documents associated to the unique group	A	50		12345
60	Transfer Whs ID	Warehouse code for transfer	N	10		32
61	Duty Free	Indicates that the order is shipped as duty free	A	1		N
62	Call Required	Indicates that a call is required to confirm the booking time	A	1		Y

Sales Order Standard Format

#	Format: STD	Description	Type	Max Length	Mandatory	STD Example
63	Consignee Delivery Location	Delivery Location setup during integration	A	50		TEST1
64	Charge Code	Mainfreight account code	A	50		12345
65	Sender Code	Mainfreight sending account code	A	50		SEN123
66	Route Type	See Route Type table	A	50		1
67	Carrier Account Code	Carrier account Code	A	50		CAR123
68	Customer ID	Unique ID assigned to the client	N	10	(M)	123456

(Please note: In the Type Column refers to Alpha, N refers to Number and D refers to Date)

Sales Order Line Record

This record is repeated if there are multiple lines in the sales order.

#	Format: STD	Description	Type	Max Length	Mandatory	STD Example
0	Fixed value = 'SOL'	Defines this record as the line records	A	3	(M)	SOL
1	Client Order Number	Same reference as the Order ID in the header	A	50	(M)	29082101
2	Line No	Sales order line number. This value is returned back in the confirmation file.	N	8	(M)	10000
3	Unused	Leave Blank				
4	Unused	Leave Blank				
5	Product Code	Sales order material code. Assumption is that the code already exists in MIMS.	A	50	(M)	1020001
6	Product Description	Sales order material description. If blank, the value is taken from the product profile.	A	50		VODKA 750ML C6
7	Product Description2	Additional product description	A	50		6 X 750ML
8	Quantity	Ordered quantity for the line. The value is based on the lowest unit of measure (see Unit of Measure)	N	8		36
9	Unused	Leave Blank				
10	Quantity Back Order	Placeholder for back-order, although MFT does not handle back-orders	N		(M)	6
11	Unit RRP	If requiring a priced packing slip	N	6+2		10.00
12	Unit Discount	If requiring a priced packing slip	N	6+2		5.00
13	Unit Price	If requiring a priced packing slip	N	6+2		5.00
14	Extended Price	If requiring a priced packing slip	N	6+2		5.00

Sales Order Line Record

#	Format: STD	Description	Type	Max Length	Mandatory	STD Example
15	Misc Charge Description	If requiring a priced packing slip	A	40		10
16	Misc Charge amount	If requiring a priced packing slip	N	6+2		5.00
17	Grade 1 (User defined field)	Leave blank. Actual attribute value is shown in the confirmation file if applicable	A	50		GRADE1
18	Grade 2 (User defined field)	Leave blank. Actual attribute value is shown in the confirmation file if applicable	A	50		GRADE2
19	Grade 3 (Used defined field)	Leave blank. Actual attribute value is shown in the confirmation file if applicable	A	50		GRADE3
20	Consignee Product Code	Additional product information	A	50		TEST1234
21	Pack Type Ordered	Default is Each	A	50		EACH
22	Unit Weight	Line weight	N	6+2		5
23	Unit Volume	Line volume	N	6+2		0.02
24	Notes	Additional line record information	A	250		TEST NOTES
25	Contingency Price	Additional product information	N	6+2		10.00
26	Consignee Product Description	Additional product information	A	50		TESTDESC
27	Expiry Date	Additional product information	D	12		2024-10-02
28	Packing Date	Additional product information	D	12		2022-10-02
29	Kitset Code	Parent Code if shipping Kitset	A	50		KIT123
30	Freight Class	Freight class code for product list	N	6		TEST

(Please note: In the Type Column refers to Alpha, N refers to Number and D refers to Date)

Sales Order XML Format

#	XML Tag	Description	Type	Max Length	Mandatory	XML Example
0	SOH	Defines this record as the header	A	3	(M)	<SOH>
1	OrderID	This is the order ID or the reference for the transaction. This value is used for queries, reporting and tracking purposes. This value has to be unique.	A	50	(M)	<OrderID>29082101</OrderID>
3	ClientRef	This is an additional reference that can be used for the order	A	50		<ClientRef>12345</ClientRef>
4	CustRef	This is your customer's reference number.	A	50		<CustRef>PO123456</CustRef>
5	DebtorID	Code for the delivery recipient	A	18	(M)	<DebtorID>001212</DebtorID>
6	DebtorName	Name of your consignee	A	50	(M)	<DebtorName>CLIFFORD BOTTLE SHOP</DebtorName>
7	DebtorAdd1	Street Number and Name	A	50	(M)	<DebtorAdd1>107 GATEWAY BOULEVARD</DebtorAdd1>
8	DebtorAdd2	Additional Address detail	A	50	(M)	<DebtorAdd2>VIA 2ND GATE</DebtorAdd2>
9	DebtorSuburb	Town. This is mandatory for NZ addresses when the City is AKL, CHC and WGN. Mandatory field for all AU addresses	A	50	(M)	<DebtorSuburb>EPPING</DebtorSuburb>
10	DebtorPostCode	Postal Code	A	50	(M)	<DebtorPostCode>3076</DebtorPostCode>
11	DebtorCity	City Or Location. This is mandatory field for NZ and US addresses.	A	50	(M)	<DebtorCity>Melbourne</DebtorCity>
12	DebtorState	State. Not mandatory for NZ addresses	A	50	(M)	<DebtorState>VIC</DebtorState>
13	DebtorCountry	Country name, i.e. New Zealand	A	50	(M)	<DebtorCountry>AU</DebtorCountry>
14	SpecialInstructions	Customer, Carrier or Warehouse instructions	A	500		<SepcialInstructions>No Deliveries on Monday and Sunday. All deliveries between 2pm-5pm all other

						days</SpecialInstructions>

Sales Order XML Format

#	XML Tag	Description	Type	Max Length	Mandatory	XML Example
15	InvoiceName	Bill To Name	A	60		<InvoiceName>Clifford Pty Ltd</InvoiceName>
16	InvoiceAdd1	Bill To Street Name & Number	A	50		<InvoiceAdd1>50 Pepper Road</InvoiceAdd1>
17	InvoiceAdd2	Bill To Additional Address	A	50		<InvoiceAdd2>Unit 1</InvoiceAdd2>
18	InvoiceSuburb	Bill To Town	A	50		<InvoiceSuburb>EPPING</InvoiceSuburb>
19	InvoicePostCode	Bill To Postal Code	A	50		<InvoicePostCode>3076</InvoicePostCode>
20	InvoiceCity	Bill To City	A	50		<InvoiceCity>Melbourne</InvoiceCity>
21	InvoiceState	Bill To State	A	50		<InvoiceState>VIC</InvoiceState>
22	InvoiceCountry	Bill To Country	A	50		<InvoiceCountry>AU</InvoiceCountry>
23	InvoiceContact	Contact Name	A	50		<InvoiceContact>Peter Clifford</InvoiceContact>
24	WhsID	Warehouse ID where the products are stored. *Mainfreight will provide you with this code.	A	3	(M)	<WhsId>22</WhsId>
25	RepCode	Extra header field.	A	50		<RepCode>TEST</RepCode>
26	RepName	Extra header field	A	50		<RepName>TEST</RepName>
28	RequiredDate	Required date for delivery	D	12		<RequiredDate>2022-10-02</RequiredDate>
31	OrderLineTotal	Total number of units in the order	N	8		<OrderLineTotal>36</OrderLineTotal>
32	MiscCharge	Misc Charges for Order	N	6+2		<MiscCharge>10</MiscCharge>
33	FreightCharge	Freight Charges for Order	N	6+2		<FreightCharge>10.00</FreightCharge>

Sales Order XML Format

#	XML Tag	Description	Type	Max Length	Mandatory	XML Example
34	GST	Tax Chargers for Order	N	6+2		<GST>10.00</GST>
35	Comment1	Extra order notes header field	A	50		<Comment1>COMMENT 1</Comment1>
36	Comment2	Extra order notes header field	A	50		<Comment2>COMMENT 2</Comment2>
37	Comment3	Extra order notes header field	A	50		<Comment3>COMMENT 3</Comment3>
38	CarrierRef	Carrier Reference for the order	A	50		<CarrierRef>TEST12345</CarrierRef>
39	Pallets	Number of Pallets on the Order	N	8		<Pallets>1</Pallets>
40	Weight	Approximate order total weight	N	6+2		<Weight>10</Weight>
41	Volume	Approximate order total volume	N	6+2		<Volume>0.10</Volume>
42	NetInvoice	Net Invoice Charge	N	6+2		<NetInvoice>10.00</NetInvoice>
43	Carrier	Designated carrier for the shipment	A	50		<Carrier>MAINFREIGHT</Carrier>
44	ConnoteNo	Carrier Reference for the order	A	50		<ConnoteNo>TEST12345</ConnoteNo>
45	ETA	Estimate Time Arrival for Order	D	12		<ETA>2022-10-02</ETA>
46	ServiceDesc	Designated carrier service description for the shipment	A	50		<ServiceDesc>TRANSPORT</ServiceDesc>
47	ScanPack	Y or N	A	1		<ScanPack>N</ScanPack>
48	ASNReference	Crossdock reference for order	A	50		<ASNReference>PO12345</ASNReference>
49	Booking required	Y or N	A	1		<BookingRequired>N</BookingRequired>

Sales Order XML Format

#	XML Tag	Description	Type	Max Length	Mandatory	XML Example
50	BookingFromDate	Booking From date for order	D	12		<BookingFromDate>2022-10-02</BookingFromDate>
51	BookingToDate	Booking To date for order	D	12		<BookingToDate>2022-10-02</BookingToDate>
52	BookingComment	Booking comment for order	A	50		<BookingComment>Between 2pm – 5pm</BookingComment>
53	DebtorPhone	Contact phone number	N	15		<DebtorPhone>0399541234</DebtorPhone>
54	VIPEmail	VIP email notification email address	A	50		<VIPEmail>Clifford@gmail.com</VIPEmail>
55	OrderType	See OrderType Table	A	1		<OrderType>N</OrderType>
56	BookingReference	Booking reference for order	A	50		<BookingReference>PO123456</BookingReference>
57	CustomStockStatus	Custom stock status code, discuss usage with the integration team	A	50		<CustomStockStatus>AVL</CustomStockStatus>
58	Urgent	Indicates that the order should be dispatched with urgent priority	A	1		<Urgent>N</Urgent>
59	ConsigneeGroupID	Consignee group name that can be used for setting process or documents associated to the unique group	A	50		<ConsigneeGroupID>12345</ConsigneeGroupID>
60	TransferWhsID	Warehouse code for transfer	N	10		<TransferWhsID>32</TransferWhsID>
61	DutyFree	Indicates that the order is shipped as duty free	A	1		<DutyFree>N</DutyFree>
62	CallRequired	Indicates that a call is required to confirm the booking time	A	1		<CallRequired>Y</CallRequired>
63	ConsigneeDeliveryLocation	Delivery Location setup during integration	A	50		<ConsigneeDeliveryLocation>TEST1</ConsigneeDeliveryLocation>
64	ChargeCode	Mainfreight account code	A	50		<ChargeCode>12345</ChargeCode>

Sales Order XML Format

#	XML Tag	Description	Type	Max Length	Mandatory	XML Example
65	SenderCode	Mainfreight sending account code	A	50		<SenderCode>SEN123</SenderCode>
66	RouteType	See Route Type table	A	50		<RouteType>1</RouteType>
67	CarrierAccountCode	Carrier account Code	A	50		<CarrierAccountCode>CAR123</CarrierAccountCode>
68	CustomerID	Unique ID assigned to the client	N	10	(M)	<CustomerID>123456</CustomerID>

(Please note: In the Type Column refers to Alpha, N refers to Number and D refers to Date)

#	XML Tag	Description	Type	Max Length	Example
0	References	Object Tag for References segment	O	10	<References>
1	ExternalSystem	External system to be used options are: SPS, Retail, General	A	50	<ExternalSystem>General</ExternalSystem>
2	Reference	Object Tag for Reference segment	O	9	<Reference>
3	ReferenceName	Reference Name to be used from available type from Reference Types table	A	50	<ReferenceName>Vendor</ReferenceName>
4	ReferenceValue	Reference value	A	50	<ReferenceValue>MAINFREIGHT</ReferenceValue>

References

A Reference represents what type of additional references you can send through to a Mainfreight warehouse.

Below is a table breaking down what each Reference type means

Reference Name	Additional Fields	Description
TradingPartnerId	value	Trading Partner ID
Vendor	value	Vendor Number
StoreNumber	value	Store Number
ShipToAddressAddressLocationNumber	value	Ship to Address Location Number
Department	value	Department Number
BuyersCurrency	value	Buyers Currency
CustomerAccountNumber	value	Customer Account Number
PurchaseOrderNumber	value	Purchase Order Number
FOBPayCode	value	Free On Board Pay Code
FOBLocationQualifier	value	Free On Board Location Qualifier
FOBLocationDescription	value	Free On Board Location Description
TsetPurposeCode	value	T Set Purpose Code
PurchaseOrderTypeCode	value	Purchase Order Type Code
Division	value	Division
BusinessFamily	value	Business Family
StoreName	value	Store Name
StoreAddress1	value	Store Address 1
StoreCity	value	Store City
StoreState	value	Store State
StorePostalCode	value	Store Postal Code
Z7	value	Z7

Sales Order Line Record

This record is repeated if there are multiple lines in the sales order.

#	XML Tag	Description	Type	Max Length	Mandatory	XML Example
0	SOL	Defines this record as the line records	A	3	(M)	<SOL>
1	Line	Line segment	A	4	(M)	<Line>
2	OrderID	Same reference as the Order ID in the header	A	50	(M)	<OrderID>29082101</OrderID>
3	LineNo	Sales order line number. This value is returned back in the confirmation file.	N	8	(M)	<LineNo>10000</LineNo>
4	WhsStockCode	Sales order material code. Assumption is that the code already exists in MIMS.	A	50	(M)	<WhsStockCode>1020001</WhsStockCode>
5	WhsStockDesc	Sales order material description. If blank, the value is taken from the product profile.	A	50		<WhsStockDesc>VODKA 750ML C6</WhsStockDesc>
6	WhsStockDesc2	Additional product description	A	50		<WhsStockDesc2>6 X 750ML</WhsStockDesc2>
7	Quantity	Ordered quantity for the line. The value is based on the lowest unit of measure (see Unit of Measure)	N	8	(M)	<Quantity>36</Quantity>
8	QuantityBackOrd	Placeholder for back-order, although MFT does not handle back-orders	N	8		<QuantityBackOrd>6</QuantityBackOrd>
9	RRP	If requiring a priced packing slip	N	6+2		<RRP>10.00</RRP>
10	DiscountPrice	If requiring a priced packing slip	N	6+2		<DiscountPrice>5.00</DiscountPrice>

Sales Order Line Record

This record is repeated if there are multiple lines in the sales order.

#	XML Tag	Description	Type	Max Length	Mandatory	XML Example
11	CostPrice	If requiring a priced packing slip	N	6+2		<CostPrice>5.00</CostPrice>
12	ExtendedPrice	If requiring a priced packing slip	N	6+2		<ExtendedPrice>5.00</ExtendedPrice>
13	MiscChargeDesc	If requiring a priced packing slip	A	40		<MiscChargeDesc>10</MiscChargeDesc>
14	MiscChargeAmount	If requiring a priced packing slip	N	6+2		<MiscChargeAmount>5.00</MiscChargeAmount>
15	Grade1	Leave blank. Actual attribute value is shown in the confirmation file if applicable	A	50		<Grade1>GRADE1</Grade1>
16	Grade2	Leave blank. Actual attribute value is shown in the confirmation file if applicable	A	50		<Grade2>GRADE2</Grade2>
17	Grade3	Leave blank. Actual attribute value is shown in the confirmation file if applicable	A	50		<Grade3>GRADE3</Grade3>
18	CustStockCode	Additional product information	A	50		<CustStockCode>TEST1234</CustStockCode>
19	PackTypeOrd	Default is Each	A	50		<PackTypeOrd>EACH</PackTypeOrd>
20	Weight	Line weight	N	6+2		<Weight>5</Weight>
21	Volume	Line volume	N	6+2		<Volume>0.02</Volume>
22	Notes	Additional line record information	A	250		<Notes>TEST NOTES</Notes>
23	ContingencyPrice	Additional product information	N	6+2		<ContingencyPrice>10.00</ContingencyPrice>

Sales Order Line Record

This record is repeated if there are multiple lines in the sales order.

#	XML Tag	Description	Type	Max Length	Mandatory	XML Example
24	CustStockDesc	Additional product information	A	50		<CustStockDesc>TESTDESC</CustStockDesc>
25	Expiry	Additional product information	D	12		<ExpiryDate>2024-10-02</ExpiryDate>
26	Packing	Additional product information	D	12		<Packing>2022-10-02</Packing>
27	KitsetCode	Parent Code if shipping Kitset	A	50		<KitsetCode>KIT123<KitsetCode>
28	FreightClass	Freight class code for product list	N	6		<FreightClass>TEST</FreightClass>

(Please note: In the Type Column refers to Alpha, N refers to Number and D refers to Date)

#	XML Tag	Description	Type	Max Length	Example
0	References	Object Tag for References segment	O	10	<References>
1	ExternalSystem	External system to be used options are: SPS, Retail, General	A	50	<ExternalSystem>General</ExternalSystem>
2	Reference	Object Tag for Reference segment	O	9	<Reference>
3	ReferenceName	Reference Name to be used from available type from Reference Types table	A	50	<ReferenceName>Vendor</ReferenceName>
4	ReferenceValue	Reference value	A	50	<ReferenceValue>MAINFREIGHT</ReferenceValue>

References

A Reference represents what type of additional references you can send through to a Mainfreight warehouse.

Below is a table breaking down what each Reference type means

Reference Name	**Additional Fields**	**Description**
TradingPartnerId	value	Trading Partner ID
Vendor	value	Vendor Number
StoreNumber	value	Store Number
ShipToAddressAddressLocationNumber	value	Ship to Address Location Number
Department	value	Department Number
BuyersCurrency	value	Buyers Currency
CustomerAccountNumber	value	Customer Account Number
PurchaseOrderNumber	value	Purchase Order Number
FOBPayCode	value	Free On Board Pay Code
FOBLocationQualifier	value	Free On Board Location Qualifier
FOBLocationDescription	value	Free On Board Location Description
TsetPurposeCode	value	T Set Purpose Code
PurchaseOrderTypeCode	value	Purchase Order Type Code
Division	value	Division
BusinessFamily	value	Business Family
StoreName	value	Store Name
StoreAddress1	value	Store Address 1
StoreCity	value	Store City
StoreState	value	Store State
StorePostalCode	value	Store Postal Code
Z7	value	Z7

Sales Order Acknowledgement

Mainfreight recognises the need for a third-party warehousing solution to send their clients back information concerning Inwards they may have receipted into their system.

All acknowledgement files are sent back in a Comma Delimited.

When a sales order has been entered into the warehouse and a sales acknowledgement can be automatically generated out of MIMS.

Requirements

If an acknowledgement file is required, then you must provide Mainfreight with the following information:

CSV Confirmations will have the filename [OA_CustomerID_WarehouseID_reference].CSV

#	Format: STD	Description	Type	Max Length	Example
0	Record Type - 'ACKH' Header	Defines this record as the header	A	3	ACKH
1	Client Order Number	This is the order ID or the reference for the transaction. This value is used for queries, reporting and tracking purposes. This value has to be unique.	A	50	29082101
2	Client Reference	This is additional reference that can be used for the order	A	50	123456A
3	Customer Order Number	This is your customer's reference number.	A	50	PO123456
4	Consignee Code	Code for the delivery recipient	A	18	001212
5	Delivery Name	Name of your consignee	A	50	CLIFFORD BOTTLE SHOP
6	Delivery Address 1	Street Number and Name	A	50	107 GATEWAY BOULEVARD
7	Delivery Address 2	Additional Address detail	A	50	VIA 2ND GATE
8	Delivery Suburb	Town. This is mandatory for NZ addresses when the City is AKL, CHC and WGN. Mandatory field for all AU addresses	A	50	EPPING
9	Delivery Post Code	Postal Code	A	50	3076
10	Delivery City	City Or Location. This is mandatory field for NZ and US addresses.	A	50	MELBOURNE
11	Delivery State	State. Not mandatory for NZ addresses	A	50	VIC
12	Delivery Country	Country name, i.e. New Zealand	A	50	AUSTRALIA
13	Delivery Instructions	Customer, Carrier or Warehouse instructions	A	500	No Deliveries on Monday and Sunday . All deliveries between 2pm-5pm all other days
14	Invoice Name	Bill To Name	A	60	CLIFFORD PTY LTD
15	Invoice Address 1	Bill To Street Name & Number.	A	50	50 PEPPER ROAD
16	Invoice Address 2	Bill To Additional Address.	A	50	UNIT 2

#	Format: STD	Description	Type	Max Length	Example
17	Invoice Address Suburb	Bill To Town	A	50	EPPING
18	Invoice Address Post Code	Bill To Postal Code	A	50	7076
19	Invoice Address City	Bill To City	A	50	MELBOURNE
20	Invoice Address State	Bill To State	A	50	VIC
21	Invoice Country	Bill To Country	A	50	AUSTRALIA
22	Invoice Contact	Contact Name	A	50	PETER CLIFFORD
23	Warehouse Code	Warehouse ID where the products are stored. *Mainfreight will provide you with this code.	A	3	22
24	Rep code	Extra header field.	A	50	EX
25	Rep Name	Extra header field	A	50	EXAMPLE
26	Date Ordered	Order date	D	12	01/10/2022
27	Date Required	Required date for delivery	D	12	02/10/2022
28	Date Dispatched	Dispatch date for the order	D	12	01/10/2022
29	Unused	Leave Blank			
30	Total Units Ordered	Total number of units in the order	N	8	36
31	Miscellaneous Charges Total	Misc. charge value that is supplied on the EDI order will populate here.	N	6+2	0.00
32	Freight Charge	Calculated freight charge (if available).	N	6+2	0.00
33	GST	GST value that is supplied on the EDI order will populate here.	N	6+2	0.00
34	Comment	Extra header field	A	50	COMMENT 1

#	Format: STD	Description	Type	Max Length	Example
35	Comment	Extra header field	A	50	COMMENT 2
36	Comment	Extra header field	A	50	COMMENT 3
37	Carrier Ref	Tracking reference. Only populated if tracking reference is provided in the EDI order.	A	50	EXP1234567
38	Pallets	Total number of pallets being shipped.	N	8	1
39	Total Weight Kg	Approximate order total weight	N	6+2	5.4000
40	Total Volume M^3	Approximate order total volume	N	6+2	0.2000
41	Net Invoice	Invoice Charges for Packing slip	N	6+2	0.00
42	Carrier Description	Designated carrier for the shipment	A	50	MAINFREIGHT
43	Connote Number	Tracking reference. Only populated if tracking reference is provided in the EDI order.	A	50	EXP1234567
44	ETA	Estimated date of arrival.	D	12	02/10/2022
45	Service Description	Designated carrier service description for the shipment	A	50	TRANSPORT
46	Scan Pack	Y or N	A	1	N
47	ASN Cross dock Reference	ASN Crossdock Reference	A	50	INW987654
48	Booking Required/Timeslot	Indicates if there is a timeslot. 0 or 1	A	1	0
49	Booking From Date	Start date of the booking for delivery to the receiver.	D	12	02/10/2022
50	Booking To Date	End date of the booking for delivery to the receiver.	D	12	02/10/2022
51	Booking Comment	Booking reference for receiver.	A	50	Between 2pm - 5pm
52	Booking Reference	Booking reference for receiver.	A	50	PO123456

#	Format: STD	Description	Type	Max Length	Example
53	Custom Stock Status	Custom stock status code, discuss usage with the integration team	A	50	N
54	Order Status	Status of the order	A	50	ENTERED
55	Duty Free	Indicates if order is duty free. 0 or 1	N	1	0
56	Call Required	Indicates if call is required for booking. 0 or 1	N	1	0
57	VIP Email	VIP email notification email address	A	50	Clifford@gmail.com
58	Order Type	Order Type Code	A	1	N
59	Debtor Phone	Booking comments for the receiver.	N	15	0399541234
60	ASN Reference	Order Type Code	A	1	N

(Please note: In the Type Column refers to Alpha, N refers to Number and D refers to Date)

Sales Order Acknowledgement Line Record

This record is repeated if there are multiple lines in the sales order.

#	Format: STD	Description	Type	Max Length	Example
0	Fixed value = 'ACKL'	Defines this record as the line records	A	3	ACKL
1	Client Order Number	Same reference as the Order ID in the header	A	50	29082101
2	Line No	Sales order line number. This value is returned back in the confirmation file.	N	8	10000
3	Unused	Not used.			
4	Unused	Not used.			
5	Product Code	Sales order material code. Assumption is that the code already exists in MIMS.	A	50	1020001
6	Product Description	Sales order material description. If blank, the value is taken from the product profile.	A	50	VODKA 750ML C6
7	Product Description2	Additional product description	A	50	6 X 750ML
8	Quantity	Ordered quantity for the line. The value is based on the lowest unit of measure (see Unit of Measure)	N	8	36
9	Unused	Not used.			
10	Quantity Back Order	Placeholder for back-order, although MFT does not handle back-orders	N		0
11	Unit RRP	If requiring a priced packing slip	N	6+2	0.00
12	Unit Discount	If requiring a priced packing slip	N	6+2	0.00
13	Unit Price	If requiring a priced packing slip	N	6+2	0.00
14	Extended Price	If requiring a priced packing slip	N	6+2	0.00

Sales Order Acknowledgement Line Record

This record is repeated if there are multiple lines in the sales order.

#	Format: STD	Description	Type	Max Length	Example
15	Misc Charge Description	If requiring a priced packing slip	A	40	EXAMPLE
16	Misc Charge amount	If requiring a priced packing slip	N	6+2	0.00
17	Grade 1 (User defined field)	Actual attribute value is populated if it is specified on the EDI sale order.	A	50	AB123456
18	Grade 2 (User defined field)	Actual attribute value is populated if it is specified on the EDI sale order.	A	50	GRADE2
19	Grade 3 (Used defined field)	Actual attribute value is populated if it is specified on the EDI sale order.	A	50	GRADE3
20	Consignee Product Code	Additional product information	A	50	123456
21	Pack Type Ordered	Default is Each	A	50	EACH
22	Unit Weight	Line weight	N	6+2	1.59
23	Unit Volume	Line volume	N	6+2	0.0003
24	Notes	Additional line record information	A	250	LINE NOTES
25	Contingency Price	Additional product information	N	6+2	0.00
26	Consignee Product Description	Additional product information	A	50	TEST DESC
27	Kitset Code	Parent Code if shipping Kitset	A	50	KIT123
28	Quantity to pick	Quantity available to pick	N	6	36
29	Under Bond	Indicates of stock is under bond. 0 or 1	N	1	0

Sales Order confirmation (Dispatch)

When your order has been finalised in MIMS an order confirmation is automatically generated out of MIMS.

The finalise process can occur before the order is physically loaded and despatched out of the warehouse. If you do not wish to receive an order confirmation until the order has physically left the warehouse, then please make this point clear to your Mainfreight Champion.

Requirements

If a confirmation file is required, then you must provide Mainfreight with the following information:

Format you require (XML or STD).

XML Confirmations will have the filename [OC_CustomerID_WarehouseID_reference].XML

CSV Confirmations will have the filename [OC_CustomerID_WarehouseID_reference].CSV

If required, a copy of a packing slip can be sent out to you when your order is confirmed in MIMS. To set this up your Mainfreight contact requires the email address(es) you need the packing slip sent to.

Order Confirmation Standard Format

#	Format: STD	Description	Type	Max Length	STD Example
0	SCH	Defines this record as the header	A	3	SCH
1	Reference	This is the order ID or the reference for the transaction. This value is used for queries, reporting and tracking purposes. This value has to be unique.	A	50	29082101
2	PickID	This is the internal WMS pick ID.	N	12	1416727
3	ClientOrdRef	This is additional reference that can be used for the order	A	50	12345
4	CustomerOrdRef	This is your customer's reference number.	A	50	PO123456
5	ConsigneeCode	Code for the delivery recipient	A	18	001212
6	ConsigneeName	Name of your consignee	A	50	CLIFFORD BOTTLE SHOP
7	ConsigneeAddress1	Street Number and Name	A	50	107 GATEWAY BOULEVARD
8	ConsigneeAddress2	Additional Address detail	A	50	VIA 2ND GATE
9	ConsigneeSuburb	Town. This is mandatory for NZ addresses when the City is AKL, CHC and WGN. Mandatory field for all AU addresses	A	50	EPPING
10	ConsigneePostCode	Postal Code	A	50	3076
11	ConsigneeCity	City Or Location.	A	50	MELBOURNE
12	ConsigneeState	This is mandatory field for AU and US addresses.			VICTORIA
13	ConsigneeCountry	Country name, i.e. New Zealand	A	50	Australia

Order Confirmation Standard Format

#	Format: STD	Description	Type	Max Length	STD Example
14	Instructions	Customer, Carrier or Warehouse instructions	A	50	No Deliveries on Monday and Sunday. All deliveries between 2pm-5pm all other days
15	SoldToName	Bill To Name	A	500	Clifford Pty Ltd
16	SoldToAddress1	Bill To Street Name & Number.	A	60	50 Pepper Road
17	SoldToAddress2	Bill To Additional Address.	A	50	UNIT 1
18	SoldToSuburb	Bill To Town	A	50	EPPING
19	SoldToPostCode	Bill To Postal Code	A	50	3076
20	SoldToCity	Bill To City	A	50	MELBOURNE
21	SoldToState	Bill To State	A	50	VIC
22	SoldToCountry	Bill To Country	A	50	AU
23	SoldToContact	Contact Name	A	50	Peter Clifford
24	WarehouseNo	Warehouse ID where the products are stored. *Mainfreight will provide you with this code.	A	50	22
25	RepCode	Extra header field.	A	3	TEST
26	RepName	Extra header field	A	50	TEST
27	ArrivalDate	Leave Blank	A	50	28/09/2022
28	RequiredDate	Required date for delivery	D	12	02/10/2022
29	FinalisedDate	Completed date of transaction	D	12	29/09/2022

Order Confirmation Standard Format

#	Format: STD	Description	Type	Max Length	STD Example
30	Unused	Leave Blank			
31	Units	Total number of units in the order	N	12	36
32	MiscCharge	Misc. charge value that is supplied on the EDI order will populate here.	N	8	0.00
33	FreightCharge	Calculated freight charge (if available).	N	6+2	0.00
34	GST	GST value that is supplied on the EDI order will populate here.	N	6+2	0.00
35	EDIComment1	Extra header field	N	6+2	COMMENT 1
36	EDIComment2	Extra header field	A	50	COMMENT 2
37	EDIComment3	Extra header field	A	50	COMMENT 3
38	CarrierRef	Tracking reference generated by the WMS.	A	50	OTR000000134
39	Pallets	Total number of pallets being shipped.	A	50	1
40	Weight	Approximate order total weight	N	8	30.00
41	Volume	Approximate order total volume	N	6+2	0.08
42	InvoiceAmount	Invoice amount.	N	6+2	10.00
43	CarrierName	Designated carrier for the shipment	N	6+2	MAINFREIGHT
44	ConsignmentNo	Tracking reference generated by the WMS.	A	50	OTR000000134
45	ETADate	Estimated date of arrival.	A	50	02/10/2022

Order Confirmation Standard Format

#	Format: STD	Description	Type	Max Length	STD Example
46	ServiceName	Designated carrier service description for the shipment	D	12	TRANSPORT
47	ScanPack	Unique ID assigned to the client. This will be provided by the IT contact.	A	50	N
48	ASNReference	Cross Dock ASN Reference	A	20	123456
49	Unused	Not used.	A	1	
50	Timeslot	Y or N	A	50	Y
51	BookingFromDate	Start date of the booking for delivery to the receiver.	A	1	02/10/2022
52	BookingToDate	End date of the booking for delivery to the receiver.	D	12	02/10/2022
53	BookingReference	Booking reference for receiver.	D	12	PO123456
54	BookingComment	Booking comments for the receiver.	D	12	Between 2pm - 5pm
55	DebtorPhone	Contact phone number	N	15	0399541234
56	VIPEmail	VIP email notification email address	A	50	Clifford@gmail.com
57	PackTypeSent	Package type that was dispatched and sent.	A	50	EACH
58	PackagesSent	Custom stock status code, discuss usage with the integration team	N	10	4
59	OrderType	Order type for the order.	A	1	E
60	HirePallets	Number of hire pallets that have been dispatched.	N	10	1

Order Confirmation Standard Format

#	Format: STD	Description	Type	Max Length	STD Example
61	Urgent	Indicates that the order should be dispatched with urgent priority	A	1	0
62	SCACCode	Carrier SCAC code.	A	4	MFGN
63	SenderName	Indicates that a call is required to confirm the booking time	A	50	BEVERAGE AUSTRALIA
64	SenderAddress1	Sender street name and number address line 1.	A	50	39 HIGH STREET
65	SenderAddress2	Sender street name and number address line 2.	A	50	UNIT 1
66	SenderSuburb	Sender suburb.	A	50	EPPING
67	SenderPostCode	Sender postcode.	A	50	3076
68	SenderCity	Sender city.	A	50	MELBOURNE
69	SenderState	Full sender state.	A	50	VICTORIA
70	SenderStateCode	Sender state code.	A	50	VIC
71	SenderCountry	Sender country.	A	50	AUSTRALIA
72	DebtorStateCode	Delivery recipient state code.	A	10	VIC
73	TransferWhsID	Warehouse transfer code used for internal warehouse transfers.	N	10	0
74	DutyFree	Used to indicate if the order is set to pick duty free stock.	N	1	0

Order Confirmation Standard Format

#	Format: STD	Description	Type	Max Length	STD Example
75	CallRequired	Used to specify if a call is required to make a booking with the receiver.	A	1	Y
76	ConsigneeGroupID	Consignee group name that can be used for setting process or documents associated to the unique group	A	50	12345
77	ConsigneeDeliveryLocation	Internal consignee delivery location code.	A	50	TEST1
78	ChargeCode	Charge code that the order is dispatched on.	A	50	022333
79	SenderCode	Sender code that the order is dispatched on.	A	50	OTRMPR
80	RouteType	Internal route type code.	A	50	1
81	ContainerNo	Container number that the order is shipped in.	A	50	12345
82	ContainerType	Type of container has been used.	A	50	TEST
83	SealNo	Seal number used for the container.	A	50	12345

Sales Order Line Record (repeated multiple times)

#	Format: STD	Description	Type	Max Length	STD Example
0	Fixed value = 'SCL'	Defines this record as the line records	A	3	SCL
1	Reference	Same reference as the Order ID in the header	A	50	29082101
2	OrderLineNo	Sales order line number. This value is returned back in the confirmation file.	N	8	10000
3	PickID	Leave Blank	N	12	1416727
4	ClientOrdReference	Leave Blank	A	50	12345
5	Code	Sales order material code. Assumption is that the code already exists in MIMS.	A	50	1020001
6	ProductDescription	Sales order material description. If blank, the value is taken from the product profile.	A	50	VODKA 750ML C6
7	Description2	Additional product description	A	50	6 X 750ML
8	Units	Ordered quantity for the line. The value is based on the lowest unit of measure (see Unit of Measure)	N	8	36.000
9	UnitSent	Sent quantity for the line. The value is based on the lowest unit of measure (see Unit of Measure)	N	8	36.000
10	UnitsBack	Placeholder for back-order, although MFT does not handle back-orders	N	8	0.000
11	UnitRetailPrice	If requiring a priced packing slip	N	6+2	10.00
12	UnitDiscount	If requiring a priced packing slip	N	6+2	5.00
13	UnitPrice	If requiring a priced packing slip	N	6+2	5.00

Sales Order Line Record (repeated multiple times)

#	Format: STD	Description	Type	Max Length	STD Example
14	PriceExtended	If requiring a priced packing slip	N	6+2	5.00
15	MiscChargeDesc	If requiring a priced packing slip	A	40	10
16	MiscChargeAmount	If requiring a priced packing slip	N	6+2	5.00
17	Grade1	Leave blank. Actual attribute value is shown in the confirmation file if applicable	A	50	AB123456
18	Grade2	Leave blank. Actual attribute value is shown in the confirmation file if applicable	A	50	GRADE2
19	Grade3	Leave blank. Actual attribute value is shown in the confirmation file if applicable	A	50	GRADE3
21	PackTypeOrd	Default is Each	A	50	EACH
22	Weight	Line weight	N	6+2	30.00
23	Volume	Line volume	N	6+2	0.08
24	Notes	Notes	A	250	TEST NOTE
25	PriceContingency	Additional line record information	N	6+2	10.00
26	ConsProdDesc	Additional product information	A	50	TEST DESC
27	OutboundSerial	Additional product information	A	50	OB123
28	ExpiryDate	Additional product information	D	12	10/02/2024
29	PackingDate	Additional product information	D	12	10/02/2022

Sales Order Line record (repeated multiple times)

#	Format: STD	Description	Type	Max Length	STD Example
30	KitsetCode	Parent Code if shipping Kitset	A	50	KIT123
31	WeightCaptured	Indicates if weight was captured during processing.	N	6+2	0
32	UnderBond	Indicates whether the order line is under bond or duty paid.	A	1	1
33	VFD	Duty VFD for order line.	N	6+2	1.000
34	VTI	Duty VTI for order line.	N	6+2	1.000
35	EntryNo	Duty entry number for the order line.	A	50	123456789
36	EntryLineNo	Duty entry number for the order line.	N	10	
37	ArrivalDate	Stock arrival date into the warehouse.	D	12	10/02/2023
38	LineID	Internal line ID.	N	1	1
39	EachBarcode	Product each pack type barcode that is saved in the WMS against the product profile.	N	20	3185370000011
40	InnerBarcode	Product inner pack type barcode that is saved in the WMS against the product profile.	N	20	3185370000012
41	CartonBarcode	Product carton pack type barcode that is saved in the WMS against the product profile.	N	20	3185370000013

Sales Order Confirmation XML Format

#	XML Tag	Description	Type	Max Length	XML Example
0	SCH	Defines this record as the header	A	3	<SCH>
1	OrderID	This is the order ID or the reference for the transaction. This value is used for queries, reporting and tracking purposes. This value has to be unique.	A	50	<OrderID>29082101</OrderID>
2	PickNo	This is the internal WMS pick ID.	N	10	<PickNo>1416727</PickNo>
3	ClientRef	This is additional reference that can be used for the order	A	50	<ClientRef> 12345</ClientRef>
4	CustRef	This is your customer's reference number.	A	50	<CustRef>PO123456</CustRef>
5	DebtorID	Code for the delivery recipient	A	18	<DebtorID>001212</DebtorID>
6	DebtorName	Name of your consignee	A	50	<DebtorName>CLIFFORD BOTTLE SHOP</DebtorName>
7	DebtorAdd1	Street Number and Name	A	50	<DebtorAdd1>107 GATEWAY BOULEVARD</DebtorAdd1>
8	DebtorAdd2	Additional Address detail	A	50	<DebtorAdd2>VIA 2ND GATE</DebtorAdd2>
9	DebtorSuburb	Town. This is mandatory for NZ addresses when the City is AKL, CHC and WGN. Mandatory field for all AU addresses	A	50	<DebtorSuburb>EPPING</DebtorSuburb>
10	DebtorPostCode	Postal Code	A	50	<DebtorPostCode>3076</DebtorPostCode>

Sales Order Confirmation XML Format

#	XML Tag	Description	Type	Max Length	XML Example
11	DebtorCity	City Or Location.	A	50	<DebtorCity>MELBOURNE</DebtorCity>
12	DebtorState	This is mandatory field for AU and US addresses.			<DebtorState>VICTORIA</DebtorState>
13	DebtorCountry	Country name, i.e. New Zealand	A	50	<DebtorCountry>Australia</DebtorCountry>
14	SpecialInstructions	Customer, Carrier or Warehouse instructions	A	50	<SpecialInstructions>No Deliveries on Monday and Sunday. All deliveries between 2pm-5pm all other days</SpecialInstructions>
15	InvoiceName	Bill To Name	A	500	<InvoiceName>Clifford Pty Ltd</InvoiceName>
16	InvoiceAdd1	Bill To Street Name & Number.	A	60	<InvoiceAdd1>50 Pepper Road</InvoiceAdd1>
17	InvoiceAdd2	Bill To Additional Address.	A	50	<InvoiceAdd2>UNIT 1</InvoiceAdd2>
18	InvoiceSuburb	Bill To Town	A	50	<InvoiceSuburb>EPPING</InvoiceSuburb>
19	InvoicePostCode	Bill To Postal Code	A	50	<InvoicePostCode>3076</InvoicePostCode>
20	InvoiceCity	Bill To City	A	50	<InvoiceCity>MELBOURNE</InvoiceCity>
21	InvoiceState	Bill To State	A	50	<InvoiceState>VIC</InvoiceState>

22	InvoiceCountry	Bill To Country	A	50	<InvoiceCountry>AU</InvoiceCountry>

Sales Order Confirmation XML Format

#	XML Tag	Description	Type	Max Length	XML Example
23	InvoiceContact	Contact Name	A	50	<InvoiceContract>Peter Clifford</InvoiceContract>
24	WhsID	Warehouse ID where the products are stored. *Mainfreight will provide you with this code.	A	50	<WhsId>22</WhsId>
25	RepCode	Extra header field.	A	3	<RepCode>TEST</RepCode>
26	RepName	Extra header field	A	50	<RepName>TEST</RepName>
27	OrderDate	Date order created	A	50	<OrderDate>28/09/2022</OrderDate>
28	RequiredDate	Required date for delivery	D	12	<RequiredDate>02/10/2022<RequiredDate>
29	DateDispatched	Date order dispatched	D	12	<DateDispatched>29/09/2022</DateDispatched>
30	OrderLineTotal	Total number of units in the order	N	8	<OrderLineTotal>36</OrderLineTotal>
31	MiscCharge	Misc. charge value that is supplied on the EDI order will populate here.	N	8	<MiscCharge>0.00</MiscCharge>
32	FreightCharge	Calculated freight charge (if available).	N	6+2	<FreightCharge>0.00</FreightCharge>
33	GST	GST value that is supplied on the EDI order will populate here.	N	6+2	<GST>0.00</GST>

34	Comment1	Extra header field	N	6+2	<Comment1>COMMENT 1</Comment1>

Sales Order Confirmation XML Format

#	XML Tag	Description	Type	Max Length	XML Example
35	Comment2	Extra header field	A	50	<Comment2>COMMENT 2</Comment2>
36	Comment3	Extra header field	A	50	<Comment3>COMMENT 3</Comment3>
37	CarrierRef	Tracking reference generated by the WMS.	A	50	<CarrierRef>OTR000000134</CarrierRef>
38	Pallets	Total number of pallets being shipped.	A	50	<Pallets>1</Pallets>
39	Weight	Approximate order total weight	N	8	<Weight>30.00</Weight>
40	Volume	Approximate order total volume	N	6+2	<Volume>0.08</Volume>
41	NetInvoice	Invoice amount.	N	6+2	<NetInvoice>10.00</NetInvoice>
42	Carrier	Designated carrier for the shipment	N	6+2	<Carrier>MAINFREIGHT</Carrier>
43	ConnoteNo	Tracking reference generated by the WMS.	A	50	<ConnoteNo>OTR000000134</ConnoteNo>
44	ETA	Estimated date of arrival.	A	50	<ETA>02/10/2022</ETA>
45	ServiceDesc	Designated carrier service description for the shipment	D	12	<ServiceDesc>TRANSPORT</ServiceDesc>
46	ScanPack	Unique ID assigned to the client. This will be provided by the IT contact.	A	50	<ScanPack>N</ScanPack>

47	ASNReference	Y or N	A	20	<ASNReference>123456</ASNReference>

Sales Order Confirmation XML Format

#	XML Tag	Description	Type	Max Length	XML Example
48	Timeslot	Y or N	A	50	<Timeslot>Y</Timeslot>
49	BookingFromDate	Start date of the booking for delivery to the receiver.	A	1	<BookingFromDate>02/10/2022</BookingFromDate>
50	BookingToDate	End date of the booking for delivery to the receiver.	D	12	<BookingToDate>02/10/2022</BookingToDate>
51	BookingReference	Booking reference for receiver.	D	12	<BookingReference>PO123456</BookingReference>
52	BookingComment	Booking comments for the receiver.	D	12	<BookingComment>Between 2pm – 5pm</BookingComment>
53	DebtorPhone	Contact phone number	N	15	<DebtorPhone>0399541234</DebtorPhone>
54	VIPEmail	VIP email notification email address	A	50	<VIPEmail>Clifford@gmail.com</VIPEmail>
55	PackTypeSent	Package type that was dispatched and sent.	A	40	<PackTypeSent>EACH</PackTypeSent>
57	PackagesSent	Custom stock status code, discuss usage with the integration team	N	8	<PackagesSent>4</PackagesSent>
58	OrderType	Order type for the order.	A	8	<OrderType>E</OrderType>
59	HirePallets	Number of hire pallets that have been dispatched.	N	8	<HirePallets>1</HirePallets>

Sales Order Confirmation XML Format

#	XML Tag	Description	Type	Max Length	XML Example
60	Urgent	Indicates that the order should be dispatched with urgent priority	A	1	<Urgent>0</Urgent>
61	SCACCode	Carrier SCAC code.	A	8	<SCACCode>MFGN</SCACCode>
62	SenderName	Indicates that a call is required to confirm the booking time	A	50	<SenderName>BEVERAGE AUSTRALIA</SenderName>
63	SenderAddress1	Sender street name and number address line 1.	A	50	<SenderAddress1>39 HIGH STREET</SenderAddress1>
64	SenderAddress2	Sender street name and number address line 2.	A	50	<SenderAddress2>UNIT 1</SenderAddress2>
65	SenderSuburb	Sender suburb.	A	50	<SenderSuburb>EPPING</SenderSuburb>
66	SenderPostCode	Sender postcode.	A	50	<SenderPostCode>3076</SenderPostCode>
67	SenderCity	Sender city.	A	50	<SenderCity>MELBOURNE</SenderCity>
68	SenderState	Full sender state.	A	50	<SenderState>VICTORIA</SenderState>
69	SenderStateCode	Sender state code.	A	50	<SenderStateCode>VIC</SenderStateCode>
70	SenderCountry	Sender country.	A	50	<SenderCountry>AUSTRALIA</

					SenderCountry>

Sales Order Confirmation XML Format

#	XML Tag	Description	Type	Max Length	XML Example
71	DebtorStateCode	Delivery recipient state code.	A	10	<DebtorStateCode>VIC</DebtorStateCode>
72	TransferWhsID	Warehouse transfer code used for internal warehouse transfers.	N	8	<TransferWhsID>0</TransferWhsID>
73	DutyFree	Used to indicate if the order is set to pick duty free stock.	A	1	<DutyFree>0</DutyFree>
74	CallRequired	Used to specify if a call is required to make a booking with the receiver.	A	1	<CallRequired>Y</CallRequired>
75	ConsigneeGroupID	Consignee group name that can be used for setting process or documents associated to the unique group	A	50	<ConsigneeGroupID>12345</ConsigneeGroupID>
76	ConsigneeDeliveryLocation	Internal consignee delivery location code.	A	50	<ConsigneeDeliveryLocation>TEST1</ConsigneeDeliveryLocation>
77	ChargeCode	Charge code that the order is dispatched on.	N	8	<ChargeCode>022333</ChargeCode>
78	SenderCode	Sender code that the order is dispatched on.	N	8	<SenderCode>OTRMPR</SenderCode>
79	RouteType	Internal route type code.	A	8	<RouteType>1</RouteType>
80	ContainerNo	Container number that the order is shipped in.	A	50	<ContainerNo>12345</ContainerNo>
81	ContainerType	Type of container has been used.	A	50	<ContainerType>TEST</ContainerType>

82	SealNo	Seal number used for the container.	A	50	<SealNo>12345</SealNo>

#	XML Tag	Description	Type	Max Length	Example
0	References	Object Tag for References segment	O	10	<References>
1	ExternalSystem	External system to be used options are: SPS, Retail, General	A	50	<ExternalSystem>General</ExternalSystem>
2	Reference	Object Tag for Reference segment	O	9	<Reference>
3	ReferenceName	Reference Name to be used from available type from Reference Types table	A	50	<ReferenceName>Vendor</ReferenceName>
4	ReferenceValue	Reference value	A	50	<ReferenceValue>MAINFREIGHT</ReferenceValue>

Sales Order Confirmation Lines

#	XML Tag	Description	Type	Max Length	XML Example
0	SCL	Defines this record as the line records	A	3	<SCL>
1	Line	Line segment	A	4	<Line>
2	OrderID	Same reference as the Order ID in the header	A	50	<OrderID>29082101</OrderID>
3	LineNo	Sales order line number. This value is returned back in the confirmation file.	N	8	<LineNo>10000</LineNo>
4	PickNo	Mainfreight Internal Pick Number	N	10	<PickNo>1416727</PickNo>
5	ClientRef	Same reference as the Client reference in the header	A	50	<ClientRef>12345</ClientRef>
6	WhsStockCode	Sales order material code. Assumption is that the code already exists in MIMS.	A	50	<WhsStockCode>1020001</WhsStockCode>
7	WhsStockDesc	Sales order material description. If blank, the value is taken from the product profile.	A	50	<WhsStockDesc>VODKA 750ML C6</WhsStockDesc>
8	WhsStockDesc2	Additional product description	A	50	<WhsStockDesc2>6 X 750ML</WhsStockDesc2>
9	Quantity	Ordered quantity for the line. The value is based on the lowest unit of measure (see Unit of Measure)	N	8	<Quantity>36.000<Quantity>
10	QuantitySent	Sent quantity for the line. The value is based on the lowest unit of measure (see Unit of Measure)	N	6+2	<QuantitySent>36.000</QuantitySent>
11	QuantityBackOrd	Placeholder for back-order, although MFT does not handle back-orders	N	6+2	<QuantityBackOrd>0.000</QuantityBackOrd>
12	RRP	If requiring a priced packing slip	N	6+2	<RRP>10.00</RRP>
13	DiscountPrice	If requiring a priced packing slip	N	6+2	<DiscountPrice>5.00</DiscountPrice>
14	CostPrice	If requiring a priced packing slip	N	6+2	<CostPrice>5.00</CostPrice>
15	ExtendedPrice	If requiring a priced packing slip	N	6+2	<ExtendedPrice>5.00</ExtendedPrice>

Sales Order Confirmation Lines

#	XML Tag	Description	Type	Max Length	XML Example
16	MiscChargeDesc	If requiring a priced packing slip	A	40	<MiscChargeDesc>10</MiscChargeDesc>
17	MiscChargeAmount	If requiring a priced packing slip	N	6+2	<MiscChargeAmount>5.00</MiscChargeAmount>
18	Grade1	Leave blank. Actual attribute value is shown in the confirmation file if applicable	A	50	<Grade1>AB123456</Grade1>
19	Grade2	Leave blank. Actual attribute value is shown in the confirmation file if applicable	A	50	<Grade2>GRADE2</Grade2>
20	Grade3	Leave blank. Actual attribute value is shown in the confirmation file if applicable	A	50	<Grade3>GRADE3</Grade3>
21	PackTypeOrd	Default is Each	A	50	<PackTypeOrd>EACH</PackTypeOrd>
22	Weight	Line weight	N	6+2	<Weight>30.00</Weight>
23	Volume	Line volume	N	6+2	<Volume>0.08</Volume>
24	Notes	Notes	A	250	<Notes>TEST NOTE</Notes>
25	ContingencyPrice	Additional line record information	N	6+2	<ContingencyPrice>10.00</ContingencyPrice>
26	ConsProdDesc	Additional product information	A	50	<ConsProdDesc>TEST DESC</ConsProdDesc>
27	OutboundSerial	Additional product information	A	50	<OutboundSerial>OB123</OutboundSerial>
28	ExpiryDate	Additional product information	D	12	<ExpiryDate>10/02/2024</ExpiryDate>
29	PackingDate	Additional product information	D	12	<PackingDate>10/02/2022</PackingDate>
30	KitsetCode	Parent Code if shipping Kitset	A	50	<KitsetCode>KIT123</KitsetCode>
31	WeightCaptured	Indicates if weight was captured during processing.	N	6+2	<WeightCaptured>0</WeightCaptured

Sales Order Confirmation Lines

32	IntoBond	Indicates whether the order line is under bond or duty paid.	N	1	<IntoBond>1</IntoBond>
33	VFD	Duty VFD for order line.	N	6+2	<VFD>1.00</VFD>
34	VTI	Duty VTI for order line.	N	6+2	<VTI>1.000</VTI>
35	EntryNo	Duty entry number for the order line.	A	50	<EntryNo>123456789</EntryNo>
36	EntryLineNo	Duty entry number for the order line. 0/1.	N	2	<EntryLineNo>1</EntryLineNo>
37	ArrivalDate	Stock arrival date into the warehouse.	D	12	<ArrivalDate>10/02/2023</ArrivalDate>
38	LineID	Internal line ID.	N	12	<LineID>1</LineID>
39	EachBarcode	Product each pack type barcode that is saved in the WMS against the product profile.	N	20	<EachBarcode>3185370000011</EachBarcode>
40	InnerBarcode	Product inner pack type barcode that is saved in the WMS against the product profile.	N	20	<InnerBarcode>3185370000012</InnerBarcode>
41	CartonBarcode	Product carton pack type barcode that is saved in the WMS against the product profile.	N	20	<CartonBarcode> 3185370000013</CartonBarcode>

#	XML Tag	Description	Type	Max Length	Example
0	References	Object Tag for References segment	O	10	<References>
1	ExternalSystem	External system to be used options are: SPS, Retail, General	A	50	<ExternalSystem>General</ExternalSystem>
2	Reference	Object Tag for Reference segment	O	9	<Reference>
3	ReferenceName	Reference Name to be used from available type from Reference Types table	A	50	<ReferenceName>Vendor</ReferenceName>
4	ReferenceValue	Reference value	A	50	<ReferenceValue>MAINFREIGHT</ReferenceValue>

SCP

#	XML Tag	Description	Type	Max Length	Example
0	SCP	Start of the packing information segment.	O	3	<SCP>
1	Packs	Start of the pack line segment.	O	50	<Packs>
2	OrderID	This is the order ID or the reference for the transaction. This value is used for queries, reporting and tracking purposes. This value has to be unique.	N	8	<OrderID>4234</OrderID>
3	ExternalSystem	Indicates external system that the pack information is sent to.	A	50	<ExternalSystem>SPS</ExternalSystem>
4	Pack	Start of pack information segment.	O		<Pack>
5	SSCCNumber	SSCC number generated by the WMS.	A	50	<SSCCNumber>33429829423948234</SSCCNumber>
6	DestinationCode	Receiver destination code.	A	50	<DestinationCode>303</DestinationCode>
7	DestinationName	Receiver destination name.	A	50	<DestinationName>Wallmart</DestinationName>
8	SCACCode	Carrier SCAC code.	A	8	<SCACCode>MFT</SCACCode>
9	ConsignmentNo	Tracking reference generated by the WMS.	A	50	<ConsignmentNo>MF38399398484</ConsignmentNo>
10	LicensePlateNo	Internal license plate number used.	A	50	<LicensePlateNo>LP3242234245</LicensePlateNo>
11	Weight	Dispatch weight.	N	6+2	<Weight>300.40</Weight>
12	Volume	Dispatch volume.	N	6+2	<Cube>2.30</Cube>
13	PackLine	Internal pack line number.	O		<PackLine>
14	OrderedQuantity	Ordered quantity.	N	6+2	<OrderedQuantity>300.00</OrderedQuantity>
15	OrderedUOM	Ordered package type.	A	50	<OrderedUOM>CARTON</OrderedUOM>

SCP

#	XML Tag	Description	Type	Max Length	Example
16	ShippedQuantity	Shipped quantity.	N	6+2	<ShippedQuantity>300.00</ShippedQuantity>
17	ShippedUOM	Shipped package type.	A	50	<ShippedUOM>CARTON</ShippedUOM>
18	LineID	Internal line ID.	N	50	<LineID>1</LineID>
19	ProductCode	Customer product code.	A	50	<ProductCode>SK220939</ProductCode>
20	SerialCaptured	Serial captured during checking process.	A	50	<SerialCaptured>30004123434040</SerialCaptured>
21	LineNo	EDI line number.	N	50	<LineNo>001</LineNo>

Inventory Status Change

Inventory status change messages can be configured to be received by Mainfreight's WMS to update the status against a quantity of stock, an Inventory Status Change confirmation will then be generated and sent back to the source system.

Mainfreight's WMS can also generate an Inventory Status Change confirmation when an inventory status change is made against a quantity of stock within the Mainfreight WMS by a Mainfreight team member.

Available formats are CSV/STD & XML.

Inventory Status Standard Format

Inventory Status Change Header Record

#	Field	Description	Type	Max Length	Mandatory	STD Example
0	Record Type - 'ISCH' Header	Defines this record as the header	A	4	(M)	ISCH
1	Warehouse Code	The warehouse that the inventory status change was actioned under	N	10	(M)	99
2	CustomerID	Unique ID assigned to the client	N	10	(M)	123456
3	Reference	Unique reference assigned to the inventory status change	A	50	(M)	012345
4	Notes	Notes associated with the inventory status change	A	200		TEST
5	FileName	EDI filename	A	50		ISCTEST.csv
6	Date	Date that the inventory status change was finalised	D	12		11/07/2022
7	EDIUpdatedBy	Internal value populated by the WMS.	A	50		MFTNZ\interfaceFPO
8	InvalidReason	Reason code.	A	50		123

Inventory Status Change Line Record (Repeated)

#	Field	Description	Type	Max Length	Mandatory	STD Example
0	Record Type - 'ISCL' Line	Defines this record as the line	A	4	(M)	ISCL
1	Reference	Unique reference assigned to the inventory status change	A	50	(M)	012345
2	LineNo	Line number	N	10	(M)	1
3	InventoryStatusDirection	The direction of the status change	A	50	(M)	Any to Normal
4	ProductCode	The product code	A	50		PROD123
5	Units	Quantity that is being updated	N	6+2		10
6	Grade 1	Leave blank or populate attribute. Actual attribute value is shown in the ISC confirmation file if applicable	A	50		GRADE 1
7	Grade 2	Leave blank or populate attribute. Actual attribute value is shown in the ISC confirmation file if applicable	A	50		GRADE 2
8	Grade 3	Leave blank or populate attribute. Actual attribute value is shown in the ISC confirmation file if applicable	A	50		GRADE 3
9	Packing Date	Stock packing/manufacturing date.	D	12		10/02/2022
10	Expiry Date	Stock expiry date.	D	12		10/02/2024
11	NOTES	Notes for the adjustment line.	A	200		TEST ISC
12	RESERVED(Grade4)	Reserved, not used.	A	50		
13	RESERVED(Grade5)	Reserved, not used.	A	50		
14	RESERVED(Grade6)	Reserved, not used.	A	50		

Inventory Status Change Line Record (Repeated)

15	RESERVED(Grade7)	Reserved, not used.	A	50		
16	RESERVED(Grade8)	Reserved, not used.	A	50		
17	RESERVED(SSCC)	Reserved, not used.	N	30		
18	EDIUpdatedBy	Internal value populated by the WMS.	A	50		MFTNZ\interfaceFPO
19	EDIUpdateNotes	EDI notes.	A	50		EXAMPLE NOTES
20	InvalidReason	Invalid Reason.	A	50		123
21	FromStatus	Inventory status that the stock is being updated from.	A	50		H
22	ToStatus	Inventory status that the stock is being updated to.	A	50		N
23	Location	Location	A	50		AB-1-1-1
24	Pack	Package type for the adjustment.	A	50		EACH
25	Reason	Customer or internal WMS reason code used for the adjustment.	A	50		001

(Please note: In the Type Column A refers to Alpha, N refers to Number and D refers to Date)

Inventory Status XML Format

Inventory Status Change Header Record

#	XML Tag	Description	Type	Max Length	Mandatory	XML Example
0	ISCH	Defines this record as the header	A	4	(M)	<ISCH>
1	WarehouseNo	The warehouse that the inventory status change was actioned under	N	10	(M)	<WarehouseNo>99</WarehouseNo>
2	CustomerID	Unique ID assigned to the client	N	10	(M)	<CustomerID>123456</CustomerID>
3	Reference	Unique reference assigned to the inventory status change	A	50	(M)	<Reference>012345</Reference>
4	Notes	Notes associated with the inventory status change	A	50		<Notes>TEST</Notes>
5	FileName	EDI filename	A	50		<FileName>ISCTEST.xml</FileName>
6	FinalisedDate	Date that the inventory status change was finalised	D	12		<FinalisedDate>11/07/2022</FinalisedDate>
7	EDIUpdatedBy	Internal value populated by the WMS.	A	50		<EDIUpdatedBy>MFTNZ\interfaceFPO</EDIUpdatedBy>
8	InvalidReason	Reason code.	A	50		<InvalidReason>123</InvalidReason>

Inventory Status Change Line Record (Repeated)

#	XML Tag	Description	Type	Max Length	Mandatory	XML Example
0	ISCL	Defines this record as the line	A	4	(M)	<ISCL>
1	Line	Line segment	A	4	(M)	<Line>
2	Reference	Unique reference assigned to the inventory status change	A	50	(M)	<Reference> 012345</Reference>

Inventory Status Change Line Record (Repeated)

3	LineNo	Line number	N	10	(M)	<LineNo>1</LineNo>
4	InventoryStatusDirection	The direction of the status change	A	50	(M)	<InventoryStatusDirection>Any to Normal</InventoryStatusDirection>
5	ProductCode	The product code	A	50		<ProductCode>PROD123</ProductCode>
6	Units	Quantity that is being updated	N	6+2		<Units>10</Units>
7	Grade1	Leave blank or populate attribute. Actual attribute value is shown in the ISC confirmation file if applicable	A	50		<Grade1>GRADE 1</Grade1>
8	Grade2	Leave blank or populate attribute. Actual attribute value is shown in the ISC confirmation file if applicable	A	50		<Grade2>GRADE 2</Grade2>
9	Grade3	Leave blank or populate attribute. Actual attribute value is shown in the ISC confirmation file if applicable	A	50		<Grade3>GRADE 3</Grade3>
10	PackingDate	Stock packing/manufacturing date.	D	12		<PackingDate>10/02/2022</PackingDate>
11	ExpiryDate	Stock expiry date.	D	12		<ExpiryDate>10/02/2024</ExpiryDate>
12	Notes	Notes for the adjustment line.	A	200		<Notes>TEST ISC</Notes>
13	Grade4	Reserved, not used.	A	50		
14	Grade5	Reserved, not used.	A	50		
15	Grade6	Reserved, not used.	A	50		
16	Grade7	Reserved, not used.	A	50		
17	Grade8	Reserved, not used.	A	50		
18	SSCCNumber	Reserved, not used.	N	30		

Inventory Status Change Line Record (Repeated)

#	XML Tag	Description	Type	Max Length	Mandatory	XML Example
19	EDIUpdatedBy	Internal value populated by the WMS.	A	50		<EDIUpdatedBy>MFTNZ\interfaceFPO</EDIUpdatedBy>
20	EDIUpdateNotes	EDI notes.	A	50		<EDIUpdateNotes>EXAMPLE NOTES</EDIUpdateNotes>
21	InvalidReason	Invalid Reason.	A	50		<InvalidReason>123</InvalidReason>
22	FromStatus	Inventory status that the stock is being updated from.	A	50		<FromStatus>H</FromStatus>
23	ToStatus	Inventory status that the stock is being updated to.	A	50		<ToStatus>N</ToStatus>
24	Location	Location	A	50		<Location>AB-1-1-1</Location>
25	Pack	Package type for the adjustment.	A	50		<Pack>EACH</Pack>
26	ReasonCode	Customer or internal WMS reason code used for the adjustment.	A	50		<ReasonCode>001</ReasonCode>
27	VFD	Value for Duty.	N	6+2		<VFD>12.2000</VFD>
28	VTI	Value for Transport and Insurance.	N	6+2		<VTI>0.3210</VTI>
29	EntryNo	Entry Number on Nature 20.	A	9		<EntryNo>AAKL00001M</EntryNo>
30	EntryLineNo	Entry Line Number on Nature 20.	N	9		<EntryLineNo>1</EntryLineNo>
31	UnderBond	UnderBond Flag enabled product.	A	0/1		<UnderBond>1</UnderBond>

Inventory Reporting

Inventory Reports from the Mainfreight WMS can be configured to be generated and sent daily. The Inventory Report contains all stock on hand within the Mainfreight WMS.

Available format is CSV/STD.

Inventory Report Standard Format

Line	Field	Tag Name	Description	Type	Max Length	Example
1	Line Number	Line Number ID	Defines this record as the line records	N	3	1
2	CustomerID	Customer ID Code	Unique ID assigned to the client	N	12	1234567
3	CustomerName	Customer Name	Client company name	A	50	ABC GOODS
4	WarehouseID	Warehouse ID Code	Mainfreight warehouse code	N	50	22
5	Product	Product Code	Sku code that represents the product	A	50	1906201001
6	Product Description	Product Description	Product description line	A	50	HAIR DYE MEDIUM BLONDE 170GM
7	Product Description2	Product Description 2	Additional product description line	A	50	MEDIUM
8	Grade1	Grade 1 Attribute	Product attribute	A	50	L14520211
9	Grade2	Grade 2 Attribute	Product attribute	A	50	SN102
10	Grade3	Grade 3 Attribute	Product attribute	A	50	W502
11	ExpiryDate	Expiry Date	Product attribute expiry date	D	DD/MM/YYYY	01/01/2023
12	PackingDate	Packing Date	Product attribute packing date	D	DD-MM-YYYY	15/03/2021
13	Product Type	Product Type	Product filter for reporting purposes	A	50	HAIR

Inventory Report Standard Format

Line	Field	Tag Name	Description	Type	Max Length	Example
14	DescriptionGroup	Description Group	Product filter for reporting purposes	A	50	DYE
15	Stock On Hand	Stock On Hand	Total stock inventory	N	10	8110
16	Quantity Held By Pick	Quantity Held By Transaction	Quantity Held By Transaction	N	10	0
17	Quantity on Hold	Quantity on Hold	Quantity placed in On Hold stock status	N	10	100
18	Quantity Restricted	Quantity Restricted	Quantity placed in Restricted stock status	N	10	0
19	Quantity Committed	Quantity Committed	Quantity Committed to unfinalised orders still in picking status	N	10	0
20	Quantity Damaged	Quantity Damaged	Quantity placed in Damaged stock status	N	10	10
21	Quantity Available	Quantity Available	Quantity Available to fulfil orders	N	10	8000
22	ArrivalDate	Arrival Date	Date when stock was receipted into stock	D	DD/MM/YYYY	20/08/2021
23	VFD	Value for Duty	Value for Duty recorded	N	6+2	12.20
24	VTI	Value for Transport and Insurance	Value for Transport and Insurance recorded	N	6+2	0.32
25	EntryNo	Entry Number on Nature 20	Entry Number recorded	A	9	AAKL00001
26	EntryLineNo	Entry Line Number on Nature 20	Entry Line Number recorded	N	9	1
27	IntoBond	UnderBond Flag enabled product	Underbond Flag enabled against the product	A	Y/N	Y
28	JulianBatchDaty	Julian Batch Day	Product feature to define time period (day) for shelf life and transit management	N	10	90

Inventory Report Standard Format

Line	Field	Tag Name	Description	Type	Max Length	Example
29	PacksizeUser1Description	Packsize User 1 Description	This is the default pack size that is setup in the WMS.	A	50	EACH
30	Packsize1Barcode	Packsize 1 Barcode	Packsize 1 Barcode	N	50	4260020438597
31	WarehouseIDandGrade1	Warehouse ID and Grade 1 combined	Warehouse ID and Grade 1 combined	A	50	22L14520211

Inventory Adjustments

Inventory Adjustment messages can be configured to be received by Mainfreight's WMS to update inventory levels.

Mainfreight's WMS can also generate an Inventory Adjustment message when positive or negative adjustments to inventory levels have been made within the Mainfreight WMS by a Mainfreight team member.

Available formats are CSV/STD & XML.

Inventory Adjustment Standard Format

#	Format: STD	Description	Type	Max Length	Mandatory	Example
1	WarehouseID	Warehouse Code	N	15	(M)	99
2	NameCode	Unique ID assigned to the client	N	50	(M)	1314012
3	ReferenceID	Unique reference assigned to the adjustment	N	20	(M)	32531353
4	Reference	Unique adjustment reference/team responsible for adjustment	A	50		TEST11109/warehouse.team
5	Notes	Adjustment notes	A	50		TEST
6	MsgDate	Date of creation	D	30		20220629
7	LineNumber	Line Number	N	10		1
8	ProductCode	Warehouse Stock Code	A	50		9035348
9	Grade1	Actual attribute value shown against the product if applicable	A	50		002
10	ReasonCode	Customer or internal WMS reason code used for the adjustment.	A	50		311
11	Reason	Reason code description.	A	50		POSITIVE ADJUSTMENT TEST

Inventory Adjustment Standard Format

#	Format: STD	Description	Type	Max Length	Mandatory	Example
12	Pack	Pack Type	A	50		EACH
13	Quantity	Adjustment quantity	N	6+2		1500
14	Grade2	Actual attribute value shown against the product if applicable	A	50		ABC
15	Grade3	Actual attribute value shown against the product if applicable	A	50		A1B2C3
16	ExpiryDate	Actual attribute value shown against the product if applicable	D	50		20240430
17	PackingDate	Actual attribute value shown against the product if applicable	D	50		20190501
18	LineNotes	Line adjustment notes	A	50		TEST
19	FromLocation	Storage location	A	50		KQ-26-1-1
20	ToLocation	Storage location	A	50		KQ-26-1-1
21	ExtraReference	Extra reference for the inventory adjustment.	A	50		Test Reference
22	Event	Transaction type	A	50		Adjustment
23	EventCode	Reason Code used for adjustment	A	50		311
24	Desc	Adjustment description	A	50		POSITIVE ADJUSTMENT TEST
25	FromLocationStatus	Stock Status	A	50		N
26	ToLocationStatus	Stock Status	A	50		N
27	ProductDesc	Product description	A	50		COLT PORTER

Inventory Adjustment Standard Format

#	Format: STD	Description	Type	Max Length	Mandatory	Example
28	VFD	Value for Duty recorded	N	6+2		0.1234
29	VTI	Value for Transport and Insurance recorded	N	6+2		10.4567
30	EntryNo	Entry Number recorded	A	9		123456789
31	EntryLineNo	Entry Line Number recorded	N	6		1
32	IntoBond	Bonded stock flag	A	1		Y
33	PackSize1AltDesc	Pack Size 1 alternative Pack Description	A	50		EA
34	PackSize1Barcode	Pack Size 1 barcode	N	50		9300009000408
35	LicensePlateNo	License Plate Number	A	50		393362500253488000
36	StockStatus	Stock Status	A	50		N
37	Unused	Unused				
38	SequentialNo	Unique line number	N	10		1

(Please note: In the Type Column A refers to Alpha, N refers to Number and D refers to Date)

Inventory Adjustment XML Format

#	Format: XML (Tag Name)	Description	Type	Max Length	Mandatory	Example
0	ADH	Adjustment header tag.	A	3	(M)	<ADH>
1	WarehouseNo	Internal WMS warehouse code.	N	10	(M)	<WarehouseNo>99</WarehouseNo>
2	CustomerID	Internal WMS customer ID.	N	10	(M)	<CustomerID>1314012</CustomerID>
3	Reference	Inventory adjustment reference.	N	50	(M)	<Reference>32531353</Reference>
4	Notes	Notes for the inventory adjustment.	A	50		<Notes>TEST</Notes>
5	FinalisedDate	Date when the inventory adjustment was finalised.	D	12		<FinaliseDate>02/10/2022</FinalisedDate>

(Please note: In the Type Column A refers to Alpha, N refers to Number and D refers to Date)

Inventory Adjustment Line Record (XML Repeated)

#	Format: XML (Tag Name)	Description	Type	Max Length	Mandatory	Example
0	ADL	Defines this record as the line records	A	4	(M)	<ADL>
1	Adjustment Line	Adjustment line segment	A	14	(M)	<AdjustmentLine>
1	Reference	Unique reference assigned to the adjustment	N	50	(M)	<Reference>32531353</Reference>
2	LineNo	Line Number	N	10	(M)	<LineNo>1</LineNo>
3	WhsStockCode	Warehouse Product Code	A	50	(M)	<WhsStockCode>9035348</WhsStockCode>
4	WhsStockDesc	Product code description	A	50		<WhsStockDesc>COLT PORTER</WhsStockDesc>

Inventory Adjustment Line Record (XML Repeated)

5	WhsStockDesc2	Product code description 2	A	50		<WhsStockDesc2>GREY</WhsStockDesc2>
6	Quantity	Quantity that is being updated	N	10		<Quantity>1500</Quantity>
7	Grade1	Actual attribute value shown against the product if applicable	A	50		<Grade1>002</Grade1>
8	Grade2	Actual attribute value shown against the product if applicable	A	50		<Grade2>PL1230</Grade2>
9	Grade3	Actual attribute value shown against the product if applicable	A	50		<Grade3>GREY</Grade3>
10	Expiry	Actual attribute value shown against the product if applicable	D	10		<Expiry>12/02/2022</Expiry>
11	Packing	Actual attribute value shown against the product if applicable	D	10		<Packing>01/05/2019</Packing>
12	PackType	Product Pack Type	A	50		<PackType>EA</PackType>
13	Notes	Notes against the adjustment	A	200		<Notes>TEST</Notes>
14	FromLocation	Storage location	A	50		<FromLocation>KQ-26-1-1</FromLocation>
15	ToLocation	Storage location	A	50		<ToLocation>KQ-26-1-1</ToLocation>
16	TransactionType	Transaction Type adjustment	A	50		<TransactionType>Adjustment</TransactionType>
17	ReasonCode	Reason Code used for adjustment	A	50		<ReasonCode>311</ReasonCode>
18	ReasonDesc	Adjustment description	A	50		<ReasonDesc>POSITIVE ADJUSTMENT TEST</ReasonDesc>
19	FromLocationStatus	Stock status	A	50		<FromLocationStatus>NORMAL</FromLocationStatus>
20	ToLocationStatus	Stock status	A	50		<ToLocationStatus>ONHOLD</ToLocationStatus>

Inventory Adjustment Line Record (XML Repeated)

#	Format: XML (Tag Name)	Description	Type	Max Length	Mandatory	Example
21	UnderBond	Indicates whether the order line is under bond or duty paid.	A	50		<UnderBond>1</UnderBond>
22	VFD	Value for Duty recorded	N	6+2		<VFD>102.2512</VFD>
23	VTI	Value for Transport and Insurance recorded	N	6+2		<VTI>1.2345</VTI>
24	EntryNo	Entry Number recorded	A	50		<EntryNo>ABC10201</EntryNo>
25	EntryLineNo	Entry Line Number recorded	N	10		<EntryLineNo>12</EntryLineNo>
26	AlternatePackDesc	Alternative Pack Description	A	50		<AlternatePackDesc>EA</AlternatePackDesc>
27	AlternatePackBarcode	Alternative Pack Barcode	N	50		<AlternatePackBarcode>0900010012345</AlternatePackBarcode>

(Please note: In the Type Column A refers to Alpha, N refers to Number and D refers to Date)

Order Reconciliation

The Order Reconciliation process works by having an order reconciliation message sent to the Mainfreight WMS. When the message is received then an order reconciliation message is generated by the Mainfreight WMS and sent back to the source system.

Available format is CSV/STD. The CSV/STD file has the headers with each order populated on its own line below the header.

Order Reconciliation Standard Format

#	Format: STD	Description	Type	Max Length	Mandatory	Example
0	Warehouse	Warehouse code	N	10	(M)	99
1	Customer ID	Unique ID assigned to the client	N	10	(M)	1314012
2	Order Reference	This is the order ID or the reference for the transaction. This value is used for queries, reporting and tracking purposes. This value has to be unique.	A	50	(M)	906779
3	Customer Name	Name of the client	A	50		TEST CUSTOMER
4	Order Status	Current status of the order	A	50		CONFIRM SENT
5	Date Received	Date the order was received in the WMS	D	10		14/03/2024
6	Finalised Date	Date the order was finalised in the WMS	D	10		16/03/2024
7	ConsigneeName	Name of your consignee	A	50		DEMO INDUSTRIES
8	Carrier	Designated carrier for the shipment	A	50		MAINFREIGHT
9	CarrierRef	Carrier Reference for the order	A	50		DEM123456
10	Deleted By	User that deleted the order	A	50		MFTNZ\Example.User
11	Reason	Reason for order deletion	A	50		Order Cancellation
12	Comment 1	Extra order notes header field	A	50		ABC

Order Reconciliation Standard Format

#	Format: STD	Description	Type	Max Length	Mandatory	Example
13	Comment 2	Extra order notes header field	A	50		123
14	Comment 3	Extra order notes header field	A	50		A1B2C3
15	Customer Note 1	Customer notes	A	50		TEST NOTE 1
16	Customer Note 2	Customer notes	A	50		TEST NOTE 2
17	Customer Note 3	Customer notes	A	50		TEST NOTE 3

Inventory Reconciliation

The Inventory Reconciliation process works by having a stock reconciliation message sent to the Mainfreight WMS. When the message is received then an inventory reconciliation message is generated by the Mainfreight WMS and sent back to the source system.

Available formats are CSV/STD & XML.

Stock Reconciliation Standard Format

#	Field	Description	Type	Max Len	Mand	Example
0	WarehouseCode	Warehouse code where the stock is stored	N	10	(M)	99
1	CustomerID	Unique ID assigned to the client	N	10	(M)	1314012
2	ProductCode	Unique SKU that represents the product	A	50	(M)	PROD123
3	ProductDescription	Description of the product	A	50		TEST PRODUCT
4	TotalSOH	Total stock on hand	N	50		150
5	HeldSOH	Quantity of held stock	N	50		10
6	DamagedSOH	Quantity of damaged stock	N	50		15
7	CommittedSOH	Quantity of stock committed to sales orders	N	50		5
8	AvailableSOH	Available stock on hand for sales orders	N	50		100
9	Grade1	Stock attribute 1	A	50		GRADE 1
10	Grade2	Stock attribute 2	A	50		GRADE 2
11	Grade3	Stock attribute 3	A	50		GRADE 3
12	ExpiryDate	Stock expiry date	D	10		16/03/2025

Stock Reconciliation Standard Format

13	PackingDate	Stock packing date/date of manufacture	D	10		16/03/2023
14	RestrictedSOH	Quantity of restricted stock	N	50		20

Inventory Reconciliation XML Format

This record is repeated if there are multiple stock lines in the stock reconciliation message.

#	Field	Description	Type	Max Len	Mand	XML Example
0	SOH	Stock Reconciliation header tag	A	3	(M)	<SOH>
1	WarehouseNo	Warehouse code where the stock is stored	N	10	(M)	<WarehouseNo>99</WarehouseNo>
2	CustomerID	Unique ID assigned to the client	N	10	(M)	<CustomerID>1314012</CustomerID>
3	ProductCode	Unique SKU that represents the product	A	50	(M)	<ProductCode>PROD123<ProductCode>
4	ProductDescription	Description of the product	A	50		<ProductDescription>TEST PRODUCT</ProductDescription>
5	TotalSOH	Total stock on hand	N	50		<TotalSOH>150</TotalSOH>
6	HeldSOH	Quantity of held stock	N	50		<HeldSOH>10</HeldSOH>
7	DamagedSOH	Quantity of damaged stock	N	50		<DamagedSOH>15</DamagedSOH>
8	CommittedSOH	Quantity of stock committed to sales orders	N	50		<CommittedSOH>5</CommittedSOH>
9	AvailableSOH	Available stock on hand for sales orders	N	50		<AvailableSOH>100</AvailableSOH>
10	Grade1	Stock attribute 1	A	50		<Grade1>GRADE 1</Grade1>

11	Grade2	Stock attribute 2	A	50		<Grade2>GRADE 2</Grade2>

Inventory Reconciliation XML Format

12	Grade3	Stock attribute 3	A	50		<Grade3>GRADE 3</Grade3>
12	ExpiryDate	Stock expiry date	D	10		<ExpiryDate>16/03/2025</ExpiryDate>
13	PackingDate	Stock packing date/date of manufacture	D	10		<PackingDate>16/03/2023</PackingDate>
14	RestrictedSOH	Quantity of restricted stock	N	50		<RestrictedSOH>20</RestrictedSOH>

Our investment in technology continues to strengthen our efficiency and productivity. We strive to provide data and statistics that allow us to deliver greater quality while providing transparency to our customers and providing them with an extra layer of intelligence as well as critical supply chain information.

AMERICA ASIA NEW ZEALAND AUSTRALIA EUROPE