



The Briscoes EDIFACT D96A Purchase Order Change Message Implementation Guide

Version 1.7 – December 2020





Table of Contents

Introduction	3
Distributing this document	3
Copyright and Trademarks	3
Document revision history	4
Further reading	5
About EDIStech Limited	5
Processing Purchase Order Changes	6
Changes to Purchase Order 4500038166	7
Example messages	7
EDIFACT Purchase Order Change message segments	10
UNH Message Header	10
BGM Beginning of Message	11
DTM Date and Time Period	12
RFF Reference	13
NAD Name and Address	14
RFF Reference	16
LIN Segment Group 25	17
LIN Order Line Item	18
PIA Additional Product Identification	19
QTY Quantity Ordered	20
PRI Item Price Details	21
CUX Currency	22
LOC Segment Group 33	23
LOC Delivery Location	24
QTY Quantity To Be Delivered	25
DTM Date and Time Period	26
NAD Segment Group 35	27
NAD Name and Address	28
RFF Reference	29
CTA Contact Details for Deliver-to Store	30
COM Communications Contact Details for Deliver-to Store	31
UNS Section Control	32
CNT Control Totals	33
UNT Message Trailer	34



Introduction

This document details the information carried in the Briscoes D96A EDIFACT-format Purchase Order Change messages that are sent to vendors.

It is essential that all suppliers be tested for both Order Units of Measure Eaches and Cartons regardless of whether Briscoe Group currently purchase in carton quantities. It is vital and necessary that this EDI Message type is included in our testing as in the future we may change to buying in carton quantities from you.

If a Supplier currently only uses eaches we will be adding cartons so we can test this scenario. You will be advised of these prior to commencing Test Packs with EDIStech.

This Message Implementation Guide includes:

- A worked example of a Briscoes purchase order change for a vendor
- Full documentation for each of the EDIFACT segments that are used in this order change message.
- The matching EDIFACT format purchase order change message used in this documentation.

Distributing this document

The document contains information that is to be considered commercially sensitive to Briscoes Group, Rebel Sports and EDIStech Limited. This document may not be distributed to anyone else outside of the immediate project team without permission being granted by Briscoe Group Limited.

Copyright and Trademarks

- This document is copyright of Briscoe Group and EDIStech Limited. All rights reserved.
- *EDIS for Windows*[™], *EDIS hub*[™], *EDIS events*[™], *EDIS db*[™] and *EDIS admin*[™] are trademarks of EDIStech Limited. All rights reserved.
- SAP is a trademark of SAP AG.
- All other trademarks mentioned in this document are acknowledged as the intellectual property of the registered owners.

Document revision history

1 st February 2011	BRD	Original version created from base EDIS and GS1 documentation standards.
8 th February 2011	BRD	First version distributed to Briscoes and GXS for comment.
8 th February 2012	BRD	Updated after feedback from GXS
18 th February 2013	SRS	Removed the code 220 from the BGM segment
12 th April 2013	SRS	Updated the QTY example with Qualifier '11'
17 th April 2013	SRS	Updated the footer with the doc version
1 st . October 2013	CDP	Updated the QTY segment to include qualifier 52 for quantity in pack and changes "EDIS Technologies Limited" to "EDISTech Limited".
14 June 2014	CDP	Updated the example in the NAD segment on Pages 9 and 14 as the following: NAD+BY+13241::92+Olivia Bunning:Briscoe Group Ltd' NAD+SU+300024::92+Vendor Name Ltd' Example corrected for the UNS segment
3 November 2020	CDP	Reduced data length to 22 characters in Segment PIA, Data Element C212, Component Element 7140
17 December 2020	CDP	Swapped the data supplied for the "IN" and "SA" qualifiers in LIN segment, Data Element C212, Component Element 7143 on page 19 to bring it more in line with EDIFACT standard.



Further reading

This Message Implementation Guide should be read in conjunction with the following Briscoes and Rebel Sports publications:

- *Trading electronically with the Briscoe Group.* This guide outlines the Briscoe e-commerce initiatives including the messages that are sent and how to complete the vendor on-boarding processes with Briscoes.
- *The Briscoes EDIFACT D96A Purchase Order Message Implementation Guide.* This guide outlines the structure and usage of the Purchase Order messages that Briscoes and Rebel Sport send to their vendors.
- *Examples specific to your company.* The examples in this guide are generic. Briscoes also provides a pack of test orders with your own products in them that you can use during development. Similar orders will be used later during implementation and on-boarding with Briscoes.
- *Matching example Purchase Orders Changes in human-readable format.* For each EDIFACT-format example, Briscoes and Rebel Sports have provided a matching human-readable copy of each order change message.

About EDISTech Limited

Briscoes has retained EDISTech to manage the on-boarding of our vendors, working alongside the Briscoes and Rebel Sports teams. Once you have decided to link up to our systems, EDISTECH will assist you with each step of the implementation and testing.

The EDIS network provides a connection point to allow your computer to exchange documents with Briscoes SAP® order management system. EDISTECH also maintains local and international links to other e-commerce companies like themselves, known as *interconnects*. If you are already exchanging documents with other retailers or customers via a Value-Added Network, EDISTECH can work alongside your providers to connect you and start the documents flowing. If you do not already have a link to any other network, EDISTECH can provide a direct connection to Briscoes via the EDIS network.

The EDIS network also facilitates a range of *interconnects* to other network providers throughout the world including:

- GXS
- SPS Commerce
- B2BE
- Sterling Commerce
- INOVIS

During implementation, EDISTECH will assist to connect you to the Briscoes e-commerce system via The EDIS network or your preferred network provider.



Processing Purchase Order Changes

Each Briscoes or Rebel Sports Purchase Order that is created by their SAP/R3 ® system is sent to the EDIS network for distribution to vendors. EDISTECH provides a range of different communications options to transfer the orders and other documents between the EDIS network and the vendor's own systems.

The EDIS *Allegro*™ portal for Briscoes and Rebel Sports is also updated so that the changed purchase order information can be used by later processes. Vendors have access to this portal so that they can view data during implementation to ensure that their systems have interpreted the order data correctly.

If the Supplier sends to Briscoe Group a Purchase Order confirmation containing one or more Order Disparities, Briscoe Group will determine if these disparities are accepted. If it is accepted Briscoe Group will make an amendment to the Purchase Order in its EDI system. There will be no notification to Supplier. The Supplier will assume its acceptance per clause 5.5 T.P.A (Refer to T.P.A 5.4 & 5.5)

If Briscoe Group make a change to the Purchase Order after the first confirmation has been received and before the delivery has been sent; Briscoe Group will send a Purchase Order Change. From the time of the Suppliers receipt of the Purchase Order Change the procedures set out in clauses 5.2 and 5.3 will apply in relation to the Purchase Order Change. In this case the supplier will confirm only the changes to the Purchase Order. There is no confirmation required when it is a deletion (Refer 5.10 in TPA)



Changes to Purchase Order 4500038166

Rebel Sports have requested the following changes to this order:

<i>Order Line Number</i>	<i>Change requested</i>
00010	The required delivery date has changed from the 16 th December to 19 th September.
00020	The quantity ordered for Whangarei has been increased from seven to ten items. The item price has changed. Price changes are usually triggered as a result of an order response coming back from a vendor that corrected the price that was incorrect in the original purchase order.
00060	Line has been deleted by Briscoes and should not be supplied.
00090	A new line has been added to the order to be delivered to Whangarei

Note that only the lines that have changed are sent in the message. This means that line 60, which has been deleted, will only appear in this order change message and will not be re-sent in subsequent order change messages.

Example messages

The human-readable PDF for the order change shown on the following pages is available in the file *EDIFACT Purchase Order Change 4500038166.pdf*

The EDIFACT purchase order change 4500038166 is available in the file *EDIFACT Purchase Order Change 4500038166.txt*



PO Box 844 Auckland
Unit 14
16-18 Taylors Road
Morningside
Auckland
Ph:09 815 3737

Vendor Name Ltd
PO Box 12323
Auckland
New Zealand
Fax: 0800 123 456
Attention:

PO Number: 4500038166

Order date: 08.11.2011
Vendor Code: 300024
Contact: Olivia Bunning

Order Change

Article No	Vendor Article No	Description	Qty	Net Cost	Total NC
1035470	375629	Product 1.43x43cm Delivery date has changed to 19.12.2011	10.000	5.50	55.00
		PANM MANU WELL CHRI HEND ALBA PALM DUNE BOTA ATRI INVE WHAN HAST ROTO LOWE NELS TAUR PORI RICC TERA			
		NEWP WAIR GISB TAU WANG HAMI NAPI WHAK LYAL TMA PUKE			
1035471	375636	Product 2.53x43cm Quantity changed Price changed	10.000	6.50	65.00
		PANM MANU WELL CHRI HEND ALBA PALM DUNE BOTA ATRI INVE WHAN HAST ROTO LOWE NELS TAUR PORI RICC TERA			
		NEWP WAIR GISB TAU WANG HAMI NAPI WHAK LYAL TMA PUKE			
1035470	375629	Product 3.100cm x 300cm Line has been deleted - do not supply	7.000	5.50	0.00
		PANM MANU WELL CHRI HEND ALBA PALM DUNE BOTA ATRI INVE WHAN HAST ROTO LOWE NELS TAUR PORI RICC TERA			
		NEWP WAIR GISB TAU WANG HAMI NAPI WHAK LYAL TMA PUKE			
1035991	375080	Product 4.100cm x 500cm Line has been added	17.000	9.50	161.50
		PANM MANU WELL CHRI HEND ALBA PALM DUNE BOTA ATRI INVE WHAN HAST ROTO LOWE NELS TAUR PORI RICC TERA			
		NEWP WAIR GISB TAU WANG HAMI NAPI WHAK LYAL TMA PUKE			
Total Value of Order (Excluding GST)					281.50

The Delivery Dates must be observed or the order will be considered cancelled. All products must arrive into store already pre-priced. For pre-pricing queries please contact gunton@briscoes.co.nz. For all other queries see contact above



UNB+UNOA:3+BRISCOES:ZZ+RECEIVERID:ZZ+111108:1005+70++ORDERS'
UNH+1+ORDERS:D:96A:UN:EAN008'
BGM+230+4500038166+9+AB'
DTM+137:20111108:102'
DTM+2:20111110:102'
RFF+SD:1000'
NAD+BY+13241::92+Olivia Bunning+Briscoe Group Ltd'
NAD+SU+300024::92+Vendor Name Ltd'
LIN+00010+3+9414844375629:EN'
PIA+1+375629:IN'
QTY+21:10.000:EA'
QTY+52:1.000:EA'
PRI+AAA:5.50'
CUX+2:NZD'
LOC+7+1005::92'
QTY+11:10.000:EA'
DTM+2:20111219:102'
NAD+UD+++Briscoes Whangarei+Port Road+Whangarei+++NZ'
RFF+CR:4500038166'
CTA+DL'
COM+09 430 4017:TE'
LIN+00020+3+9414844375636:EN'
PIA+1+375636:IN'
QTY+21:10.000:CT'
QTY+52:10.000:EA'
PRI+AAA:0.65'
CUX+2:NZD'
LOC+7+1007::92'
QTY+11:10.000:CT'
DTM+2:20111216:102'
NAD+UD+++Briscoes Whangarei+Port Road+Whangarei+++NZ'
RFF+CR:4500038166'
CTA+DL'
COM+09 4144800:TE'
LIN+00060+2+9414844375629:EN'
PIA+1+375629:IN'
QTY+21:7.000:EA'
PRI+AAA:5.50'
CUX+2:NZD'
LOC+7+1005::92'
QTY+11:7.000:EA'
DTM+2:20111216:102'
NAD+UD+++Briscoes Albany+Don McKinnon Drive+Auckland+++NZ'
RFF+CR:4500038166'
CTA+DL'
COM+09 430 4017:TE'
LIN+00090+1+9414844375674:EN'
PIA+1+375080:IN'
QTY+21:17.000:EA'
QTY+52:1.000:EA'
PRI+AAA:9.50'
CUX+2:NZD'
LOC+7+1007::92'
QTY+11:17.000:EA'
DTM+2:20111219:102'
NAD+UD+++Briscoes Whangarei+Port Road+Whangarei+++NZ'
RFF+CR:4500038166'
CTA+DL'
COM+09 430 4017:TE'
UNS+S'
CNT+2:3'
UNT+61+1'
UNZ+1+70'

EDIFACT Purchase Order Change message segments

The segment specifications below show each of the fields that are used in the EDIFACT-format message. All the segments currently used by Briscoes in this implementation are documented here and no additional undocumented segments will be sent. Note that some segments are marked as optional and some are documented as reserved for later use.

Briscoes and Rebel Sports use a D96A ORDERS message with the qualifier ORDERS in UNH segment 0065 and the qualifier 230 in the BGM 1001 segment. EDIFACT ORDCHG messages are not currently used.

UNH Message Header

Position: 0010
 Group:
 Level: 0
 Usage: Mandatory
 Maximum usage: 1
 Purpose: A service segment starting and uniquely identifying the beginning of a message. The message type code for the Purchase Order message is ORDERS.

Example: UNH+1+ORDERS:D:96A:UN:EAN008'

Data Element	Component Element	Description	Mandatory/Conditional	Data format
0062		Message Sequence Reference Number. This is the unique incrementing counter for the UNT...UNT message sections within this message.	M	AN..14
S009		Message Identifier	M	
	0065	Message type identifier. Always ORDERS for Purchase Orders	M	AN..6
	0052	Message type version number. Always D.	M	AN..3
	0054	Message type release number. Always 96A	M	AN..3
	0051	Controlling Agency. Always UN for the United Nations EDIFACT Controlling Council	M	AN..2
	0057	Association assigned code for this version. Always EAN008	M	AN..6

BGM Beginning of Message

Position: 0020
 Group:
 Level: 0
 Usage: Mandatory
 Maximum usage: 1
 Purpose: A segment by which the sender must uniquely identify the order by means of its name and reference number and when necessary, its function.

Example: BGM+230+4500038166+9+AB'

Data Element	Component Element	Description	Mandatory/Conditional	Data format
C002		Document Message Name	M	
	1001	Document or message name:	M	AN..3
		230 Purchase Order Change		
1004		Document message number. This is the original Briscoes or Rebel Sports Purchase Order Number.	M	AN..35
1225		Message function, coded. This is always 9, representing an original document rather than a re-transmission.	M	AN..3
4343		Response Type Code:		
	AB	Message must be acknowledged by returning a Purchase Order Response. Briscoes and Rebel Sports always require a Purchase Order Response for all orders or order change messages that they send.	M	AB..3
	NA	No Purchase Order Response is required.		

DTM Date and Time Period

Position: 0030
 Group:
 Level: 1
 Usage: Mandatory
 Maximum usage: 35
 Purpose: A segment specifying general dates and when relevant, times applicable to the whole message.

Example: DTM+137:20111108:102'

DTM+2:20111110:102'

Data Element	Component Element	Description	Mandatory/Conditional	Data format
C507		Date and Time Period	M	
	2005	Date and Time Period Qualifier:	M	AN..3
		137 Original Purchase Order creation date.		
		2 Requested Delivery Date		
	2380	Date and Time Value.	C	AN..35
	2379	Date and Time Period Qualifier. Specifies the format of the date in element 2380	M	AN..3
		102 Date only in the format CCYYMMDD		



RFF Reference

Position: 0090
Group: Segment Group 1 (Reference) Conditional
Level: 1
Usage: Optional
Maximum usage: 1
Purpose: A segment specifying a reference applicable to the whole message.

Example: RFF+SD:1000'

Data Element	Component Element	Description		Mandatory/Conditional	Data format
C506		Reference		M	
	1153	Reference Qualifier:		M	AN..3
		SD	Sales Department		
	1154	Reference number. This is the Briscoes or Rebel Sports department number for the goods that have been ordered. Not used currently but reserved for later use when Scan Packing labels are implemented.		C	AN..35



NAD Name and Address

Position: 0120
 Group: Segment Group 2 (Name and Address) Conditional (Required)
 Level: 2
 Usage: Mandatory
 Maximum usage: 99
 Purpose: A segment identifying the names and addresses of the parties and their individual functions within the scope of this Purchase Order Change.

Example: NAD+BY+13241::92+Olivia Bunning:Briscoe Group Ltd'
 NAD+SU+300024::92+Vendor Name Ltd'

Data Element	Component Element	Description		Mandatory/Conditional	Data format
3035		Party Qualifier		M	AN..3
		BY	Briscoes or Rebel Sports Buyer who created this order		
		SU	The vendor code, name and address of the vendor who is supplying the items on this purchase order.		
C082		Party identification details		C	
	3039	Party identification number.		M	AN..35
	3055	Code list responsible agency, coded:			
		92	The code was assigned by Briscoes or Rebel Sports.		
C080		Party name		C	
	3036	Name of the party		C	AN..35
C059		Street address		C	
	3042	Address line one		C	AN..35
	3042	Address line two		C	AN..35
	3042	Address line three		C	AN..35
	3045	Address line four		C	AN..35
3164		City name		C	AN..35



3251		Postal Code		C	AN..9
3207		Country, coded		C	AN..3
		NZ	New Zealand		



RFF Reference

Position: 0160
Group: Segment Group 1 (Reference) Conditional (Required)
Level: 2
Usage: Mandatory
Maximum usage: 1
Purpose: A segment specifying a reference applicable to the whole message.

Example: RFF+IA:300024'

Data Element	Component Element	Description		Mandatory/ Conditional	Data format
C506		Reference		M	
	1153	Reference Qualifier		M	AN..3
		IA	Briscoes or Rebel Sports code for this vendor.		
	1154	Reference number. This is the Briscoes or Rebel Sports code for this vendor.		C	AN..35



LIN Segment Group 25

Position: 0930
Group:
Level: 1
Usage: Conditional (Required)
Maximum usage: 200,000
Purpose: A group of segments providing details of the individual order lines, the stores the items are to be delivered to and the expected delivery dates.

Position Number	Segment ID	Description	Mandatory/ Conditional	Maximum Usage	Group Repeat
0940	LIN	Primary Line Item details	M	1	
0950	PIA	Additional Product Identification codes and details	M	25	
0980	QTY	Quantity to deliver to the specified location	C	99	
1180		Segment Group 28 – Pricing Details	C		25
1400		Segment Group 33 – Place/Location for Delivery	C		9999
1480		Segment Group 35 – Name and Address of Delivery Location.	C		9999

LIN Order Line Item

Position: 0940
Group: Segment Group 25 (Line Item) Conditional (Required)
Level: 1
Usage: Mandatory
Maximum usage: 1
Purpose: A segment identifying the order line item by its line number and other reference numbers.

This is the first segment in the repeating LIN group 25. Each set of segments carries the details for one original order item followed by the store-by-store breakdown of the quantities and delivery dates for each store.

Example: LIN+00010++9414844375629:EN'

Data Element	Component Element	Description	Mandatory/Conditional	Data format
1082		Order Line Number from the original SAP Purchase Order.	M	
1229		Action request/notification coded. This is the action code that details what Briscoes have changed on this order line:	M	AN..3
		1 This is a new line that has been added		
		2 Line has been deleted		
		3 Line item data has been changed		
C212		Item Number Identification	M	AN..3
	7140	The Global Trade Item Number or Barcode of the item being ordered.	C	AN..35
	7143	Item number, coded. Identifies the type of the number referenced in element 7140:	C	AN..3
	EN	GS1-compliant Global Trade Item Number or barcode		



PIA Additional Product Identification

Position: 0950
 Group: Segment Group 25 (Line Item) Conditional (Required)
 Level: 2
 Usage: Conditional (Required)
 Maximum usage: 25
 Purpose: A segment providing additional information about the order line item

Example: PIA+1+1035470:IN'

Data Element	Component Element	Description	Mandatory/ Conditional	Data format
4347		Product Identification Function Qualifier:	M	AN..3
		1 Additional information		
C212		Item Number Identification	M	AN..3
	7140	Item Reference number. This is the additional item reference number that carries the vendors own item number for the product.	C	AN..22
	7143	Item number, coded. Identifies the type of item number referenced in element 7140:	C	AN..3
		IN Buyer's item number. This value will be only supplied in dropship orders.		
		SA Vendors own inventory item identification number.		

QTY Quantity Ordered

Position: 0980
 Group: Segment Group 25 (Line Item) Conditional (Required)
 Level: 2
 Usage: Mandatory
 Maximum usage: 10
 Purpose: A segment specifying the total quantity ordered for this line. Additional segments following this QTY segment specify the individual quantities of this item for each separate store delivery.

Example: QTY+21:5.000:CT'
 QTY+52:10.000:EA'

Data Element	Component Element	Description		Mandatory/Conditional	Data format
C186		Quantity Details.		M	
	6063	Quantity Qualifier		M	AN..3
		21	Total quantity ordered		
		52	Quantity per pack		
	6060	Quantity ordered. Always specified to three decimal places.		M	N..15
	6411	Unit of Measure code.		C	AN..3
		EA	Each		
		CT	Carton		



PRI Item Price Details

Position: 1190
Group: Segment Group 28 (Price Details) nested within Segment Group 25 (Line Item)
Conditional (Required)
Level: 2
Usage: Mandatory
Maximum usage: 1
Purpose: A segment specifying the price type and amount of the item ordered on this line.
Example: PRI+AAA:5.50'

Data Element	Component Element	Description		Mandatory/Conditional	Data format
C509		Price Information		C	
	5125	Price Qualifier		M	AN..3
		AAA	Net unit price excluding GST		
	5118	Price. Always specified to two decimal places		M	N..15



CUX Currency

Position: 1200
Group: Segment Group 28 (Price Details) nested within Segment Group 25 (Line Item)
Conditional (Required)
Level: 3
Usage: Conditional (Required)
Maximum usage: 1
Purpose: A segment specifying the currency used to specify the price of the item ordered on this line.

Example: CUX+2:NZD'

Data Element	Component Element	Description	Mandatory/Conditional	Data format
C504		Currency details	C	
	6347	Currency details qualifier	M	AN..3
		2 Reference currency agreed with the vendor		
	6345	Currency, coded. This is the ISO Currency code for the currency used. For Briscoes and Rebel Sports, this is always NZD.	C	AN..3

LOC Segment Group 33

Position: 1400
 Group: Segment Group 25 (Line Item) Conditional (Required)
 Level: 2
 Usage: Conditional (Required)
 Maximum usage: 9999
 Purpose: A group of segments providing details of the individual dispatch quantities for each store for the current item.

Position Number	Segment ID	Description	Mandatory/ Conditional	Maximum Usage	Group Repeat
1410	LOC	Place/Location Identification	M	1	
1420	QTY	Quantity for a particular store	C	1	
1430	DTM	Required delivery date for that store	C	5	



LOC Delivery Location

Position: 1410
 Group: Segment Group 33 (Place/Location) nested within Segment Group 25 (Line Item)
 Conditional (Required)
 Level: 2
 Usage: Conditional (Required)
 Maximum usage: 1
 Purpose: A segment specifying the location to deliver a specific quantity of this line item to,
 Example: LOC+7+1005::92'

Data Element	Component Element	Description	Mandatory/ Conditional	Data format
3227		Place/Location identification code qualifier.	M	AN..3
		7 Delivery location		
C517		Location identification	C	
	3225	Location identification. This is either a Briscoes or Rebel Sport store code for the place the items are to be delivered to.	C	AN..25
	3055	Code list responsible agency.	C	AN..3
		92 The delivery location code was assigned by Briscoes or Rebel Sports.		



QTY Quantity To Be Delivered

Position: 1420
Group: Segment Group 33 (Place/Location) nested within Segment Group 25 (Line Item)
Conditional (Required)
Level: 3
Usage: Conditional (Required)
Maximum usage: 1
Purpose: A segment specifying the quantity to be delivered to this specific location.
Example: QTY+11:10.000:EA'

Data Element	Component Element	Description		Mandatory/Conditional	Data format
C186		Quantity Details.		M	
	6063	Quantity Qualifier		M	AN..3
		11	Quantity to be delivered		
	6060	Quantity ordered. Always specified to three decimal places.		M	N..15
	6411	Unit of Measure code.		C	AN..3
		EA CT	Each Carton		



DTM Date and Time Period

Position: 1430
Group: Segment Group 33 (Place/Location) nested within Segment Group 25 (Line Item)
Conditional (Required)
Level: 1
Usage: Mandatory
Maximum usage: 1
Purpose: A segment specifying the dates for a specify delivery to a store.
Example: DTM+2:20111216:102'

Data Element	Component Element	Description	Mandatory/Conditional	Data format
C507		Date and Time Period	M	
	2005	Date and Time Period Qualifier:	M	AN..3
		2 Requested Delivery Date		
	2380	Date and Time Value.	C	AN..35
	2379	Date and Time Period Qualifier. Specifies the format of the date in element 2380	M	AN..3
		102 Date only in the format CCYYMMDD		



NAD Segment Group 35

Position: 1480
Group: Segment Group 25 (Line Item) Conditional (Optional)
Level: 2
Usage: Conditional (Optional)
Maximum usage: 99
Purpose: A group of segments providing the store address and contact details for the store deliveries and the expected delivery dates.

Position Number	Segment ID	Description	Mandatory/ Conditional	Maximum Usage	Group Repeat
1490	NAD	Name and address	M	1	
1510		Segment Group 36 – References	M		5
1570		Segment Group 38 – Contact Information	C		5



NAD Name and Address

Position: 0120
 Group: Segment Group 33 (Place/Location) nested within Segment Group 25 (Line Item)
 Conditional (Required)
 Level: 1
 Usage: Mandatory
 Maximum usage: 1
 Purpose: A segment identifying the names and address of the specific store for this delivery.

Example: NAD+UD+++Briscoes Whangarei+Port Road:Address 2:Address 3:Address
 4+Whangarei++PostCode+NZ'

Data Element	Component Element	Description	Mandatory/Conditional	Data format
3035		Party Qualifier	M	AN..3
		UD Briscoes or Rebel Sports store code to deliver the goods to.		
C080		Party name	C	
	3036	Name of the party	C	AN..35
C059		Street address	C	
	3042	Address line one	C	AN..35
	3042	Address line two	C	AN..35
	3042	Address line three	C	AN..35
	3042	Address line four	C	AN..35
3164		City name	C	AN..35
3251		Postal Code	C	AN..9
3207		Country, coded	C	AN..3
		NZ New Zealand		



RFF Reference

Position: 1520
Group: Segment Group 33 (Place/Location) nested within Segment Group 25 (Line Item)
Conditional (Required)
Level: 1
Usage: Mandatory
Maximum usage: 3
Purpose: A segment specifying a reference applicable to this order line. This is the same Purchase Order Number that was quoted in the BGM segment.

Example: RFF+CR:4500038166'

Data Element	Component Element	Description	Mandatory/Conditional	Data format
C506		Reference	M	
	1153	Reference Qualifier	M	AN..3
		CR Briscoes or Rebel Sports Purchase Order number.		
	1154	Reference number. This is the Briscoes or Rebel Sports Purchase Order Number.	C	AN..35



CTA Contact Details for Deliver-to Store

Position: 1580
Group: Segment Group 38 (Contact Information) nested within Segment Group 25 (Line Item)
Conditional (Required)
Level: 3
Usage: Mandatory
Maximum usage: 1
Purpose: A segment specifying the contact information for the Briscoes or Rebel Sports delivery location specified.

Example: CTA+DL'

Data Element	Component Element	Description	Mandatory/Conditional	Data format
3139		Contact function, coded	C	AN..3
		DL Briscoes or Rebel Sports delivery point contact.		



COM Communications Contact Details for Deliver-to Store

Position: 1590
Group: Segment Group 38 (Contact Information) nested within Segment Group 25 (Line Item)
Conditional (Required)
Level: 1
Usage: Mandatory
Maximum usage: 1
Purpose: A segment specifying the contact information for the Briscoes or Rebel Sports delivery location specified.

Example: COM+09 430 4017:TE'

Data Element	Component Element	Description	Mandatory/ Conditional	Data format
C076		Communications contact.	M	
	3148	Communication telephone or fax number.	M	AN..512
	3155	Communications type qualifier:	M	AN..3
		TE Briscoes or Rebel Sports store telephone number.		

UNS Section Control

Position: 2090
 Group:
 Level: 0
 Usage: Mandatory
 Maximum usage: 1
 Purpose: Service segment that marks the end of the order line section.

Example: COM+09 430 4017:TE'

Data Element	Component Element	Description	Mandatory/ Conditional	Data format
0081		Section Identifier	M	A1
	S	End of the order line details and the start of the next section.		

CNT Control Totals

Position: 2110
 Group:
 Level: 1
 Usage: Conditional (Optional)
 Maximum usage: 1
 Purpose: A segment by which the control totals count may be provided by the sender of the Purchase Order.

Example: CNT+2:3'

Data Element	Component Element	Description	Mandatory/ Conditional	Data format
C270		Control Totals	M	
	6069	Control Qualifier:	M	AN..3
		2 The number of order lines in the preceding section.		
	6066	Control value. The total number of order lines in the Purchase Order. This is always the count of the LIN segments in the previous section.	M	N..18

UNT Message Trailer

Position: 2160
 Group:
 Level: 0
 Usage: Mandatory
 Maximum usage: 1
 Purpose: End of Message segment.

Example: UNT+50+1'

Data Element	Component Element	Description	Mandatory/ Conditional	Data format
0074		Number of segment in the current UNH...UNT segment block.	M	N..6
0062		Message Reference Number. This is the same as the reference number in the preceding UNH segment, element 0062.	M	AN..14