



The Briscoes EDIFACT D96A Purchase Order Message Implementation Guide

Version 1.13 – 30 September 2025

Contents

Introduction	3
Distributing this document	3
Copyright and Trademarks	3
Document revision history	4
Further reading	5
About EDISTech Limited	5
Processing and Translating Purchase Orders	6
Single-store and Multi-store orders	6
Purchase Order Change messages	6
Example Purchase Order 4500038166	7
Example EDIFACT Purchase Order 4500038166	8
EDIFACT Purchase Order message segments	9
UNA Message Envelope	9
UNB Message Envelope	10
UNG Message Envelope	12
UNH Message Header	13
BGM Beginning of Message	14
DTM Date and Time Period	15
RFF Reference	16
NAD Name and Address	17
RFF Reference	18
LIN Segment Group 25	19
LIN Order Line Item	20
PIA Additional Product Identification	21
QTY Quantity Ordered	22
PRI Item Price Details	23
CUX Currency	24
LOC Segment Group 33	25
LOC Delivery Location	26
QTY Quantity To Be Delivered	27
DTM Date and Time Period	28
NAD Segment Group 35	29
NAD Name and Address	30
RFF Reference	31
CTA Contact Details for Deliver-to Store	32
COM Communications Contact Details for Deliver-to Store	33
UNS Section Control	34
CNT Control Totals	35
UNT Message Trailer	36
UNE Message Trailer	37
UNZ Message Trailer	38



Introduction

This document details the information carried in the Briscoes D96A EDIFACT-format Purchase Order messages that are sent to vendors.

It is essential that all suppliers be tested for both Order Units of Measure Eaches and Cartons regardless of whether Briscoe Group currently purchase in carton quantities. It is vital and necessary that this EDI Message type is included in our testing as in the future we may change to buying in carton quantities from you.

If a Supplier currently only uses eaches we will be adding cartons so we can test this scenario. You will be advised of these prior to commencing Test Packs with EDISTech.

This Message Implementation Guide includes:

- A worked example of a Briscoes purchase order for a vendor
- Full documentation for each of the EDIFACT segments that are used in this order.
- The matching EDIFACT format purchase order used in this documentation.

Distributing this document

The document contains information that is to be considered commercially sensitive to Briscoes Group, Rebel Sports and EDISTech Limited. This document may not be distributed to anyone else outside of the immediate project team without permission being granted by Briscoe Group Limited.

Copyright and Trademarks

- This document is copyright of Briscoe Group and EDISTech Limited. All rights reserved.
- *EDIS for Windows*™, *EDIS hub*™, *EDIS events*□, *EDIS db*□ and *EDIS admin*□ are trademarks of EDISTech Limited. All rights reserved.
- SAP is a trademark of SAP AG.
- All other trademarks mentioned in this document are acknowledged as the intellectual property of the registered owners.

Document revision history

10 th December 2011	BRD	Original version created from base EDIS and GS1 documentation standards.
16 th January 2012	BRD	First version distributed to Briscoes and GXS for comment.
8 th February 2012	BRD	Updated after feedback from GXS
1 st November 2012	BAM	Updated use of GLN's for Sender and Receiver ID, and "14" for Sender and Receiver Qualifier on the UNH segment
12 th November 2012	SRS	Added detailed description of EDIFACT Enveloping segments.
14 th March 2013	SRS	Removed the example having UNG segment and Changed the GLN ID as random number
12 th April 2013	SRS	Updated the example for QTY with qualifier '11'
17 th April 2013	SRS	Updated the footer with doc version
24 th September 2013	CDP	Updated the QTY segment to include qualifier 52 for quantity in pack and changes "EDIS Technologies Limited" to "EDISTech Limited".
14 June 2014	CDP	Updated the example in the NAD segment on Pages 9 and 18 as the following: NAD+BY+13241::92+Olivia Bunning:Briscoe Group Ltd' NAD+SU+300024::92+Vendor Name Ltd' Correct in the UNB segment, the Syntax version number to '3'
24 October 2017	CDP	Updated the details in the UNB segment on Page 11. Remove data element "0029" i.e. Processing priority code
25 August 2020	CDP	Added Drop Ship section on page 6. Added Drop Ship example on page 10. Made UNG section optional Added 640 message name in BGM C002 1001 component element Added UC Party Qualifier in NAD 3035 data element
31 August 2020	CDP	Updated Drop Ship example on page 10 Added INF Price Qualifier in PRI C509 data element, 5125 component element. Added CO Reference Qualifier in RFF C506 data element, 1153 component element
21 September 2020	CDP	Added another component element 3036 in segment NAD, Data Element C080. Added FTX segments on pages 23 and 28 Added MOA segment on page 30 Updated Drop Ship example on page 10
3 November 2020	CDP	Reduced data length to 22 characters in Segment PIA, Data Element C212, Component Element 7140
7 December 2020	CDP	Added Item Type Identification Code "SA" in LIN segment, Data Element C212, Component Element 7143 on page 26 (for drop ship orders) Update Drop Ship example on page 10
17 December 2020	CDP	Swapped the data supplied for the "IN" and "SA" qualifiers in LIN segment, Data Element C212, Component Element 7143 on page 26 to bring it more in line with EDIFACT standard.
30 September 2025	LC	Removed Drop Ship section on page 6. Removed Drop Ship example on page 10. Removed 640 message name and NA for POR in BGM C002 1001 component element on page 16 Removed FTX segments on pages 23 and 28 Removed INF Price Qualifier in PRI C509 data element, 5125 component element on page 29 Removed MOA segment related to Drop ship on page 30 Removed CO Reference Qualifier in RFF C506 data element, 1153 component element on page 39



Further reading

This Message Implementation Guide should be read in conjunction with the following Briscoes and Rebel Sports publications:

- *Trading electronically with Briscoe Group.* This guide outlines the Briscoe e-commerce initiatives including the messages that are sent and how to complete the vendor on-boarding processes with Briscoes.
- *The Briscoes EDIFACT D96A Purchase Order Change Message Implementation Guide.* This guide outlines the structure and usage of the Purchase Order Change messages that Briscoes and Rebel Sport send to their vendors.
- *Examples specific to your company.* The examples in this guide are generic. Briscoes also provides a pack of test orders with your own products in them that you can use during development. Similar orders will be used later during implementation and on-boarding with Briscoes.
- *Matching example Purchase Orders in human-readable format.* For each EDIFACT-format example, Briscoes and Rebel Sports have provided a matching human-readable copy of each order.

About EDISTech Limited

Briscoes has retained EDISTech Limited to manage the on-boarding of our vendors, working alongside the Briscoes and Rebel Sports teams. Once you have decided to link up to our systems, EDISTech will assist you with each step of the implementation and testing.

The EDISTech network provides a connection point to allow your computer to exchange documents with Briscoes SAP® order management system. EDISTech also maintains local and international links to other e-commerce companies like themselves, known as *interconnects*. If you are already exchanging documents with other retailers or customers via a Value-Added Network, EDISTech can work alongside your providers to connect you and start the documents flowing. If you do not already have a link to any other network, EDISTech can provide a direct connection to Briscoes via the EDISTech network.

The EDISTech network also facilitates a range of *interconnects* to other network providers throughout the world including:

- Opentext\GXS
- SPS Commerce
- B2BE
- Sterling Commerce
- INOVIS
-

During implementation, EDISTech will assist to connect you to the Briscoes e-commerce system via The EDISTech network or your preferred network provider.



Processing and Translating Purchase Orders

Each Briscoes or Rebel Sports Purchase Order that is created by their SAP/R3 ® system is sent to the EDISTech network for distribution to vendors. EDISTech provides a range of different communications options to transfer the orders and other documents between the EDISTech network and the vendor's own systems.

The EDIS *Allegro*™ portal for Briscoes and Rebel Sports is also updated so that the purchase order information can be used by later processes. Vendors have access to this portal so that they can view data during implementation to ensure that their systems have interpreted the order data correctly.

The EDISTech network also provides a range of tracking options to manage vendor's orders. EDISTech generates exception information reports and email alerts when the data in the messages does not pass validation or is not delivered successfully. These validations include:

- Checking that the Trading Partner identification codes in the UNB segment is recognized by the Briscoes e-commerce server. This code identifies who the message is to be sent to and is used to determine which network to route the messages to and from.
- Checking that the message has not been received previously. The EDISTech e-commerce server blocks duplicate messages being sent to and from suppliers to ensure that orders are not double-handled accidentally.
- Checking that the EDIFACT syntax of the message is recognized and that no undocumented segments are processed. This is likely to be a rare occurrence, but the test ensures that unexpected updates or changes to the EDIFACT messages are reported.

Each line item can specify a different delivery date. The same product item number can also appear on different order lines with different delivery dates.

There is also a unique line number in each order line that is the primary identifier used by the Briscoes and Rebel Sports SAP system. For this reason, you should not use the products item number, barcode or GTIN in your system as a key to match to the original purchase order line when responding to this order.

Single-store and Multi-store orders

Purchase orders can contain line items that detail deliveries to more than one store within the same order. This type of order is referred to a *multi-store order*. The example in this documentation shows items are being ordered for stores in Whangarei and Albany. In a *single-store order*, all the lines are to be delivered to the same store.

Purchase Order Change messages

Briscoes and Rebel Sports also send changes to Purchase Orders to their vendors. The structure of the Purchase Order Change message is similar to the Purchase Order message but with clear indicators in the BGM segment to distinguish the messages. Refer to the Briscoes guide *The Briscoes EDIFACT D96A Purchase Order Change Message Implementation Guide* for more information.



Example Purchase Order 4500038166

PO Box 844 Auckland
Unit 14
16-18 Taylors Road
Morningside
Auckland
Ph: 09 815 3737

Vendor Name Ltd

PO Box 12323
Auckland
New Zealand
Fax: 0800 123 456
Attention:

PO Number: 4500038166

Order date: 08.11.2011
Vendor Code: 300024
Contact: Olivia Bunning

Article No	Vendor Article No	Description	Qty	Net Cost	Total NC
1035470	375629	Product 1 43x43cm	10,000	5,50	55,00
PANM	MANU WELL	CHRI HEND ALBA PALM DUNE BOTA ATRI INVE WHAN HAST ROTO LOWE NELS TAUR PORI RICC TERA			
NEWP	WAIR GISB	TAU WANG HAMI NAPI WHAK LYAL TMA PUKE			
Delivery Date: 16.12.2011					
1035471	375636	Product 2 53x43cm	7,000	5,50	38,50
PANM	MANU WELL	CHRI HEND ALBA PALM DUNE BOTA ATRI INVE WHAN HAST ROTO LOWE NELS TAUR PORI RICC TERA			
NEWP	WAIR GISB	TAU WANG HAMI NAPI WHAK LYAL TMA PUKE			
Delivery Date: 16.12.2011					
1035470	375629	Product 3 100cm x 300cm	7,000	5,50	38,50
PANM	MANU WELL	CHRI HEND ALBA PALM DUNE BOTA ATRI INVE WHAN HAST ROTO LOWE NELS TAUR PORI RICC TERA			
NEWP	WAIR GISB	TAU WANG HAMI NAPI WHAK LYAL TMA PUKE			
Delivery Date: 16.12.2011					

Total Value of Order (Excluding GST)132,00

The Delivery Dates must be observed or the order will be considered cancelled. All products must arrive into store already pre-priced. For pre-pricing queries please contact gunton@briscoes.co.nz. For all other queries see contact above



Example EDIFACT Purchase Order 4500038166

The EDIFACT purchase order 4500038166 is available in the file *EDIFACT Purchase Order 4500038166.txt*

The human-readable PDF for this order is available in the file *EDIFACT Purchase Order 4500038166.pdf*

Example 1

```
UNB+UNOA:3+9469313000007:14+RECEIVERID:14+111108:1005+66++ORDERS'
UNH+1+ORDERS:D:96A:UN:EAN008'
BGM+220+4500038166+9+AB'
DTM+137:20111108:102'
NAD+BY+13241::92++Olivia Bunning+Briscoe Group Ltd'
NAD+SU+300024::92++Vendor Name Ltd'
RFF+IA:300024'
LIN+00010++9414844375629:EN'
PIA+1+375629:IN'
QTY+21:10.000:EA'
QTY+52:1.000:EA'
PRI+AAA:5.50'
CUX+2:NZD'
LOC+7+1005::92'
QTY+11:10.000:EA'
DTM+2:20111216:102'
NAD+UD+++Briscoes Whangarei+Port Road+Whangarei+++NZ'
RFF+CR:4500038166'
CTA+DL'
COM+09 430 4017:TE'
LIN+00020++9414844375636:EN'
PIA+1+375636:IN'
QTY+21:7.000:CT'
QTY+52:10.000:EA'
PRI+AAA:0.55'
CUX+2:NZD'
LOC+7+1005::92'
QTY+11:7.000:CT'
DTM+2:20111216:102'
NAD+UD+++Briscoes Whangarei+Port Road+Whangarei+++NZ'
RFF+CR:4500038166'
CTA+DL'
COM+09 4144800:TE'
LIN+00060++9414844375629:EN'
PIA+1+375629:IN'
QTY+21:7.000:EA'
QTY+52:1.000:EA'
PRI+AAA:5.50'
CUX+2:NZD'
LOC+7+1007::92'
QTY+11:7.000:EA'
DTM+2:20111216:102'
NAD+UD+++Briscoes Albany+Don McKinnon Drive+Auckland+++NZ'
RFF+CR:4500038166'
CTA+DL'
COM+09 430 4017:TE'
UNS+S'
CNT+2:3'
UNT+48+1'
UNZ+1+66'
```

EDIFACT Purchase Order message segments

The segment specifications below show each of the fields that are used in the EDIFACT-format message. All the segments currently used by Briscoes in this implementation are documented here and no additional undocumented segments will be sent. Note that some segments are marked as optional and some are documented as reserved for later use.

UNA Message Envelope

Position: 0000
 Group:
 Level: 0
 Usage: Mandatory
 Maximum usage: 1
 Purpose: LEVEL 'A' Envelope Architecture only upper case

 Example: UNA:+.? '

Data Element	Component Element	Description	Mandatory/ Conditional	Data format
		Component data element separator Constant = : (colon)	M	AN..1
		Data element separator Constant = + (plus sign)	M	AN..1
		Decimal notation Constant = , (comma) or . (period)	M	AN..1
		Release indicator Constant = ? (question mark)	M	AN..1
		Reserved Blank / Space	M	AN..1
		Segment terminator Constant = ' (apostrophe)	M	AN..1

UNB Message Envelope

Position: 0000
 Group:
 Level: 0
 Usage: Mandatory
 Maximum usage: 1
 Purpose: LEVEL 'B' Envelope Architecture upper and lower case characters including the identities of the trading partners.

Example: UNB+UNOA:3+9469313000007:14+9469312345678:14+121021:0946+27
 ++++1'

Data Element	Component Element	Description	Mandatory/ Conditional	Data format
S001		Syntax identifier	M	AN..14
	0001	Syntax identifier. Always 'UNOA'	M	A..14
	0002	Syntax version number. Always '3'	M	N..1
S002		Interchange sender	M	
	0004	Sender identification. Briscoes uses the GLN values for the Sender ID. In case of a supplier not using the GLN value, the agreed value is used as a sender ID	M	AN..35
		GLN value 9469313000007		
		Non GLN Value BRTCLNT300/BRPCLNT300		
	0007	Partner identification code qualifier	C	AN..4
		14 For GLN Sender ID		
		ZZ For Non GLN values		
	0008	Address for reverse routing. Not used	C	AN..4
S003		Interchange recipient	M	
	0010	Recipient identification. Supplier Should use the GLN values for the Recipient ID. In case of a supplier not using the GLN value, the agreed value is used as a sender ID. (Following values are only for the example purpose)	M	AN..35
		GLN value 9876543210987		
		Non GLN Value 12345678		
	0007	Partner identification code qualifier	C	AN..4
		14 For GLN Sender ID		
		ZZ or Agreed Qualifier For Non GLN values		
	0014	Routing address. Not used	C	AN..4
S004		Date/time of preparation	M	
	0017	Date Document generation date only in the format YYMMDD	M	N..4

	0019	Time Document generation Time only in the format HHMM	M	N..4
0020		Interchange control reference Unique reference assigned by sender	M	AN..14
0031		Acknowledgement request Not used	C	N..1
0032		Communications agreement Not used	C	AN..35
0035		Test indicator 1 = test, blank = production.	C	N..1

UNG Message Envelope

Position: 0000
 Group:
 Level: 0
 Usage: Optional
 Maximum usage: 1
 Purpose: Functional Group is used to group like messages together and for sub-addressing within an organization

Example: UNG+ORDOUT+9469313000007:14+9321264000041:14+121112:1211+27+
 UN+D:96A'

Data Element	Component Element	Description	Mandatory/ Conditional	Data format
0038		Functional Group Identification Identification of a message contained in the functional group. Always ORDOUT	M	AN..6
S006		Application Sender's Identification	M	
	0040	Sender identification	M	AN..35
		GLN value 9469313000007		
		Non GLN Value BRTCLNT300/BRPCLNT300		
	0007	Identification code qualifier	C	AN..4
		14 For GLV Sender ID		
		ZZ For Non GLN values		
S007		Interchange Recipient	M	
	0044	Recipient identification	M	AN..35
		GLN value 9469312345678		
		Non GLN Value 6714346T		
	0007	Identification code qualifier	C	AN..4
		14 For GLN Sender ID		
		ZZ or Agreed Qualifier For Non GLN values		
S004		Date / Time of Preparation	M	
	0017	Date Document generation date only in the format YYMMDD	M	N6
	0019	Time Document generation Time only in the format HHMM	M	N4
0048		Functional group reference number. Unique reference identifying the functional group. Created by the interchange sender	M	AN..14
0051		Controlling agency. Always UN	M	AN..2
S008		Message Version	M	
	0052	Message type version number. Always D	M	AN..3
	0054	Message type release number. Always 96A	M	AN..3

UNH Message Header

Position: 0010
 Group:
 Level: 0
 Usage: Mandatory
 Maximum usage: 1
 Purpose: A service segment starting and uniquely identifying the beginning of a message. The message type code for the Purchase Order message is ORDERS.

Example: UNH+1+ORDERS:D:96A:UN:EAN008'

Data Element	Component Element	Description	Mandatory/ Conditional	Data format
0062		Message Sequence Reference Number. This is the unique incrementing counter for the UNH...UNT message sections within this message.	M	AN..14
S009		Message Identifier	M	
	0065	Message type identifier. Always ORDERS for Purchase Orders	M	AN..6
	0052	Message type version number. Always D.	M	AN..3
	0054	Message type release number. Always 96A	M	AN..3
	0051	Controlling Agency. Always UN for the United Nations EDIFACT Controlling Council	M	AN..2
	0057	Association assigned code for this version. Always EAN008	M	AN..6



BGM Beginning of Message

Position: 0020
 Group:
 Level: 0
 Usage: Mandatory
 Maximum usage: 1
 Purpose: A segment by which the sender must uniquely identify the order by means of its name and reference number and when necessary, its function

Example: BGM+220+4500038166+9+AB'

Data Element	Component Element	Description	Mandatory/ Conditional	Data format
C002		Document Message Name	M	
	1001	Document or message name. This is always 220 for Purchase Orders.	M	AN..3
		220 Purchase Order.		
		230 Purchase Order Change.		
1004		Document message number. This is the Briscoes or Rebel Sports Purchase Order Number.	M	AN..35
1225		Message function, coded. This is always 9, representing an original Purchase Order. All changes to this message are sent in separate Purchase Order Change messages.	M	AN..3
4343		Response Type Code:		
	AB	Message must be acknowledged by returning a Purchase Order Response. Briscoes and Rebel Sports always require a Purchase Order Response for all orders or order change messages that they send.	M	AB..3

DTM Date and Time Period

Position: 0030
 Group:
 Level: 1
 Usage: Mandatory
 Maximum usage: 35
 Purpose: A segment specifying general dates and when relevant, times applicable to the whole message.

Example: DTM+137:20111108:102'

Data Element	Component Element	Description	Mandatory/ Conditional	Data format
C507		Date and Time Period	M	
	2005	Date and Time Period Qualifier:	M	AN..3
	137	Purchase Order creation date.		
	2380	Date and Time Value.	C	AN..35
	2379	Date and Time Period Qualifier. Specifies the format of the date in element 2380	M	AN..3
	102	Date only in the format CCYYMMDD		



RFF Reference

Position: 0090
Group: Segment Group 1 (Reference) Conditional
Level: 1
Usage: Optional – not used at present:
Maximum usage: 1
Purpose: A segment specifying a reference applicable to the whole message.

Example: RFF+SD:1000'

Data Element	Component Element	Description	Mandatory/ Conditional	Data format
C506		Reference	M	
	1153	Reference Qualifier:	M	AN..3
		SD Sales Department		
	1154	Reference number. This is the Briscoes or Rebel Sports department number for the goods that have been ordered. Not used currently but reserved for later use when Scan Packing labels are implemented.	C	AN..35

NAD Name and Address

Position: 0130
 Group: Segment Group 2 (Name and Address) Conditional (Required)
 Level: 2
 Usage: Mandatory
 Maximum usage: 99
 Purpose: A segment identifying the names and addresses of the parties and their individual functions within the scope of this Purchase Order.

Example: NAD+BY+13241::92++Olivia Bunning:Briscoe Group Ltd'

NAD+SU+300024::92++Vendor Name Ltd'

NAD+UC+8199::92++Customer Name: Customer Name +Street Address 1:
 Street Address 2+City++Post Code +Country ID'

Data Element	Component Element	Description	Mandatory/ Conditional	Data format
3035		Party Qualifier	M	AN..3
	BY	Briscoes or Rebel Sports Buyer who created this order		
	SU	The vendor code, name and address of the vendor who is supplying the items on this purchase order.		
	UC	Ultimate Consignee address details		
C082		Party identification details	C	
	3039	Party identification number.	M	AN..35
	3055	Code list responsible agency, coded:		
	92	The code was assigned by Briscoes or Rebel Sports.		
C058		Party Name and Address	X	
C080		Party name	C	
	3036	Name of the party	C	AN..35
	3036	Name of the party. Name of the party will be split over 2 component element when the party name is greater than 35 characters.	C	AN..35
C059		Street address	C	
	3042	Address line one	C	AN..35
	3042	Address line two (used only if necessary)	C	AN..35
	3042	Address line three (used only if necessary)	C	AN..35
	3042	Address line four (used only if necessary)	C	AN..35
3164		City name	C	AN..35
C819	3229	Country Sub Entity (used to specify the State)	X	AN..9
3251		Postal Code	C	AN..9
3207		Country, coded	C	AN..3
	NZ	New Zealand		



RFF Reference

Position: 0160
Group: Segment Group 3 (Reference) Conditional (Required)
Level: 2
Usage: Mandatory
Maximum usage: 1
Purpose: A segment specifying a reference applicable to the whole message.

Example: RFF+IA:300024'

Data Element	Component Element	Description	Mandatory/ Conditional	Data format
C506		Reference	M	
	1153	Reference Qualifier	M	AN..3
		IA Briscoes or Rebel Sports code for this vendor.		
	1154	Reference number. This is the Briscoes or Rebel Sports code for this vendor.	C	AN..35



LIN Segment Group 25

Position: 0930
Group:
Level: 1
Usage: Conditional (Required)
Maximum usage: 200,000
Purpose: A group of segments providing details of the individual order lines, the stores the items are to be delivered to and the expected delivery dates

Position Number	Segment ID	Description	Mandatory/ Conditional	Maximum Usage	Group Repeat
0940	LIN	Primary Line Item details	M	1	
0950	PIA	Additional Product Identification codes and details	M	25	
0980	QTY	Quantity to deliver to the specified location	C	99	
1120	MOA	Monetary amount	C	1	
1200	FTX	Free Text	C	1	
1180		Segment Group 28 – Pricing Details	C		25
1400		Segment Group 33 – Place/Location for Delivery	C		9999
1480		Segment Group 35 – Name and Address of Delivery Location.	C		9999

LIN Order Line Item

Position:	0940
Group:	Segment Group 25 (Line Item) Conditional (Required)
Level:	1
Usage:	Mandatory
Maximum usage:	1
Purpose:	A segment identifying the order line item by its line number and other reference numbers.
	This is the first segment in the repeating LIN group 25. Each set of segments carries the details for one original order item followed by the store-by-store breakdown of the quantities and delivery dates for each store.
Example:	LIN+00010++9414844375629:EN'

Data Element	Component Element	Description	Mandatory/ Conditional	Data format
1082		Order Line Number from the original SAP Purchase Order.	M	
C212		Item Number Identification	M	AN..3
	7140	The Global Trade Item Number or Barcode of the item being ordered.	C	AN..35
	7143	Item number, coded. Identifies the type of the number referenced in element 7140:	C	AN..3
	EN	GS1-compliant Global Trade Item Number or barcode		

PIA Additional Product Identification

Position: 0950
 Group: Segment Group 25 (Line Item) Conditional (Required)
 Level: 2
 Usage: Conditional (Required)
 Maximum usage: 25
 Purpose: A segment providing additional information about the order line item

Example: PIA+1+1035470:IN'

Data Element	Component Element	Description	Mandatory/ Conditional	Data format
4347		Product Identification Function Qualifier:	M	AN..3
		1 Additional information		
C212		Item Number Identification	M	AN..3
	7140	Item Reference number. This is the additional item reference number that carries the vendors own item number for the product.	C	AN..22
	7143	Item number, coded. Identifies the type of item number referenced in element 7140:	C	AN..3
		IN Buyer's item number.		
		SA Vendors own inventory item identification number.		

QTY Quantity Ordered

Position: 0980
 Group: Segment Group 25 (Line Item) Conditional (Required)
 Level: 2
 Usage: Mandatory
 Maximum usage: 10
 Purpose: A segment specifying the total quantity ordered for this line. Additional segments following this QTY segment specify the individual quantities of this item for each separate store delivery.

Example: QTY+21:10.000:CT'
 QTY+52:5.000:EA'

Data Element	Component Element	Description	Mandatory/ Conditional	Data format
C186		Quantity Details.	M	
	6063	Quantity Qualifier	M	AN..3
		21 Total quantity ordered 52 Quantity per pack		
	6060	Quantity ordered. Always specified to three decimal places.	M	N..15
	6411	Unit of Measure code.	C	AN..3
		EA Each CT Carton		



PRI Item Price Details

Position: 1190
Group: Segment Group 28 (Price Details) nested within Segment Group 25 (Line Item) Conditional (Required)
Level: 2
Usage: Mandatory
Maximum usage: 2
Purpose: A segment specifying the price type and amount of the item ordered on this line.

Example: PRI+AAA:5.50'

Data Element	Component Element	Description	Mandatory/ Conditional	Data format
C509		Price Information	C	
	5125	Price Qualifier	M	AN..3
		AAA Net unit price excluding GST		
	5118	Price. Always specified to two decimal places.	M	N..15



CUX Currency

Position: 1200
Group: Segment Group 28 (Price Details) nested within Segment Group 25 (Line Item) Conditional (Required)
Level: 3
Usage: Conditional (Required)
Maximum usage: 1
Purpose: A segment specifying the currency used to specify the price of the item ordered on this line.

Example: CUX+2:NZD'

Data Element	Component Element	Description	Mandatory/ Conditional	Data format
C504		Currency details	C	
	6347	Currency details qualifier	M	AN..3
		2 Reference currency agreed with the vendor		
	6345	Currency, coded. This is the ISO Currency code for the currency used. For Briscoes and Rebel Sports, this is always NZD.	C	AN..3



LOC Segment Group 33

Position: 1400
Group: Segment Group 25 (Line Item) Conditional (Required)
Level: 2
Usage: Conditional (Required)
Maximum usage: 9999
Purpose: A group of segments providing details of the individual dispatch quantities for each store for the current item.

Position Number	Segment ID	Description	Mandatory/ Conditional	Maximum Usage	Group Repeat
1410	LOC	Place/Location Identification	M	1	
1420	QTY	Quantity for a particular store	C	1	
1430	DTM	Required delivery date for that store	C	5	

LOC Delivery Location

Position: 1410
 Group: Segment Group 33 (Place/Location) nested within Segment Group 25 (Line Item) Conditional (Required)
 Level: 2
 Usage: Conditional (Required)
 Maximum usage: 1
 Purpose: A segment specifying the location to deliver a specific quantity of this line item to.

Example: LOC+7+1005::92'

Data Element	Component Element	Description	Mandatory/ Conditional	Data format
3227		Place/Location identification code qualifier.	M	AN..3
	7	Delivery location		
C517		Location identification	C	
	3225	Location identification. This is either a Briscoes or Rebel Sport store code for the place the items are to be delivered to.	C	AN..25
	3055	Code list responsible agency.	C	AN..3
	92	The delivery location code was assigned by Briscoes or Rebel Sports.		

QTY Quantity To Be Delivered

Position: 1420
 Group: Segment Group 33 (Place/Location) nested within Segment Group 25 (Line Item) Conditional (Required)
 Level: 3
 Usage: Conditional (Required)
 Maximum usage: 1
 Purpose: A segment specifying the quantity to be delivered to this specific location.

Example: QTY+11:10.000:EA'

Data Element	Component Element	Description	Mandatory/Conditional	Data format
C186		Quantity Details.	M	
	6063	Quantity Qualifier	M	AN..3
		11 Quantity to be delivered		
	6060	Quantity ordered. Always specified to three decimal places.	M	N..15
	6411	Unit of Measure code.	C	AN..3
		EA Each CT Carton		



DTM Date and Time Period

Position: 1430
 Group: Segment Group 33 (Place/Location) nested within Segment Group 25 (Line Item)
 Conditional (Required)
 Level: 1
 Usage: Mandatory
 Maximum usage: 1
 Purpose: A segment specifying the dates for a specify delivery to a store.
 Example: DTM+2:20111216:102'

Data Element	Component Element	Description	Mandatory/ Conditional	Data format
C507		Date and Time Period	M	
	2005	Date and Time Period Qualifier:	M	AN..3
	2	Requested Delivery Date		
	2380	Date and Time Value.	C	AN..35
	2379	Date and Time Period Qualifier. Specifies the format of the date in element 2380	M	AN..3
	102	Date only in the format CCYYMMDD		



NAD Segment Group 35

Position: 1480
Group: Segment Group 25 (Line Item) Conditional (Optional)
Level: 2
Usage: Conditional (Optional)
Maximum usage: 99
Purpose: A group of segments providing the store address and contact details for the store deliveries and the expected delivery dates.

Note that there is no NAD segments in the header section Group 2 section in Purchase Orders. Header level segments are only used for deliveries to Distribution Centers. At present, Briscoes and Rebel Sports only require direct-to-store deliveries.

Position Number	Segment ID	Description	Mandatory/ Conditional	Maximum Usage	Group Repeat
1490	NAD	Name and address	M	1	
1510		Segment Group 36 – References	M		5
1570		Segment Group 38 – Contact Information	C		5

NAD Name and Address

Position: 0120
 Group: Segment Group 33 (Place/Location) nested within Segment Group 25 (Line Item)
 Conditional (Required)
 Level: 1
 Usage: Mandatory
 Maximum usage: 1
 Purpose: A segment identifying the names and address of the specific store for this delivery.

Example: NAD+UD+++Briscoes Whangarei+Port Road:Address 2:Address 3:Address 4+Whangarei++PostCode+NZ'

NAD+UC+8199::92++Customer Name:Customer Name+Street Address 1: Street Address 2+City++Post Code +Country ID'

Data Element	Component Element	Description	Mandatory/ Conditional	Data format
3035		Party Qualifier	M	AN..3
	UC	Ultimate Consignee address details		
	UD	Briscoes or Rebel Sports store code to deliver the goods to.		
C058		Party Name and Address	X	
C080		Party name	C	
	3036	Name of the party	C	AN..35
	3036	Name of the party	C	AN..35
C059		Street address	C	
	3042	Address line one	C	AN..35
	3042	Address line two	C	AN..35
	3042	Address line three	C	AN..35
	3042	Address line four	C	AN..35
3164		City name	C	AN..35
C819	3229	Country Sub Entity (used to specify the State)	X	AN..9
251		Postal Code	C	AN..9
3207		Country, coded	C	AN..3
	NZ	New Zealand		



RFF Reference

Position: 1520
Group: Segment Group 33 (Place/Location) nested within Segment Group 25 (Line Item)
Conditional (Required)
Level: 1
Usage: Mandatory
Maximum usage: 3
Purpose: A segment specifying a reference applicable to this order line. This is the same Purchase Order Number that was quoted in the BGM segment.

Example: RFF+CR:4500038166'

Data Element	Component Element	Description	Mandatory/ Conditional	Data format
C506		Reference	M	
	1153	Reference Qualifier	M	AN..3
		CR Briscoes or Rebel Sports Purchase Order number.		
	1154	Reference number. This is the Briscoes or Rebel Sports Purchase Order Number.	C	AN..35



CTA Contact Details for Deliver-to Store

Position: 1580
Group: Segment Group 38 (Contact Information) nested within Segment Group 25 (Line Item) Conditional (Required)
Level: 3
Usage: Mandatory
Maximum usage: 1
Purpose: A segment specifying the contact information for the Briscoes or Rebel Sports delivery location specified.

Example: CTA+DL'

Data Element	Component Element	Description	Mandatory/ Conditional	Data format
3139		Contact function, coded	C	AN..3
	DL	Briscoes or Rebel Sports delivery point contact.		



COM Communications Contact Details for Deliver-to Store

Position: 1590
Group: Segment Group 38 (Contact Information) nested within Segment Group 25 (Line Item) Conditional (Required)
Level: 1
Usage: Mandatory
Maximum usage: 1
Purpose: A segment specifying the contact information for the Briscoes or Rebel Sports delivery location specified.

Example: COM+09 430 4017:TE'

Data Element	Component Element	Description	Mandatory/ Conditional	Data format
C076		Communications contact.	M	
	3148	Communication telephone or fax number.	M	AN..512
	3155	Communications type qualifier:	M	AN..3
		TE Briscoes or Rebel Sports store telephone number.		



UNS Section Control

Position: 2090
Group:
Level: 0
Usage: Mandatory
Maximum usage: 1
Purpose: Service segment that marks the end of the order line section.

Example: COM+09 430 4017:TE'

Data Element	Component Element	Description	Mandatory/Conditional	Data format
0081		Section Identifier	M	A1
		S End of the order line details and the start of the next section.		



CNT Control Totals

Position: 2110
Group:
Level: 1
Usage: Conditional (Optional)
Maximum usage: 1
Purpose: A segment by which the control totals count may be provided by the sender of the Purchase Order.

Example: CNT+2:3'

Data Element	Component Element	Description	Mandatory/ Conditional	Data format
C270		Control Totals	M	
	6069	Control Qualifier:	M	AN..3
		2 The number of order lines in the preceding section.		
	6066	Control value. The total number of order lines in the Purchase Order. This is always the count of the LIN segments in the previous section.	M	N..18

UNT Message Trailer

Position: 2160
 Group:
 Level: 0
 Usage: Mandatory
 Maximum usage: 1
 Purpose: End of Message segment.

Example: UNT+50+1'

Data Element	Component Element	Description	Mandatory/ Conditional	Data format
	0074	Number of segment in the current UNH...UNT segment block.	M	N..6
	0062	Message Reference Number. This is the same as the reference number in the preceding UNH segment, element 0062.	M	AN..14

UNE Message Trailer

Position: 2160
 Group:
 Level: 0
 Usage: Mandatory
 Maximum usage: 1
 Purpose: End of Message segment.
 Example: UNE+9+27'

Data Element	Component Element	Description	Mandatory/Conditional	Data format
0060		Number of messages in the group	M	N..6
0048		Functional group reference number. Identical to 0048 in UNG segment.	M	AN..14

UNZ Message Trailer

Position: 2160
 Group:
 Level: 0
 Usage: Mandatory
 Maximum usage: 1
 Purpose: End of Message segment.
 Example: UNZ+9+27'

Data Element	Component Element	Description	Mandatory/Conditional	Data format
0036		Interchange control count. The count of the number of messages	M	AN..6
0020		Interchange control reference Shall be identical to 0020 in UNB segment.	M	AN..14