



The Briscoes EDIFACT D96A Purchase Order Response Message Implementation Guide

Version 1.10 – April 2021



Table of Contents

Introduction	3
Distributing this document	3
Copyright and Trademarks	3
Document revision history	4
Further reading	5
About EDIStech Limited	5
Creating Purchase Order Responses	6
Supplied in full	6
Some items cannot be supplied in full	6
Entire order has been cancelled or rejected	6
Price and delivery date change	6
Item codes are incorrect	7
EDIFACT Purchase Order Response message segments	8
UNH Message Header	8
BGM Beginning of Message	9
DTM Date and Time Period	10
RFF Reference	11
NAD Name and Address	12
LIN Segment Group 25	14
LIN Order Line Item	15
PIA Additional Product Identification	16
PRI Item Price Details	17
LOC Segment Group 33	18
LOC Delivery Location	19
QTY Quantity To Be Delivered	20
DTM Date and Time Period	21
UNS Section Control	22
CNT Control Totals	23
UNT Message Trailer	24



Introduction

This document details the information carried in the Briscoes D96A EDIFACT-format Purchase Order Response messages that are sent back to Briscoes by vendors.

It is essential that all suppliers be tested for both Order Units of Measure Eaches and Cartons regardless of whether Briscoe Group currently purchase in carton quantities. It is vital and necessary that this EDI Message type is included in our testing as in the future we may change to buying in carton quantities from you.

If a Supplier currently only uses eaches we will be adding cartons so we can test this scenario. You will be advised of these prior to commencing Test Packs with EDISTech.

This Message Implementation Guide includes:

- A worked example of a Briscoes purchase order response from a vendor
- Full documentation for each of the EDIFACT segments that are used in this message.
- The matching EDIFACT format purchase order response used in this documentation.

Distributing this document

The document contains information that is to be considered commercially sensitive to Briscoes Group, Rebel Sports and EDISTech Limited. This document may not be distributed to anyone else outside of the immediate project team without permission being granted by Briscoe Group Limited.

Copyright and Trademarks

- This document is copyright of Briscoe Group and EDISTech Limited. All rights reserved.
- *EDIS for Windows*[™], *EDIS hub*[™], *EDIS events*[™], *EDIS db*[™] and *EDIS admin*[™] are trademarks of EDISTech Limited. All rights reserved.
- SAP is a trademark of SAP AG.
- All other trademarks mentioned in this document are acknowledged as the intellectual property of the registered owners.

Document revision history

15 th December 2011	BRD	Original version created from base EDIS and GS1 documentation standards.
16 th January 2011	BRD	First version distributed to Briscoes and GXS for comment.
8 th February 2012	BRD	Updated after feedback from GXS
19 th February 2013	SRS	Changed the description in the BGM segment
8 th March 2013	SRS	Changed the description of the Quantity to be mapped
12 th April 2013	SRS	Updated the example for QTY with Qualifier '11'
17 th April 2013	SRS	Updated the doc version in footer
1 st October 2013	CDP	Included Carton (CT) as another Unit of Measure and changed "EDIS Technologies Limited" to "EDISTech Limited".
14 June 2014	CDP	Description changes for the follow segments: BGM – Page: 8 LIN – Page: 14 PIA – Page 18 QTY – Page: 19 Correction made to LIN Segment Group 25: Position Number 1180 changed to 1190 Example corrected for the UNS segment
7 August 2014	CDP	Update PIA C212:7140 description to "This is the additional item reference number that carries the vendors own item number for the product."
1 August 2016	CDP	Added explanations on POR for rejected and cancelled lines – Page 14
21 April 2021	CDP	Reduced data length to 22 characters in Segment PIA, Data Element C212, Component Element 7140 Swapped the data supplied for the "IN" and "SA" qualifiers in LIN segment, Data Element C212, Component Element 7143 on page 26 to bring it more in line with EDIFACT standard.



Further reading

This Message Implementation Guide should be read in conjunction with the following Briscoes and Rebel Sports publications:

- *Trading electronically with Briscoe Group.* This guide outlines the Briscoe e-commerce initiatives including the messages that are sent and how to complete the vendor on-boarding processes with Briscoes.
- *The Briscoes EDIFACT D96A Purchase Order Message Implementation Guide.* This guide outlines the structure and usage of the Purchase Order messages that Briscoes and Rebel Sport send to their vendors.
- *Examples specific to your company.* The examples in this guide are generic. Briscoes provided a pack of test orders with your own products in them that you can use during development. Similar orders will be used later during implementation and on-boarding with Briscoes. During the on-boarding, Briscoes will request that your system responds to these orders according to different scenarios.
- *Matching example Purchase Orders in human-readable format.* For each EDIFACT-format example, Briscoes and Rebel Sports have provided a matching human-readable copy of each order.

About EDISTech Limited

Briscoes has retained EDISTech Limited to manage the on-boarding of our vendors, working alongside the Briscoes and Rebel Sports teams. Once you have decided to link up to our systems, EDISTECH will assist you with each step of the implementation and testing.

The EDIS network provides a connection point to allow your computer to exchange documents with Briscoes SAP® order management system. EDISTech also maintains local and international links to other e-commerce companies like themselves, known as *interconnects*. If you are already exchanging documents with other retailers or customers via a Value-Added Network, EDISTECH can work alongside your providers to connect you and start the documents flowing. If you do not already have a link to any other network, EDISTECH can provide a direct connection to Briscoes via the EDIS network.

The EDIS network also facilitates a range of *interconnects* to other network providers throughout the world including:

- GXS
- SPS Commerce
- B2BE
- Sterling Commerce
- INOVIS

During implementation, EDIS will assist to connect you to the Briscoes e-commerce system via The EDIS network or your preferred network provider.



Creating Purchase Order Responses

For each Briscoes or Rebel Sports purchase order that is sent to a vendor, a purchase order response should be returned. This advises the buyer that the products can be supplied on the date requested. If the vendor cannot supply the total quantity or cannot supply the items by the required date, the order response can carry that information and the buy will be notified when the Briscoes SAP/R3 is updated.

This guide illustrates all the expected scenarios and how to report them to Briscoes:

Supplied in full

Example file *EDIFACT Purchase Order Response 45000038166_Supplied_In_Full.txt* shows an Order Response where the vendor has acknowledged that all lines can be supplied in-full by the requested delivery date.

Some items cannot be supplied in full

Example file *EDIFACT Purchase Order Response 45000038166_Short_Supplied.txt* shows an Order Response where the vendor cannot supply the full quantity of all items:

Order Line Number	Vendor response
00010	None of the items ordered on this line can be supplied. This product code and price is correct but no inventory is available for this item.
00020	Only four of the seven items can be supplied. The remaining items have not been backordered.

Entire order has been cancelled or rejected

Example file *EDIFACT Purchase Order Response 45000038166_Rejected_Or_Cancelled.txt* shows an Order Response where the vendor cannot supply the full quantity of all items. This same format is used when Briscoes or Rebel Sports cancels an entire order by sending a Purchase Order Change requesting the cancellation.

Price and delivery date change

Example file *EDIFACT Purchase Order Response 45000038166_Price_Date_Changed.txt* shows an Order Response where the vendor cannot supply the full quantity of all items by the requested delivery date. This same format is used when Briscoes or Rebel Sports changes the requested delivery date by sending a Purchase Order Change.

The vendor has also advised that the price on a line was incorrect.

<i>Order Line Number</i>	<i>Vendor response</i>
00010	Delivery date has been changed to 18 th December.
00020	The item price is incorrect. The vendor has sent a corrected price for this line.

Item codes are incorrect

Example file *EDIFACT Purchase Order Response 45000038166_Incorrect_Items.txt* shows an Order Response where product item codes are incorrect.

<i>Order Line Number</i>	<i>Vendor response</i>
00010	The GTIN or the vendor's item code is incorrect. The line will not be supplied. This sort of error is always followed up manually by the vendor and the buyer so that a corrected order can be issued.
00020	The vendor product code is incorrect. The vendor has sent a corrected vendor code and set the status to show that the line is accepted with changes.

EDIFACT Purchase Order Response message segments

The segment specifications below show each of the fields that are used in the EDIFACT-format message. All the segments currently used by Briscoes in this implementation are documented here and no additional ones are sent.

UNH Message Header

Position: 0010
 Group:
 Level: 0
 Usage: Mandatory
 Maximum usage: 1
 Purpose: A service segment starting and uniquely identifying the beginning of a message. The message type code for the Purchase Order Response message is ORDRSP.

Example: UNH+1+ORDRSP:D:96A:UN:EAN005'

Data Element	Component Element	Description	Mandatory/Conditional	Data format
0062		Message Sequence Reference Number. This is the unique incrementing counter for the UNT...UNT message sections within this message. Unique message reference assigned by the sender	M	AN..14
S009		Message Identifier	M	
	0065	Message type identifier. Always ORDRSP for Purchase Order Responses.	M	AN..6
	0052	Message type version number. Always D.	M	AN..3
	0054	Message type release number. Always 96A	M	AN..3
	0051	Controlling Agency. Always UN for the United Nations EDIFACT Controlling Council	M	AN..2
	0057	Association assigned code for this version. Always EAN005	M	AN..6



BGM Beginning of Message

Position: 0020
 Group:
 Level: 0
 Usage: Mandatory
 Maximum usage: 1
 Purpose: A segment by which the sender must uniquely identify the purchase order response by means of its name and reference number and when necessary, its function.

Example: BGM+231+12250+4' – *Accepted with changes.*
 BGM+231+12250+27' – *Rejected in Full – no items will be supplied*
 BGM+231+12250+29' – *Supplied in Full*

Data Element	Component Element	Description	Mandatory/ Conditional	Data format
C002		Document Message Name	M	
	1001	Document or message name. This is always 231 for Purchase Order Responses.	M	AN..3
1004		Document message number. This is a unique reference number for this Purchase Order Response generated by the vendors system. It is not the original Briscoes or Rebel Sports Purchase Order Number.	M	AN..35
1225		Message Function Code.	M	AN..3
		4	The vendor accepts to supply the goods or services requested in the Purchase Order, but requires changes to one or more of the items. (Changes may be specified to one or more of the following: 1. Vender SKU 2. Unit Price 3. Quantity that can be supplied 4. Delivery Date.	
		27	The supplier declines to supply the goods detailed in a Purchase Order.	
		29	The Vendor accepts to supply the goods requested according to the terms set out in the Purchase Order	

DTM Date and Time Period

Position: 0030
 Group:
 Level: 1
 Usage: Mandatory
 Maximum usage: 35
 Purpose: A segment specifying general dates and when relevant, times applicable to the whole message.

Example: DTM+137:20111108:102'

Data Element	Component Element	Description	Mandatory/ Conditional	Data format
C507		Date and Time Period	M	
	2005	Date and Time Period Qualifier:	M	AN..3
		137 Purchase Order Response creation date.		
	2380	Date and Time Value.	C	AN..35
	2379	Date and Time Period Qualifier. Specifies the format of the date in element 2380	M	AN..3
		102 Date only in the format CCYYMMDD		



RFF Reference

Position: 0090
Group: Segment Group 1 (Reference) Conditional (Required)
Level: 1
Usage: Mandatory
Maximum usage: 1
Purpose: A segment specifying a reference applicable to the whole message. This is the original Briscoes or Rebel Sports Purchase Order Number.

Example: RFF+ON:4500038166'

Data Element	Component Element	Description		Mandatory/Conditional	Data format
C506		Reference		M	
	1153	Reference Qualifier:		M	AN..3
		ON	Original Purchase Order Number.		
	1154	Reference number. This is the Briscoes or Rebel Sports Purchase Order Number.		C	AN..35



NAD Name and Address

Position: 0120
 Group: Segment Group 2 (Name and Address) Conditional (Required)
 Level: 2
 Usage: Mandatory
 Maximum usage: 99
 Purpose: A segment identifying the names and addresses of the parties and their individual functions within the scope of the original Purchase Order.

Example: NAD+BY+13241::92++Olivia Bunning:Briscoe Group Ltd'

NAD+SU+300024::92++Vendor Name Ltd'

Data Element	Component Element	Description	Mandatory/ Conditional	Data format
3035		Party Qualifier	M	AN..3
		BY	Briscoes or Rebel Sports Buyer who created this order	
		SU	The vendor code, name and address of the vendor who is supplying the items on this purchase order.	
C082		Party identification details	C	
	3039	Party identification number.	M	AN..35
	3055	Code list responsible agency, coded:		
		92	The code was assigned by Briscoes or Rebel Sports.	
C080		Party name	C	
	3036	Name of the party	C	AN..35
C059		Street address	C	
	3042	Address line one	C	AN..35
	3042	Address line two	C	AN..35
	3042	Address line three	C	AN..35
	3045	Address line four	C	AN..35
3164		City name	C	AN..35



3251		Postal Code		C	AN..9
3207		Country, coded		C	AN..3
		NZ	New Zealand		



LIN Segment Group 25

Position: 0960
Group:
Level: 1
Usage: Conditional (Required)
Maximum usage: 200,000
Purpose: A group of segments providing details of the vendors response to the individual order lines, the stores the items are to be delivered to and the expected delivery dates.

Position Number	Segment ID	Description	Mandatory/ Conditional	Maximum Usage	Group Repeat
0940	LIN	Primary Line Item details	M	1	
0950	PIA	Additional Product Identification codes and details	C	25	
1190	PRI	Segment Group 28 – Pricing Details	C		25

Note:

For all subsequent Purchase Order Responses after the first Purchase Order Response, if the supplier has rejected any lines in their previous responses, then these rejected lines should not be included in the subsequent responses. If Briscoes have cancelled any lines in their Purchase Order Change, then these cancelled lines should not be included in the subsequent responses.

LIN Order Line Item

Position: 0940
 Group: Segment Group 26 (Line Item) Conditional (Required)
 Level: 1
 Usage: Mandatory
 Maximum usage: 1
 Purpose: A segment identifying the order line item by its line number and other reference numbers.

This is the first segment in the repeating LIN group 26.

Example: LIN+00010++9414844375629:EN'

Data Element	Component Element	Description	Mandatory/Conditional	Data format
1082		Order Line Number from the original SAP Purchase Order.	M	
1229		Action Request/Notification, coded. This is the status code that reports the vendor's response to this order line.	M	AN..3
		3 Changed. This line item is changed. The requested delivery date, the quantity that can be supplied, the unit price of the ordered item and/or the Supplier SKU has been changed.		
		5 Accepted without amendment; this line item is accepted. The line can be supplied in-full by the required delivery date, The unit price and the Supplier SKU specified in the Purchase Order are correct..		
		7 Not accepted. None of the items on this line will be supplied. Note: When a line item is rejected, the original values of Supplier SKU, Unit Price, Quantity Ordered and the Requested Delivery Date have to be returned..		
C212		Item number identification		
	7140	The Global Trade Item Number or Barcode of the item being ordered.	C	AN..35
	7143	Item number, coded. Identifies the type of the number referenced in element 7140:	C	AN..3
	EN	GS1-compliant Global Trade Item Number or barcode		



PIA Additional Product Identification

Position: 0950
 Group: Segment Group 25 (Line Item) Conditional (Required)
 Level: 2
 Usage: Conditional (Required)
 Maximum usage: 25
 Purpose: A segment providing additional information about the order line item
 Example: PIA+1+1035470:IN'

Data Element	Component Element	Description	Mandatory/ Conditional	Data format
4347		Product Identification Function Qualifier:	M	AN..3
		1 Additional information		
C212		Item Number Identification	M	AN..3
	7140	Item Reference number. This is the additional item reference number that carries the vendors own item number for the product.	C	AN..22
	7143	Item number, coded. Identifies the type of item number referenced in element 7140:	C	AN..3
		IN Buyer's item number. This value will be only supplied in dropship orders.		
		SA Vendors own inventory item identification number.		



PRI Item Price Details

Position: 1190
Group: Segment Group 28 (Price Details) nested within Segment Group 25 (Line Item)
Conditional (Required)
Level: 2
Usage: Mandatory
Maximum usage: 1
Purpose: A segment specifying the price type and amount of the item ordered on this line.
Example: PRI+AAA:5.50'

Data Element	Component Element	Description	Mandatory/Conditional	Data format
C509		Price Information	C	
	5125	Price Qualifier	M	AN..3
		AAA Net unit price excluding GST		
	5118	Price. Always specified to two decimal places. If the vendor does not agree with the price in the purchase order, a corrected price should be sent back with the line status in the LIN segment of 3 for Changed.	M	N..15



LOC Segment Group 33

Position: 1400
Group: Segment Group 25 (Line Item) Conditional (Required)
Level: 2
Usage: Conditional (Required)
Maximum usage: 9999
Purpose: A group of segments providing details of the individual dispatch quantities for each store for the current item.

Position Number	Segment ID	Description	Mandatory/ Conditional	Maximum Usage	Group Repeat
1410	LOC	Place/Location Identification	M	1	
1420	QTY	Quantity for a particular store	C	1	
1430	DTM	Required delivery date for that store	C	5	



LOC Delivery Location

Position: 1410
 Group: Segment Group 33 (Place/Location) nested within Segment Group 25 (Line Item)
 Conditional (Required)
 Level: 2
 Usage: Conditional (Required)
 Maximum usage: 1
 Purpose: A segment specifying the location to deliver a specific quantity of this line item to,
 Example: LOC+7+1005::92'

Data Element	Component Element	Description	Mandatory/ Conditional	Data format
3227		Place/Location identification code qualifier.	M	AN..3
		7 Delivery location		
C517		Location identification	C	
	3225	Location identification. This is either a Briscoes or Rebel Sport store code for the place the items are to be delivered to.	C	AN..25
	3055	Code list responsible agency.	C	AN..3
		92 The delivery location code was assigned by Briscoes or Rebel Sports.		



QTY Quantity To Be Delivered

Position: 1420
Group: Segment Group 33 (Place/Location) nested within Segment Group 25 (Line Item)
Conditional (Required)
Level: 3
Usage: Conditional (Required)
Maximum usage: 1
Purpose: A segment specifying the quantity to be delivered to this specific location.
Example: QTY+11:10.000:EA'

Data Element	Component Element	Description		Mandatory/Conditional	Data format
C186		Quantity Details.		M	
	6063	Quantity Qualifier		M	AN..3
		11	Quantity to be delivered. In case of rejected line, Quantity to be deleted (i.e. the original ordered quantity)		
	6060	Quantity ordered. Always specified to three decimal places.		M	N..15
	6411	Unit of Measure code.		C	AN..3
		EA CT	Each Carton		



DTM Date and Time Period

Position: 1430
Group: Segment Group 33 (Place/Location) nested within Segment Group 25 (Line Item)
Conditional (Required)
Level: 1
Usage: Mandatory
Maximum usage: 1
Purpose: A segment specifying the dates for a specify delivery to a store.
Example: DTM+2:20111216:102'

Data Element	Component Element	Description	Mandatory/ Conditional	Data format
C507		Date and Time Period	M	
	2005	Date and Time Period Qualifier:	M	AN..3
		2 Requested Delivery Date		
	2380	Date and Time Value.	C	AN..35
	2379	Date and Time Period Qualifier. Specifies the format of the date in element 2380	M	AN..3
		102 Date only in the format CCYYMMDD		



UNS Section Control

Position: 2090
Group:
Level: 0
Usage: Mandatory
Maximum usage: 1
Purpose: Service segment that marks the end of the order line section.

Example: UNS+S'

Data Element	Component Element	Description	Mandatory/Conditional	Data format
0081		Section Identifier	M	A1
	S	End of the order line details and the start of the next section.		



CNT Control Totals

Position: 2110
Group:
Level: 1
Usage: Conditional (Optional)
Maximum usage: 1
Purpose: A segment by which the control totals count may be provided by the sender of the Purchase Order Response.

Example: CNT+2:3'

Data Element	Component Element	Description		Mandatory/Conditional	Data format
C270		Control Totals		M	
	6069	Control Qualifier:		M	AN..3
		2	The number of order response lines in the preceding section.		
	6066	Control value. The total number of order response lines in the Purchase Order Response. This is always the count of the LIN segments in the previous section.		M	N..18

UNT Message Trailer

Position: 2160
 Group:
 Level: 0
 Usage: Mandatory
 Maximum usage: 1
 Purpose: End of Message segment.

Example: UNT+50+1'

Data Element	Component Element	Description	Mandatory/ Conditional	Data format
	0074	Number of segment in the current UNH...UNT segment block.	M	N..6
	0062	Message Reference Number. This is the same as the reference number in the preceding UNH segment, element 0062.	M	AN..14