



The Briscoes iDOC Purchase Order Message Implementation Guide

Version 1.6 – 01 October 2025

Contents

Introduction	3
Distributing this document	3
Copyright and Trademarks	3
Document revision history	4
Further Reading	5
About EDISTech Limited	5
Processing and Translating Purchase Orders	5
Single-store and Multi-store orders	6
Formatting differences between single-store and multi-store orders	6
Example orders	7
Example Purchase Order 4500173102	8
XML Purchase Order message segments	9
EDI_DC40 Message Header	9
E1EDK01 General Data	11
E1EDK14 Organizational data.....	12
E1EDK03 Document dates.....	12
E1EDKA1 Document Header Partner Information	13
E1EDK02 Document Header Reference Information	14
E1EDP01 Purchase Order Line Details	15
ZE1EDP01 Article classification.....	16
E1EDP20 Document Item Date and Quantity Required Segment.....	17
E1EDPA1 Item Location Information Segment	18
E1EDP19 Document Item Object Identification Segment	20
E1EDS01 Document Summary Segment.....	20



Introduction

This document details the information carried in the Briscoes iDOC-format Purchase Order messages that are sent to vendors.

It is essential that all suppliers be tested for both Order Units of Measure Eaches and Cartons regardless of whether Briscoe Group currently purchase in carton quantities. It is vital and necessary that this EDI Message type is included in our testing as in the future we may change to buying in carton quantities from you.

If a Supplier currently only uses eaches we will be adding cartons so we can test this scenario. You will be advised of these prior to commencing Test Packs with EDISTech.

This Message Implementation Guide includes:

- A worked example of a Briscoes purchase order for a vendor.
- Full documentation for each of the iDOC segments that are used in this purchase order.
- The matching XML-format iDOC purchase order used in this documentation.

Distributing this document

The document contains information that is to be considered commercially sensitive to Briscoes Group, Rebel Sports and EDISTech Limited. This document may not be distributed to anyone else outside of the immediate project team without permission being granted by Briscoe Group Limited.

Copyright and Trademarks

- This document is copyright of Briscoe Group and EDISTech Limited. All rights reserved.
- *EDIS for Windows*[™], *EDIS hub*[™], *EDIS events*□, *EDIS db*□ and *EDIS admin*□ are trademarks of EDISTech Limited. All rights reserved.
- SAP is a trademark of SAP AG.
- All other trademarks mentioned in this document are acknowledged as the intellectual property of the registered owners.

Document revision history

10 th December 2011	BRD	Original version created from base EDIS and GS1 documentation standards.
26 th February 2012	BRD	First version distributed for comment.
5 th March 2012	BRD	First version distributed to vendors for comment.
2 nd October 2013	CDP	Carton (CT) Unit of Measure introduced.
14 June 2014	CDP	Updated notes on the following fields: <DOCREL> <BSART> <BMNG2> <PMENE> <PEINH>
16 December 2020	CDP	Added Dropship section on page 6. Added instructions about example dropship purchase order on page 7 Updated <BSART> values on page 11 Updated comments for partner qualifier "WE" in tag <PARVW> on page 13 and added tag <PSTLZ> on page 14 Added following tags in segment group <ZE1EDP01> on page 17 • <ZDS_NETPR> • <ZDS_NETVAL> • <ZDS_BSTNK> Updated comments for tag <NAME1> on page 19 Added tag <PSTLZ> on page 19 Added segment group <E1EDPT1> and <E1EDPT2> on page 22
01 October 2025	LC	Removed - Dropship section on page 6 Removed - Instructions about example dropship purchase order on page 7 Updated Removed - ZDSP Dropship Purchase Order on Page 11 Removed - Tag ZDS_BSTNK in segment group <ZE1EDP01> on page 17 Removed - Comments for tag <NAME1> on page 19 Removed - Segment group <E1EDPT1> and <E1EDPT2> on page 22 Update sample PO references on Pages 6, 7, 8



Further Reading

This Message Implementation Guide should be read in conjunction with the following Briscoes and Rebel Sports publications:

- *Trading electronically with Briscoe Group.* This guide outlines the Briscoe e-commerce initiatives including the messages that are sent and how to complete the vendor on-boarding processes with Briscoes.
- *Examples specific to your company.* The examples in this guide are generic. Briscoes also provides a pack of test orders with your own products in them that you can use during development. Similar orders will be used later during implementation and on-boarding with Briscoes.
- *Matching example Purchase Orders in human-readable format.* For each iDOC-format example, Briscoes and Rebel Sports have provided a matching human-readable copy of each order.

About EDISTech Limited

Briscoes has retained EDISTech to manage the on-boarding of our vendors, working alongside the Briscoes and Rebel Sports teams. Once you have decided to link up to our systems, EDISTech will assist you with each step of the implementation and testing.

The EDIS network provides a connection point to allow your computer to exchange documents with Briscoes SAP® order management system. EDISTech also maintains local and international links to other e-commerce companies like themselves, known as *interconnects*. If you are already exchanging documents with other retailers or customers via a Value-Added Network, EDISTech can work alongside your providers to connect you and start the documents flowing. If you do not already have a link to any other network, EDISTech can provide a direct connection to Briscoes via the EDIS network.

Processing and Translating Purchase Orders

Each Briscoes or Rebel Sports Purchase Order that is created by their SAP/R3 ® system is sent to the vendors.

The EDIS network also provides a range of tracking options to manage vendor's orders. EDISTech generates exception information reports and email alerts when the data in the messages does not pass validation or is not delivered successfully. These validations include:

- Checking that the Trading Partner identification code in the <RCVPRN> or <SNDPRN> is recognized by the EDISTech e-commerce server. This code identifies who the message is to be sent to and is used to determine which network to route the message to.

- Checking that the message has not been received previously. The EDIStech e-commerce server blocks duplicate messages being sent to and from suppliers to ensure that orders are not double-handled accidentally.
- Checking that the XML-format of the message is recognized and that no undocumented segments are processed. This is likely to be a rare occurrence but the test ensures that unexpected updates or changes to the SAP iDOC format are reported.

Single-store and Multi-store orders

Purchase orders can contain line items that detail deliveries to more than one store within the same order. This type of order is referred to a *multi-store order*. The example in this documentation shows items are being ordered for stores in Panmure, Manukau and Wellington. In a *single-store order*, all the lines are to be delivered to a single store destination.

Each line item can specify a different delivery date. The same product item number can also appear on different order lines with different delivery dates.

Each order line also has a unique line number that is the primary identifier used by the Briscoes and Rebel Sports SAP system. For this reason, you should not use the products item number, barcode or GTIN in your system as a key to match to the original purchase order line when responding to this order.

Formatting differences between single-store and multi-store orders

Single-store and multi-store iDOC messages use the same iDOC format except for the following differences:

- When the order contains items that are to be delivered to only one store, the deliver-to addresses appear in a different section of the iDOC. An additional <E1EDKA1> segment is included at the header level to carry the single deliver-to store details.
- Single-store orders do not include the line level <E1EDPA1> group.
- Multi-store orders carry the store deliver-to details in their own <E1EDPA1> group within each order line.



Example orders

The iDOC multi-store purchase order 4500173102 is available in the file *iDOC Multi-Store Purchase Order 4500173102.xml*

The same order for a single-store purchase order 4500173099 is available in the file *iDOC Single-Store Purchase Order 4500173099.xml*

The human-readable PDF for these orders are available in the files *Multi-Store Purchase Order 4500173102.pdf* and *Single-Store Purchase Order 4500173099.pdf*.



Example Purchase Order 4500173102

PO Box 884 Auckland
1 Taylors Road
Morningside
Auckland
Ph: 09 615 3737

Vendor Name
Road
City
Country
Fax:
Attention:

PO Number 4500173102
Order Date: 16.09.2025
Vendor Code: 999999
Contact: SARAHD

The Delivery Dates must be observed. Any variations or queries must be negotiated with the relevant buyer.

XML Purchase Order message segments

The segment specifications below show each of the fields that are used in the ORDERSEXT message. All the iDoc segments currently used by Briscoes in this implementation are documented here and no additional ones are sent.

EDI_DC40 Message Header

The Message Header marks the start of a new order message. Mandatory

Tag	Description	Min/Max	Notes
<?xml version="1.0" encoding="utf-8"?>	XML header		Standard XML message header that identifies the XML syntax version used and the UTF encoding format. Briscoes requires UFT-8 8-bit ASCII-format XML messages rather than Unicode format UTF-16 messages.
<ORDERSEXT> <IDOC BEGIN=1>	Start of the IDoc ORDERSEXT message		Only one purchase order is packed into each ORDERSEXT envelope.
<EDI_DC40 SEGMENT="1">	Start of the EDI_DC40 group		Start of the EDI_DC40 group
<TABNAME>	Table name		Name of the iDOC structure table. Always EDI_DC40
<MANDT>		3/3	Always 300.
<DOCNUM>	Unique document number	16/16	The unique document sequence number. Can be used in conjunction with the <SERIAL> segment to uniquely identify this message.
<DOCREL>	Document release number	3/3	Always 702
<STATUS>	Document status	1/3	Always 30 - represents an original document released from SAP
<DIRECT>	Direction.	1/3	Document direction code. Always 1
<OUTMOD>	Output mode	1/3	SAP output mode code. Always 2
<IDOCTYP>	IDoc message type code	1/10	Always ORDERS05 for Purchase Orders.
<CIMTYP>	IDOCS EDI message name	1/10	Always ORDERSEXT for Purchase Orders. Briscoes and Rebel Sports have extended the basic SAP ORDERS05 iDoc with custom segment implementations using the recommended SAP extension methods.
<MESTYPE>	Message type code.	1/6	The iDoc message type. Purchase orders are always message type ORDERS. Refer to the matching Purchase Order Acknowledgement, Confirmation and Order Change documentation for examples of how this segment is used in later messages.
<STD>	Language code	1/1	Language code - Always E for English

<STDMES>	Message type	1/10	Message type is a Purchase Order. ORDERS	
<SNDPOR>	SAP Message Sender port	1/10	Message sender. Messages are routed through this SAP output port.	
			SAPBRT	Briscoes and Rebel Sports test system
			SAPBRP	Briscoes and Rebel Sports production system
<SNDPRT>		2/2	Always LS	
<SNDPRN	Message sender code	1/10	Identifies the company that sent the purchase order to the vendor	
			BRTCLNT300	Briscoes and Rebel Sports test system
			BRPCLNT300	Briscoes and Rebel Sports production system
<RCVPOR>	SAP Message Receiving port	1/10	SAP message receiving port code. Always EDIORDERS	
<RCVPRT>	Receiving partner type	1/10	Receiving Partner Type - Always LI	
<RCVPFC>	Receiving partner function code.	1/10	Receiver Partner Function Code - Always LF	
<RCVPRN>	Receiving partner code	1/10	Identifies the vendor that the purchase order is being sent to. This is used to route the message via the correct e-commerce network provider to the vendor's system. The same value is also sent in the <RECIPNT_NO> segment.	
<CREDAT>	Message creation date	8/8	Message creation date in the format YYYYMMDD	
<CRETIM>	Message creation time	6/6	Message creation time in the format HHMMSS (24-hour format)	
<SERIAL>	Message Interchange Number	14/14	Unique message interchange control number. This is a timestamp in the format YYYYMMDDHHMMSS. Can be used in conjunction with the <DOCNUM> segment to uniquely identify the message.	
</EDI_DC40>	End of the EDI_DC40 group		End of the EDI_DC40 group	



E1EDK01 General Data

The General Message Data Group. This carries currency codes and the primary purchase order number. Mandatory

Tag	Description	Min/Max	Notes
<E1EDK01 SEGMENT = "1">	Start of the IDOCS Document header general data.		
<KZABS>	Acknowledgement Flag	1/1	Specifies if an order acknowledgement is required:
			X Acknowledgement is required
<CURCY>	Currency code	3/3	SAP currency code. Always NZD
<HWAER>	Currency code	3/3	Local currency code used in external EDI documents. Always NZD
<WKURS>	Exchange rate	1/12	Exchange rate.
<ZTERM>	Terms of payment key	1/17	Terms of payment key.
<BSART>	Document type	1/4	Document type. Possible entries are ZNS, ZWB, ZNB, ZNC, ZNR and ZNP. Note: In future there can be other possible document types.
		ZNS	Store Purchase Order
		ZWB	Web Purchase Order
		ZNB	Standard Purchase Order.
		ZNC	Commercial Purchase Order
		ZNR	Replenishment Purchase Order
		ZNP	Promotion Purchase Order
<BELNR>	Document reference	1/35	Briscoes or Rebel Sports Purchase Order Number. This is the primary order reference number that must be quoted back on Order Confirmations and Acknowledgements. All Purchase Order Change messages for this original Purchase Order will carry this same number.
<RECIPNT_NO>	Vendor number	1/10	This is the unique vendor identification number. Also known as the Vendor Number. The same value is also sent in the <RECVPRN> segment.
</E1EDK01>	End the IDOCS Document header general data.		End the IDOCS Document header general data.

E1EDK14 Organizational data

Each E1EDK14 group carries information about one ship-to, ordered-by or invoice-to trading partner.

Tag	Description	Min/Max	Notes
<E1EDK14 SEGMENT = "1">	Start of the IDOCs		
<QUALF>	Qualifier	1/3	Qualifier that identifies the type of organization:
		014	Purchasing organization.
		009	Purchasing group.
		013	Purchase Order type.
		011	Company code.
<ORGID>	Organizational identifier	1/35	Identification code for the party. This value is dependent on the purchasing organization, purchasing group, purchase Order type or company code that appeared in the <QUALF> segment.

E1EDK03 Document dates

Each E1EDK03 group carries a date that relevant to this purchase order. Where there are different requested delivery dates on different order lines, the required delivery date in the lines section should be used and not this header-level date. Mandatory

Tag	Description	Min/Max	Notes
<E1EDK03 SEGMENT = "1">	Start of the IDOCs date group		
<IDDAT>	Qualifier	1/3	Date qualifier:
		012	Purchase Order date
		011	Requested delivery date
<DATUM>	Date	8/8	Date in the format YYYYMMDD

E1EDKA1 Document Header Partner Information

Each E1EDKA1 group identifies an individual buyer, ordered-by party and ship-to party. Mandatory

Tag	Description	Min/ Max	Notes
<E1EDKA1 SEGMENT = "1">	Start of the IDOCS Document header Partner information.		
<PARVW>	Partner qualifier	1/3	Identifies the role of the party:
			AG Buyer contact details
			RE Invoice-to party
			WE Ordered-by party. This carries the deliver-to details for single-store orders
			LF Briscoes or Rebel Sports vendor number.
<PARTN>	Partner number	1/17	Partner identification code or number. Used when <PARVW> contains AG or LF.
<TELF1>	Telephone number	1/25	Telephone number. This is usually the contact phone number of the first contact person of this trading partner or party. Optional, Used when <PARVW> contains AG or WE.
<LIFNR>	Vendor number	1/17	Vendor identification code at the customer location. Used when <PARVW> contains WE.
<NAME1>	Name one	1/35	Free-form partner name. Depending on the qualifier in the <PARVW> segment, this can be the name of the buyer, the vendors company name or the name of the receiving warehouse or store the goods are to be delivered to. Used in WE.
<BNAME>	Partner name	1/35	Optional IDOC user name. Used when <PARVW> contains AG.
<PAORG>	Organizational code	1/30	Optional IDOC organizational code. Used when <PARVW> contains AG.
<ORGTX>	Organization name	1/50	Free-form name of the partners company or organization. Used in conjunction with the <PAORG> value supplied above. Optional. Used in AG.
<PAGRU>	IDOC group code.	1/30	IDOC group code. Optional Used when <PARVW> contains AG.
<STRAS>	Street and house number 1	1/35	Street and house number 1. Optional. Used when <PARVW> contains WE.

<STRS2>	Street and house number 2	1/35	Street and house number 2. Optional. Used when <PARVW> contains WE.
<ORT01>	City name	1/35	City Name. Used when <PARVW> contains WE.
<PSTLZ>	Post Code	1/4	Post Code
<LAND1>	Country name key.	1/3	Country name key. This is usually a standard ISO Country code. Used when <PARVW> contains WE.
<TELFX>	Fax number	1/25	Fax number. This is usually the contact fax number of the first contact person of this trading partner or party. Optional. Used when <PARVW> contains WE.
<SPRAS>	Language Key	1/1	Language used in this purchase order. Always 'E' for English for Rebel Sports or Briscoes. Used when <PARVW> contains LF or WE.
<REGIO>	Region code	1/3	Region code. This is typically a code like SOU for Southland.
<ORT02>	Suburb name	1/35	Suburb, county or district name.
<SPRAS_ISO>	Language code	1/2	ISO language code that identifies the language used by the receiving or sending party. Always EN for English for Briscoes and Rebel Sports. Used when <PARVW> contains WE or LF.

E1EDK02 Document Header Reference Information

Carries the purchase order number and the order creation date. Mandatory

Tag	Description	Min/Max	Notes	
<E1EDK02 SEGMENT = "1">	Start of the IDOCS Document header Reference information.			
<QUALF>	Qualifier	1/3	Reference qualifier	
			001	Reference is the Briscoes or Rebel Sports Purchase Order number.
<BELNR>	Reference number.	1/35	Reference number. When the qualifier is 001, this value is the Purchase order number. This is the same number that is used in the <E1EDK01> <BELNR> segment.	
<DATUM>	Order date	8/8	Reference date in the format YYYYMMDD. Where the qualifier is 001, this is the Purchase Order creation date.	
<UZEIT>	Order time	6/6	Reference time in the format HHMMSS. Where the qualifier is 001, this is the Purchase Order creation time.	



E1EDP01 Purchase Order Line Details

Carries the details of each order line. There is one E1EDP01 group for each order line. The order lines are carried in a nested group of segments for each line:

<E1EDP01 SEGMENT = "1"> ← document line group
 <ZE1EDP01> ← Article classification.
 <E1EDP20> ← Required schedule and delivery date group.
 <E1EDPA1> ← Item location information.
 <E1EDP19> ← Product identification group – Briscoes or Rebel Sports item code
 <E1EDP19> ← Product identification group – The vendor or vendors own item code
 <E1EDP19> ← Product identification group – The item barcode or GTIN, assigned by the vendor.
 <E1EDP01>

Where the order is items to be delivered to more than one store, each there will be a separate EDEDP01 group for each product for each store.

Tag	Description	Min/ Max	Notes	
<E1EDP01 SEGMENT = "1">	Start of the IDOCS Document item line group			
<POSEX>	Item number	1/5	Order line number. Formatted with leading zeros.	
<ACTION>	Action code	1/3	Identifies the action code for this order line:.	
			002	Item changed
			001	This is an original line. In a Purchase Order Change, this indicates that a line has been added.
			003	Item cancelled or deleted.
<PSTYP>	Item category	1/1	Briscoes or Rebel Sports Item category code.	
<KZABS>	Acknowledgement Flag	1/1	Specifies if an order acknowledgement is required:	
			X	Acknowledgement is required
<MENGE>	Quantity	1/15	Quantity ordered. This is formatted with three decimal places.	
<MENEE>	Unit of measure	1/3	Unit of measure code. Usually EA for Each or CT for Carton.	
<BMNG2>	Quantity in order price unit	1/15	Quantity ordered in the order pricing unit. When the Unit of Measure is EA in <MENEE>, then this value will be the same as that of <MENGE>. When the Unit of Measure is CT in <MENEE>, then this value will be the multiple of <MENGE> and <BPUMZ>. This is formatted with three decimal places.	
<PMENE>	Price unit of measure code	1/3	This is the Price unit of measure. .	

<VPREI>	Net price	1/15	Net unit price formatted to two decimal places.
<PEINH>	Price unit of measure.	1/9	Pricing unit of measure code.
<NETWR>	Extend line amount.	1/18	Extended net line amount formatted to two decimal places.
<GEWEI>	Weight Unit of Measure.	1/3	Weight Unit of Measure code. Usually KGM for Kilograms.
<MATKL>	IDOC Article Class code	1/9	Merchandise category code. Also known as the Department, Class, Subclass or Product Group code.
<BPUMN>	Conversion factor	1/5	Denominator or bottom part of the fraction for the conversion of the Order Pricing Unit <BMNG2> into the Order unit. This has no decimal places and is always positive.
<BPUMZ>	Conversion factor	1/5	Numerator or top part of the fraction for the conversion of the Order Pricing Unit <BMNG2> into the Order unit. This has no decimal places and is always positive.
<BRGEW>	Item weight	1/10	Item gross weight in unit specified in <GEWEI>.
<WERKS>	Site code	1/4	Briscoes or Rebel Sports receiving site code.
<LGORT>	Storage location	1/4	Storage location code.

ZE1EDP01 Article classification

Carries the Briscoes or Rebel Sports internal article classification code for this item.

Tag	Description	Min/Max	Notes
<ZE1EDP01 SEGMENT = "1">	Start of the Article Classification section		
<ATTYP>	Article qualifier	1/2	Article type qualifier:
		00	The item is a single article
		01	The item is a generic article (This should be filtered out from incoming PO) and not sent to the vendor.
		02	The item is a variant article
<ZDS_NETPR>	Unit Price Paid	1/15	This field was only populated in Dropship Orders, therefore is no longer relevant.

<ZDS_NETVAL>	Total Price Paid	1/15	This field was only populated in Dropship Orders, therefore is no longer relevant.
</ZE1EDP01>	End of the Article Classification group		

E1EDP20 Document Item Date and Quantity Required Segment

Carries the required delivery date for a particular quantity ordered. This group repeats for each separate delivery schedule. Mandatory

Tag	Description	Min/Max	Notes
<E1EDP20 SEGMENT = "1">	Start of the IDOCS Document item Date group.		
<WMENG>	Quantity required	1/15	Quantity to be delivered by the date specified. There is only one delivery date for every line item, hence the full quantity is reflected here. Formatted to three decimal places.
<AMENG>	Original line quantity required	1/10	This is the quantity notified to the vendor at the time of the last transmission. If this was an Order Change message, this would be the last quantity ordered. Formatted to three decimal places.
<EDATU>	Date	8/8	Required delivery date for this schedule in the format YYYYMMDD
</E1EDP20>	End of group		

Example of segment usage

The example below shows two delivery schedules for an order line. The first is for a quantity of two to be delivered on the 17th September and the second shipment of two to be delivered on the 20th September.

```
<E1EDP20 SEGMENT="1">
  <WMENG>2.000</WMENG>
  <AMENG>0.000</AMENG>
  <EDATU>20110917</EDATU>
</E1EDP20>
<E1EDP20 SEGMENT="1">
  <WMENG>2.000</WMENG>
  <AMENG>0.000</AMENG>
  <EDATU>20110920</EDATU>
</E1EDP20>
```

In both cases, the <AMENG> value is zero since this is an original order with no previous delivery schedule.

E1EDPA1 Item Location Information Segment

Specifies where an individual line item is to be delivered to. Mandatory for multi-store orders. Not included in single-store orders.

Tag	Description	Min/ Max	Notes
<E1EDPA1 SEGMENT = "1">	Start of the IDOCS Document item General Data group.		
<PARVW>	Qualifier	3/3	Identifies what the location details below represent.
		WE	Deliver-to information.
<LIFNR>	Identification code.	1/17	Deliver-to location identification code. This is the Rebel Sports or Briscoes Store identification code.
<NAME1>	Location name	1/35	Deliver-to store name.
<STRAS>	Street and house number 1	1/35	Street and house number 1
<STRS2>	Street and house number 2	1/35	Street and house number 2 – not used.
<ORT01>	City name	1/35	City Name
<PSTLZ>	Post Code	1/4	Post Code
<LAND1>	Country name	1/3	Country name key. This is usually an ISO country code. Always NZ for Rebel Sports or Briscoes.
<TELF1>	Telephone number	1/25	Telephone number. This is usually the contact phone number of the first contact person of this trading partner or party. Optional.
<TELFX>	Fax number	1/25	Fax number. This is usually the contact phone number of the first contact person of this trading partner or party. Optional.
<SPRAS>	Language Key	1	Language used in this purchase order. Always 'E' for English.
<ORT02>	Suburb name	1/35	Suburb, district or county name.
<REGIO>	Region code	1/3	Briscoes or Rebel Sports region code.
</E1EDPA1>	End of group		

Multi-store and single-store E1EDPA1 segment examples

The multi-store order format carries the deliver-to store information in the <E1EDPA1> group at the line level:

```
<E1EDP20 SEGMENT="1">
  <WMENG>1.000</WMENG>
  <AMENG>0.000</AMENG>
  <EDATU>20110928</EDATU>
</E1EDP20>
<E1EDPA1 SEGMENT="1">
  <PARVW>WE</PARVW>
  <LIFNR>8010</LIFNR>
  <NAME1>Rebel Sport Botany</NAME1>
  <STRAS>Unit AO2, Chapel Road</STRAS>
  <ORT01>Auckland</ORT01>
  <LAND1>NZ</LAND1>
  <TELF1>09 272 3146</TELF1>
  <TELFX>09 272 3147</TELFX>
  <SPRAS>E</SPRAS>
  <ORT02>Botany</ORT02>
  <REGIO>AKS</REGIO>
</E1EDPA1>
<E1EDP19 SEGMENT="1">
  <QUALF>002</QUALF>
  <IDTNR>RPRE01001</IDTNR>
</E1EDP19>
```

Single-store orders do not carry the deliver-to store details:

```
<E1EDP20 SEGMENT="1">
  <WMENG>1.000</WMENG>
  <AMENG>0.000</AMENG>
  <EDATU>20110928</EDATU>
</E1EDP20>
<E1EDP19 SEGMENT="1">
  <QUALF>002</QUALF>
  <IDTNR>RPRE01001</IDTNR>
</E1EDP19>
```

E1EDP19 Document Item Object Identification Segment

Carries a description or identification code of the item being ordered. Mandatory

Tag	Description	Min/ Max	Notes
<E1EDP19 SEGMENT = "1">	Start of the IDOCS Document item General Data group.		
<QUALF>	Qualifier	3/3	Item type qualifier:
			001 Briscoe's or Rebel Sports own product item code.
			002 The vendors or vendors own product identification code.
			003 Global Trader Identification Number, also known as a GTIN. This is the vendors or vendors product barcode. It must be a GS1-assigned and registered number.
<IDTNR>	Identification code.	1/35	Item identification code. If this data is not required, as in the segment with just the alternative item description, this segment can be omitted
<KTEXT>	Item description	1/50	Description of the item, the qualifier is 001, this is the article's free-form description as it appears in SAP. For QUALF "001" only
</E1EDP19>	End of group		

E1EDS01 Document Summary Segment

Carries the order totals. Mandatory

Tag	Description	Min/ Max	Notes
<E1EDS01 SEGMENT = "1">	Start of the IDOCS Summary group.		
<SUMID>	Qualifier	1/3	Summary qualifier:
			002 Order total net
<SUMME>	Net Order total	1/18	Net order total.
<SUNIT>	Currency code	1/3	ISO currency code. Always NZD
</E1EDS01>	End of group		