

Postman requests

Inhoud

Onbeveiligde endpoint:	2
Beveiligde endpoint:	2
Met token:	3
Match-service:.....	3
Team-service:	6
Player-service :	8

Onbeveiligde endpoint:

http://localhost:8080/teams Save Share

GET ▼ http://localhost:8080/teams Send ▼

Params Authorization Headers (7) Body Scripts Tests Settings Cookies

Query Params

Key	Value	Description	...	Bulk Edit
Key	Value	Description		

Body Cookies Headers (13) Test Results Status: 200 OK Time: 52 ms Size: 767 B Save as example ...

Pretty Raw Preview Visualize JSON ▼ ≡ 📄 🔍

```
1 [
2   {
3     "id": "66ba291d18b2195785f8c046",
4     "name": "FC Jonas",
5     "playerIds": [
6       1,
7       3
8     ]
9   },
10  {
11    "id": "66ba29904095c07d43753dca",
12    "name": "Real Oosthoven",
13    "playerIds": [
14      2
15    ]
16  },
17  {
18    "id": "66ba2a374095c07d43753dcb",
19    "name": "FC Prutsters",
20    "playerIds": []
21  }
22 ]
```

Beveiligde endpoint:

http://localhost:8080/matches Save Share

GET ▼ http://localhost:8080/matches Send ▼

Params Authorization Headers (7) Body Scripts Tests Settings Cookies

Query Params

Key	Value	Description	...	Bulk Edit
Key	Value	Description		

Body Cookies Headers (12) Test Results Status: 401 Unauthorized Time: 84 ms Size: 363 B Save as example ...

Pretty Raw Preview Visualize Text ▼ ≡ 📄 🔍

```
1 [
2   {
3     "id": "66ba291d18b2195785f8c046",
4     "name": "FC Jonas",
5     "playerIds": [
6       1,
7       3
8     ]
9   },
10  {
11    "id": "66ba29904095c07d43753dca",
12    "name": "Real Oosthoven",
13    "playerIds": [
14      2
15    ]
16  },
17  {
18    "id": "66ba2a374095c07d43753dcb",
19    "name": "FC Prutsters",
20    "playerIds": []
21  }
22 ]
```

Met token:

The screenshot shows a REST client interface with the following details:

- URL:** `http://localhost:8080/matches`
- Method:** `GET`
- Auth Type:** `Bearer Token`
- Token:** `eyJhbGciOiJIUzI1NiIsImtpZCI6IjQ1MjIjNDA5...`
- Body:** A JSON array of two match objects.

```
1 [
2   {
3     "id": "66ba29e0836c12607a420753",
4     "teamAId": "66ba291d18b2195785f8c946",
5     "teamBId": "66ba29904095c07d43753dca"
6   },
7   {
8     "id": "66ba2b25836c12607a420754",
9     "teamAId": "66ba2aec4095c07d43753dcd",
10    "teamBId": "66ba291d18b2195785f8c946"
11  }
12 ]
```
- Status:** 200 OK, Time: 128 ms, Size: 622 B

Match-service:

<http://localhost:8080/matches> (GET)

HTTP <http://localhost:8080/matches> Save Share

GET <http://localhost:8080/matches> Send

Params **Authorization** Headers (8) Body Scripts Tests Settings Cookies

Auth Type
Bearer Token

The authorization header will be automatically generated when you send the request. Learn more about [Bearer Token](#) authorization.

Heads up! These parameters hold sensitive data. To keep this data secure while working in a collaborative environment, we recommend using variables. Learn more about [variables](#).

Token
eyJhbGciOiJSUzI1NiIsImtpZCI6IjQ1MjIjNDAs...

Body Cookies Headers (13) Test Results Status: 200 OK Time: 128 ms Size: 622 B Save as example

Pretty Raw Preview Visualize JSON

```
1 [
2   {
3     "id": "66ba29e0836c12607a420753",
4     "teamAId": "66ba291d18b2195785f8c046",
5     "teamBId": "66ba29904095c07d43753dca"
6   },
7   {
8     "id": "66ba2b25836c12607a420754",
9     "teamAId": "66ba2aec4095c07d43753dcd",
10    "teamBId": "66ba291d18b2195785f8c046"
11  }
12 ]
```

<http://localhost:8080/matches/66ba29e0836c12607a420753> (GET)

HTTP <http://localhost:8080/matches/66ba29e0836c12607a420753> Save Share

GET <http://localhost:8080/matches/66ba29e0836c12607a420753> Send

Params **Authorization** Headers (8) Body Scripts Tests Settings Cookies

Auth Type
Bearer Token

The authorization header will be automatically generated when you send the request. Learn more about [Bearer Token](#) authorization.

Heads up! These parameters hold sensitive data. To keep this data secure while working in a collaborative environment, we recommend using variables. Learn more about [variables](#).

Token
eyJhbGciOiJSUzI1NiIsImtpZCI6IjQ1MjIjNDAs...

Body Cookies Headers (13) Test Results Status: 200 OK Time: 1056 ms Size: 512 B Save as example

Pretty Raw Preview Visualize JSON

```
1 {
2   "id": "66ba29e0836c12607a420753",
3   "teamAId": "66ba291d18b2195785f8c046",
4   "teamBId": "66ba29904095c07d43753dca"
5 }
```

<http://localhost:8080/matches> (POST)

HTTP <http://localhost:8080/matches> Save Share

POST <http://localhost:8080/matches> Send

Params Authorization Headers (10) **Body** Scripts Tests Settings Cookies

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL **JSON** Beautify

```
1 {
2   "teamAId": "66ba2a374095c07d43753dcb",
3   "teamBId": "66ba2aec4095c07d43753dcd"
4 }
5
```

Body Cookies Headers (13) Test Results Status: 201 Created Time: 1079 ms Size: 517 B Save as example

Pretty Raw Preview Visualize **JSON** Copy Search

```
1 {
2   "id": "66ba329dec98cd53c90a7074",
3   "teamAId": "66ba2a374095c07d43753dcb",
4   "teamBId": "66ba2aec4095c07d43753dcd"
5 }
```

<http://localhost:8080/matches/66ba329dec98cd53c90a7074> (PUT)

HTTP <http://localhost:8080/matches/66ba329dec98cd53c90a7074> Save Share

PUT <http://localhost:8080/matches/66ba329dec98cd53c90a7074> Send

Params Authorization Headers (10) **Body** Scripts Tests Settings Cookies

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL **JSON** Beautify

```
1 {
2   "teamAId": "66ba29904095c07d43753dca",
3   "teamBId": "66ba2aec4095c07d43753dcd"
4 }
5
```

Body Cookies Headers (13) Test Results Status: 200 OK Time: 176 ms Size: 490 B Save as example

Pretty Raw Preview Visualize **JSON** Copy Search

```
1 {
2   "id": null,
3   "teamAId": "66ba29904095c07d43753dca",
4   "teamBId": "66ba2aec4095c07d43753dcd"
5 }
```

<http://localhost:8080/matches/66ba2b25836c12607a420754> (DELETE)

HTTP <http://localhost:8080/matches/66ba2b25836c12607a420754> Save Share




DELETE <http://localhost:8080/matches/66ba2b25836c12607a420754> Send

Params Authorization Headers (8) **Body** Scripts Tests Settings Cookies

☒ none ☐ form-data ☐ x-www-form-urlencoded ☐ raw ☐ binary ☐ GraphQL

This request does not have a body

Body Cookies Headers (11) Test Results Status: 204 No Content Time: 100 ms Size: 353 B Save as example

Pretty Raw Preview Visualize Text   

```
1
```

Team-service:

<http://localhost:8080/teams> (GET)

HTTP <http://localhost:8080/teams> Save Share




GET <http://localhost:8080/teams> Send

Params Authorization Headers (8) **Body** Scripts Tests Settings Cookies

☒ none ☐ form-data ☐ x-www-form-urlencoded ☐ raw ☐ binary ☐ GraphQL

This request does not have a body

Body Cookies Headers (13) Test Results Status: 200 OK Time: 428 ms Size: 767 B Save as example

Pretty Raw Preview Visualize JSON   

```
1 [
2   {
3     "id": "66ba291d18b2195785f8c046",
4     "name": "FC Jonas",
5     "playerIds": [
6       1,
7       3
8     ]
9   },
10  {
11    "id": "66ba29904095c07d43753dca",
12    "name": "Real Oosthoven",
13    "playerIds": [
14      2
```

<http://localhost:8080/teams/66ba291d18b2195785f8c046> (GET)

HTTP <http://localhost:8080/teams/66ba291d18b2195785f8c046> Save Share

GET <http://localhost:8080/teams/66ba291d18b2195785f8c046> Send

Params Authorization Headers (8) **Body** Scripts Tests Settings Cookies

☒ none ☐ form-data ☐ x-www-form-urlencoded ☐ raw ☐ binary ☐ GraphQL

This request does not have a body

Body Cookies Headers (13) Test Results Status: 200 OK Time: 94 ms Size: 474 B Save as example

Pretty Raw Preview Visualize JSON

```
1 {
2   "id": "66ba291d18b2195785f8c046",
3   "name": "FC Jonas",
4   "playerIds": [
5     1,
6     3
7   ]
8 }
```

<http://localhost:8080/teams> (POST)

HTTP <http://localhost:8080/teams> Save Share

POST <http://localhost:8080/teams> Send

Params Authorization Headers (10) **Body** Scripts Tests Settings Cookies Beautify

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL JSON

```
1 {
2   "name": "FC RequestTest",
3   "playerIds": []
4 }
5
```

Body Cookies Headers (13) Test Results Status: 201 Created Time: 1189 ms Size: 482 B Save as example

Pretty Raw Preview Visualize JSON

```
1 {
2   "id": "66ba352a738ada039806f430",
3   "name": "FC RequestTest",
4   "playerIds": []
5 }
```

<http://localhost:8080/teams/66ba352a738ada039806f430> (PUT)

HTTP client interface showing a PUT request to `http://localhost:8080/teams/66ba352a738ada039806f430`. The request body is a JSON object:

```
1 {
2   "name": "FC RequestTest2",
3   "playerIds": []
4 }
5
```

The response status is 200 OK, Time: 120 ms, Size: 456 B. The response body is displayed in JSON format:

```
1 {
2   "id": null,
3   "name": "FC RequestTest2",
4   "playerIds": []
5 }
```

<http://localhost:8080/teams/66ba352a738ada039806f430> (DELETE)

HTTP client interface showing a DELETE request to `http://localhost:8080/teams/66ba352a738ada039806f430`. The request body is empty. The response status is 204 No Content, Time: 122 ms, Size: 353 B. The response body is empty.

Player-service :

<http://localhost:8080/players> (GET)

http://localhost:8080/players

GET http://localhost:8080/players

Params Authorization Headers (8) Body Scripts Tests Settings

none form-data x-www-form-urlencoded raw binary GraphQL

This request does not have a body

Body Cookies Headers (13) Test Results

Status: 200 OK Time: 916 ms Size: 678 B Save as example

Pretty Raw Preview Visualize JSON

```
1 [
2   {
3     "id": 1,
4     "name": "Lewandowski",
5     "teamId": "66ba291d18b2195785f8c046"
6   },
7   {
8     "id": 2,
9     "name": "Cristiano Ronaldo",
10    "teamId": "66ba29904095c07d43753dca"
11  },
12  {
13    "id": 4,
14    "name": "Lamine Yamal",
15    "teamId": "66ba2aec4095c07d43753dcd"
16  },
17  ]
```

http://localhost:8080/players (POST)

http://localhost:8080/players

POST http://localhost:8080/players

Params Authorization Headers (10) Body Scripts Tests Settings

none form-data x-www-form-urlencoded raw binary GraphQL JSON

Beautifuly

```
1 {
2   "name": "Jonas Baelus",
3   "teamId": "66ba291d18b2195785f8c046"
4 }
5
```

Body Cookies Headers (13) Test Results

Status: 201 Created Time: 1480 ms Size: 476 B Save as example

Pretty Raw Preview Visualize JSON

```
1 {
2   "id": 5,
3   "name": "Jonas Baelus",
4   "teamId": "66ba291d18b2195785f8c046"
5 }
```

http://localhost:8080/players/5 (PUT)

HTTP client interface showing a PUT request to `http://localhost:8080/players/5`. The request body is a JSON object:

```
{
  "name": "Jonas Baelus Changed",
  "teamId": "66ba291d18b2195785f8c046"
}
```

The response is a JSON object:

```
{
  "id": null,
  "name": "Jonas Baelus Changed",
  "teamId": "66ba291d18b2195785f8c046"
}
```

Status: 200 OK, Time: 517 ms, Size: 482 B.

<http://localhost:8080/players/5> (DELETE)

HTTP client interface showing a DELETE request to `http://localhost:8080/players/5`. The request does not have a body.

Status: 204 No Content, Time: 122 ms, Size: 353 B.

<http://localhost:8080/players/team?teamId=66ba291d18b2195785f8c046> (GET)

HTTP client interface showing a GET request to `http://localhost:8080/players/team?teamId=66ba291d18b2195785f8c046`. The request does not have a body.

The response is a JSON array:

```
[
  {
    "id": 1,
    "name": "Lewandowski",
    "teamId": "66ba291d18b2195785f8c046"
  }
]
```

Status: 200 OK, Time: 659 ms, Size: 472 B.

<http://localhost:8080/players/create-and-update-team> (POST)

http://localhost:8080/players/create-and-update-team

POST http://localhost:8080/players/create-and-update-team

Params Authorization Headers (10) Body Scripts Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Beautify

```
1 {
2   "name": "Neymar",
3   "teamId": "66ba291d18b2195785f8c946"
4 }
5
```

Body Cookies Headers (13) Test Results Status: 201 Created Time: 137 ms Size: 470 B Save as example

Pretty Raw Preview Visualize JSON

```
1 {
2   "id": 7,
3   "name": "Neymar",
4   "teamId": "66ba291d18b2195785f8c946"
5 }
```

Nieuw playerId is toegevoegd aan lijst playerIds van het team:

http://localhost:8080/teams

GET http://localhost:8080/teams

Params Authorization Headers (8) Body Scripts Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL

This request does not have a body

Body Cookies Headers (13) Test Results Status: 200 OK Time: 110 ms Size: 771 B Save as example

Pretty Raw Preview Visualize JSON

```
1 [
2   {
3     "id": "66ba291d18b2195785f8c946",
4     "name": "FC Jonas",
5     "playerIds": [
6       1,
7       3,
8       6,
9       7
10    ]
11  },
12 ]
```