ASSIGNMENTS – OOADI

LECTURE 1

1. This one you got! ☺

2.
```java
package helloworld;

public class RepeatTextArgs {
	public static void main(String[] args) {

		// Check that user provided at least one argument
		if (args.length == 0) {
			System.out.println("Please provide a text as a command-line argument.");
			return;
		}

		//Strip first command line argument
		String text = args[0];

		// Print the text 10 times
		for (int i = 0; i < 10; i++) {
			System.out.println(text);
		}
	}
}
```

3.
```java
package helloworld;

public class RepeatTextIntArgsTimes {
	public static void main(String[] args) {

		// Check that user provided at least one argument
		if (args.length == 0) {
			System.out.println("Please provide a text as a command-line argument.");
			return;
		}

		//Strip first command line argument
		int numberOfTimes = Integer.parseInt(args[0]);
		String text = "testTest";

		// Print the text 10 times
		for (int i = 0; i < numberOfTimes; i++) {
			System.out.println(text);
		}
	}
}
```

4. This one you got! ☺

5.
```java
package helloworld;
```

```java
import java.util.Scanner;

public class KeyWordReactor {
  public static void main(String[] args) {
    Scanner sc = new Scanner(System.in);
    System.out.print("Enter a word: ");
    String word = sc.nextLine().trim();

    // Normalize to a common case so switch is case-insensitive
    String key = word.toLowerCase();

    String output;
    switch (key) {
      case "myword":
        output = "Word-Up!";
        break;
      case "hello":
        output = "Well hello there!";
        break;
      case "bye":
        output = "Goodbye";
        break;
      case "java":
        output = "Do you refer to coffee or code?";
        break;
      default:
        output = "(no match) → " + word;
        break;
    }

    System.out.println(output);
    sc.close();
  }
}
```

6.

```java
package helloworld;

import java.util.Random;
import java.util.Scanner;

public class GuessingGameInfinite {
  public static void main(String[] args) {
    Random rand = new Random();
    int secret = rand.nextInt(100) + 1; // 1..100

    Scanner sc = new Scanner(System.in);
    System.out. println("I'm thinking of a number between 1 and 100. Try to guess it!");

    int guesses = 0;
    while (true) {
      System.out.print("Your guess: ");

      // Basic input validation
      if (!sc.hasNextInt()) {
        System.out. println("Please enter an integer number.");
        sc.next(); // consume non-integer token
        continue; // skips the rest of the while loop body
```

```
            }

            int guess = sc.nextInt();
            guesses++;

            if (guess < secret) {
                System.out. println("Too low!");
            } else if (guess > secret) {
                System.out. println("Too high!");
            } else {
                System.out. println("Correct! You needed " + guesses + " guesses.");
                break; // exit loop on success
            }
        }

        sc.close();
    }
}
```