m02_v01_store_sales_prediction

September 12, 2021

1   0.0. IMPORTS

```
[1]: import math
     import numpy  as np
     import pandas as pd
     import inflection

     import seaborn as sns

     from matplotlib import pyplot as plt
     from IPython.core.display import HTML
```

1.1   0.1. Helper Functions

```
[2]: def jupyter_settings():
         %matplotlib inline
         %pylab inline

         plt.style.use( 'bmh' )
         plt.rcParams['figure.figsize'] = [25, 12]
         plt.rcParams['font.size'] = 24

         display( HTML( '<style>.container { width:100% !important; }</style>') )
         pd.options.display.max_columns = None
         pd.options.display.max_rows = None
         pd.set_option( 'display.expand_frame_repr', False )

         sns.set()
```

```
[3]: jupyter_settings()
```

Populating the interactive namespace from numpy and matplotlib

<IPython.core.display.HTML object>

1.2 0.2. Loading data

```python
[5]: df_sales_raw = pd.read_csv( '../data/train.csv', low_memory=False )
     df_store_raw = pd.read_csv( '../data/store.csv', low_memory=False )

     # merge
     df_raw = pd.merge( df_sales_raw, df_store_raw, how='left', on='Store' )
```

2 1.0 DESCRICAO DOS DADOS

```python
[5]: df1 = df_raw.copy()
```

2.1 1.1. Rename Columns

```python
[6]: cols_old = ['Store', 'DayOfWeek', 'Date', 'Sales', 'Customers', 'Open',
      ↪'Promo', 'StateHoliday', 'SchoolHoliday',
                 'StoreType', 'Assortment', 'CompetitionDistance',
      ↪'CompetitionOpenSinceMonth',
                 'CompetitionOpenSinceYear', 'Promo2', 'Promo2SinceWeek',
      ↪'Promo2SinceYear', 'PromoInterval']

     snakecase = lambda x: inflection.underscore( x )

     cols_new = list( map( snakecase, cols_old ) )

     # rename
     df1.columns = cols_new
```

2.2 1.2. Data Dimensions

```python
[7]: print( 'Number of Rows: {}'.format( df1.shape[0] ) )
     print( 'Number of Cols: {}'.format( df1.shape[1] ) )
```

```
Number of Rows: 1017209
Number of Cols: 18
```

2.3 1.3. Data Types

```python
[8]: df1['date'] = pd.to_datetime( df1['date'] )
     df1.dtypes
```

```
[8]: store                     int64
     day_of_week               int64
     date             datetime64[ns]
     sales                     int64
     customers                 int64
     open                      int64
```

2

```
promo                              int64
state_holiday                     object
school_holiday                     int64
store_type                        object
assortment                        object
competition_distance             float64
competition_open_since_month     float64
competition_open_since_year      float64
promo2                             int64
promo2_since_week                float64
promo2_since_year                float64
promo_interval                    object
dtype: object
```

2.4 1.4. Check NA

```
[9]: df1.isna().sum()
```

```
[9]: store                              0
     day_of_week                        0
     date                               0
     sales                              0
     customers                          0
     open                               0
     promo                              0
     state_holiday                      0
     school_holiday                     0
     store_type                         0
     assortment                         0
     competition_distance            2642
     competition_open_since_month  323348
     competition_open_since_year   323348
     promo2                             0
     promo2_since_week             508031
     promo2_since_year             508031
     promo_interval                508031
     dtype: int64
```

2.5 1.5. Fillout NA

```
[10]: df1.sample()
```

```
[10]:         store  day_of_week        date  sales  customers  open  promo
      state_holiday  school_holiday store_type assortment  competition_distance
      competition_open_since_month  competition_open_since_year  promo2
      promo2_since_week  promo2_since_year promo_interval
      906103    394            3 2013-04-10   6627        469     1      1
```

0	0	d	a	10850.0		
NaN		NaN	0	NaN	NaN	
NaN						

[11]:
```python
#competition_distance
df1['competition_distance'] = df1['competition_distance'].apply( lambda x:
 200000.0 if math.isnan( x ) else x )

#competition_open_since_month
df1['competition_open_since_month'] = df1.apply( lambda x: x['date'].month if
 math.isnan( x['competition_open_since_month'] ) else
 x['competition_open_since_month'], axis=1 )

#competition_open_since_year
df1['competition_open_since_year'] = df1.apply( lambda x: x['date'].year if
 math.isnan( x['competition_open_since_year'] ) else
 x['competition_open_since_year'], axis=1 )

#promo2_since_week
df1['promo2_since_week'] = df1.apply( lambda x: x['date'].week if math.isnan(
 x['promo2_since_week'] ) else x['promo2_since_week'], axis=1 )

#promo2_since_year
df1['promo2_since_year'] = df1.apply( lambda x: x['date'].year if math.isnan(
 x['promo2_since_year'] ) else x['promo2_since_year'], axis=1 )

#promo_interval
month_map = {1: 'Jan',  2: 'Fev',  3: 'Mar',  4: 'Apr',  5: 'May',  6: 'Jun',
 7: 'Jul',  8: 'Aug',  9: 'Sep',  10: 'Oct', 11: 'Nov', 12: 'Dec'}

df1['promo_interval'].fillna(0, inplace=True )

df1['month_map'] = df1['date'].dt.month.map( month_map )

df1['is_promo'] = df1[['promo_interval', 'month_map']].apply( lambda x: 0 if
 x['promo_interval'] == 0 else 1 if x['month_map'] in x['promo_interval'].
 split( ',' ) else 0, axis=1 )
```

[12]:
```python
df1.isna().sum()
```

[12]:
```
store                         0
day_of_week                   0
date                          0
sales                         0
customers                     0
open                          0
promo                         0
```

```
state_holiday               0
school_holiday              0
store_type                  0
assortment                  0
competition_distance        0
competition_open_since_month 0
competition_open_since_year  0
promo2                      0
promo2_since_week           0
promo2_since_year           0
promo_interval              0
month_map                   0
is_promo                    0
dtype: int64
```

2.6   1.6. Change Data Types

```
[13]: # competiton
      df1['competition_open_since_month'] = df1['competition_open_since_month'].
       ↪astype( int )
      df1['competition_open_since_year'] = df1['competition_open_since_year'].astype(␣
       ↪int )

      # promo2
      df1['promo2_since_week'] = df1['promo2_since_week'].astype( int )
      df1['promo2_since_year'] = df1['promo2_since_year'].astype( int )
```

2.7   1.7. Descriptive Statistics

```
[14]: num_attributes = df1.select_dtypes( include=['int64', 'float64'] )
      cat_attributes = df1.select_dtypes( exclude=['int64', 'float64',␣
       ↪'datetime64[ns]'] )
```

2.7.1   1.7.1. Numerical Atributes

```
[15]: # Central Tendency - mean, meadina
      ct1 = pd.DataFrame( num_attributes.apply( np.mean ) ).T
      ct2 = pd.DataFrame( num_attributes.apply( np.median ) ).T

      # dispersion - std, min, max, range, skew, kurtosis
      d1 = pd.DataFrame( num_attributes.apply( np.std ) ).T
      d2 = pd.DataFrame( num_attributes.apply( min ) ).T
      d3 = pd.DataFrame( num_attributes.apply( max ) ).T
      d4 = pd.DataFrame( num_attributes.apply( lambda x: x.max() - x.min() ) ).T
      d5 = pd.DataFrame( num_attributes.apply( lambda x: x.skew() ) ).T
      d6 = pd.DataFrame( num_attributes.apply( lambda x: x.kurtosis() ) ).T
```

```
# concatenar
m = pd.concat( [d2, d3, d4, ct1, ct2, d1, d5, d6] ).T.reset_index()
m.columns = ['attributes', 'min', 'max', 'range', 'mean', 'median', 'std',␣
 ↪'skew', 'kurtosis']
m
```

[15]:

	attributes	min	max	range	mean	median	std	skew	kurtosis
0	store	1.0	1115.0	1114.0	558.429727	558.0	321.908493	-0.000955	-1.200524
1	day_of_week	1.0	7.0	6.0	3.998341	4.0	1.997390	0.001593	-1.246873
2	sales	0.0	41551.0	41551.0	5773.818972	5744.0	3849.924283	0.641460	1.778375
3	customers	0.0	7388.0	7388.0	633.145946	609.0	464.411506	1.598650	7.091773
4	open	0.0	1.0	1.0	0.830107	1.0	0.375539	-1.758045	1.090723
5	promo	0.0	1.0	1.0	0.381515	0.0	0.485758	0.487838	-1.762018
6	school_holiday	0.0	1.0	1.0	0.178647	0.0	0.383056	1.677842	0.815154
7	competition_distance	20.0	200000.0	199980.0	5935.442677	2330.0	12547.646829	10.242344	147.789712
8	competition_open_since_month	1.0	12.0	11.0	6.786849	7.0	3.311085	-0.042076	-1.232607
9	competition_open_since_year	1900.0	2015.0	115.0	2010.324840	2012.0	5.515591	-7.235657	124.071304
10	promo2	0.0	1.0	1.0	0.500564	1.0	0.500000	-0.002255	-1.999999
11	promo2_since_week	1.0	52.0	51.0	23.619033	22.0	14.310057	0.178723	-1.184046
12	promo2_since_year	2009.0	2015.0	6.0	2012.793297	2013.0	1.662657	-0.784436	-0.210075
13	is_promo	0.0	1.0	1.0	0.155231	0.0	0.362124	1.904152	1.625796

[16]: ```
sns.distplot(df1['competition_distance'], kde=False)
```

[16]: <matplotlib.axes._subplots.AxesSubplot at 0x1038f3220>

6

### 2.7.2 1.7.2. Categorical Atributes

```
[17]: cat_attributes.apply( lambda x: x.unique().shape[0] )
```

```
[17]: state_holiday      4
      store_type         4
      assortment         3
      promo_interval     4
      month_map         12
      dtype: int64
```

```
[18]: aux = df1[(df1['state_holiday'] != '0') & (df1['sales'] > 0)]

      plt.subplot( 1, 3, 1 )
      sns.boxplot( x='state_holiday', y='sales', data=aux )

      plt.subplot( 1, 3, 2 )
      sns.boxplot( x='store_type', y='sales', data=aux )

      plt.subplot( 1, 3, 3 )
      sns.boxplot( x='assortment', y='sales', data=aux )
```

```
[18]: <matplotlib.axes._subplots.AxesSubplot at 0x103963d00>
```

7

[ ]: