

The Presentation

The Subtitle

The Author | The Institution or Occasion

June 27, 2025

Outline

1. Some Section

2. Some Other Section

- Some Subsection
- Some Other Subsection

Outline

1. Some Section

2. Some Other Section

- Some Subsection
- Some Other Subsection

Introduction

This is some text with **bold** and *italic* words¹.

¹This is a footnote.

Introduction

This is some text with **bold** and *italic* words¹.

Here comes a formula:

$$\int_0^{\infty} foo$$

¹This is a footnote.

Introduction

This is some text with **bold** and *italic* words¹.

Here comes a formula:

$$\int_0^{\infty} foo$$

- Here comes an item
 - And a subitem. Some long URL:
`https://tex.stackexchange.com/questions/11168/change-bullet-style-formatting-in-beamer`
 - And a subsubitem. Some hy-phe-nation – okay.

¹This is a footnote.

Introduction

This is some text with **bold** and *italic* words¹.

Here comes a formula:

$$\int_0^{\infty} foo$$

- Here comes an item
 - And a subitem. Some long URL:
`https://tex.stackexchange.com/questions/11168/change-bullet-style-formatting-in-beamer`
 - And a subsubitem. Some hy-phe-nation – okay.
- Here comes another item
 1. With numbered

¹This is a footnote.

Introduction

This is some text with **bold** and *italic* words¹.

Here comes a formula:

$$\int_0^{\infty} foo$$

- Here comes an item
 - And a subitem. Some long URL:
`https://tex.stackexchange.com/questions/11168/change-bullet-style-formatting-in-beamer`
 - And a subsubitem. Some hy-phe-nation – okay.
- Here comes another item
 1. With numbered
 2. Items

¹This is a footnote.

Outline

1. Some Section

2. Some Other Section

- Some Subsection
- Some Other Subsection

Here Is Some Code

To make code listings work, mark the frame as fragile.

```
def foo(a, b, c):  
    # printing a, b, c  
    print(f'a={a}, b={b}, c={c}')
```

Outline

1. Some Section

2. Some Other Section

- Some Subsection
- Some Other Subsection

Example: C Code

```
int main(int argc, char **argv) {  
    for (int i = 1; i < argc; i++)  
        printf ("argument %u: %s\n", i, argv[i]);  
    return 0;  
}
```

Outline

1. Some Section

2. Some Other Section

- Some Subsection
- Some Other Subsection

Example: C Code ... Again ...

```
int main(int argc, char **argv) {  
    for (int i = 1; i < argc; i++)  
        printf ("argument %u: %s\n", i, argv[i]);  
    return 0;  
}
```