MAGNETIC RESONANCE (MR) PROCEDURE SCREENING FORM FOR PATIENTS

Date _____/_____/_____ Patient Number _____

Name _____ Age _____ Height _____ Weight _____
Last name First name Middle Initial

Date of Birth _____/_____/_____ Male ❒ Female ❒
month day year

Address _____ Telephone (home) (_____) _____-_____

City _____ Telephone (work) (_____) _____-_____

State _____ Zip Code _____

.

.

1. Have you had prior surgery or an operation (e.g., arthroscopy, endoscopy, etc.) of any kind? ❒ No ❒ Yes
   If yes, please indicate the date and type of surgery:

   Date _____/_____/_____ Type of surgery _____

   Date _____/_____/_____ Type of surgery _____

2. Have you had a prior MRI? ❒No ❒ Yes
   If yes, please list: Body part Date Facility

   MRI _____ _____/_____/_____ _____

3. Have you experienced any problem related to a previous MRI examination or MR procedure? ❒ No ❒ Yes
   If yes, please describe: _____

4. Have you had an injury to the eye involving a metallic object or fragment (e.g., metallic slivers, shavings, foreign body, etc.)? ❒ No ❒ Yes
   If yes, please describe: _____

5. Have you ever been injured by a metallic object or foreign body (e.g., BB, bullet, shrapnel, etc.)? ❒ No ❒ Yes
   If yes, please describe: _____

6. Do you have a history of asthma, allergic reaction, or respiratory disease? ❒ No ❒ Yes

7. Do you have seizures? ❒ No ❒ Yes

For female patients:

.

8. Are you pregnant or suspect you could be pregnant? ❒ No ❒ Yes

WARNING: Certain implants, devices, or objects may be hazardous to you and/or may interfere with the MR procedure (i.e., MRI, MR angiography, functional MRI, MR spectroscopy). **Do not enter** the MR system room or MR environment if you have any question or concern regarding an implant, device, or object. Consult the MRI Technologist or Radiologist BEFORE entering the MR system room. **The MR system magnet is ALWAYS on.**

Please indicate if you have any of the following:

- ❒ Yes ❒ No Aneurysm clip(s)
- ❒ Yes ❒ No Cardiac pacemaker
- ❒ Yes ❒ No Implanted cardioverter defibrillator (ICD)
- ❒ Yes ❒ No Electronic implant or device
- ❒ Yes ❒ No Magnetically-activated implant or device
- ❒ Yes ❒ No Neurostimulation system
- ❒ Yes ❒ No Spinal cord stimulator
- ❒ Yes ❒ No Internal electrodes or wires
- ❒ Yes ❒ No Bone growth/bone fusion stimulator
- ❒ Yes ❒ No Cochlear, otologic, or other ear implant
- ❒ Yes ❒ No Insulin or other infusion pump
- ❒ Yes ❒ No Implanted drug infusion device
- ❒ Yes ❒ No Any type of prosthesis (eye, penile, etc.)
- ❒ Yes ❒ No Heart valve prosthesis
- ❒ Yes ❒ No Eyelid spring or wire
- ❒ Yes ❒ No Artificial or prosthetic limb
- ❒ Yes ❒ No Metallic stent, filter, or coil
- ❒ Yes ❒ No Shunt (spinal or intraventricular)
- ❒ Yes ❒ No Vascular access port and/or catheter
- ❒ Yes ❒ No Radiation seeds or implants
- ❒ Yes ❒ No Swan-Ganz or thermodilution catheter
- ❒ Yes ❒ No Medication patch (Nicotine, Nitroglycerine)
- ❒ Yes ❒ No Any metallic fragment or foreign body
- ❒ Yes ❒ No Wire mesh implant
- ❒ Yes ❒ No Tissue expander (e.g., breast)
- ❒ Yes ❒ No Surgical staples, clips, or metallic sutures
- ❒ Yes ❒ No Joint replacement (hip, knee, etc.)
- ❒ Yes ❒ No Bone/joint pin, screw, nail, wire, plate, etc.
- ❒ Yes ❒ No IUD, diaphragm, or pessary
- ❒ Yes ❒ No Dentures or partial plates
- ❒ Yes ❒ No Tattoo or permanent makeup
- ❒ Yes ❒ No Body piercing jewelry
- ❒ Yes ❒ No Hearing aid
  (Remove before entering MR system room)
- ❒ Yes ❒ No Other implant _____
- ❒ Yes ❒ No Breathing problem or motion disorder
- ❒ Yes ❒ No Claustrophobia

Please mark on the figure(s) below the location of any implant or metal inside of or on your body.



IMPORTANT INSTRUCTIONS

Before entering the MR environment or MR system room, you must remove all metallic objects including hearing aids, dentures, partial plates, keys, beeper, cell phone, eyeglasses, hair pins, barrettes, jewelry, body piercing jewelry, watch, safety pins, paperclips, money clip, credit cards, bank cards, magnetic strip cards, coins, pens, pocket knife, nail clipper, tools, clothing with metal fasteners, & clothing with metallic threads.

Please consult the MRI Technologist or Radiologist if you have any question or concern BEFORE you enter the MR system room.

NOTE: You may be advised or required to wear earplugs or other hearing protection during the MR procedure to prevent possible problems or hazards related to acoustic noise.

I attest that the above information is correct to the best of my knowledge. I read and understand the contents of this form and had the opportunity to ask questions regarding the information on this form and regarding the MR procedure that I am about to undergo.

Signature of Person Completing Form: _____ Date _____/_____/_____
Signature

Form Completed By: ❒ Patient ❒ Relative ❒ Nurse _____ _____
Print name Relationship to patient

Form Information Reviewed By: _____ _____
Print name Signature

❒ MRI Technologist ❒ Nurse ❒ Radiologist ❒ Other_____