



1min.AI - API Docs

Specifications

Rate limits

Credit limits

Create API Key

AI Feature API

Asset API

Conversation API

AI for Image

Image To Prompt API

Endpoint

Request Header

Methexis (Stable Diffusion)

Request Payload

Response Payload

Midjourney

Request Payload

Response Payload

Image Variator API

Endpoint

Request Header

DALLE 2

Request Payload

Response Payload

Clipdrop

Request Payload

Response Payload

Image Upscaler API

Endpoint

Request Header

Stable Image

Request Payload

Response Payload

Image Extender API

Endpoint

Request Header

Stable Image

Request Payload

Response Payload

Background Remover API

Endpoint

Request Header

Stable Image

Request Payload

Response Payload

Background Replacer API

Endpoint

Request Header

Stable Diffusion XL

Request Payload

Response Payload

Text Remover API

Endpoint

Request Header

Stable Diffusion XL

Request Payload

Response Payload

Object Remover API

Endpoint

Request Header

Stable Image Core

Request Payload

Response Payload

Search and Replace API

Endpoint

Request Header

Stable Image Core

Request Payload

Response Payload

Image Mask Editor API

Endpoint

Request Header

Stable Image

Request Payload

Response Payload

Image Text Editor API

Endpoint

Request Header

Stable Diffusion XL

Request Payload

Response Payload

Face Swapper API

Endpoint

Request Header

Qubico

Response Payload

3D Image Generator API

Endpoint

Request Header

Stable Image

Request Payload

Response Payload

Image Generator API

Endpoint

Request Header

Midjourney

Request Payload

Response Payload

LeonardoAi

Request Payload

Response Payload

DALLE 3

Request Payload

Response Payload

DALLE 2

Request Payload

Response Payload

[Leonardo Lightning XL](#)

[Request Payload](#)

[Response Payload](#)

[Leonardo Anime XL](#)

[Request Payload](#)

[Response Payload](#)

[Leonardo Diffusion XL](#)

[Request Payload](#)

[Response Payload](#)

[Leonardo Kino XL](#)

[Request Payload](#)

[Response Payload](#)

[Leonardo Vision XL](#)

[Request Payload](#)

[Response Payload](#)

[Leonardo AlbedoBase XL](#)

[Request Payload](#)

[Response Payload](#)

[Stable Diffusion XL 1.0](#)

[Request Payload](#)

[Response Payload](#)

[Stable Diffusion 1.6](#)

[Request Payload](#)

[Response Payload](#)

[AI for Writing](#)

[Keyword Research API](#)

[Endpoint](#)

[Request Header](#)

[Generate Keyword and Statistics](#)

[Cohere Command](#)

[Request Payload](#)

[Response Payload](#)

[Gemini 1.5 Flash](#)

[Request Payload](#)

[Response Payload](#)

[Gemini 1.5 Pro](#)

[Request Payload](#)

[Response Payload](#)

[Gemini 1.0 Pro](#)

[Request Payload](#)

[Response Payload](#)

[GPT-o3 Mini](#)

[Request Payload](#)

[Response Payload](#)

[GPT-o1](#)

[Request Payload](#)

[Response Payload](#)

[GPT-o1 Mini](#)

[Request Payload](#)

[Response Payload](#)

[GPT-4o Mini](#)

[Request Payload](#)

[Response Payload](#)

[GPT-4o](#)

[Request Payload](#)

[Response Payload](#)

[GPT-4 Turbo](#)

[Request Payload](#)
[Response Payload](#)
[GPT-3.5](#)
[Request Payload](#)
[Response Payload](#)
[Claude 3.5 Haiku](#)
[Request Payload](#)
[Response Payload](#)
[Claude 3.5 Sonnet](#)
[Request Payload](#)
[Response Payload](#)
[Claude 3 Opus](#)
[Request Payload](#)
[Response Payload](#)
[Claude 3 Sonnet](#)
[Request Payload](#)
[Response Payload](#)
[Claude 3 Haiku](#)
[Request Payload](#)
[Response Payload](#)
[Mistral Large Latest](#)
[Request Payload](#)
[Response Payload](#)
[Mistral Small Latest](#)
[Request Payload](#)
[Response Payload](#)
[Mistral Nemo](#)
[Request Payload](#)
[Response Payload](#)
[Pixtral 12B](#)
[Request Payload](#)
[Mixtral 8×22B](#)
[Request Payload](#)
[Mixtral 8×7B](#)
[Request Payload](#)
[Mistral 7B](#)
[Request Payload](#)
[Llama 3.1 405B Instruct](#)
[Request Payload](#)
[Llama 3 70B Instruct](#)
[Request Payload](#)
[Llama 2 70B Chat](#)
[Request Payload](#)
[Response Payload](#)
[DeepSeek Chat](#)
[Request Payload](#)
[Response Payload](#)
[Grok-2](#)
[Request Payload](#)
[Response Payload](#)
[Content Generator Blog Article API](#)
[Endpoint](#)
[Request Header](#)
[Gemini 1.5 Flash](#)
[Request Payload](#)
[Gemini 1.5 Pro](#)
[Request Payload](#)
[Response Payload](#)

Gemini 1.0 Pro
Request Payload
Response Payload

GPT-o1
Request Payload
Response Payload

GPT-o1 Mini
Request Payload
Response Payload

GPT-4o Mini
Request Payload
Response Payload

GPT-4o
Request Payload
Response Payload

GPT-4 Turbo
Request Payload
Response Payload

GPT-3.5
Request Payload
Response Payload

Claude 3.5 Haiku
Request Payload
Response Payload

Claude 3.5 Sonnet
Request Payload
Response Payload

Claude 3 Opus
Request Payload
Response Payload

Claude 3 Sonnet
Request Payload
Response Payload

Claude 3 Haiku
Request Payload
Response Payload

Mistral Large 2
Request Payload
Response Payload

Mistral Small
Request Payload
Response Payload

Mistral Nemo
Request Payload
Response Payload

Mistral Pixtral 12B
Request Payload
Response Payload

Mixtral 8×22B
Request Payload
Response Payload

Mixtral 8×7B
Request Payload
Response Payload

Mistral 7B
Request Payload
Response Payload

Llama 3.1 405B

[Request Payload](#)
[Response Payload](#)

[Llama 3 70B](#)
[Request Payload](#)
[Response Payload](#)

[LLaMA 2 70b](#)
[Request Payload](#)
[Response Payload](#)

[Command R](#)
[Request Payload](#)
[Response Payload](#)

[Deepseek V3](#)
[Request Payload](#)
[Response Payload](#)

[Grok-2](#)
[Request Payload](#)
[Response Payload](#)

[Rewriter API](#)
[Endpoint](#)
[Request Header](#)

[Gemini 1.5 Flash](#)
[Request Payload](#)
[Response Payload](#)

[Gemini 1.5 Pro](#)
[Request Payload](#)
[Response Payload](#)

[Gemini 1.0 Pro](#)
[Request Payload](#)
[Response Payload](#)

[GPT-o1](#)
[Request Payload](#)
[Response Payload](#)

[GPT-o1 Mini](#)
[Request Payload](#)
[Response Payload](#)

[GPT-4o Mini](#)
[Request Payload](#)
[Response Payload](#)

[GPT-4o](#)
[Request Payload](#)
[Response Payload](#)

[GPT-4 Turbo](#)
[Request Payload](#)
[Response Payload](#)

[GPT-3.5](#)
[Request Payload](#)
[Response Payload](#)

[Claude 3.5 Haiku](#)
[Request Payload](#)
[Response Payload](#)

[Claude 3.5 Sonnet](#)
[Request Payload](#)
[Response Payload](#)

[Claude 3 Opus](#)
[Request Payload](#)
[Response Payload](#)

[Claude 3 Sonnet](#)
[Request Payload](#)

[Response Payload](#)

[Claude 3 Haiku](#)

[Request Payload](#)

[Response Payload](#)

[Mistral Large 2](#)

[Request Payload](#)

[Response Payload](#)

[Mistral Small](#)

[Request Payload](#)

[Response Payload](#)

[Mistral Nemo](#)

[Request Payload](#)

[Response Payload](#)

[Mistral Pixtral 12B](#)

[Request Payload](#)

[Response Payload](#)

[Mixtral 8×22B](#)

[Request Payload](#)

[Response Payload](#)

[Mixtral 8×7B](#)

[Request Payload](#)

[Response Payload](#)

[Mistral 7B](#)

[Request Payload](#)

[Response Payload](#)

[Llama 3.1 405B](#)

[Request Payload](#)

[Llama 3 70B](#)

[Request Payload](#)

[Response Payload](#)

[Llama 2 70B](#)

[Request Payload](#)

[Response Payload](#)

[Command R](#)

[Request Payload](#)

[Response Payload](#)

[DeepSeek V3](#)

[Request Payload](#)

[Response Payload](#)

[Grok-2](#)

[Request Payload](#)

[Response Payload](#)

[Content Expander API](#)

[Endpoint](#)

[Request Header](#)

[Gemini 1.5 Flash](#)

[Request Payload](#)

[Response Payload](#)

[Gemini 1.5 Pro](#)

[Request Payload](#)

[Response Payload](#)

[Gemini 1.0 Pro](#)

[Request Payload](#)

[Response Payload](#)

[GPT-o1](#)

[Request Payload](#)

[Response Payload](#)

[GPT-o1 Mini](#)

[Request Payload](#)
[Response Payload](#)
[GPT-4o Mini](#)
[Request Payload](#)
[Response Payload](#)
[GPT-4o](#)
[Request Payload](#)
[Response Payload](#)
[GPT-4-turbo](#)
[Request Payload](#)
[Response Payload](#)
[GPT-3.5](#)
[Request Payload](#)
[Response Payload](#)
[Claude-3.5-haiku](#)
[Request Payload](#)
[Response Payload](#)
[Claude-3.5-sonnet](#)
[Request Payload](#)
[Response Payload](#)
[Claude-3-opus](#)
[Request Payload](#)
[Response Payload](#)
[Claude-3-sonnet](#)
[Request Payload](#)
[Response Payload](#)
[Claude-3-haiku](#)
[Request Payload](#)
[Response Payload](#)
[Mistral-large 2](#)
[Request Payload](#)
[Response Payload](#)
[Mistral-small](#)
[Request Payload](#)
[Response Payload](#)
[Mistral-nemo](#)
[Request Payload](#)
[Response Payload](#)
[Mistral Pixtral 12B](#)
[Request Payload](#)
[Response Payload](#)
[Mixtral-8×22b](#)
[Request Payload](#)
[Response Payload](#)
[Mixtral-8×7b](#)
[Request Payload](#)
[Response Payload](#)
[Mistral-7b](#)
[Request Payload](#)
[Response Payload](#)
[Llama-3.1-405b](#)
[Request Payload](#)
[Response Payload](#)
[Llama-3-70b](#)
[Request Payload](#)
[Response Payload](#)
[Llama-2-70b](#)
[Request Payload](#)

[Response Payload](#)

[Command R](#)

[Request Payload](#)

[Response Payload](#)

[GPT-o3 Mini](#)

[Request Payload](#)

[Response Payload](#)

[Content Shortener API](#)

[Endpoint](#)

[Request Header](#)

[Gemini-1.5-flash](#)

[Request Payload](#)

[Response Payload](#)

[Gemini-1.5-pro](#)

[Request Payload](#)

[Response Payload](#)

[Gemini-1.0-pro](#)

[Request Payload](#)

[Response Payload](#)

[GPT-o3 Mini](#)

[Request Payload](#)

[Response Payload](#)

[GPT-o1](#)

[Request Payload](#)

[Response Payload](#)

[GPT-o1 Mini](#)

[Request Payload](#)

[Response Payload](#)

[GPT-4o-mini](#)

[Request Payload](#)

[Response Payload](#)

[GPT-4o](#)

[Request Payload](#)

[Response Payload](#)

[GPT-4-turbo](#)

[Request Payload](#)

[Response Payload](#)

[GPT-3.5-turbo](#)

[Request Payload](#)

[Response Payload](#)

[Claude-3.5-haiku](#)

[Request Payload](#)

[Response Payload](#)

[Claude-3.5-sonnet](#)

[Request Payload](#)

[Response Payload](#)

[Claude-3-opus](#)

[Request Payload](#)

[Response Payload](#)

[Claude-3-sonnet](#)

[Request Payload](#)

[Response Payload](#)

[Claude-3-haiku](#)

[Request Payload](#)

[Response Payload](#)

[Mistral-large](#)

[Request Payload](#)

[Response Payload](#)

[Mistral-small](#)
 [Request Payload](#)
 [Response Payload](#)

[Mistral-nemo](#)
 [Request Payload](#)
 [Response Payload](#)

[Mistral Pixtral-12b](#)
 [Request Payload](#)
 [Response Payload](#)

[Mixtral-8×22b](#)
 [Request Payload](#)
 [Response Payload](#)

[Mixtral-8×7b](#)
 [Request Payload](#)
 [Response Payload](#)

[Mistral-7b](#)
 [Request Payload](#)
 [Response Payload](#)

[Llama-3.1-405b](#)
 [Request Payload](#)
 [Response Payload](#)

[Llama-3-70b](#)
 [Request Payload](#)
 [Response Payload](#)

[Llama-2-70b](#)
 [Request Payload](#)
 [Response Payload](#)

[Command R](#)
 [Request Payload](#)
 [Response Payload](#)

[Deepseek V3](#)
 [Request Payload](#)
 [Response Payload](#)

[Grok-2](#)
 [Request Payload](#)
 [Response Payload](#)

[Content Translator API](#)
 [Endpoint](#)
 [Request Header](#)

[Gemini-1.5-flash](#)
 [Request Payload](#)
 [Response Payload](#)

[Gemini-1.5-pro](#)
 [Request Payload](#)
 [Response Payload](#)

[Gemini-1.0-pro](#)
 [Request Payload](#)
 [Response Payload](#)

[GPT-o3 Mini](#)
 [Request Payload](#)
 [Response Payload](#)

[GPT-o1](#)
 [Request Payload](#)
 [Response Payload](#)

[GPT-o1 Mini](#)
 [Request Payload](#)
 [Response Payload](#)

[GPT-4o-mini](#)

[Request Payload](#)
[Response Payload](#)

[GPT-4o](#)
[Request Payload](#)
[Response Payload](#)

[GPT-4-turbo](#)
[Request Payload](#)
[Response Payload](#)

[GPT-3.5-turbo](#)
[Request Payload](#)
[Response Payload](#)

[Claude-3.5-haiku](#)
[Request Payload](#)
[Response Payload](#)

[Claude-3.5-sonnet](#)
[Request Payload](#)
[Response Payload](#)

[Claude-3-opus](#)
[Request Payload](#)
[Response Payload](#)

[Claude-3-sonnet](#)
[Request Payload](#)
[Response Payload](#)

[Claude-3-haiku](#)
[Request Payload](#)
[Response Payload](#)

[Mistral-large 2](#)
[Request Payload](#)
[Response Payload](#)

[Mistral-small](#)
[Request Payload](#)
[Response Payload](#)

[Mistral-nemo](#)
[Request Payload](#)
[Response Payload](#)

[Mistral Pixtral-12b](#)
[Request Payload](#)
[Response Payload](#)

[Mixtral-8×22b](#)
[Request Payload](#)
[Response Payload](#)

[Mixtral-8×7b](#)
[Request Payload](#)
[Response Payload](#)

[Mistral-7b](#)
[Request Payload](#)
[Response Payload](#)

[Llama-3.1-405b](#)
[Request Payload](#)
[Response Payload](#)

[Llama-3-70b](#)
[Request Payload](#)
[Response Payload](#)

[Llama-2-70b](#)
[Request Payload](#)
[Response Payload](#)

[Command R](#)
[Request Payload](#)

[Response Payload](#)
[Deepseek v3](#)
[Request Payload](#)
[Response Payload](#)
[Grok-2](#)
[Request Payload](#)
[Response Payload](#)

[Paraphraser API](#)

[Endpoint](#)

[Request Header](#)

[Gemini-1.5-flash](#)
[Request Payload](#)
[Response Payload](#)
[Gemini-1.5-pro](#)
[Request Payload](#)
[Response Payload](#)
[Gemini-1.0-pro](#)
[Request Payload](#)
[Response Payload](#)
[GPT-o3 Mini](#)
[Request Payload](#)
[Response Payload](#)
[GPT-o1](#)
[Request Payload](#)
[Response Payload](#)
[GPT-o1-Mini](#)
[Request Payload](#)
[Response Payload](#)
[GPT-4o-mini](#)
[Request Payload](#)
[Response Payload](#)
[GPT-4o](#)
[Request Payload](#)
[Response Payload](#)
[GPT-4-turbo](#)
[Request Payload](#)
[Response Payload](#)
[GPT-3.5b](#)
[Request Payload](#)
[Response Payload](#)
[Claude 3.5 Haiku](#)
[Request Payload](#)
[Response Payload](#)
[Claude 3.5 Sonnet](#)
[Request Payload](#)
[Response Payload](#)
[Claude 3 Opus](#)
[Request Payload](#)
[Response Payload](#)
[Claude 3 Sonnet](#)
[Request Payload](#)
[Response Payload](#)
[Claude 3 Haiku](#)
[Request Payload](#)
[Response Payload](#)
[Mistral Large 2](#)
[Request Payload](#)
[Response Payload](#)

[Mistral Small](#)
[Request Payload](#)
[Response Payload](#)

[Mistral Nemo](#)
[Request Payload](#)
[Response Payload](#)

[Mixtral Pixtral 12B](#)
[Request Payload](#)
[Response Payload](#)

[Mixtral 8×22B](#)
[Request Payload](#)
[Response Payload](#)

[Mixtral 8×7B](#)
[Request Payload](#)
[Response Payload](#)

[Mistral 7B](#)
[Request Payload](#)
[Response Payload](#)

[LLaMA 3.1-405B](#)
[Request Payload](#)
[Response Payload](#)

[LLaMA 3-70B](#)
[Request Payload](#)
[Response Payload](#)

[LLaMA 2-70B](#)
[Request Payload](#)
[Response Payload](#)

[Command R](#)
[Request Payload](#)
[Response Payload](#)

[DeepSeek](#)
[Request Payload](#)
[Response Payload](#)

[Grok-2](#)
[Request Payload](#)
[Response Payload](#)

[Summarizer API](#)

[Endpoint](#)

[Request Header](#)

[Gemini 1.5 Flash](#)
[Request Payload](#)
[Response Payload](#)

[Gemini 1.5 Pro](#)
[Request Payload](#)
[Response Payload](#)

[Gemini 1.0 Pro](#)
[Request Payload](#)
[Response Payload](#)

[GPT-o3 Mini](#)
[Request Payload](#)
[Response Payload](#)

[GPT-o1](#)
[Request Payload](#)
[Response Payload](#)

[Gemini-1.5 Flash](#)
[Request Payload](#)
[Response Payload](#)

[GPT-4o Mini](#)

[Request Payload](#)
[Response Payload](#)

[GPT-4o](#)
[Request Payload](#)
[Response Payload](#)

[GPT-4 Turbo](#)
[Request Payload](#)
[Response Payload](#)

[GPT-3.5 Turbo](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Claude 3.5 Haiku](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Claude 3.5 Sonnet](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Claude 3 Opus](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Claude 3 Sonnet](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Claude 3 Haiku](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Mistral Large 2](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Mistral Small](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Mistral Nemo](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Mistral Pixtral 12B](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Mixtral 8×22B](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Mixtral 8×7B](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Mistral 7B](#)
[Request Payload](#)

Field Description
Response Payload
Llama 3.1 405B
Request Payload
Field Description
Response Payload
Llama 3 70B
Request Payload
Field Description
Response Payload
Llama 2 70B
Request Payload
Field Description
Response Payload
Command R
Request Payload
Field Description
Response Payload
DeepSeek V3
Request Payload
Field Description
Response Payload
Grok 2
Request Payload
Field Description
Response Payload
Grammar Checker API
Endpoint
Request Header
Gemini 1.5 Flash
Request Payload
Field Description
Response Payload
Gemini 1.5 Pro
Request Payload
Field Description
Response Payload
Gemini 1.0 Pro
Request Payload
Field Description
Response Payload
GPT-o3 Mini
Request Payload
Field Description
Response Payload
GPT-o1
Request Payload
Field Description
Response Payload
GPT-o1 Mini
Request Payload
Field Description
Response Payload
GPT-4o Mini
Request Payload
Field Description
Response Payload
GPT-4o

[Request Payload](#)
[Field Description](#)
[Response Payload](#)

GPT-4 Turbo

[Request Payload](#)
[Field Description](#)
[Response Payload](#)

GPT-3.5

[Request Payload](#)
[Field Description](#)
[Response Payload](#)

Claude 3.5 Haiku

[Request Payload](#)
[Field Description](#)
[Response Payload](#)

Claude 3.5 Sonnet

[Request Payload](#)
[Field Description](#)
[Response Payload](#)

Claude 3 Opus

[Request Payload](#)
[Field Description](#)
[Response Payload](#)

Claude 3 Sonnet

[Request Payload](#)
[Field Description](#)
[Response Payload](#)

Claude 3 Haiku

[Request Payload](#)
[Field Description](#)
[Response Payload](#)

Mistral Large 2

[Request Payload](#)
[Field Description](#)
[Response Payload](#)

Mistral Small

[Request Payload](#)
[Field Description](#)
[Response Payload](#)

Mistral Nemo

[Request Payload](#)
[Field Description](#)
[Response Payload](#)

Mistral Pixtral 12B

[Request Payload](#)
[Field Description](#)
[Response Payload](#)

Mixtral 8×22B

[Request Payload](#)
[Field Description](#)
[Response Payload](#)

Mixtral 8×7B

[Request Payload](#)
[Field Description](#)
[Response Payload](#)

Mistral 7B

[Request Payload](#)
[Field Description](#)

Response Payload
Llama 3.1 405B
Request Payload
Field Description
Response Payload
Llama 3 70B
Request Payload
Field Description
Response Payload
Llama 2 70B
Request Payload
Field Description
Response Payload
Command R
Request Payload
Field Description
Response Payload
DeepSeek V3
Request Payload
Field Description
Response Payload
Grok 2
Request Payload
Field Description
Response Payload
AI for Audio
Text to Speech API
Endpoint
Request Header
Google TTS
Request Payload
Field Description
Response Payload
ElevenLabs TTS
Request Payload
Field Description
Response Payload
TTS-1 HD
Request Payload
Field Description
Response Payload
TTS-1
Request Payload
Field Description
Response Payload
Music Generator API
Endpoint
Request Header
Suno
Request Payload
Field Description
Response Payload
Udio
Request Payload
Field Description
Response Payload
MusicGen
Request Payload

[Field Description](#)
[Response Payload](#)

Speech to Text API

Endpoint

Request Header

[Whisper-1](#)

[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Long Speech](#)

[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Short Speech](#)

[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Phone Call](#)

[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Telephony](#)

[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Telephony Short](#)

[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Medical Dictation](#)

[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Medical Conversation](#)

[Request Payload](#)
[Field Description](#)
[Response Payload](#)

Audio Translator API

Endpoint

Request Header

[Whisper-1](#)

[Request Payload](#)
[Field Description](#)
[Response Payload](#)

Text to Video API

Endpoint

Request Header

[Luma AI](#)

[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Kling](#)

[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Animate Diff](#)

[Request Payload](#)
[Field Description](#)

[Response Payload](#)

[TongYi](#)

[Request Payload](#)

[Field Description](#)

[Response Payload](#)

Image to Video API

Endpoint

[Request Header](#)

[Luma AI](#)

[Request Payload](#)

[Field Description](#)

[Response Payload](#)

[Kling](#)

[Request Payload](#)

[Field Description](#)

[Response Payload](#)

Youtube Summarizer API

Endpoint

[Request Header](#)

[Gemini 1.5 Flash](#)

[Request Payload](#)

[Field Description](#)

[Response Payload](#)

[Gemini 1.5 Pro](#)

[Request Payload](#)

[Field Description](#)

[Response Payload](#)

[Gemini 1.0 Pro](#)

[Request Payload](#)

[Field Description](#)

[Response Payload](#)

[GPT-o3 Mini](#)

[Request Payload](#)

[Field Description](#)

[Response Payload](#)

[GPT-o1](#)

[Request Payload](#)

[Field Description](#)

[Response Payload](#)

[GPT-o1 Mini](#)

[Request Payload](#)

[Field Description](#)

[Response Payload](#)

[GPT-4o Mini](#)

[Request Payload](#)

[Field Description](#)

[Response Payload](#)

[GPT-4o](#)

[Request Payload](#)

[Field Description](#)

[Response Payload](#)

[GPT-4 Turbo](#)

[Request Payload](#)

[Field Description](#)

[Response Payload](#)

[GPT-3.5 Turbo](#)

[Request Payload](#)

[Field Description](#)

[Response Payload](#)
[Claude 3.5 Haiku](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)
[Claude 3.5 Sonnet](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)
[Claude 3 Opus](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)
[Claude 3 Sonnet](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)
[Claude 3 Haiku](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)
[Mistral Large 2](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)
[Mistral Small](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)
[Mistral Nemo](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)
[Mistral Pixtral 12B](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)
[Mixtral 8×22B](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)
[Mixtral 8×7B](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)
[Mistral 7B](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)
[Llama 3.1 405B](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)
[Llama 3 70B](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)
[Llama 2 70B](#)

Request Payload
Field Description
Response Payload
Command R
Request Payload
Field Description
Response Payload
DeepSeek
Request Payload
Field Description
Response Payload
Grok 2
Request Payload
Field Description
Response Payload
YouTube Transcriber API
Endpoint
Request Header
Gemini 1.5 Flash
Request Payload
Field Description
Response Payload
GPT-o1 - OpenAI
Request Payload
Field Description
Response Payload
Gemini 1.5 Pro
Request Payload
Field Description
Response Payload
Gemini 1.0 Pro
Request Payload
Field Description
Response Payload
GPT-o3 Mini
Request Payload
Field Description
Response Payload
GPT-o1 Mini
Request Payload
Field Description
Response Payload
GPT-4o Mini
Request Payload
Field Description
Response Payload
GPT-4o
Request Payload
Field Description
Response Payload
GPT-4 Turbo
Request Payload
Field Description
Response Payload
GPT-3.5 Turbo
Request Payload
Field Description
Response Payload

[Claude 3.5 Haiku](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Claude 3.5 Sonnet](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Claude 3 Opus](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Claude 3 Sonnet](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Claude 3 Haiku](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Mistral Large 2](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Mistral Small](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Mistral Nemo](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Mistral Pixtral 12B](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Mixtral 8×22B](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Mixtral 8×7B](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Mistral 7B](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Llama 3.1 405B](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Llama 3 70B](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Llama 2 70B](#)
[Request Payload](#)

Field Description
Response Payload
Command R
Request Payload
Field Description
Response Payload
DeepSeek
Request Payload
Field Description
Response Payload
Grok 2
Request Payload
Field Description
Response Payload
YouTube Translator API
Endpoint
Request Header
Gemini 1.5 Flash
Request Payload
Field Description
Response Payload
Gemini 1.5 Pro
Request Payload
Field Description
Response Payload
Gemini 1.0 Pro
Request Payload
Field Description
Response Payload
GPT-o3 Mini
Request Payload
Field Description
Response Payload
GPT-o1
Request Payload
Field Description
Response Payload
bGPT-4o Mini
Request Payload
Field Description
Response Payload
GPT-4o
Request Payload
Field Description
Response Payload
GPT-4 Turbo
Request Payload
Field Description
Response Payload
GPT-3.5 Turbo
Request Payload
Field Description
Response Payload
Claude 3.5 Haiku
Request Payload
Field Description
Response Payload
Claude 3.5 Sonnet

[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Claude 3 Opus](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Claude 3 Sonnet](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Claude 3 Haiku](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Mistral Large 2](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Mistral Small](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Mistral Nemo](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Mistral Pixtral 12B](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Mixtral 8×22B](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Mixtral 8×7B](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Mistral 7B](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Llama 3.1 405B](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Llama 3 70B](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Llama 2 70B](#)
[Request Payload](#)
[Field Description](#)
[Response Payload](#)

[Command R](#)
[Request Payload](#)
[Field Description](#)

Response Payload
DeepSeek
Request Payload
Field Description
Response Payload
Grok 2
Request Payload
Field Description
Response Payload
AI for Code
Code Generator API
Endpoint
Request Header
GPT-4o
Request Payload
Field Description
Response Payload
Claude 3.5 Haiku
Request Payload
Response Payload
Claude 3.5 Sonnet
Request Payload
Response Payload
References
Feature list
Model list
Discussion

Specifications

Rate limits

The default is 180 requests per minute.

To increase your rate limits, contact support@1min.ai.


Credit limits

The total amount of credit available to the user within the team that owns the API key.

Check at <https://app.1min.ai/members> (required team admin role).

Create API Key

- Register for an account on <https://app.1min.ai/>
- Sign in and create an API key.



▼ AI Feature API

A unified API endpoint for all AI services.

Endpoint

- For **streaming** features (chat)

<https://api.1min.ai/api/features?isStreaming=true>

- For **non-streaming** features

<https://api.1min.ai/api/features>

Request Header

Field	Value
API-KEY	<api-key>
Content-Type	application/json

Request Payload

Please check for all parameters of `promptObject`

- `type` feature name
- `model` model name
- `promptObject` all parameters of the feature
 - For **streaming** features (chat). Example:

- Without context

```
{
  "type": "CHAT_WITH_AI", // CHAT_WITH_AI, CHAT_WITH_IMAGE, CHAT_WITH_PDF (multi doc chat)
  "model": "gpt-4o-mini",
  "promptObject": {
    "prompt": "hi",
    "isMixed": false, // Mix models contex
    "imageList": ["img01","img02"], // when type is CHAT_WITH_IMAGE
    "webSearch": true, // true - false
    "numOfSite": 1, // when webSearch is true
    "maxWord": 500 // when webSearch is true
  }
}
```

- With context (apply multi-ai chat)

```
{
  "type": "CHAT_WITH_AI", // CHAT_WITH_AI, CHAT_WITH_IMAGE, CHAT_WITH_PDF (multi doc chat)
  "conversationId": "c5c5e1d4-76a9-46a6-bf6b-1ba843b838db", // From Conversation API
  "model": "gpt-4o-mini",
  "promptObject": {
    "prompt": "hi",
    "isMixed": false, // Mix models contex
    "imageList": ["img01","img02"], // when type is CHAT_WITH_IMAGE
    "webSearch": true, // true - false
    "numOfSite": 1, // when webSearch is true
    "maxWord": 500 // when webSearch is true
  },
  "metadata": {
    "messageGroup": "1727596968593_71" // Utilize random strings to categorize similar messages when inte
  }
}
```

- For **non-streaming** features. Example:

```
{
  "type": "IMAGE_VARIATOR",
  "model": "midjourney",
  "promptObject": {
    "imageUrl": "development/images/2024_09_30_13_41_50_758_2023_11_10_16_27_12_416_208054.png", // Abs
    "mode": "fast",
    "n": 4,
    "isNiji6": false,
    "aspect_width": 1,
    "aspect_height": 1,
    "maintainModeration": true
  }
}
```

Response Payload

For **streaming** features (chat). Example:

This is an example chat response

For **non-streaming** features. Example:

```
{
  "aiRecord": {
    "uuid": "120qae97-d77d-468d-9d78-2e7c0b2bbb98",
    "userId": "75cz1a57-c969-47ac-9dc5-82941cdcfe57",
    "teamId": "595w4b41-dcc7-466f-8697-d4a919810b11",
    "teamUser": {
      "teamId": "595w4b41-dcc7-466f-8697-d4a919810b11",
      "userId": "75cz1a57-c969-47ac-9dc5-82941cdcfe57",
      "userName": "1minAI",
      "userAvatar": "https://lh3.googleusercontent.com/a/ACg8ocJxHeiuADdtp",
      "status": "ACTIVE",
      "role": "ADMIN",

```


```

    "creditLimit": 214748364,
    "usedCredit": 3086973,
    "createdAt": "2023-11-24T06:31:06.467Z",
    "createdBy": "SYSTEM",
    "updatedAt": "2024-09-29T09:17:08.210Z",
    "updatedBy": "SYSTEM"
  },
  "model": "black-forest-labs/flux-schnell",
  "type": "IMAGE_GENERATOR",
  "metadata": null,
  "rating": null,
  "feedback": null,
  "conversationId": null,
  "status": "SUCCESS",
  "createdAt": "2024-09-30T03:47:29.738Z",
  "aiRecordDetail": {
    "promptObject": {
      "prompt": "a cat",
      "num_outputs": 1,
      "aspect_ratio": "1:1",
      "output_format": "webp"
    },
    "responseObject": [
      "images/2024_09_30_03_47_31_072_210865.webp"
    ]
  },
  "additionalData": null
}

```

Details for the request and response

Please use Chrome DevTools or similar tools to check the details for each feature. This will be the same as the 1minAI web app.



▼ Asset API

Create **assets** for AI features.

Endpoint

https://api.1min.ai/api/assets

Request Header

Field	Value
API-KEY	<api-key>
Content-Type	multipart/form-data

Request Payload

```
curl --location 'https://api.1min.ai/api/assets' \  
--header 'API-KEY: <api-key>' \  
--form 'asset=@"/2023_11_10_16_27_12_416_208054.png"'
```

Field name	Type	Required
asset	File	✓

Response Payload

```
{  
  "asset": {  
    "fieldname": "asset",  
    "originalname": "2023_11_10_16_27_12_416_208054.png",  
    "encoding": "7bit",  
    "mimetype": "image/png",  
    "size": 12368,  
    "bucket": "asset.1min.ai",  
    "key": "images/2024_09_30_13_38_59_100_2023_11_10_16_27_12_416_208054.png",  
    "acl": "private",  
    "contentType": "application/octet-stream",  
    "contentDisposition": null,  
    "contentEncoding": null,  
    "storageClass": "STANDARD",  
    "serverSideEncryption": null,  
    "metadata": {  
      "team-id": "307b3666-0869-4910-9d01-75fc14a08c4d",  
      "user-id": "52555103-410b-4ea0-881c-d6f3453f2469",  
      "fieldname": "asset",  
      "originalname": "2023_11_10_16_27_12_416_208054.png",  
      "encoding": "7bit",  
      "mimetype": "image/png"  
    },  
    "location": "https://asset.1min.ai.s3.us-east-1.amazonaws.com/images/2024_09_30_13_38_59_100_2023_11_10_16_27_12_416_208054.png",  
    "etag": "\"2cb9318ab87188247c8ed71e1d4078d9\""br/>  },  
  "fileContent": {  
    "uuid": "26f30dfd-1d61-4b5b-889c-d7ab2d60d1ee",  
    "path": "images/2024_09_30_13_38_59_100_2023_11_10_16_27_12_416_208054.png",  
    "type": "png",  
    "name": "2024_09_30_13_38_59_100_2023_11_10_16_27_12_416_208054.png",  
    "content": "",  
    "status": "ACTIVE",  
    "metadata": {  
      "team-id": "307b3666-0869-4910-9d01-75fc14a08c4d",  
      "user-id": "52555103-410b-4ea0-881c-d6f3453f2469",  
      "fieldname": "asset",  
      "originalname": "2023_11_10_16_27_12_416_208054.png",  
      "encoding": "7bit",  
      "mimetype": "image/png"  
    }  
  }  
}
```

```
    "token": 0,  
    "character": 0  
  },  
  "createdAt": "2024-09-30T06:39:00.540Z"  
}  
}
```

▼ Conversation API

Create **conversation** for chat features.

Endpoint

<https://api.1min.ai/api/conversations>

Request Header

Field	Value
API-KEY	<api-key>
Content-Type	application/json

Request Payload

```
curl --location 'https://api.1min.ai/api/conversations' \  
--header 'API-KEY: <api-key>' \  
--header 'Content-Type: application/json' \  
--data '{  
  "title": "test api title",  
  "type": "CHAT_WITH_AI",  
  "model": "gpt-4o-mini",  
  "fileList": [  
    "20ad0277-74df-4629-8c50-56a2549acbd7",  
    "20ad0277-74df-4629-8c50-56a2549acbd7"  
  ]  
'
```

Field name	Type	Required
type	CHAT_WITH_AI CHAT_WITH_IMAGE CHAT_WITH_PDF	✓
title	Conversation title (max 91 character)	✓
model	AI Model	✓
fileList	File ID list from Asset API (Required when type is CHAT_WITH_PDF)	

Response Payload

```
{  
  "conversation": {  
    "uuid": "20ad0277-74df-4629-8c50-56a2549acbd7",  
    "title": "hi",  
    "status": "ACTIVE",  
    "createdAt": "2024-09-30T06:35:42.236Z",  
    "metadata": {
```

```

    "fileToken": 5006,
    "fileCharacter": 17197
  },
  "conversationFile": [
    {
      "conversationId": "20ad0277-74df-4629-8c50-56a2549acbd7",
      "fileId": "66effbd5-dcbf-47f7-9f0c-7a2a02bd5b11",
      "createdAt": "2024-09-30T06:35:42.236Z",
      "createdBy": "SYSTEM",
      "updatedAt": "2024-09-30T06:35:42.236Z",
      "updatedBy": "SYSTEM"
    },
    {
      "conversationId": "20ad0277-74df-4629-8c50-56a2549acbd7",
      "fileId": "73560309-5804-4092-99d7-0a262fba92f5",
      "createdAt": "2024-09-30T06:35:42.236Z",
      "createdBy": "SYSTEM",
      "updatedAt": "2024-09-30T06:35:42.236Z",
      "updatedBy": "SYSTEM"
    }
  ]
}

```

AI for Image

Image To Prompt API

Endpoint

<https://api.1min.ai/api/features>

Request Header

Field	Value
API-KEY	<api-key>
Content-Type	application/json

Methexis (Stable Diffusion)

Request Payload

```

curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "IMAGE_TO_PROMPT",
  "model": "methexis-inc/img2prompt:50adaf2d3ad20a6f911a8a9e3ccf777b263b8596fbd2c8fc26e8888f8a0edbb5",
  "promptObject": {
    "imageUrl": "development/images/2025_02_14_16_46_17_137_images.jpeg"
  }
}'

```

```
}  
'
```

Field name	Type	Supported value
type	text	IMAGE_TO_PROMPT
model	text	methexis-inc/img2prompt:50adaf2d3ad20a6f911a8a9e3ccf777b263b8596fbd2c8fc26e8888f8a0edbb5
promptObject.imageUrl	text	

Response Payload

```
{}
```

Midjourney

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \  
--header 'API-KEY: <api-key>' \  
--header 'Content-Type: application/json' \  
--data '{  
  "type": "IMAGE_TO_PROMPT",  
  "model": "midjourney",  
  "promptObject": {  
    "imageUrl": "development/images/2025_02_14_16_46_17_137_images.jpeg",  
    "mode": "describe",  
    "n": 1  
  }  
'
```

Field name	Type	Supported value	Description	Required
type	text	IMAGE_TO_PROMPT	Feature name	✓
model	text	midjourney	Model name	✓
promptObject.imageUrl	text		Path to the image	✓
promptObject.mode	text	describe	Mode	✓
promptObject.n	number	1	Number of descriptions	✓

Response Payload

```
{}
```

Image Variator API

Endpoint

https://api.1min.ai/api/features

Request Header

Field	Value
API-KEY	<api-key>
Content-Type	application/json

DALLE 2

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "IMAGE_VARIATOR",
  "model": "dall-e-2",
  "promptObject": {
    "imageUrl": "development/images/2025_02_14_17_41_01_211_images.jpeg",
    "n": 1,
    "size": "1024×1024"
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	IMAGE_VARIATOR	Feature name	✓
model	text	dall-e-2	Model name	✓
promptObject.imageUrl	text		Path to the image	✓
promptObject.n	number	1	Number of variations	✓
promptObject.size	text	1024×1024, 512×512, 256×256	Image size	✓

Response Payload

```
{}
```

Clipdrop

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "IMAGE_VARIATOR",
  "model": "clipdrop",
  "promptObject": {
    "imageUrl": "development/images/2025_02_14_17_41_01_211_images.jpeg"
  }
}'
```

```
}  
'
```

Field name	Type	Supported value	Description	Required
type	text	IMAGE_VARIATOR	Feature name	✓
model	text	clipdrop	Model name	✓
promptObject.imageUrl	text		Path to the image	✓

Response Payload

```
{}
```

Image Upscaler API

Endpoint

```
https://api.1min.ai/api/features
```

Request Header

Field	Value
API-KEY	<api-key>
Content-Type	application/json

Stable Image

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \  
--header 'API-KEY: <api-key>' \  
--header 'Content-Type: application/json' \  
--data '{  
  "type": "IMAGE_UPSCALER",  
  "model": "stable-image",  
  "promptObject": {  
    "imageUrl": "development/images/2025_02_14_17_58_00_396_images.jpeg",  
    "output_format": "jpeg"  
  }  
'
```

Field name	Type	Supported value	Description	Required
type	text	IMAGE_UPSCALER	Feature name	✓
model	text	stable-image	Model name	✓
promptObject.imageUrl	text		Path to the image	✓
promptObject.output_format	text	jpeg	Output format	✓

Response Payload

```
{}
```

Image Extender API

Endpoint

<https://api.1min.ai/api/features>

Request Header

Field	Value
API-KEY	<api-key>
Content-Type	application/json

Stable Image

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "IMAGE_EXTENDER",
  "model": "stable-image",
  "promptObject": {
    "imageUrl": "development/images/2025_02_16_14_16_21_627_images.jpeg",
    "output_format": "png",
    "left": 1,
    "right": 1,
    "up": 1,
    "down": 1
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	IMAGE_EXTENDER	Feature name	✓
model	text	stable-image	Model name	✓
promptObject.imageUrl	text		Path to the image	✓
promptObject.output_format	text	png, jpeg	Output format	✓
promptObject.left	number	1	Extend left	✓
promptObject.right	number	1	Extend right	✓
promptObject.up	number	1	Extend up	✓
promptObject.down	number	1	Extend down	✓

Response Payload

```
{}
```

Background Remover API

Endpoint

```
https://api.1min.ai/api/features
```

Request Header

Field	Value
API-KEY	<api-key>
Content-Type	application/json

Stable Image

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "BACKGROUND_REMOVER",
  "model": "stable-image",
  "promptObject": {
    "imageUrl": "development/images/2025_02_16_14_21_09_329_images.jpeg"
  }
}
```

Field name	Type	Supported value	Description	Required
type	text	BACKGROUND_REMOVER	Feature name	✓
model	text	stable-image	Model name	✓
promptObject.imageUrl	text		Path to the image	✓

Response Payload

```
{}
```

Background Replacer API

Endpoint

```
https://api.1min.ai/api/features
```


Request Header

Field	Value
API-KEY	<api-key>
Content-Type	application/json

Stable Diffusion XL

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "BACKGROUND_REPLACER",
  "model": "clipdrop",
  "promptObject": {
    "imageUrl": "development/images/2025_02_16_14_29_17_570_banana.jpg",
    "prompt": "Change the background to pink"
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	BACKGROUND_REPLACER	Feature name	✓
model	text	clipdrop	Model name	✓
promptObject.imageUrl	text		Path to the image	✓
promptObject.prompt	text		Background description	✓

Response Payload

```
{}
```

Text Remover API

Endpoint

```
https://api.1min.ai/api/features
```

Request Header

Field	Value
API-KEY	<api-key>
Content-Type	application/json

Stable Diffusion XL

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "TEXT_REMOVER",
  "model": "clipdrop",
  "promptObject": {
    "imageUrl": "development/images/2025_02_16_14_38_13_247_text-image.jpg"
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	TEXT_REMOVER	Feature name	✓
model	text	clipdrop	Model name	✓
promptObject.imageUrl	text		Path to the image	✓

Response Payload

```
{}
```

Object Remover API

Endpoint

```
https://api.1min.ai/api/features
```

Request Header

Field	Value
API-KEY	<api-key>
Content-Type	application/json

Stable Image Core

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "IMAGE_OBJECT_REMOVER",
  "model": "stable-image",
  "promptObject": {
    "imageUrl": "development/images/2025_02_16_14_45_37_834_images.jpeg",
    "maskUrl": "development/images/2025_02_16_14_46_48_366_image.png",
    "output_format": "jpeg"
  }
}'
```

```
}  
'
```

Field name	Type	Supported value	Description	Required
type	text	IMAGE_OBJECT_REMOVER	Feature name	✓
model	text	stable-image	Model name	✓
promptObject.imageUrl	text		Path to the image	✓
promptObject.maskUrl	text		Path to the mask image	✓
promptObject.output_format	text	jpeg	Output format	✓

Response Payload

```
{}
```

Search and Replace API

Endpoint

<https://api.1min.ai/api/features>

Request Header

Field	Value
API-KEY	<api-key>
Content-Type	application/json

Stable Image Core

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \  
--header 'API-KEY: <api-key>' \  
--header 'Content-Type: application/json' \  
--data '{  
  "type": "SEARCH_AND_REPLACE",  
  "model": "stable-image",  
  "promptObject": {  
    "imageUrl": "development/images/2025_02_16_15_00_19_886_banana.jpg",  
    "search_prompt": "banana",  
    "prompt": "Let's turn the banana purple"  
  }  
'
```

Field name	Type	Supported value	Description	Required
type	text	SEARCH_AND_REPLACE	Feature name	✓
model	text	stable-image	Model name	✓
promptObject.imageUrl	text		Path to the image	✓

promptObject.search_prompt	text		Object to search for	✓
promptObject.prompt	text		Replacement description	✓

Response Payload

```
{}
```

Image Mask Editor API

Endpoint

https://api.1min.ai/api/features

Request Header

Field	Value
API-KEY	<api-key>
Content-Type	application/json

Stable Image

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "IMAGE_INPAINTER",
  "model": "stable-image",
  "promptObject": {
    "imageUrl": "development/images/2025_02_16_15_35_49_260_banana.jpg",
    "maskUrl": "development/images/2025_02_16_15_36_38_743_image.png",
    "prompt": "replace a red banana",
    "output_format": "jpeg"
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	IMAGE_INPAINTER	Feature name	✓
model	text	stable-image	Model name	✓
promptObject.imageUrl	text		Path to the image	✓
promptObject.maskUrl	text		Path to the mask image	✓
promptObject.prompt	text		Description for inpainting	✓
promptObject.output_format	text	jpeg	Output format	✓

Response Payload

```
{}
```

Image Text Editor API

Endpoint

<https://api.1min.ai/api/features>

Request Header

Field	Value
API-KEY	<api-key>
Content-Type	application/json

Stable Diffusion XL

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "IMAGE_EDITOR",
  "model": "stable-diffusion-xl-1024-v1-0",
  "promptObject": {
    "imageUrl": "development/images/2025_02_16_15_42_40_711_human.jpg",
    "prompt": "turn into cartoon",
    "samples": 1,
    "isMasked": false,
    "cfg_scale": 7,
    "clip_guidance_preset": "NONE",
    "image_strength": 0.35,
    "seed": 0,
    "step_schedule_start": 0.65,
    "steps": 30
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	IMAGE_EDITOR	Feature name	✓
model	text	stable-diffusion-xl-1024-v1-0	Model name	✓
promptObject.imageUrl	text		Path to the image	✓
promptObject.prompt	text		Editing description	✓
promptObject.samples	number	1	Number of outputs	✓
promptObject.isMasked	boolean	false	Using mask or not	✓
promptObject.cfg_scale	number	7	Configuration scale	✓
promptObject.clip_guidance_preset	text	NONE	Clip guidance preset	✓

promptObject.image_strength	number	0.35	Image strength	✓
promptObject.seed	number	0	Random seed	✓
promptObject.step_schedule_start	number	0.65	Step schedule start	✓
promptObject.steps	number	30	Number of steps	✓

Response Payload

```
{}
```

Face Swapper API

Endpoint

```
https://api.1min.ai/api/features
```

Request Header

Field	Value
API-KEY	<api-key>
Content-Type	application/json

Qubico

```
curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "FACE_SWAPPER",
  "model": "Qubico/image-toolkit",
  "promptObject": {
    "targetImageUrl": "development/images/2025_02_18_11_09_03_936_human.jpg",
    "swapImageUrl": "development/images/2025_02_18_11_10_30_356_human3.jpeg",
    "output_format": "png"
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	FACE_SWAPPER	Feature name	✓
model	text	Qubico/image-toolkit	Model name	✓
promptObject.targetImageUrl	text		Path to target image	✓
promptObject.swapImageUrl	text		Path to face image	✓
promptObject.output_format	text	png	Output format	✓

Response Payload

```
{}
```

3D Image Generator API

Endpoint

https://api.1min.ai/api/features

Request Header

Field	Value
API-KEY	<api-key>
Content-Type	application/json

Stable Image

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "IMAGE_3D_GENERATOR",
  "model": "stable-image",
  "promptObject": {
    "imageUrl": "development/images/2025_02_18_17_07_32_777_cđ_vua.jpg"
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	IMAGE_3D_GENERATOR	Feature name	✓
model	text	stable-image	Model name	✓
promptObject.imageUrl	text		Path to the image	✓

Response Payload

```
{}
```

Image Generator API

Endpoint

https://api.1min.ai/api/features

Request Header

Field	Value
API-KEY	<api-key>
Content-Type	application/json

Midjourney

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "IMAGE_GENERATOR",
  "Content-Type": "application/json",
  "model": "5c232a9e-9061-4777-980a-ddc8e65647c6",
  "promptObject": {
    "prompt": "Relastic portrait of a person",
    "size": "1024×1024",
    "n": 1
  }
}'
```

Field name	Type	Supported value	Description	Required
type	tex	IMAGE_GENERATOR	Feature name	✓
promptObject.prompt	text		Prompt	✓
promptObject.size	text	1024×1024 512×512	Image size	✓
...				

Response Payload

```
{}
```

LeonardoAi

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "IMAGE_GENERATOR",
  "Content-Type": "application/json",
  "model": "stable-diffusion-xl-1024-v1-0",
  "promptObject": {
    "prompt": "Relastic portrait of a person",
    "size": "1024×1024",
    "n": 1
  }
}'
```



```
}  
'
```

Response Payload

```
{}
```

DALLE 3

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \  
--header 'API-KEY: <api-key>' \  
--header 'Content-Type: application/json' \  
--data '{  
  "type": "IMAGE_GENERATOR",  
  "Content-Type": "application/json",  
  "model": "5c232a9e-9061-4777-980a-ddc8e65647c6",  
  "promptObject": {  
    "prompt": "Relastic portrait of a person",  
    "size": "1024×1024",  
    "n": 1  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	IMAGE_GENERATOR	Feature name	✓
model	text	dall-e-3	Model name	✓
promptObject.prompt	text		Image description	✓
promptObject.n	number	1	Number of images	✓
promptObject.size	text	1024×1024, 1024×1792, 1792×1024	Image size	✓
promptObject.quality	text	standard, hd	Image quality	✓
promptObject.style	text	vivid, natural	Image style	✓

Response Payload

```
{}
```

DALLE 2

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \  
--header 'API-KEY: <api-key>' \  
--header 'Content-Type: application/json' \  

```

```
--data '{
  "type": "IMAGE_GENERATOR",
  "model": "dall-e-2",
  "promptObject": {
    "prompt": "Realistic portrait of a person",
    "n": 1,
    "size": "1024×1024"
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	IMAGE_GENERATOR	Feature name	✓
model	text	dall-e-2	Model name	✓
promptObject.prompt	text		Image description	✓
promptObject.n	number	1	Number of images	✓
promptObject.size	text	1024×1024, 512×512, 256×256	Image size	✓

Response Payload

```
{}
```

Leonardo Lightning XL

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "IMAGE_GENERATOR",
  "model": "b24e16ff-06e3-43eb-8d33-4416c2d75876",
  "promptObject": {
    "prompt": "Realistic portrait of a person",
    "n": 1,
    "size": "1024×1024",
    "negativePrompt": "people"
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	IMAGE_GENERATOR	Feature name	✓
model	text	b24e16ff-06e3-43eb-8d33-4416c2d75876	Model name	✓
promptObject.prompt	text		Image description	✓
promptObject.n	number	1	Number of images	✓
promptObject.size	text	1024×1024	Image size	✓
promptObject.negativePrompt	text		Things to exclude from image	✓

Response Payload

```
{}
```

Leonardo Anime XL

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "IMAGE_GENERATOR",
  "model": "e71a1c2f-4f80-4800-934f-2c68979d8cc8",
  "promptObject": {
    "prompt": "Realistic portrait of a person",
    "n": 1,
    "size": "1024×1024",
    "negativePrompt": "people"
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	IMAGE_GENERATOR	Feature name	✓
model	text	e71a1c2f-4f80-4800-934f-2c68979d8cc8	Model name	✓
promptObject.prompt	text		Image description	✓
promptObject.n	number	1	Number of images	✓
promptObject.size	text	1024×1024	Image size	✓
promptObject.negativePrompt	text		Things to exclude from image	✓

Response Payload

```
{}
```

Leonardo Diffusion XL

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "IMAGE_GENERATOR",
  "model": "1e60896f-3c26-4296-8ecc-53e2afecc132",
  "promptObject": {
    "prompt": "Realistic portrait of a person",
  }
}'
```

```
"n": 1,
"size": "1024×1024",
"negativePrompt": "people"
}
}'
```

Field name	Type	Supported value	Description	Required
type	text	IMAGE_GENERATOR	Feature name	✓
model	text	1e60896f-3c26-4296-8ecc-53e2afecc132	Model name	✓
promptObject.prompt	text		Image description	✓
promptObject.n	number	1	Number of images	✓
promptObject.size	text	1024×1024	Image size	✓
promptObject.negativePrompt	text		Things to exclude from image	✓

Response Payload

```
{}
```

Leonardo Kino XL

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "IMAGE_GENERATOR",
  "model": "aa77f04e-3eec-4034-9c07-d0f619684628",
  "promptObject": {
    "prompt": "Realistic portrait of a person",
    "n": 1,
    "size": "1024×1024",
    "negativePrompt": "people"
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	IMAGE_GENERATOR	Feature name	✓
model	text	aa77f04e-3eec-4034-9c07-d0f619684628	Model name	✓
promptObject.prompt	text		Image description	✓
promptObject.n	number	1	Number of images	✓
promptObject.size	text	1024×1024	Image size	✓
promptObject.negativePrompt	text		Things to exclude from image	✓

Response Payload

```
{}
```

Leonardo Vision XL

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "IMAGE_GENERATOR",
  "model": "5c232a9e-9061-4777-980a-ddc8e65647c6",
  "promptObject": {
    "prompt": "Realistic portrait of a person",
    "n": 1,
    "size": "1024×1024",
    "negativePrompt": "people"
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	IMAGE_GENERATOR	Feature name	✓
model	text	5c232a9e-9061-4777-980a-ddc8e65647c6	Model name	✓
promptObject.prompt	text		Image description	✓
promptObject.n	number	1	Number of images	✓
promptObject.size	text	1024×1024	Image size	✓
promptObject.negativePrompt	text		Things to exclude from image	✓

Response Payload

```
{}
```

Leonardo AlbedoBase XL

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "IMAGE_GENERATOR",
  "model": "2067ae52-33fd-4a82-bb92-c2c55e7d2786",
  "promptObject": {
    "prompt": "Realistic portrait of a person",
    "n": 1,
```

```
"size": "512×512",
  "negativePrompt": "people"
}
```

Field name	Type	Supported value	Description	Required
type	text	IMAGE_GENERATOR	Feature name	✓
model	text	2067ae52-33fd-4a82-bb92-c2c55e7d2786	Model name	✓
promptObject.prompt	text		Image description	✓
promptObject.n	number	1	Number of images	✓
promptObject.size	text	512×512	Image size	✓
promptObject.negativePrompt	text		Things to exclude from image	✓

Response Payload

```
{}
```

Stable Diffusion XL 1.0

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "IMAGE_GENERATOR",
  "model": "stable-diffusion-xl-1024-v1-0",
  "promptObject": {
    "prompt": "Realistic portrait of a person",
    "samples": 1,
    "size": "1024×1024",
    "cfg_scale": 7,
    "clip_guidance_preset": "NONE",
    "seed": 0,
    "steps": 30
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	IMAGE_GENERATOR	Feature name	✓
model	text	stable-diffusion-xl-1024-v1-0	Model name	✓
promptObject.prompt	text		Image description	✓
promptObject.samples	number	1	Number of images	✓
promptObject.size	text	1024×1024	Image size	✓
promptObject.cfg_scale	number	7	Configuration scale	✓
promptObject.clip_guidance_preset	text	NONE	Clip guidance preset	✓

promptObject.seed	number	0	Random seed	✓
promptObject.steps	number	30	Number of steps	✓

Response Payload

```
{}
```

Stable Diffusion 1.6

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "IMAGE_GENERATOR",
  "model": "stable-diffusion-v1-6",
  "promptObject": {
    "prompt": "Realistic portrait of a person",
    "samples": 1,
    "cfg_scale": 7,
    "clip_guidance_preset": "NONE",
    "height": 512,
    "width": 512,
    "seed": 0,
    "steps": 30
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	IMAGE_GENERATOR	Feature name	✓
model	text	stable-diffusion-v1-6	Model name	✓
promptObject.prompt	text		Image description	✓
promptObject.samples	number	1	Number of images	✓
promptObject.cfg_scale	number	7	Configuration scale	✓
promptObject.clip_guidance_preset	text	NONE	Clip guidance preset	✓
promptObject.height	number	512	Image height	✓
promptObject.width	number	512	Image width	✓
promptObject.seed	number	0	Random seed	✓
promptObject.steps	number	30	Number of steps	✓

Response Payload

```
{}
```

AI for Writing

Keyword Research API

Endpoint

https://api.1min.ai/api/features

Request Header

Field	Value
API-KEY	<api-key>
Content-Type	application/json

Generate Keyword and Statistics

Cohere Command

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "KEYWORD_RESEARCH",
  "model": "command",
  "conversationId": "KEYWORD_RESEARCH",
  "promptObject": {
    "researchType": "KEYWORD_STATISTICS",
    "numberOfWord": 5,
    "prompt": "chicken"
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	KEYWORD_RESEARCH	Feature name	✓
model	text	command	Model name	✓
conversationId	text	KEYWORD_RESEARCH	Conversation ID	✓
promptObject.researchType	text	KEYWORD_STATISTICS	Research type	✓
promptObject.numberOfWord	number	5	Number of keywords	✓
promptObject.prompt	text		Keyword to research	✓

Response Payload

```
{}
```

Gemini 1.5 Flash

Request Payload


```
curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "KEYWORD_RESEARCH",
  "model": "gemini-1.5-flash",
  "conversationId": "KEYWORD_RESEARCH",
  "promptObject": {
    "researchType": "KEYWORD_STATISTICS",
    "numberOfWord": 2,
    "prompt": "chicken"
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	KEYWORD_RESEARCH	Feature name	✓
model	text	gemini-1.5-flash	Model name	✓
conversationId	text	KEYWORD_RESEARCH	Conversation ID	✓
promptObject.researchType	text	KEYWORD_STATISTICS	Research type	✓
promptObject.numberOfWord	number	2	Number of keywords	✓
promptObject.prompt	text		Keyword to research	✓

Response Payload

```
{}
```

Gemini 1.5 Pro

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "KEYWORD_RESEARCH",
  "model": "gemini-1.5-pro",
  "conversationId": "KEYWORD_RESEARCH",
  "promptObject": {
    "researchType": "KEYWORD_STATISTICS",
    "numberOfWord": 2,
    "prompt": "chicken"
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	KEYWORD_RESEARCH	Feature name	✓
model	text	gemini-1.5-pro	Model name	✓
conversationId	text	KEYWORD_RESEARCH	Conversation ID	✓

promptObject.researchType	text	KEYWORD_STATISTICS	Research type	✓
promptObject.numberOfWord	number	2	Number of keywords	✓
promptObject.prompt	text		Keyword to research	✓

Response Payload

```
{}
```

Gemini 1.0 Pro

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "KEYWORD_RESEARCH",
  "model": "gemini-1.0-pro",
  "conversationId": "KEYWORD_RESEARCH",
  "promptObject": {
    "researchType": "KEYWORD_STATISTICS",
    "numberOfWord": 2,
    "prompt": "chicken"
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	KEYWORD_RESEARCH	Feature name	✓
model	text	gemini-1.0-pro	Model name	✓
conversationId	text	KEYWORD_RESEARCH	Conversation ID	✓
promptObject.researchType	text	KEYWORD_STATISTICS	Research type	✓
promptObject.numberOfWord	number	2	Number of keywords	✓
promptObject.prompt	text		Keyword to research	✓

Response Payload

```
{}
```

GPT-o3 Mini

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "KEYWORD_RESEARCH",
```

```

"model": "o3-mini",
"conversationId": "KEYWORD_RESEARCH",
"promptObject": {
  "researchType": "KEYWORD_STATISTICS",
  "numberOfWord": 2,
  "prompt": "chicken"
}
}'

```

Field name	Type	Supported value	Description	Required
type	text	KEYWORD_RESEARCH	Feature name	✓
model	text	o3-mini	Model name	✓
conversationId	text	KEYWORD_RESEARCH	Conversation ID	✓
promptObject.researchType	text	KEYWORD_STATISTICS	Research type	✓
promptObject.numberOfWord	number	2	Number of keywords	✓
promptObject.prompt	text		Keyword to research	✓

Response Payload

```

{}

```

GPT-o1

Request Payload

```

curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "KEYWORD_RESEARCH",
  "model": "o1-preview",
  "conversationId": "KEYWORD_RESEARCH",
  "promptObject": {
    "researchType": "KEYWORD_STATISTICS",
    "numberOfWord": 2,
    "prompt": "chicken"
  }
}'

```

Field name	Type	Supported value	Description	Required
type	text	KEYWORD_RESEARCH	Feature name	✓
model	text	o1-preview	Model name	✓
conversationId	text	KEYWORD_RESEARCH	Conversation ID	✓
promptObject.researchType	text	KEYWORD_STATISTICS	Research type	✓
promptObject.numberOfWord	number	2	Number of keywords	✓
promptObject.prompt	text		Keyword to research	✓

Response Payload

```
{}
```

GPT-o1 Mini

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "KEYWORD_RESEARCH",
  "model": "o1-mini",
  "conversationId": "KEYWORD_RESEARCH",
  "promptObject": {
    "researchType": "KEYWORD_STATISTICS",
    "numberOfWord": 2,
    "prompt": "chicken"
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	KEYWORD_RESEARCH	Feature name	✓
model	text	o1-mini	Model name	✓
conversationId	text	KEYWORD_RESEARCH	Conversation ID	✓
promptObject.researchType	text	KEYWORD_STATISTICS	Research type	✓
promptObject.numberOfWord	number	2	Number of keywords	✓
promptObject.prompt	text		Keyword to research	✓

Response Payload

```
{}
```

GPT-4o Mini

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "KEYWORD_RESEARCH",
  "model": "gpt-4o-mini",
  "conversationId": "KEYWORD_RESEARCH",
  "promptObject": {
    "researchType": "KEYWORD_STATISTICS",
    "numberOfWord": 2,
    "prompt": "chicken"
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	KEYWORD_RESEARCH	Feature name	✓
model	text	gpt-4o-mini	Model name	✓
conversationId	text	KEYWORD_RESEARCH	Conversation ID	✓
promptObject.researchType	text	KEYWORD_STATISTICS	Research type	✓
promptObject.numberOfWord	number	2	Number of keywords	✓
promptObject.prompt	text		Keyword to research	✓

Response Payload

```
{}
```

GPT-4o

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "KEYWORD_RESEARCH",
  "model": "gpt-4o",
  "conversationId": "KEYWORD_RESEARCH",
  "promptObject": {
    "researchType": "KEYWORD_STATISTICS",
    "numberOfWord": 2,
    "prompt": "chicken"
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	KEYWORD_RESEARCH	Feature name	✓
model	text	gpt-4o	Model name	✓
conversationId	text	KEYWORD_RESEARCH	Conversation ID	✓
promptObject.researchType	text	KEYWORD_STATISTICS	Research type	✓
promptObject.numberOfWord	number	2	Number of keywords	✓
promptObject.prompt	text		Keyword to research	✓

Response Payload

```
{}
```

GPT-4 Turbo

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
```

```
--header 'Content-Type: application/json' \
--data '{
  "type": "KEYWORD_RESEARCH",
  "model": "gpt-4-turbo",
  "conversationId": "KEYWORD_RESEARCH",
  "promptObject": {
    "researchType": "KEYWORD_STATISTICS",
    "numberOfWord": 2,
    "prompt": "chicken"
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	KEYWORD_RESEARCH	Feature name	✓
model	text	gpt-4-turbo	Model name	✓
conversationId	text	KEYWORD_RESEARCH	Conversation ID	✓
promptObject.researchType	text	KEYWORD_STATISTICS	Research type	✓
promptObject.numberOfWord	number	2	Number of keywords	✓
promptObject.prompt	text		Keyword to research	✓

Response Payload

```
{}
```

GPT-3.5

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "KEYWORD_RESEARCH",
  "model": "gpt-3.5-turbo",
  "conversationId": "KEYWORD_RESEARCH",
  "promptObject": {
    "researchType": "KEYWORD_STATISTICS",
    "numberOfWord": 2,
    "prompt": "chicken"
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	KEYWORD_RESEARCH	Feature name	✓
model	text	gpt-3.5-turbo	Model name	✓
conversationId	text	KEYWORD_RESEARCH	Conversation ID	✓
promptObject.researchType	text	KEYWORD_STATISTICS	Research type	✓
promptObject.numberOfWord	number	2	Number of keywords	✓
promptObject.prompt	text		Keyword to research	✓

Response Payload

```
{}
```

Claude 3.5 Haiku

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "KEYWORD_RESEARCH",
  "model": "claude-3-5-haiku-20241022",
  "conversationId": "KEYWORD_RESEARCH",
  "promptObject": {
    "researchType": "KEYWORD_STATISTICS",
    "numberOfWord": 2,
    "prompt": "chicken"
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	KEYWORD_RESEARCH	Feature name	✓
model	text	claude-3-5-haiku-20241022	Model name	✓
conversationId	text	KEYWORD_RESEARCH	Conversation ID	✓
promptObject.researchType	text	KEYWORD_STATISTICS	Research type	✓
promptObject.numberOfWord	number	2	Number of keywords	✓
promptObject.prompt	text		Keyword to research	✓

Response Payload

```
{}
```

Claude 3.5 Sonnet

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "KEYWORD_RESEARCH",
  "model": "claude-3-5-sonnet-20240620",
  "conversationId": "KEYWORD_RESEARCH",
  "promptObject": {
    "researchType": "KEYWORD_STATISTICS",
    "numberOfWord": 2,
    "prompt": "chicken"
  }
}'
```

```
}  
'
```

Field name	Type	Supported value	Description	Required
type	text	KEYWORD_RESEARCH	Feature name	✓
model	text	claude-3-5-sonnet-20240620	Model name	✓
conversationId	text	KEYWORD_RESEARCH	Conversation ID	✓
promptObject.researchType	text	KEYWORD_STATISTICS	Research type	✓
promptObject.numberOfWord	number	2	Number of keywords	✓
promptObject.prompt	text		Keyword to research	✓

Response Payload

```
{}
```

Claude 3 Opus

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \  
--header 'API-KEY: <api-key>' \  
--header 'Content-Type: application/json' \  
--data '{  
  "type": "KEYWORD_RESEARCH",  
  "model": "claude-3-opus-20240229",  
  "conversationId": "KEYWORD_RESEARCH",  
  "promptObject": {  
    "researchType": "KEYWORD_STATISTICS",  
    "numberOfWord": 2,  
    "prompt": "chicken"  
  }  
'
```

Field name	Type	Supported value	Description	Required
type	text	KEYWORD_RESEARCH	Feature name	✓
model	text	claude-3-opus-20240229	Model name	✓
conversationId	text	KEYWORD_RESEARCH	Conversation ID	✓
promptObject.researchType	text	KEYWORD_STATISTICS	Research type	✓
promptObject.numberOfWord	number	2	Number of keywords	✓
promptObject.prompt	text		Keyword to research	✓

Response Payload

```
{}
```

Claude 3 Sonnet

Request Payload


```
curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "KEYWORD_RESEARCH",
  "model": "claude-3-sonnet-20240229",
  "conversationId": "KEYWORD_RESEARCH",
  "promptObject": {
    "researchType": "KEYWORD_STATISTICS",
    "numberOfWord": 2,
    "prompt": "chicken"
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	KEYWORD_RESEARCH	Feature name	✓
model	text	claude-3-sonnet-20240229	Model name	✓
conversationId	text	KEYWORD_RESEARCH	Conversation ID	✓
promptObject.researchType	text	KEYWORD_STATISTICS	Research type	✓
promptObject.numberOfWord	number	2	Number of keywords	✓
promptObject.prompt	text		Keyword to research	✓

Response Payload

```
{}
```

Claude 3 Haiku

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "KEYWORD_RESEARCH",
  "model": "claude-3-haiku-20240307",
  "conversationId": "KEYWORD_RESEARCH",
  "promptObject": {
    "researchType": "KEYWORD_STATISTICS",
    "numberOfWord": 2,
    "prompt": "chicken"
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	KEYWORD_RESEARCH	Feature name	✓
model	text	claude-3-haiku-20240307	Model name	✓
conversationId	text	KEYWORD_RESEARCH	Conversation ID	✓
promptObject.researchType	text	KEYWORD_STATISTICS	Research type	✓

promptObject.numberOfWord	number	2	Number of keywords	✓
promptObject.prompt	text		Keyword to research	✓

Response Payload

```
{}
```

Mistral Large Latest

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "KEYWORD_RESEARCH",
  "model": "mistral-large-latest",
  "conversationId": "KEYWORD_RESEARCH",
  "promptObject": {
    "researchType": "KEYWORD_STATISTICS",
    "numberOfWord": 2,
    "prompt": "chicken"
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	KEYWORD_RESEARCH	Feature name	✓
model	text	mistral-large-latest	Model name	✓
conversationId	text	KEYWORD_RESEARCH	Conversation ID	✓
promptObject.researchType	text	KEYWORD_STATISTICS	Research type	✓
promptObject.numberOfWord	number	2	Number of keywords	✓
promptObject.prompt	text		Keyword to research	✓

Response Payload

```
{}
```

Mistral Small Latest

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "KEYWORD_RESEARCH",
  "model": "mistral-small-latest",
  "conversationId": "KEYWORD_RESEARCH",
  "promptObject": {
    "researchType": "KEYWORD_STATISTICS",
```

```
"numberOfWord": 2,
"prompt": "chicken"
}
}'
```

Field name	Type	Supported value	Description	Required
type	text	KEYWORD_RESEARCH	Feature name	✓
model	text	mistral-small-latest	Model name	✓
conversationId	text	KEYWORD_RESEARCH	Conversation ID	✓
promptObject.researchType	text	KEYWORD_STATISTICS	Research type	✓
promptObject.numberOfWord	number	2	Number of keywords	✓
promptObject.prompt	text		Keyword to research	✓

Response Payload

```
{}
```

Mistral Nemo

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "KEYWORD_RESEARCH",  
  "model": "mistral-nemo",  
  "conversationId": "KEYWORD_RESEARCH",  
  "promptObject": {  
    "researchType": "KEYWORD_STATISTICS",  
    "numberOfWord": 2,  
    "prompt": "chicken"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	KEYWORD_RESEARCH	Feature name	✓
model	text	mistral-nemo	Model name	✓
conversationId	text	KEYWORD_RESEARCH	Conversation ID	✓
promptObject.researchType	text	KEYWORD_STATISTICS	Research type	✓
promptObject.numberOfWord	number	2	Number of keywords	✓
promptObject.prompt	text	chicken	Keyword to research	✓

Response Payload

```
{}
```

Pixtral 12B

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "KEYWORD_RESEARCH",  
  "model": "pixtral-12b",  
  "conversationId": "KEYWORD_RESEARCH",  
  "promptObject": {  
    "researchType": "KEYWORD_STATISTICS",  
    "numberOfWord": 2,  
    "prompt": "chicken"  
  }  
'
```

Field name	Type	Supported value	Description	Required
type	text	KEYWORD_RESEARCH	Feature name	✓
model	text	pixtral-12b	Model name	✓
conversationId	text	KEYWORD_RESEARCH	Conversation ID	✓
promptObject.researchType	text	KEYWORD_STATISTICS	Research type	✓
promptObject.numberOfWord	number	2	Number of keywords	✓
promptObject.prompt	text	chicken	Keyword to research	✓

Response Payload

```
{}
```

Mixtral 8x22B

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "KEYWORD_RESEARCH",  
  "model": "open-mixtral-8x22b",  
  "conversationId": "KEYWORD_RESEARCH",  
  "promptObject": {  
    "researchType": "KEYWORD_STATISTICS",  
    "numberOfWord": 2,  
    "prompt": "chicken"  
  }  
'
```

Field name	Type	Supported value	Description	Required
type	text	KEYWORD_RESEARCH	Feature name	✓
model	text	open-mixtral-8x22b	Model name	✓
conversationId	text	KEYWORD_RESEARCH	Conversation ID	✓

promptObject.researchType	text	KEYWORD_STATISTICS	Research type	✓
promptObject.numberOfWord	number	2	Number of keywords	✓
promptObject.prompt	text	chicken	Keyword to research	✓

Response Payload

```
{}
```

Mixtral 8x7B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "KEYWORD_RESEARCH",  
  "model": "open-mixtral-8x7b",  
  "conversationId": "KEYWORD_RESEARCH",  
  "promptObject": {  
    "researchType": "KEYWORD_STATISTICS",  
    "numberOfWord": 2,  
    "prompt": "chicken"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	KEYWORD_RESEARCH	Feature name	✓
model	text	open-mixtral-8x7b	Model name	✓
conversationId	text	KEYWORD_RESEARCH	Conversation ID	✓
promptObject.researchType	text	KEYWORD_STATISTICS	Research type	✓
promptObject.numberOfWord	number	2	Number of keywords	✓
promptObject.prompt	text	chicken	Keyword to research	✓

Response Payload

```
{}
```

Mistral 7B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "KEYWORD_RESEARCH",  
  "model": "open-mistral-7b",  
  "conversationId": "KEYWORD_RESEARCH",  
  "promptObject": {  
    "researchType": "KEYWORD_STATISTICS",
```

```
"numberOfWord": 2,
  "prompt": "chicken"
}
```

Field name	Type	Supported value	Description	Required
type	text	KEYWORD_RESEARCH	Feature name	✓
model	text	open-mistral-7b	Model name	✓
conversationId	text	KEYWORD_RESEARCH	Conversation ID	✓
promptObject.researchType	text	KEYWORD_STATISTICS	Research type	✓
promptObject.numberOfWord	number	2	Number of keywords	✓
promptObject.prompt	text	chicken	Keyword to research	✓

Response Payload

```
{}
```

Llama 3.1 405B Instruct

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \\\
--header 'API-KEY: <api-key>' \\\
--header 'Content-Type: application/json' \\\
--data '{
  "type": "KEYWORD_RESEARCH",
  "model": "meta/meta-llama-3.1-405b-instruct",
  "conversationId": "KEYWORD_RESEARCH",
  "promptObject": {
    "researchType": "KEYWORD_STATISTICS",
    "numberOfWord": 2,
    "prompt": "chicken"
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	KEYWORD_RESEARCH	Feature name	✓
model	text	meta/meta-llama-3.1-405b-instruct	Model name	✓
conversationId	text	KEYWORD_RESEARCH	Conversation ID	✓
promptObject.researchType	text	KEYWORD_STATISTICS	Research type	✓
promptObject.numberOfWord	number	2	Number of keywords	✓
promptObject.prompt	text	chicken	Keyword to research	✓

Response Payload

```
{}
```

Llama 3 70B Instruct

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "KEYWORD_RESEARCH",  
  "model": "meta/meta-llama-3-70b-instruct",  
  "conversationId": "KEYWORD_RESEARCH",  
  "promptObject": {  
    "researchType": "KEYWORD_STATISTICS",  
    "numberOfWord": 2,  
    "prompt": "chicken"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	KEYWORD_RESEARCH	Feature name	✓
model	text	meta/meta-llama-3-70b-instruct	Model name	✓
conversationId	text	KEYWORD_RESEARCH	Conversation ID	✓
promptObject.researchType	text	KEYWORD_STATISTICS	Research type	✓
promptObject.numberOfWord	number	2	Number of keywords	✓
promptObject.prompt	text	chicken	Keyword to research	✓

Response Payload

```
{}
```

Llama 2 70B Chat

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "KEYWORD_RESEARCH",  
  "model": "meta/llama-2-70b-chat",  
  "conversationId": "KEYWORD_RESEARCH",  
  "promptObject": {  
    "researchType": "KEYWORD_STATISTICS",  
    "numberOfWord": 2,  
    "prompt": "beef steak"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	KEYWORD_RESEARCH	Feature name	✓
model	text	meta/llama-2-70b-chat	Model name	✓
conversationId	text	KEYWORD_RESEARCH	Conversation ID	✓
promptObject.researchType	text	KEYWORD_STATISTICS	Research type	✓
promptObject.numberOfWord	number	2	Number of keywords	✓

promptObject.prompt	text	beef steak	Keyword to research	✓
---------------------	------	------------	---------------------	---

Response Payload

```
{}
```

DeepSeek Chat

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "KEYWORD_RESEARCH",  
  "model": "deepseek-chat",  
  "conversationId": "KEYWORD_RESEARCH",  
  "promptObject": {  
    "researchType": "KEYWORD_STATISTICS",  
    "numberOfWord": 2,  
    "prompt": "beef steak"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	KEYWORD_RESEARCH	Feature name	✓
model	text	deepseek-chat	Model name	✓
conversationId	text	KEYWORD_RESEARCH	Conversation ID	✓
promptObject.researchType	text	KEYWORD_STATISTICS	Research type	✓
promptObject.numberOfWord	number	2	Number of keywords	✓
promptObject.prompt	text	beef steak	Keyword to research	✓

Response Payload

```
{}
```

Grok-2

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "KEYWORD_RESEARCH",  
  "model": "grok-2",  
  "conversationId": "KEYWORD_RESEARCH",  
  "promptObject": {  
    "researchType": "KEYWORD_STATISTICS",  
    "numberOfWord": 2,  
    "prompt": "beef steak"  
  }  
}'
```



```
"prompt": "tomato"
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	KEYWORD_RESEARCH	Feature name	✓
model	text	grok-2	Model name	✓
conversationId	text	KEYWORD_RESEARCH	Conversation ID	✓
promptObject.researchType	text	KEYWORD_STATISTICS	Research type	✓
promptObject.numberOfWord	number	2	Number of keywords	✓
promptObject.prompt	text	tomato	Keyword to research	✓

Response Payload

```
{}
```

Content Generator Blog Article API

Endpoint

```
https://api.1min.ai/api/features
```

Request Header

Field	Value
API-KEY	<api-key>
Content-Type	application/json

Gemini 1.5 Flash

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_GENERATOR_BLOG_ARTICLE",  
  "model": "gemini-1.5-flash",  
  "conversationId": "CONTENT_GENERATOR_BLOG_ARTICLE",  
  "promptObject": {  
    "language": "English",  
    "tone": "informative",  
    "numberOfWord": 100,  
    "numberOfSection": 1,  
    "keywords": "computer",  
    "prompt": "Benefits of being fluent in computers"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_GENERATOR_BLOG_ARTICLE	Feature name	✓
model	text	gemini-1.5-flash	Model name	✓
conversationId	text	CONTENT_GENERATOR_BLOG_ARTICLE	Conversation ID	✓
promptObject.language	text	English	Content language	✓
promptObject.tone	text	informative	Content tone	✓
promptObject.numberOfWork	number	100	Number of words	✓
promptObject.numberOfSection	number	1	Number of sections	✓
promptObject.keywords	text	computer	Target keywords	✓
promptObject.prompt	text	Benefits of being fluent in computers	Content prompt	✓

Response Payload

```
{}
```

Gemini 1.5 Pro

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_GENERATOR_BLOG_ARTICLE",  
  "model": "gemini-1.5-pro",  
  "conversationId": "CONTENT_GENERATOR_BLOG_ARTICLE",  
  "promptObject": {  
    "language": "English",  
    "tone": "informative",  
    "numberOfWord": 100,  
    "numberOfSection": 1,  
    "keywords": "computer",  
    "prompt": "Benefits of being fluent in computers"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_GENERATOR_BLOG_ARTICLE	Feature name	✓
model	text	gemini-1.5-pro	Model name	✓
conversationId	text	CONTENT_GENERATOR_BLOG_ARTICLE	Conversation ID	✓
promptObject.language	text	English	Content language	✓
promptObject.tone	text	informative	Content tone	✓
promptObject.numberOfWork	number	100	Number of words	✓
promptObject.numberOfSection	number	1	Number of sections	✓
promptObject.keywords	text	computer	Target keywords	✓
promptObject.prompt	text	Benefits of being fluent in computers	Content prompt	✓

Response Payload

```
{}
```

Gemini 1.0 Pro

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_GENERATOR_BLOG_ARTICLE",  
  "model": "gemini-1.0-pro",  
  "conversationId": "CONTENT_GENERATOR_BLOG_ARTICLE",  
  "promptObject": {  
    "language": "English",  
    "tone": "informative",  
    "numberOfWord": 100,  
    "numberOfSection": 1,  
    "keywords": "computer",  
    "prompt": "Benefits of being fluent in computers"  
  }  
'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_GENERATOR_BLOG_ARTICLE	Feature name	✓
model	text	gemini-1.0-pro	Model name	✓
conversationId	text	CONTENT_GENERATOR_BLOG_ARTICLE	Conversation ID	✓
promptObject.language	text	English	Content language	✓
promptObject.tone	text	informative	Content tone	✓
promptObject.numberOfWord	number	100	Number of words	✓
promptObject.numberOfSection	number	1	Number of sections	✓
promptObject.keywords	text	computer	Target keywords	✓
promptObject.prompt	text	Benefits of being fluent in computers	Content prompt	✓

Response Payload

```
{}
```

GPT-o1

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_GENERATOR_BLOG_ARTICLE",  
  "model": "o1-preview",  
  "conversationId": "CONTENT_GENERATOR_BLOG_ARTICLE",  
'
```

```
"promptObject": {
  "language": "English",
  "tone": "informative",
  "numberOfWord": 100,
  "numberOfSection": 1,
  "keywords": "computer",
  "prompt": "Benefits of being fluent in computers"
}
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_GENERATOR_BLOG_ARTICLE	Feature name	✓
model	text	o1-preview	Model name	✓
conversationId	text	CONTENT_GENERATOR_BLOG_ARTICLE	Conversation ID	✓
promptObject.language	text	English	Content language	✓
promptObject.tone	text	informative	Content tone	✓
promptObject.numberOfWord	number	100	Number of words	✓
promptObject.numberOfSection	number	1	Number of sections	✓
promptObject.keywords	text	computer	Target keywords	✓
promptObject.prompt	text	Benefits of being fluent in computers	Content prompt	✓

Response Payload

```
{}
```

GPT-o1 Mini

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "CONTENT_GENERATOR_BLOG_ARTICLE",
  "model": "o1-mini",
  "conversationId": "CONTENT_GENERATOR_BLOG_ARTICLE",
  "promptObject": {
    "language": "English",
    "tone": "informative",
    "numberOfWord": 100,
    "numberOfSection": 1,
    "keywords": "computer",
    "prompt": "Benefits of being fluent in computers"
  }
}
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_GENERATOR_BLOG_ARTICLE	Feature name	✓
model	text	o1-mini	Model name	✓

conversationId	text	CONTENT_GENERATOR_BLOG_ARTICLE	Conversation ID	✓
promptObject.language	text	English	Content language	✓
promptObject.tone	text	informative	Content tone	✓
promptObject.numberOfWork	number	100	Number of words	✓
promptObject.numberOfSection	number	1	Number of sections	✓
promptObject.keywords	text	computer	Target keywords	✓
promptObject.prompt	text	Benefits of being fluent in computers	Content prompt	✓

Response Payload

```
{}
```

GPT-4o Mini

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_GENERATOR_BLOG_ARTICLE",  
  "model": "gpt-4o-mini",  
  "conversationId": "CONTENT_GENERATOR_BLOG_ARTICLE",  
  "promptObject": {  
    "language": "English",  
    "tone": "informative",  
    "numberOfWord": 100,  
    "numberOfSection": 1,  
    "keywords": "computer",  
    "prompt": "Benefits of being fluent in computers"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_GENERATOR_BLOG_ARTICLE	Feature name	✓
model	text	gpt-4o-mini	Model name	✓
conversationId	text	CONTENT_GENERATOR_BLOG_ARTICLE	Conversation ID	✓
promptObject.language	text	English	Content language	✓
promptObject.tone	text	informative	Content tone	✓
promptObject.numberOfWork	number	100	Number of words	✓
promptObject.numberOfSection	number	1	Number of sections	✓
promptObject.keywords	text	computer	Target keywords	✓
promptObject.prompt	text	Benefits of being fluent in computers	Content prompt	✓

Response Payload

```
{}
```

GPT-4o

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_GENERATOR_BLOG_ARTICLE",  
  "model": "gpt-4o",  
  "conversationId": "CONTENT_GENERATOR_BLOG_ARTICLE",  
  "promptObject": {  
    "language": "English",  
    "tone": "informative",  
    "numberOfWord": 100,  
    "numberOfSection": 1,  
    "keywords": "computer",  
    "prompt": "Benefits of being fluent in computers"  
  }  
'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_GENERATOR_BLOG_ARTICLE	Feature name	✓
model	text	gpt-4o	Model name	✓
conversationId	text	CONTENT_GENERATOR_BLOG_ARTICLE	Conversation ID	✓
promptObject.language	text	English	Content language	✓
promptObject.tone	text	informative	Content tone	✓
promptObject.numberOfWord	number	100	Number of words	✓
promptObject.numberOfSection	number	1	Number of sections	✓
promptObject.keywords	text	computer	Target keywords	✓
promptObject.prompt	text	Benefits of being fluent in computers	Content prompt	✓

Response Payload

```
{}
```

GPT-4 Turbo

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_GENERATOR_BLOG_ARTICLE",  
  "model": "gpt-4-turbo",  
  "conversationId": "CONTENT_GENERATOR_BLOG_ARTICLE",  
  "promptObject": {  
    "language": "English",  
    "tone": "informative",  
    "numberOfWord": 100,  
  }  
'
```

```

    "numberOfSection": 1,
    "keywords": "computer",
    "prompt": "Benefits of being fluent in computers"
  }
}'

```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_GENERATOR_BLOG_ARTICLE	Feature name	✓
model	text	gpt-4-turbo	Model name	✓
conversationId	text	CONTENT_GENERATOR_BLOG_ARTICLE	Conversation ID	✓
promptObject.language	text	English	Content language	✓
promptObject.tone	text	informative	Content tone	✓
promptObject.numberOfWork	number	100	Number of words	✓
promptObject.numberOfSection	number	1	Number of sections	✓
promptObject.keywords	text	computer	Target keywords	✓
promptObject.prompt	text	Benefits of being fluent in computers	Content prompt	✓

Response Payload

```

{}

```

GPT-3.5

Request Payload

```

curl --location '<https://api.1min.ai/api/features>' \\\
--header 'API-KEY: <api-key>' \\\
--header 'Content-Type: application/json' \\\
--data '{
  "type": "CONTENT_GENERATOR_BLOG_ARTICLE",
  "model": "gpt-3.5-turbo",
  "conversationId": "CONTENT_GENERATOR_BLOG_ARTICLE",
  "promptObject": {
    "language": "English",
    "tone": "informative",
    "numberOfWord": 100,
    "numberOfSection": 1,
    "keywords": "computer",
    "prompt": "Benefits of being fluent in computers"
  }
}'

```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_GENERATOR_BLOG_ARTICLE	Feature name	✓
model	text	gpt-3.5-turbo	Model name	✓
conversationId	text	CONTENT_GENERATOR_BLOG_ARTICLE	Conversation ID	✓
promptObject.language	text	English	Content language	✓
promptObject.tone	text	informative	Content tone	✓
promptObject.numberOfWork	number	100	Number of words	✓

promptObject.numberOfSection	number	1	Number of sections	✓
promptObject.keywords	text	computer	Target keywords	✓
promptObject.prompt	text	Benefits of being fluent in computers	Content prompt	✓

Response Payload

```
{}
```

Claude 3.5 Haiku

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_GENERATOR_BLOG_ARTICLE",  
  "model": "claude-3-5-haiku-20241022",  
  "conversationId": "CONTENT_GENERATOR_BLOG_ARTICLE",  
  "promptObject": {  
    "language": "English",  
    "tone": "informative",  
    "numberOfWord": 100,  
    "numberOfSection": 1,  
    "keywords": "computer",  
    "prompt": "Benefits of being fluent in computers"  
  }  
'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_GENERATOR_BLOG_ARTICLE	Feature name	✓
model	text	claude-3-5-haiku-20241022	Model name	✓
conversationId	text	CONTENT_GENERATOR_BLOG_ARTICLE	Conversation ID	✓
promptObject.language	text	English	Content language	✓
promptObject.tone	text	informative	Content tone	✓
promptObject.numberOfWord	number	100	Number of words	✓
promptObject.numberOfSection	number	1	Number of sections	✓
promptObject.keywords	text	computer	Target keywords	✓
promptObject.prompt	text	Benefits of being fluent in computers	Content prompt	✓

Response Payload

```
{}
```

Claude 3.5 Sonnet

Request Payload


```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_GENERATOR_BLOG_ARTICLE",  
  "model": "claude-3-5-sonnet-20240620",  
  "conversationId": "CONTENT_GENERATOR_BLOG_ARTICLE",  
  "promptObject": {  
    "language": "English",  
    "tone": "informative",  
    "numberOfWord": 100,  
    "numberOfSection": 1,  
    "keywords": "computer",  
    "prompt": "Benefits of being fluent in computers"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_GENERATOR_BLOG_ARTICLE	Feature name	✓
model	text	claude-3-5-sonnet-20240620	Model name	✓
conversationId	text	CONTENT_GENERATOR_BLOG_ARTICLE	Conversation ID	✓
promptObject.language	text	English	Content language	✓
promptObject.tone	text	informative	Content tone	✓
promptObject.numberOfWord	number	100	Number of words	✓
promptObject.numberOfSection	number	1	Number of sections	✓
promptObject.keywords	text	computer	Target keywords	✓
promptObject.prompt	text	Benefits of being fluent in computers	Content prompt	✓

Response Payload

```
{}
```

Claude 3 Opus

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_GENERATOR_BLOG_ARTICLE",  
  "model": "claude-3-opus-20240229",  
  "conversationId": "CONTENT_GENERATOR_BLOG_ARTICLE",  
  "promptObject": {  
    "language": "English",  
    "tone": "informative",  
    "numberOfWord": 100,  
    "numberOfSection": 1,  
    "keywords": "computer",  
    "prompt": "Benefits of being fluent in computers"  
  }  
}'
```

```
}  
'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_GENERATOR_BLOG_ARTICLE	Feature name	✓
model	text	claude-3-opus-20240229	Model name	✓
conversationId	text	CONTENT_GENERATOR_BLOG_ARTICLE	Conversation ID	✓
promptObject.language	text	English	Content language	✓
promptObject.tone	text	informative	Content tone	✓
promptObject.numberOfWord	number	100	Number of words	✓
promptObject.numberOfSection	number	1	Number of sections	✓
promptObject.keywords	text	computer	Target keywords	✓
promptObject.prompt	text	Benefits of being fluent in computers	Content prompt	✓

Response Payload

```
{}
```

Claude 3 Sonnet

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_GENERATOR_BLOG_ARTICLE",  
  "model": "claude-3-sonnet-20240229",  
  "conversationId": "CONTENT_GENERATOR_BLOG_ARTICLE",  
  "promptObject": {  
    "language": "English",  
    "tone": "informative",  
    "numberOfWord": 100,  
    "numberOfSection": 1,  
    "keywords": "computer",  
    "prompt": "Benefits of being fluent in computers"  
  }  
'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_GENERATOR_BLOG_ARTICLE	Feature name	✓
model	text	claude-3-sonnet-20240229	Model name	✓
conversationId	text	CONTENT_GENERATOR_BLOG_ARTICLE	Conversation ID	✓
promptObject.language	text	English	Content language	✓
promptObject.tone	text	informative	Content tone	✓
promptObject.numberOfWord	number	100	Number of words	✓
promptObject.numberOfSection	number	1	Number of sections	✓
promptObject.keywords	text	computer	Target keywords	✓

promptObject.prompt	text	Benefits of being fluent in computers	Content prompt	✓
---------------------	------	---------------------------------------	----------------	---

Response Payload

```
{}
```

Claude 3 Haiku

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_GENERATOR_BLOG_ARTICLE",  
  "model": "claude-3-haiku-20240307",  
  "conversationId": "CONTENT_GENERATOR_BLOG_ARTICLE",  
  "promptObject": {  
    "language": "English",  
    "tone": "informative",  
    "numberOfWord": 100,  
    "numberOfSection": 1,  
    "keywords": "computer",  
    "prompt": "Benefits of being fluent in computers"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_GENERATOR_BLOG_ARTICLE	Feature name	✓
model	text	claude-3-haiku-20240307	Model name	✓
conversationId	text	CONTENT_GENERATOR_BLOG_ARTICLE	Conversation ID	✓
promptObject.language	text	English	Content language	✓
promptObject.tone	text	informative	Content tone	✓
promptObject.numberOfWord	number	100	Number of words	✓
promptObject.numberOfSection	number	1	Number of sections	✓
promptObject.keywords	text	computer	Target keywords	✓
promptObject.prompt	text	Benefits of being fluent in computers	Content prompt	✓

Response Payload

```
{}
```

Mistral Large 2

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{
```

```

"type": "CONTENT_GENERATOR_BLOG_ARTICLE",
"model": "mistral-large-latest",
"conversationId": "CONTENT_GENERATOR_BLOG_ARTICLE",
"promptObject": {
  "language": "English",
  "tone": "informative",
  "numberOfWord": 100,
  "numberOfSection": 1,
  "keywords": "computer",
  "prompt": "Benefits of being fluent in computers"
}
}'

```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_GENERATOR_BLOG_ARTICLE	Feature name	✓
model	text	mistral-large-latest	Model name	✓
conversationId	text	CONTENT_GENERATOR_BLOG_ARTICLE	Conversation ID	✓
promptObject.language	text	English	Content language	✓
promptObject.tone	text	informative	Content tone	✓
promptObject.numberOfWord	number	100	Number of words	✓
promptObject.numberOfSection	number	1	Number of sections	✓
promptObject.keywords	text	computer	Target keywords	✓
promptObject.prompt	text	Benefits of being fluent in computers	Content prompt	✓

Response Payload

```

{}

```

Mistral Small

Request Payload

```

curl --location '<https://api.1min.ai/api/features>' \\\
--header 'API-KEY: <api-key>' \\\
--header 'Content-Type: application/json' \\\
--data '{
  "type": "CONTENT_GENERATOR_BLOG_ARTICLE",
  "model": "mistral-small-latest",
  "conversationId": "CONTENT_GENERATOR_BLOG_ARTICLE",
  "promptObject": {
    "language": "English",
    "tone": "informative",
    "numberOfWord": 100,
    "numberOfSection": 1,
    "keywords": "computer",
    "prompt": "Benefits of being fluent in computers"
  }
}'

```

Field name	Type	Supported value	Description	Required
------------	------	-----------------	-------------	----------

type	text	CONTENT_GENERATOR_BLOG_ARTICLE	Feature name	✓
model	text	mistral-small-latest	Model name	✓
conversationId	text	CONTENT_GENERATOR_BLOG_ARTICLE	Conversation ID	✓
promptObject.language	text	English	Content language	✓
promptObject.tone	text	informative	Content tone	✓
promptObject.numberOfWord	number	100	Number of words	✓
promptObject.numberOfSection	number	1	Number of sections	✓
promptObject.keywords	text	computer	Target keywords	✓
promptObject.prompt	text	Benefits of being fluent in computers	Content prompt	✓

Response Payload

```
{}
```

Mistral Nemo

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_GENERATOR_BLOG_ARTICLE",  
  "model": "mistral-nemo",  
  "conversationId": "CONTENT_GENERATOR_BLOG_ARTICLE",  
  "promptObject": {  
    "language": "English",  
    "tone": "informative",  
    "numberOfWord": 100,  
    "numberOfSection": 1,  
    "keywords": "computer",  
    "prompt": "Benefits of being fluent in computers"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_GENERATOR_BLOG_ARTICLE	Feature name	✓
model	text	mistral-nemo	Model name	✓
conversationId	text	CONTENT_GENERATOR_BLOG_ARTICLE	Conversation ID	✓
promptObject.language	text	English	Content language	✓
promptObject.tone	text	informative	Content tone	✓
promptObject.numberOfWord	number	100	Number of words	✓
promptObject.numberOfSection	number	1	Number of sections	✓
promptObject.keywords	text	computer	Target keywords	✓
promptObject.prompt	text	Benefits of being fluent in computers	Content prompt	✓

Response Payload

```
{}
```

Mistral Pixtral 12B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_GENERATOR_BLOG_ARTICLE",  
  "model": "pixtral-12b",  
  "conversationId": "CONTENT_GENERATOR_BLOG_ARTICLE",  
  "promptObject": {  
    "language": "English",  
    "tone": "informative",  
    "numberOfWord": 100,  
    "numberOfSection": 1,  
    "keywords": "computer",  
    "prompt": "Benefits of being fluent in computers"  
  }  
'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_GENERATOR_BLOG_ARTICLE	Feature name	✓
model	text	pixtral-12b	Model name	✓
conversationId	text	CONTENT_GENERATOR_BLOG_ARTICLE	Conversation ID	✓
promptObject.language	text	English	Content language	✓
promptObject.tone	text	informative	Content tone	✓
promptObject.numberOfWord	number	100	Number of words	✓
promptObject.numberOfSection	number	1	Number of sections	✓
promptObject.keywords	text	computer	Target keywords	✓
promptObject.prompt	text	Benefits of being fluent in computers	Content prompt	✓

Response Payload

```
{}
```

Mixtral 8x22B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_GENERATOR_BLOG_ARTICLE",  
  "model": "open-mixtral-8x22b",  
  "conversationId": "CONTENT_GENERATOR_BLOG_ARTICLE",  
'
```

```
"promptObject": {
  "language": "English",
  "tone": "informative",
  "numberOfWord": 100,
  "numberOfSection": 1,
  "keywords": "computer",
  "prompt": "Benefits of being fluent in computers"
}
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_GENERATOR_BLOG_ARTICLE	Feature name	✓
model	text	open-mixtral-8×22b	Model name	✓
conversationId	text	CONTENT_GENERATOR_BLOG_ARTICLE	Conversation ID	✓
promptObject.language	text	English	Content language	✓
promptObject.tone	text	informative	Content tone	✓
promptObject.numberOfWord	number	100	Number of words	✓
promptObject.numberOfSection	number	1	Number of sections	✓
promptObject.keywords	text	computer	Target keywords	✓
promptObject.prompt	text	Benefits of being fluent in computers	Content prompt	✓

Response Payload

```
{}
```

Mixtral 8x7B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\\
--header 'API-KEY: <api-key>' \\\
--header 'Content-Type: application/json' \\\
--data '{
  "type": "CONTENT_GENERATOR_BLOG_ARTICLE",
  "model": "open-mixtral-8×7b",
  "conversationId": "CONTENT_GENERATOR_BLOG_ARTICLE",
  "promptObject": {
    "language": "English",
    "tone": "informative",
    "numberOfWord": 100,
    "numberOfSection": 1,
    "keywords": "computer",
    "prompt": "Benefits of being fluent in computers"
  }
}
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_GENERATOR_BLOG_ARTICLE	Feature name	✓
model	text	open-mixtral-8×7b	Model name	✓

conversationId	text	CONTENT_GENERATOR_BLOG_ARTICLE	Conversation ID	✓
promptObject.language	text	English	Content language	✓
promptObject.tone	text	informative	Content tone	✓
promptObject.numberOfWork	number	100	Number of words	✓
promptObject.numberOfSection	number	1	Number of sections	✓
promptObject.keywords	text	computer	Target keywords	✓
promptObject.prompt	text	Benefits of being fluent in computers	Content prompt	✓

Response Payload

```
{}
```

Mistral 7B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_GENERATOR_BLOG_ARTICLE",  
  "model": "open-mistral-7b",  
  "conversationId": "CONTENT_GENERATOR_BLOG_ARTICLE",  
  "promptObject": {  
    "language": "English",  
    "tone": "informative",  
    "numberOfWord": 100,  
    "numberOfSection": 1,  
    "keywords": "computer",  
    "prompt": "Benefits of being fluent in computers"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_GENERATOR_BLOG_ARTICLE	Feature name	✓
model	text	open-mistral-7b	Model name	✓
conversationId	text	CONTENT_GENERATOR_BLOG_ARTICLE	Conversation ID	✓
promptObject.language	text	English	Content language	✓
promptObject.tone	text	informative	Content tone	✓
promptObject.numberOfWork	number	100	Number of words	✓
promptObject.numberOfSection	number	1	Number of sections	✓
promptObject.keywords	text	computer	Target keywords	✓
promptObject.prompt	text	Benefits of being fluent in computers	Content prompt	✓

Response Payload

```
{}
```


Llama 3.1 405B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_GENERATOR_BLOG_ARTICLE",  
  "model": "meta/meta-llama-3.1-405b-instruct",  
  "conversationId": "CONTENT_GENERATOR_BLOG_ARTICLE",  
  "promptObject": {  
    "language": "English",  
    "tone": "informative",  
    "numberOfWord": 100,  
    "numberOfSection": 1,  
    "keywords": "computer",  
    "prompt": "Benefits of being fluent in computers"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_GENERATOR_BLOG_ARTICLE	Feature name	✓
model	text	meta/meta-llama-3.1-405b-instruct	Model name	✓
conversationId	text	CONTENT_GENERATOR_BLOG_ARTICLE	Conversation ID	✓
promptObject.language	text	English	Content language	✓
promptObject.tone	text	informative	Content tone	✓
promptObject.numberOfWord	number	100	Number of words	✓
promptObject.numberOfSection	number	1	Number of sections	✓
promptObject.keywords	text	computer	Target keywords	✓
promptObject.prompt	text	Benefits of being fluent in computers	Content prompt	✓

Response Payload

```
{}
```

Llama 3 70B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_GENERATOR_BLOG_ARTICLE",  
  "model": "meta/meta-llama-3-70b-instruct",  
  "conversationId": "CONTENT_GENERATOR_BLOG_ARTICLE",  
  "promptObject": {  
    "language": "English",  
    "tone": "informative",  
    "numberOfWord": 100,  
    "numberOfSection": 1,  
    "keywords": "computer",  
    "prompt": "Benefits of being fluent in computers"  
  }  
}'
```

```

    "numberOfSection": 1,
    "keywords": "computer",
    "prompt": "Benefits of being fluent in computers"
  }
}'

```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_GENERATOR_BLOG_ARTICLE	Feature name	✓
model	text	meta/meta-llama-3-70b-instruct	Model name	✓
conversationId	text	CONTENT_GENERATOR_BLOG_ARTICLE	Conversation ID	✓
promptObject.language	text	English	Content language	✓
promptObject.tone	text	informative	Content tone	✓
promptObject.numberOfWork	number	100	Number of words	✓
promptObject.numberOfSection	number	1	Number of sections	✓
promptObject.keywords	text	computer	Target keywords	✓
promptObject.prompt	text	Benefits of being fluent in computers	Content prompt	✓

Response Payload

```

{}

```

LLaMA 2 70b

Request Payload

```

curl --location '<https://api.1min.ai/api/features>' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "CONTENT_GENERATOR_BLOG_ARTICLE",
  "model": "meta/llama-2-70b-chat",
  "conversationId": "CONTENT_GENERATOR_BLOG_ARTICLE",
  "promptObject": {
    "language": "English",
    "tone": "informative",
    "numberOfWord": 100,
    "numberOfSection": 1,
    "keywords": "computer",
    "prompt": "Benefits of being fluent in computers"
  }
}'

```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_GENERATOR_BLOG_ARTICLE	Feature name	✓
model	text	meta/llama-2-70b-chat	Model name	✓
conversationId	text	CONTENT_GENERATOR_BLOG_ARTICLE	Conversation ID	✓
promptObject.language	text	English	Content language	✓
promptObject.tone	text	informative	Content tone	✓
promptObject.numberOfWork	number	100	Number of words	✓

promptObject.numberOfSection	number	1	Number of sections	✓
promptObject.keywords	text	computer	Target keywords	✓
promptObject.prompt	text	Benefits of being fluent in computers	Content prompt	✓

Response Payload

```
{}
```

Command R

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_GENERATOR_BLOG_ARTICLE",  
  "model": "command",  
  "conversationId": "CONTENT_GENERATOR_BLOG_ARTICLE",  
  "promptObject": {  
    "language": "English",  
    "tone": "informative",  
    "numberOfWord": 100,  
    "numberOfSection": 1,  
    "keywords": "computer",  
    "prompt": "Benefits of being fluent in computers"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_GENERATOR_BLOG_ARTICLE	Feature name	✓
model	text	command	Model name	✓
conversationId	text	CONTENT_GENERATOR_BLOG_ARTICLE	Conversation ID	✓
promptObject.language	text	English	Content language	✓
promptObject.tone	text	informative	Content tone	✓
promptObject.numberOfWord	number	100	Number of words	✓
promptObject.numberOfSection	number	1	Number of sections	✓
promptObject.keywords	text	computer	Target keywords	✓
promptObject.prompt	text	Benefits of being fluent in computers	Content prompt	✓

Response Payload

```
{}
```

Deepseek V3

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_GENERATOR_BLOG_ARTICLE",  
  "model": "deepseek-chat",  
  "conversationId": "CONTENT_GENERATOR_BLOG_ARTICLE",  
  "promptObject": {  
    "language": "English",  
    "tone": "informative",  
    "numberOfWord": 100,  
    "numberOfSection": 1,  
    "keywords": "computer",  
    "prompt": "Benefits of being fluent in computers"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_GENERATOR_BLOG_ARTICLE	Feature name	✓
model	text	deepseek-chat	Model name	✓
conversationId	text	CONTENT_GENERATOR_BLOG_ARTICLE	Conversation ID	✓
promptObject.language	text	English	Content language	✓
promptObject.tone	text	informative	Content tone	✓
promptObject.numberOfWord	number	100	Number of words	✓
promptObject.numberOfSection	number	1	Number of sections	✓
promptObject.keywords	text	computer	Target keywords	✓
promptObject.prompt	text	Benefits of being fluent in computers	Content prompt	✓

Response Payload

```
{}
```

Grok-2

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_GENERATOR_BLOG_ARTICLE",  
  "model": "grok-2",  
  "conversationId": "CONTENT_GENERATOR_BLOG_ARTICLE",  
  "promptObject": {  
    "language": "English",  
    "tone": "informative",  
    "numberOfWord": 100,  
    "numberOfSection": 1,  
    "keywords": "computer",  
    "prompt": "Benefits of being fluent in computers"  
  }  
}'
```

```
}  
'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_GENERATOR_BLOG_ARTICLE	Feature name	✓
model	text	grok-2	Model name	✓
conversationId	text	CONTENT_GENERATOR_BLOG_ARTICLE	Conversation ID	✓
promptObject.language	text	English	Content language	✓
promptObject.tone	text	informative	Content tone	✓
promptObject.numberOfWord	number	100	Number of words	✓
promptObject.numberOfSection	number	1	Number of sections	✓
promptObject.keywords	text	computer	Target keywords	✓
promptObject.prompt	text	Benefits of being fluent in computers	Content prompt	✓

Response Payload

```
{}
```

Rewriter API

Endpoint

```
https://api.1min.ai/api/features
```

Request Header

Field	Value
API-KEY	<api-key>
Content-Type	application/json

Gemini 1.5 Flash

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "REWRITER",  
  "model": "gemini-1.5-flash",  
  "conversationId": "REWRITER",  
  "promptObject": {  
    "tone": "informative",  
    "numberOfWord": 10,  
    "prompt": "orange"  
  }  
'
```

Field name	Type	Supported value	Description	Required
type	text	REWRITER	Feature name	✓
model	text	gemini-1.5-flash	Model name	✓
conversationId	text	REWRITER	Conversation ID	✓
promptObject.tone	text	informative	Tone of rewrite	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	orange	Text to rewrite	✓

Response Payload

```
{}
```

Gemini 1.5 Pro

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "REWRITER",  
  "model": "gemini-1.5-pro",  
  "conversationId": "REWRITER",  
  "promptObject": {  
    "tone": "informative",  
    "numberOfWord": 10,  
    "prompt": "orange"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	REWRITER	Feature name	✓
model	text	gemini-1.5-pro	Model name	✓
conversationId	text	REWRITER	Conversation ID	✓
promptObject.tone	text	informative	Tone of rewrite	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	orange	Text to rewrite	✓

Response Payload

```
{}
```

Gemini 1.0 Pro

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  

```

```
--data '{
  "type": "REWRITER",
  "model": "gemini-1.0-pro",
  "conversationId": "REWRITER",
  "promptObject": {
    "tone": "informative",
    "numberOfWord": 10,
    "prompt": "orange"
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	REWRITER	Feature name	✓
model	text	gemini-1.0-pro	Model name	✓
conversationId	text	REWRITER	Conversation ID	✓
promptObject.tone	text	informative	Tone of rewrite	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	orange	Text to rewrite	✓

Response Payload

```
{}
```

GPT-o1

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\\
--header 'API-KEY: <api-key>' \\\
--header 'Content-Type: application/json' \\\
--data '{
  "type": "REWRITER",
  "model": "o1-preview",
  "conversationId": "REWRITER",
  "promptObject": {
    "tone": "informative",
    "numberOfWord": 10,
    "prompt": "orange"
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	REWRITER	Feature name	✓
model	text	o1-preview	Model name	✓
conversationId	text	REWRITER	Conversation ID	✓
promptObject.tone	text	informative	Tone of rewrite	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	orange	Text to rewrite	✓

Response Payload

```
{}
```

GPT-o1 Mini

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "REWRITER",  
  "model": "o1-mini",  
  "conversationId": "REWRITER",  
  "promptObject": {  
    "tone": "informative",  
    "numberOfWord": 10,  
    "prompt": "orange"  
  }  
'
```

Field name	Type	Supported value	Description	Required
type	text	REWRITER	Feature name	✓
model	text	o1-mini	Model name	✓
conversationId	text	REWRITER	Conversation ID	✓
promptObject.tone	text	informative	Tone of rewrite	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	orange	Text to rewrite	✓

Response Payload

```
{}
```

GPT-4o Mini

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "REWRITER",  
  "model": "gpt-4o-mini",  
  "conversationId": "REWRITER",  
  "promptObject": {  
    "tone": "informative",  
    "numberOfWord": 10,  
    "prompt": "orange"  
  }  
'
```


Field name	Type	Supported value	Description	Required
type	text	REWRITER	Feature name	✓
model	text	gpt-4o-mini	Model name	✓
conversationId	text	REWRITER	Conversation ID	✓
promptObject.tone	text	informative	Tone of rewrite	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	orange	Text to rewrite	✓

Response Payload

```
{}
```

GPT-4o

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "REWRITER",  
  "model": "gpt-4o",  
  "conversationId": "REWRITER",  
  "promptObject": {  
    "tone": "informative",  
    "numberOfWord": 10,  
    "prompt": "orange"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	REWRITER	Feature name	✓
model	text	gpt-4o	Model name	✓
conversationId	text	REWRITER	Conversation ID	✓
promptObject.tone	text	informative	Tone of rewrite	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	orange	Text to rewrite	✓

Response Payload

```
{}
```

GPT-4 Turbo

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  

```

```
--data '{
  "type": "REWRITER",
  "model": "gpt-4-turbo",
  "conversationId": "REWRITER",
  "promptObject": {
    "tone": "informative",
    "numberOfWord": 10,
    "prompt": "orange"
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	REWRITER	Feature name	✓
model	text	gpt-4-turbo	Model name	✓
conversationId	text	REWRITER	Conversation ID	✓
promptObject.tone	text	informative	Tone of rewrite	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	orange	Text to rewrite	✓

Response Payload

```
{}
```

GPT-3.5

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\\
--header 'API-KEY: <api-key>' \\\
--header 'Content-Type: application/json' \\\
--data '{
  "type": "REWRITER",
  "model": "gpt-3.5-turbo",
  "conversationId": "REWRITER",
  "promptObject": {
    "tone": "informative",
    "numberOfWord": 10,
    "prompt": "orange"
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	REWRITER	Feature name	✓
model	text	gpt-3.5-turbo	Model name	✓
conversationId	text	REWRITER	Conversation ID	✓
promptObject.tone	text	informative	Tone of rewrite	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	orange	Text to rewrite	✓

Response Payload

```
{}
```

Claude 3.5 Haiku

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "REWRITER",  
  "model": "claude-3-5-haiku-20241022",  
  "conversationId": "REWRITER",  
  "promptObject": {  
    "tone": "informative",  
    "numberOfWord": 10,  
    "prompt": "orange"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	REWRITER	Feature name	✓
model	text	claude-3-5-haiku-20241022	Model name	✓
conversationId	text	REWRITER	Conversation ID	✓
promptObject.tone	text	informative	Tone of rewrite	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	orange	Text to rewrite	✓

Response Payload

```
{}
```

Claude 3.5 Sonnet

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "REWRITER",  
  "model": "claude-3-5-sonnet-20240620",  
  "conversationId": "REWRITER",  
  "promptObject": {  
    "tone": "informative",  
    "numberOfWord": 10,  
    "prompt": "orange"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	REWRITER	Feature name	✓
model	text	claude-3-5-sonnet-20240620	Model name	✓
conversationId	text	REWRITER	Conversation ID	✓
promptObject.tone	text	informative	Tone of rewrite	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	orange	Text to rewrite	✓

Response Payload

```
{}
```

Claude 3 Opus

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "REWRITER",  
  "model": "claude-3-opus-20240229",  
  "conversationId": "REWRITER",  
  "promptObject": {  
    "tone": "informative",  
    "numberOfWord": 10,  
    "prompt": "orange"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	REWRITER	Feature name	✓
model	text	claude-3-opus-20240229	Model name	✓
conversationId	text	REWRITER	Conversation ID	✓
promptObject.tone	text	informative	Tone of rewrite	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	orange	Text to rewrite	✓

Response Payload

```
{}
```

Claude 3 Sonnet

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  

```

```
--data '{
  "type": "REWRITER",
  "model": "claude-3-sonnet-20240229",
  "conversationId": "REWRITER",
  "promptObject": {
    "tone": "informative",
    "numberOfWord": 10,
    "prompt": "orange"
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	REWRITER	Feature name	✓
model	text	claude-3-sonnet-20240229	Model name	✓
conversationId	text	REWRITER	Conversation ID	✓
promptObject.tone	text	informative	Tone of rewrite	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	orange	Text to rewrite	✓

Response Payload

```
{}
```

Claude 3 Haiku

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\\
--header 'API-KEY: <api-key>' \\\
--header 'Content-Type: application/json' \\\
--data '{
  "type": "REWRITER",
  "model": "claude-3-haiku-20240307",
  "conversationId": "REWRITER",
  "promptObject": {
    "tone": "informative",
    "numberOfWord": 10,
    "prompt": "orange"
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	REWRITER	Feature name	✓
model	text	claude-3-haiku-20240307	Model name	✓
conversationId	text	REWRITER	Conversation ID	✓
promptObject.tone	text	informative	Tone of rewrite	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	orange	Text to rewrite	✓

Response Payload

```
{}
```

Mistral Large 2

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "REWRITER",  
  "model": "mistral-large-latest",  
  "conversationId": "REWRITER",  
  "promptObject": {  
    "tone": "informative",  
    "numberOfWord": 10,  
    "prompt": "orange"  
  }  
'
```

Field name	Type	Supported value	Description	Required
type	text	REWRITER	Feature name	✓
model	text	mistral-large-latest	Model name	✓
conversationId	text	REWRITER	Conversation ID	✓
promptObject.tone	text	informative	Tone of rewrite	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	orange	Text to rewrite	✓

Response Payload

```
{}
```

Mistral Small

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "REWRITER",  
  "model": "mistral-small-latest",  
  "conversationId": "REWRITER",  
  "promptObject": {  
    "tone": "informative",  
    "numberOfWord": 10,  
    "prompt": "orange"  
  }  
'
```

Field name	Type	Supported value	Description	Required
type	text	REWRITER	Feature name	✓
model	text	mistral-small-latest	Model name	✓
conversationId	text	REWRITER	Conversation ID	✓
promptObject.tone	text	informative	Tone of rewrite	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	orange	Text to rewrite	✓

Response Payload

```
{}
```

Mistral Nemo

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "REWRITER",  
  "model": "mistral-nemo",  
  "conversationId": "REWRITER",  
  "promptObject": {  
    "tone": "informative",  
    "numberOfWord": 10,  
    "prompt": "orange"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	REWRITER	Feature name	✓
model	text	mistral-nemo	Model name	✓
conversationId	text	REWRITER	Conversation ID	✓
promptObject.tone	text	informative	Tone of rewrite	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	orange	Text to rewrite	✓

Response Payload

```
{}
```

Mistral Pixtral 12B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  

```

```
--data '{
  "type": "REWRITER",
  "model": "pixtral-12b",
  "conversationId": "REWRITER",
  "promptObject": {
    "tone": "informative",
    "numberOfWord": 10,
    "prompt": "orange"
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	REWRITER	Feature name	✓
model	text	pixtral-12b	Model name	✓
conversationId	text	REWRITER	Conversation ID	✓
promptObject.tone	text	informative	Tone of rewrite	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	orange	Text to rewrite	✓

Response Payload

```
{}
```

Mixtral 8x22B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\\
--header 'API-KEY: <api-key>' \\\
--header 'Content-Type: application/json' \\\
--data '{
  "type": "REWRITER",
  "model": "open-mixtral-8x22b",
  "conversationId": "REWRITER",
  "promptObject": {
    "tone": "informative",
    "numberOfWord": 10,
    "prompt": "orange"
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	REWRITER	Feature name	✓
model	text	open-mixtral-8x22b	Model name	✓
conversationId	text	REWRITER	Conversation ID	✓
promptObject.tone	text	informative	Tone of rewrite	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	orange	Text to rewrite	✓

Response Payload


```
{}
```

Mixtral 8x7B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "REWRITER",  
  "model": "open-mixtral-8x7b",  
  "conversationId": "REWRITER",  
  "promptObject": {  
    "tone": "informative",  
    "numberOfWord": 10,  
    "prompt": "orange"  
  }  
'
```

Field name	Type	Supported value	Description	Required
type	text	REWRITER	Feature name	✓
model	text	open-mixtral-8x7b	Model name	✓
conversationId	text	REWRITER	Conversation ID	✓
promptObject.tone	text	informative	Tone of rewrite	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	orange	Text to rewrite	✓

Response Payload

```
{}
```

Mistral 7B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "REWRITER",  
  "model": "open-mistral-7b",  
  "conversationId": "REWRITER",  
  "promptObject": {  
    "tone": "informative",  
    "numberOfWord": 10,  
    "prompt": "orange"  
  }  
'
```

Field name	Type	Supported value	Description	Required
type	text	REWRITER	Feature name	✓
model	text	open-mistral-7b	Model name	✓
conversationId	text	REWRITER	Conversation ID	✓
promptObject.tone	text	informative	Tone of rewrite	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	orange	Text to rewrite	✓

Response Payload

```
{}
```

Llama 3.1 405B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "REWRITER",  
  "model": "meta/meta-llama-3.1-405b-instruct",  
  "conversationId": "REWRITER",  
  "promptObject": {  
    "tone": "informative",  
    "numberOfWord": 10,  
    "prompt": "orange"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	REWRITER	Feature name	✓
model	text	meta/meta-llama-3.1-405b-instruct	Model name	✓
conversationId	text	REWRITER	Conversation ID	✓
promptObject.tone	text	informative	Tone of rewrite	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	orange	Text to rewrite	✓

Response Payload

```
{}
```

Llama 3 70B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{
```

```

"type": "REWRITER",
"model": "meta/meta-llama-3-70b-instruct",
"conversationId": "REWRITER",
"promptObject": {
  "tone": "informative",
  "numberOfWord": 10,
  "prompt": "orange"
}
}'

```

Field name	Type	Supported value	Description	Required
type	text	REWRITER	Feature name	✓
model	text	meta/meta-llama-3-70b-instruct	Model name	✓
conversationId	text	REWRITER	Conversation ID	✓
promptObject.tone	text	informative	Tone of rewrite	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	orange	Text to rewrite	✓

Response Payload

```

{}

```

Llama 2 70B

Request Payload

```

curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "REWRITER",
  "model": "meta/llama-2-70b-chat",
  "conversationId": "REWRITER",
  "promptObject": {
    "tone": "informative",
    "numberOfWord": 10,
    "prompt": "orange"
  }
}'

```

Field name	Type	Supported value	Description	Required
type	text	REWRITER	Feature name	✓
model	text	meta/llama-2-70b-chat	Model name	✓
conversationId	text	REWRITER	Conversation ID	✓
promptObject.tone	text	informative	Tone of rewrite	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	orange	Text to rewrite	✓

Response Payload

```
{}
```

Command R

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "REWRITER",  
  "model": "command",  
  "conversationId": "REWRITER",  
  "promptObject": {  
    "tone": "informative",  
    "numberOfWord": 10,  
    "prompt": "orange"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	REWRITER	Feature name	✓
model	text	command	Model name	✓
conversationId	text	REWRITER	Conversation ID	✓
promptObject.tone	text	informative	Tone of rewrite	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	orange	Text to rewrite	✓

Response Payload

```
{}
```

DeepSeek V3

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "REWRITER",  
  "model": "deepseek-chat",  
  "conversationId": "REWRITER",  
  "promptObject": {  
    "tone": "informative",  
    "numberOfWord": 10,  
    "prompt": "orange"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	REWRITER	Feature name	✓
model	text	deepseek-chat	Model name	✓
conversationId	text	REWRITER	Conversation ID	✓
promptObject.tone	text	informative	Tone of rewrite	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	orange	Text to rewrite	✓

Response Payload

```
{}
```

Grok-2

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "REWRITER",  
  "model": "grok-2",  
  "conversationId": "REWRITER",  
  "promptObject": {  
    "tone": "informative",  
    "numberOfWord": 10,  
    "prompt": "orange"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	REWRITER	Feature name	✓
model	text	grok-2	Model name	✓
conversationId	text	REWRITER	Conversation ID	✓
promptObject.tone	text	informative	Tone of rewrite	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	orange	Text to rewrite	✓

Response Payload

```
{}
```

Content Expander API

Endpoint

```
https://api.1min.ai/api/features
```

Request Header

Field	Value
API-KEY	<api-key>
Content-Type	application/json

Gemini 1.5 Flash

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_EXPANDER",  
  "model": "gemini-1.5-flash",  
  "conversationId": "CONTENT_EXPANDER",  
  "promptObject": {  
    "numberOfWord": 10,  
    "prompt": "computer"  
  }  
'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_EXPANDER	Feature name	✓
model	text	gemini-1.5-flash	Model name	✓
conversationId	text	CONTENT_EXPANDER	Conversation ID	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	computer	Content to expand	✓

Response Payload

```
{}
```

Gemini 1.5 Pro

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_EXPANDER",  
  "model": "gemini-1.5-pro",  
  "conversationId": "CONTENT_EXPANDER",  
  "promptObject": {  
    "numberOfWord": 10,  
    "prompt": "computer"  
  }  
'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_EXPANDER	Feature name	✓
model	text	gemini-1.5-pro	Model name	✓
conversationId	text	CONTENT_EXPANDER	Conversation ID	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	computer	Content to expand	✓

Response Payload

```
{}
```

Gemini 1.0 Pro

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_EXPANDER",  
  "model": "gemini-1.0-pro",  
  "conversationId": "CONTENT_EXPANDER",  
  "promptObject": {  
    "numberOfWord": 10,  
    "prompt": "computer"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_EXPANDER	Feature name	✓
model	text	gemini-1.0-pro	Model name	✓
conversationId	text	CONTENT_EXPANDER	Conversation ID	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	computer	Content to expand	✓

Response Payload

```
{}
```

GPT-o1

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_EXPANDER",  
  "model": "o1-preview",  
  "conversationId": "CONTENT_EXPANDER",  
}'
```

```
"promptObject": {
  "numberOfWord": 10,
  "prompt": "computer"
}
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_EXPANDER	Feature name	✓
model	text	o1-preview	Model name	✓
conversationId	text	CONTENT_EXPANDER	Conversation ID	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	computer	Content to expand	✓

Response Payload

```
{}
```

GPT-o1 Mini

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \\\
--header 'API-KEY: <api-key>' \\\
--header 'Content-Type: application/json' \\\
--data '{
  "type": "CONTENT_EXPANDER",
  "model": "o1-mini",
  "conversationId": "CONTENT_EXPANDER",
  "promptObject": {
    "numberOfWord": 10,
    "prompt": "computer"
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_EXPANDER	Feature name	✓
model	text	o1-mini	Model name	✓
conversationId	text	CONTENT_EXPANDER	Conversation ID	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	computer	Content to expand	✓

Response Payload

```
{}
```

GPT-4o Mini

Request Payload


```
curl --location 'https://api.1min.ai/api/features' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_EXPANDER",  
  "model": "gpt-4o-mini",  
  "conversationId": "CONTENT_EXPANDER",  
  "promptObject": {  
    "numberOfWord": 10,  
    "prompt": "computer"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_EXPANDER	Feature name	✓
model	text	gpt-4o-mini	Model name	✓
conversationId	text	CONTENT_EXPANDER	Conversation ID	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	computer	Content to expand	✓

Response Payload

```
{}
```

GPT-4o

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_EXPANDER",  
  "model": "gpt-4o",  
  "conversationId": "CONTENT_EXPANDER",  
  "promptObject": {  
    "numberOfWord": 10,  
    "prompt": "computer"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_EXPANDER	Feature name	✓
model	text	gpt-4o	Model name	✓
conversationId	text	CONTENT_EXPANDER	Conversation ID	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	computer	Content to expand	✓

Response Payload

```
{}
```

GPT-4-turbo

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_EXPANDER",  
  "model": "gpt-4-turbo",  
  "conversationId": "CONTENT_EXPANDER",  
  "promptObject": {  
    "numberOfWord": 10,  
    "prompt": "computer"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_EXPANDER	Feature name	✓
model	text	gpt-4-turbo	Model name	✓
conversationId	text	CONTENT_EXPANDER	Conversation ID	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	computer	Content to expand	✓

Response Payload

```
{}
```

GPT-3.5

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_EXPANDER",  
  "model": "gpt-3.5-turbo",  
  "conversationId": "CONTENT_EXPANDER",  
  "promptObject": {  
    "numberOfWord": 10,  
    "prompt": "computer"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_EXPANDER	Feature name	✓

model	text	gpt-3.5-turbo	Model name	✓
conversationId	text	CONTENT_EXPANDER	Conversation ID	✓
promptObject.numberOfWork	number	10	Number of words	✓
promptObject.prompt	text	computer	Content to expand	✓

Response Payload

```
{}
```

Claude-3.5-haiku

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_EXPANDER",  
  "model": "claude-3-5-haiku-20241022",  
  "conversationId": "CONTENT_EXPANDER",  
  "promptObject": {  
    "numberOfWord": 10,  
    "prompt": "computer"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_EXPANDER	Feature name	✓
model	text	claude-3-5-haiku-20241022	Model name	✓
conversationId	text	CONTENT_EXPANDER	Conversation ID	✓
promptObject.numberOfWork	number	10	Number of words	✓
promptObject.prompt	text	computer	Content to expand	✓

Response Payload

```
{}
```

Claude-3.5-sonnet

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_EXPANDER",  
  "model": "claude-3-5-sonnet-20240620",  
  "conversationId": "CONTENT_EXPANDER",  
  "promptObject": {  
    "numberOfWord": 10,  
    "prompt": "computer"  
  }  
}'
```

```
"prompt": "computer"
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_EXPANDER	Feature name	✓
model	text	claude-3-5-sonnet-20240620	Model name	✓
conversationId	text	CONTENT_EXPANDER	Conversation ID	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	computer	Content to expand	✓

Response Payload

```
{}
```

Claude-3-opus

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_EXPANDER",  
  "model": "claude-3-opus-20240229",  
  "conversationId": "CONTENT_EXPANDER",  
  "promptObject": {  
    "numberOfWord": 10,  
    "prompt": "computer"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_EXPANDER	Feature name	✓
model	text	claude-3-opus-20240229	Model name	✓
conversationId	text	CONTENT_EXPANDER	Conversation ID	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	computer	Content to expand	✓

Response Payload

```
{}
```

Claude-3-sonnet

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  

```

```
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_EXPANDER",  
  "model": "claude-3-sonnet-20240229",  
  "conversationId": "CONTENT_EXPANDER",  
  "promptObject": {  
    "numberOfWord": 10,  
    "prompt": "computer"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_EXPANDER	Feature name	✓
model	text	claude-3-sonnet-20240229	Model name	✓
conversationId	text	CONTENT_EXPANDER	Conversation ID	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	computer	Content to expand	✓

Response Payload

```
{}
```

Claude-3-haiku

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_EXPANDER",  
  "model": "claude-3-haiku-20240307",  
  "conversationId": "CONTENT_EXPANDER",  
  "promptObject": {  
    "numberOfWord": 10,  
    "prompt": "computer"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_EXPANDER	Feature name	✓
model	text	claude-3-haiku-20240307	Model name	✓
conversationId	text	CONTENT_EXPANDER	Conversation ID	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	computer	Content to expand	✓

Response Payload

```
{}
```

Mistral-large 2

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_EXPANDER",  
  "model": "mistral-large-latest",  
  "conversationId": "CONTENT_EXPANDER",  
  "promptObject": {  
    "numberOfWord": 10,  
    "prompt": "computer"  
  }  
'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_EXPANDER	Feature name	✓
model	text	mistral-large-latest	Model name	✓
conversationId	text	CONTENT_EXPANDER	Conversation ID	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	computer	Content to expand	✓

Response Payload

```
{}
```

Mistral-small

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_EXPANDER",  
  "model": "mistral-small-latest",  
  "conversationId": "CONTENT_EXPANDER",  
  "promptObject": {  
    "numberOfWord": 10,  
    "prompt": "computer"  
  }  
'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_EXPANDER	Feature name	✓
model	text	mistral-small-latest	Model name	✓
conversationId	text	CONTENT_EXPANDER	Conversation ID	✓
promptObject.numberOfWord	number	10	Number of words	✓

promptObject.prompt	text	computer	Content to expand	✓
---------------------	------	----------	-------------------	---

Response Payload

```
{}
```

Mistral-nemo

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_EXPANDER",  
  "model": "mistral-nemo",  
  "conversationId": "CONTENT_EXPANDER",  
  "promptObject": {  
    "numberOfWord": 10,  
    "prompt": "computer"  
  }  
'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_EXPANDER	Feature name	✓
model	text	mistral-nemo	Model name	✓
conversationId	text	CONTENT_EXPANDER	Conversation ID	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	computer	Content to expand	✓

Response Payload

```
{}
```

Mistral Pixtral 12B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_EXPANDER",  
  "model": "pixtral-12b",  
  "conversationId": "CONTENT_EXPANDER",  
  "promptObject": {  
    "numberOfWord": 10,  
    "prompt": "computer"  
  }  
'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_EXPANDER	Feature name	✓
model	text	pixtral-12b	Model name	✓
conversationId	text	CONTENT_EXPANDER	Conversation ID	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	computer	Content to expand	✓

Response Payload

```
{}
```

Mixtral-8x22b

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_EXPANDER",  
  "model": "open-mixtral-8x22b",  
  "conversationId": "CONTENT_EXPANDER",  
  "promptObject": {  
    "numberOfWord": 10,  
    "prompt": "computer"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_EXPANDER	Feature name	✓
model	text	open-mixtral-8x22b	Model name	✓
conversationId	text	CONTENT_EXPANDER	Conversation ID	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	computer	Content to expand	✓

Response Payload

```
{}
```

Mixtral-8x7b

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_EXPANDER",  
  "model": "open-mixtral-8x7b",  
  "conversationId": "CONTENT_EXPANDER",  
  "promptObject": {  
    "numberOfWord": 10,  
    "prompt": "computer"  
  }  
}'
```



```
"promptObject": {
  "numberOfWord": 10,
  "prompt": "computer"
}
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_EXPANDER	Feature name	✓
model	text	open-mixtral-8×7b	Model name	✓
conversationId	text	CONTENT_EXPANDER	Conversation ID	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	computer	Content to expand	✓

Response Payload

```
{}
```

Mistral-7b

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \\\n--header 'API-KEY: <api-key>' \\\n--header 'Content-Type: application/json' \\\n--data '{\n  "type": "CONTENT_EXPANDER",\n  "model": "open-mistral-7b",\n  "conversationId": "CONTENT_EXPANDER",\n  "promptObject": {\n    "numberOfWord": 10,\n    "prompt": "computer"\n  }\n}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_EXPANDER	Feature name	✓
model	text	open-mistral-7b	Model name	✓
conversationId	text	CONTENT_EXPANDER	Conversation ID	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	computer	Content to expand	✓

Response Payload

```
{}
```

Llama-3.1-405b

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_EXPANDER",  
  "model": "meta/meta-llama-3.1-405b-instruct",  
  "conversationId": "CONTENT_EXPANDER",  
  "promptObject": {  
    "numberOfWord": 10,  
    "prompt": "computer"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_EXPANDER	Feature name	✓
model	text	meta/meta-llama-3.1-405b-instruct	Model name	✓
conversationId	text	CONTENT_EXPANDER	Conversation ID	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	computer	Content to expand	✓

Response Payload

```
{}
```

Llama-3-70b

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_EXPANDER",  
  "model": "meta/meta-llama-3-70b-instruct",  
  "conversationId": "CONTENT_EXPANDER",  
  "promptObject": {  
    "numberOfWord": 10,  
    "prompt": "computer"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_EXPANDER	Feature name	✓
model	text	meta/meta-llama-3-70b-instruct	Model name	✓
conversationId	text	CONTENT_EXPANDER	Conversation ID	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	computer	Content to expand	✓

Response Payload

```
{}
```

Llama-2-70b

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_EXPANDER",  
  "model": "meta/llama-2-70b-chat",  
  "conversationId": "CONTENT_EXPANDER",  
  "promptObject": {  
    "numberOfWord": 10,  
    "prompt": "computer"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_EXPANDER	Feature name	✓
model	text	meta/llama-2-70b-chat	Model name	✓
conversationId	text	CONTENT_EXPANDER	Conversation ID	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	computer	Content to expand	✓

Response Payload

```
{}
```

Command R

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_EXPANDER",  
  "model": "command",  
  "conversationId": "CONTENT_EXPANDER",  
  "promptObject": {  
    "numberOfWord": 10,  
    "prompt": "computer"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_EXPANDER	Feature name	✓

model	text	command	Model name	✓
conversationId	text	CONTENT_EXPANDER	Conversation ID	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	computer	Content to expand	✓

Response Payload

```
{}
```

GPT-o3 Mini

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_EXPANDER",  
  "model": "o3-mini",  
  "conversationId": "CONTENT_EXPANDER",  
  "promptObject": {  
    "numberOfWord": 10,  
    "prompt": "tomato"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_EXPANDER	Feature name	✓
model	text	o3-mini	Model name	✓
conversationId	text	CONTENT_EXPANDER	Conversation ID	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.prompt	text	tomato	Content to expand	✓

Response Payload

```
{}
```

Content Shortener API

Endpoint

```
https://api.1min.ai/api/features
```

Request Header

Field	Value
API-KEY	<api-key>
Content-Type	application/json

Gemini-1.5-flash

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_SHORTENER",  
  "model": "gemini-1.5-flash",  
  "conversationId": "CONTENT_SHORTENER",  
  "promptObject": {  
    "numberOfWord": 5,  
    "prompt": "Computers are the greatest tools of all time"  
  }  
'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_SHORTENER	Feature name	✓
model	text	gemini-1.5-flash	Model name	✓
conversationId	text	CONTENT_SHORTENER	Conversation ID	✓
promptObject.numberOfWord	number	5	Number of words	✓
promptObject.prompt	text	Computers are the greatest tools of all time	Content to shorten	✓

Response Payload

```
{}
```

Gemini-1.5-pro

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_SHORTENER",  
  "model": "gemini-1.5-pro",  
  "conversationId": "CONTENT_SHORTENER",  
  "promptObject": {  
    "numberOfWord": 5,  
    "prompt": "Computers are the greatest tools of all time"  
  }  
'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_SHORTENER	Feature name	✓
model	text	gemini-1.5-pro	Model name	✓
conversationId	text	CONTENT_SHORTENER	Conversation ID	✓
promptObject.numberOfWord	number	5	Number of words	✓

promptObject.prompt	text	Computers are the greatest tools of all time	Content to shorten	✓
---------------------	------	--	--------------------	---

Response Payload

```
{}
```

Gemini-1.0-pro

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_SHORTENER",  
  "model": "gemini-1.0-pro",  
  "conversationId": "CONTENT_SHORTENER",  
  "promptObject": {  
    "numberOfWord": 5,  
    "prompt": "Computers are the greatest tools of all time"  
  }  
'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_SHORTENER	Feature name	✓
model	text	gemini-1.0-pro	Model name	✓
conversationId	text	CONTENT_SHORTENER	Conversation ID	✓
promptObject.numberOfWord	number	5	Number of words	✓
promptObject.prompt	text	Computers are the greatest tools of all time	Content to shorten	✓

Response Payload

```
{}
```

GPT-o3 Mini

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_SHORTENER",  
  "model": "o3-mini",  
  "conversationId": "CONTENT_SHORTENER",  
  "promptObject": {  
    "numberOfWord": 3,  
    "prompt": "Computers are the greatest tools of all time"  
  }  
'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_SHORTENER	Feature name	✓
model	text	o3-mini	Model name	✓
conversationId	text	CONTENT_SHORTENER	Conversation ID	✓
promptObject.numberOfWord	number	3	Number of words	✓
promptObject.prompt	text	Computers are the greatest tools of all time	Content to shorten	✓

Response Payload

```
{}
```

GPT-o1

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_SHORTENER",  
  "model": "o1-preview",  
  "conversationId": "CONTENT_SHORTENER",  
  "promptObject": {  
    "numberOfWord": 3,  
    "prompt": "Computers are the greatest tools of all time"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_SHORTENER	Feature name	✓
model	text	o1-preview	Model name	✓
conversationId	text	CONTENT_SHORTENER	Conversation ID	✓
promptObject.numberOfWord	number	3	Number of words	✓
promptObject.prompt	text	Computers are the greatest tools of all time	Content to shorten	✓

Response Payload

```
{}
```

GPT-o1 Mini

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_SHORTENER",  
  "model": "o1-mini",  
  "conversationId": "CONTENT_SHORTENER",
```

```
"promptObject": {
  "numberOfWord": 3,
  "prompt": "Computers are the greatest tools of all time"
}
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_SHORTENER	Feature name	✓
model	text	o1-mini	Model name	✓
conversationId	text	CONTENT_SHORTENER	Conversation ID	✓
promptObject.numberOfWord	number	3	Number of words	✓
promptObject.prompt	text	Computers are the greatest tools of all time	Content to shorten	✓

Response Payload

```
{}
```

GPT-4o-mini

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_SHORTENER",  
  "model": "gpt-4o-mini",  
  "conversationId": "CONTENT_SHORTENER",  
  "promptObject": {  
    "numberOfWord": 3,  
    "prompt": "Computers are the greatest tools of all time"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_SHORTENER	Feature name	✓
model	text	gpt-4o-mini	Model name	✓
conversationId	text	CONTENT_SHORTENER	Conversation ID	✓
promptObject.numberOfWord	number	3	Number of words	✓
promptObject.prompt	text	Computers are the greatest tools of all time	Content to shorten	✓

Response Payload

```
{}
```

GPT-4o

Request Payload


```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_SHORTENER",  
  "model": "gpt-4o",  
  "conversationId": "CONTENT_SHORTENER",  
  "promptObject": {  
    "numberOfWord": 3,  
    "prompt": "Computers are the greatest tools of all time"  
  }  
'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_SHORTENER	Feature name	✓
model	text	gpt-4o	Model name	✓
conversationId	text	CONTENT_SHORTENER	Conversation ID	✓
promptObject.numberOfWord	number	3	Number of words	✓
promptObject.prompt	text	Computers are the greatest tools of all time	Content to shorten	✓

Response Payload

```
{}
```

GPT-4-turbo

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_SHORTENER",  
  "model": "gpt-4-turbo",  
  "conversationId": "CONTENT_SHORTENER",  
  "promptObject": {  
    "numberOfWord": 3,  
    "prompt": "Computers are the greatest tools of all time"  
  }  
'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_SHORTENER	Feature name	✓
model	text	gpt-4-turbo	Model name	✓
conversationId	text	CONTENT_SHORTENER	Conversation ID	✓
promptObject.numberOfWord	number	3	Number of words	✓
promptObject.prompt	text	Computers are the greatest tools of all time	Content to shorten	✓

Response Payload

```
{}
```

GPT-3.5-turbo

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_SHORTENER",  
  "model": "gpt-3.5-turbo",  
  "conversationId": "CONTENT_SHORTENER",  
  "promptObject": {  
    "numberOfWord": 3,  
    "prompt": "Computers are the greatest tools of all time"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_SHORTENER	Feature name	✓
model	text	gpt-3.5-turbo	Model name	✓
conversationId	text	CONTENT_SHORTENER	Conversation ID	✓
promptObject.numberOfWord	number	3	Number of words	✓
promptObject.prompt	text	Computers are the greatest tools of all time	Content to shorten	✓

Response Payload

```
{}
```

Claude-3.5-haiku

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_SHORTENER",  
  "model": "claude-3-5-haiku-20241022",  
  "conversationId": "CONTENT_SHORTENER",  
  "promptObject": {  
    "numberOfWord": 3,  
    "prompt": "Computers are the greatest tools of all time"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_SHORTENER	Feature name	✓

model	text	claude-3-5-haiku-20241022	Model name	✓
conversationId	text	CONTENT_SHORTENER	Conversation ID	✓
promptObject.numberOfWord	number	3	Number of words	✓
promptObject.prompt	text	Computers are the greatest tools of all time	Content to shorten	✓

Response Payload

```
{}
```

Claude-3.5-sonnet

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_SHORTENER",  
  "model": "claude-3-5-sonnet-20240620",  
  "conversationId": "CONTENT_SHORTENER",  
  "promptObject": {  
    "numberOfWord": 3,  
    "prompt": "Computers are the greatest tools of all time"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_SHORTENER	Feature name	✓
model	text	claude-3-5-sonnet-20240620	Model name	✓
conversationId	text	CONTENT_SHORTENER	Conversation ID	✓
promptObject.numberOfWord	number	3	Number of words	✓
promptObject.prompt	text	Computers are the greatest tools of all time	Content to shorten	✓

Response Payload

```
{}
```

Claude-3-opus

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_SHORTENER",  
  "model": "claude-3-opus-20240229",  
  "conversationId": "CONTENT_SHORTENER",  
  "promptObject": {  
    "numberOfWord": 3,  
    "prompt": "Computers are the greatest tools of all time"  
  }  
}'
```

```
"prompt": "Computers are the greatest tools of all time"
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_SHORTENER	Feature name	✓
model	text	claude-3-opus-20240229	Model name	✓
conversationId	text	CONTENT_SHORTENER	Conversation ID	✓
promptObject.numberOfWord	number	3	Number of words	✓
promptObject.prompt	text	Computers are the greatest tools of all time	Content to shorten	✓

Response Payload

```
{}
```

Claude-3-sonnet

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_SHORTENER",  
  "model": "claude-3-sonnet-20240229",  
  "conversationId": "CONTENT_SHORTENER",  
  "promptObject": {  
    "numberOfWord": 3,  
    "prompt": "Computers are the greatest tools of all time"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_SHORTENER	Feature name	✓
model	text	claude-3-sonnet-20240229	Model name	✓
conversationId	text	CONTENT_SHORTENER	Conversation ID	✓
promptObject.numberOfWord	number	3	Number of words	✓
promptObject.prompt	text	Computers are the greatest tools of all time	Content to shorten	✓

Response Payload

```
{}
```

Claude-3-haiku

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  

```

```
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_SHORTENER",  
  "model": "claude-3-haiku-20240307",  
  "conversationId": "CONTENT_SHORTENER",  
  "promptObject": {  
    "numberOfWord": 3,  
    "prompt": "Computers are the greatest tools of all time"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_SHORTENER	Feature name	✓
model	text	claude-3-haiku-20240307	Model name	✓
conversationId	text	CONTENT_SHORTENER	Conversation ID	✓
promptObject.numberOfWord	number	3	Number of words	✓
promptObject.prompt	text	Computers are the greatest tools of all time	Content to shorten	✓

Response Payload

```
{}
```

Mistral-large

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_SHORTENER",  
  "model": "mistral-large-latest",  
  "conversationId": "CONTENT_SHORTENER",  
  "promptObject": {  
    "numberOfWord": 3,  
    "prompt": "Computers are the greatest tools of all time"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_SHORTENER	Feature name	✓
model	text	mistral-large-latest	Model name	✓
conversationId	text	CONTENT_SHORTENER	Conversation ID	✓
promptObject.numberOfWord	number	3	Number of words	✓
promptObject.prompt	text	Computers are the greatest tools of all time	Content to shorten	✓

Response Payload

```
{}
```

Mistral-small

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_SHORTENER",  
  "model": "mistral-small-latest",  
  "conversationId": "CONTENT_SHORTENER",  
  "promptObject": {  
    "numberOfWord": 3,  
    "prompt": "Computers are the greatest tools of all time"  
  }  
'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_SHORTENER	Feature name	✓
model	text	mistral-small-latest	Model name	✓
conversationId	text	CONTENT_SHORTENER	Conversation ID	✓
promptObject.numberOfWord	number	3	Number of words	✓
promptObject.prompt	text	Computers are the greatest tools of all time	Content to shorten	✓

Response Payload

```
{}
```

Mistral-nemo

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_SHORTENER",  
  "model": "mistral-nemo",  
  "conversationId": "CONTENT_SHORTENER",  
  "promptObject": {  
    "numberOfWord": 3,  
    "prompt": "Computers are the greatest tools of all time"  
  }  
'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_SHORTENER	Feature name	✓
model	text	mistral-nemo	Model name	✓
conversationId	text	CONTENT_SHORTENER	Conversation ID	✓
promptObject.numberOfWord	number	3	Number of words	✓

promptObject.prompt	text	Computers are the greatest tools of all time	Content to shorten	✓
---------------------	------	--	--------------------	---

Response Payload

```
{}
```

Mistral Pixtral-12b

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_SHORTENER",  
  "model": "pixtral-12b",  
  "conversationId": "CONTENT_SHORTENER",  
  "promptObject": {  
    "numberOfWord": 3,  
    "prompt": "Computers are the greatest tools of all time"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_SHORTENER	Feature name	✓
model	text	pixtral-12b	Model name	✓
conversationId	text	CONTENT_SHORTENER	Conversation ID	✓
promptObject.numberOfWord	number	3	Number of words	✓
promptObject.prompt	text	Computers are the greatest tools of all time	Content to shorten	✓

Response Payload

```
{}
```

Mixtral-8x22b

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_SHORTENER",  
  "model": "open-mixtral-8x22b",  
  "conversationId": "CONTENT_SHORTENER",  
  "promptObject": {  
    "numberOfWord": 3,  
    "prompt": "Computers are the greatest tools of all time"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_SHORTENER	Feature name	✓
model	text	open-mixtral-8×22b	Model name	✓
conversationId	text	CONTENT_SHORTENER	Conversation ID	✓
promptObject.numberOfWord	number	3	Number of words	✓
promptObject.prompt	text	Computers are the greatest tools of all time	Content to shorten	✓

Response Payload

```
{}
```

Mixtral-8x7b

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_SHORTENER",  
  "model": "open-mixtral-8×7b",  
  "conversationId": "CONTENT_SHORTENER",  
  "promptObject": {  
    "numberOfWord": 3,  
    "prompt": "Computers are the greatest tools of all time"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_SHORTENER	Feature name	✓
model	text	open-mixtral-8×7b	Model name	✓
conversationId	text	CONTENT_SHORTENER	Conversation ID	✓
promptObject.numberOfWord	number	3	Number of words	✓
promptObject.prompt	text	Computers are the greatest tools of all time	Content to shorten	✓

Response Payload

```
{}
```

Mistral-7b

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_SHORTENER",  
  "model": "open-mistral-7b",  
  "conversationId": "CONTENT_SHORTENER",
```



```
"promptObject": {
  "numberOfWord": 3,
  "prompt": "Computers are the greatest tools of all time"
}
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_SHORTENER	Feature name	✓
model	text	open-mistral-7b	Model name	✓
conversationId	text	CONTENT_SHORTENER	Conversation ID	✓
promptObject.numberOfWord	number	3	Number of words	✓
promptObject.prompt	text	Computers are the greatest tools of all time	Content to shorten	✓

Response Payload

```
{}
```

Llama-3.1-405b

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\\
--header 'API-KEY: <api-key>' \\\
--header 'Content-Type: application/json' \\\
--data '{
  "type": "CONTENT_SHORTENER",
  "model": "meta/meta-llama-3.1-405b-instruct",
  "conversationId": "CONTENT_SHORTENER",
  "promptObject": {
    "numberOfWord": 3,
    "prompt": "Computers are the greatest tools of all time"
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_SHORTENER	Feature name	✓
model	text	meta/meta-llama-3.1-405b-instruct	Model name	✓
conversationId	text	CONTENT_SHORTENER	Conversation ID	✓
promptObject.numberOfWord	number	3	Number of words	✓
promptObject.prompt	text	Computers are the greatest tools of all time	Content to shorten	✓

Response Payload

```
{}
```

Llama-3-70b

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_SHORTENER",  
  "model": "meta/meta-llama-3-70b-instruct",  
  "conversationId": "CONTENT_SHORTENER",  
  "promptObject": {  
    "numberOfWord": 3,  
    "prompt": "Computers are the greatest tools of all time"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_SHORTENER	Feature name	✓
model	text	meta/meta-llama-3-70b-instruct	Model name	✓
conversationId	text	CONTENT_SHORTENER	Conversation ID	✓
promptObject.numberOfWord	number	3	Number of words	✓
promptObject.prompt	text	Computers are the greatest tools of all time	Content to shorten	✓

Response Payload

```
{}
```

Llama-2-70b

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_SHORTENER",  
  "model": "meta/llama-2-70b-chat",  
  "conversationId": "CONTENT_SHORTENER",  
  "promptObject": {  
    "numberOfWord": 3,  
    "prompt": "Computers are the greatest tools of all time"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_SHORTENER	Feature name	✓
model	text	meta/llama-2-70b-chat	Model name	✓
conversationId	text	CONTENT_SHORTENER	Conversation ID	✓
promptObject.numberOfWord	number	3	Number of words	✓
promptObject.prompt	text	Computers are the greatest tools of all time	Content to shorten	✓

Response Payload

```
{}
```

Command R

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_SHORTENER",  
  "model": "command",  
  "conversationId": "CONTENT_SHORTENER",  
  "promptObject": {  
    "numberOfWord": 3,  
    "prompt": "Computers are the greatest tools of all time"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_SHORTENER	Feature name	✓
model	text	command	Model name	✓
conversationId	text	CONTENT_SHORTENER	Conversation ID	✓
promptObject.numberOfWord	number	3	Number of words	✓
promptObject.prompt	text	Computers are the greatest tools of all time	Content to shorten	✓

Response Payload

```
{}
```

Deepseek V3

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_SHORTENER",  
  "model": "deepseek-chat",  
  "conversationId": "CONTENT_SHORTENER",  
  "promptObject": {  
    "numberOfWord": 3,  
    "prompt": "Computers are the greatest tools of all time"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_SHORTENER	Feature name	✓

model	text	deepseek-chat	Model name	✓
conversationId	text	CONTENT_SHORTENER	Conversation ID	✓
promptObject.numberOfWord	number	3	Number of words	✓
promptObject.prompt	text	Computers are the greatest tools of all time	Content to shorten	✓

Response Payload

```
{}
```

Grok-2

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_SHORTENER",  
  "model": "grok-2",  
  "conversationId": "CONTENT_SHORTENER",  
  "promptObject": {  
    "numberOfWord": 3,  
    "prompt": "Computers are the greatest tools of all time"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_SHORTENER	Feature name	✓
model	text	grok-2	Model name	✓
conversationId	text	CONTENT_SHORTENER	Conversation ID	✓
promptObject.numberOfWord	number	3	Number of words	✓
promptObject.prompt	text	Computers are the greatest tools of all time	Content to shorten	✓

Response Payload

```
{}
```

Content Translator API

Endpoint

```
https://api.1min.ai/api/features
```

Request Header

Field	Value
API-KEY	<api-key>
Content-Type	application/json

Gemini-1.5-flash

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_TRANSLATOR",  
  "model": "gemini-1.5-flash",  
  "conversationId": "CONTENT_TRANSLATOR",  
  "promptObject": {  
    "originalLanguage": "vi",  
    "targetLanguage": "en",  
    "prompt": "xin chào bạn",  
    "domain": "",  
    "tone": "",  
    "writingStyle": ""  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_TRANSLATOR	Feature name	✓
model	text	gemini-1.5-flash	Model name	✓
conversationId	text	CONTENT_TRANSLATOR	Conversation ID	✓
promptObject.originalLanguage	text	vi	Original language	✓
promptObject.targetLanguage	text	en	Target language	✓
promptObject.prompt	text	xin chào bạn	Content to translate	✓
promptObject.domain	text	-	Translation domain	✗
promptObject.tone	text	-	Translation tone	✗
promptObject.writingStyle	text	-	Writing style	✗

Response Payload

```
{}
```

Gemini-1.5-pro

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_TRANSLATOR",  
  "model": "gemini-1.5-pro",  
  "conversationId": "CONTENT_TRANSLATOR",  
  "promptObject": {  
    "originalLanguage": "vi",  
    "targetLanguage": "en",  
    "prompt": "xin chào bạn",
```

```

    "domain": "",
    "tone": "",
    "writingStyle": ""
  }
}'

```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_TRANSLATOR	Feature name	✓
model	text	gemini-1.5-pro	Model name	✓
conversationId	text	CONTENT_TRANSLATOR	Conversation ID	✓
promptObject.originalLanguage	text	vi	Original language	✓
promptObject.targetLanguage	text	en	Target language	✓
promptObject.prompt	text	xin chào bạn	Content to translate	✓
promptObject.domain	text	-	Translation domain	✗
promptObject.tone	text	-	Translation tone	✗
promptObject.writingStyle	text	-	Writing style	✗

Response Payload

```

{}

```

Gemini-1.0-pro

Request Payload

```

curl --location '<https://api.1min.ai/api/features>' \\\
--header 'API-KEY: <api-key>' \\\
--header 'Content-Type: application/json' \\\
--data '{
  "type": "CONTENT_TRANSLATOR",
  "model": "gemini-1.0-pro",
  "conversationId": "CONTENT_TRANSLATOR",
  "promptObject": {
    "originalLanguage": "vi",
    "targetLanguage": "en",
    "prompt": "xin chào bạn",
    "domain": "",
    "tone": "",
    "writingStyle": ""
  }
}'

```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_TRANSLATOR	Feature name	✓
model	text	gemini-1.0-pro	Model name	✓
conversationId	text	CONTENT_TRANSLATOR	Conversation ID	✓
promptObject.originalLanguage	text	vi	Original language	✓
promptObject.targetLanguage	text	en	Target language	✓
promptObject.prompt	text	xin chào bạn	Content to translate	✓

promptObject.domain	text	-	Translation domain	✗
promptObject.tone	text	-	Translation tone	✗
promptObject.writingStyle	text	-	Writing style	✗

Response Payload

```
{}
```

GPT-o3 Mini

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_TRANSLATOR",  
  "model": "o3-mini",  
  "conversationId": "CONTENT_TRANSLATOR",  
  "promptObject": {  
    "originalLanguage": "vi",  
    "targetLanguage": "en",  
    "prompt": "xin chào bạn",  
    "domain": "",  
    "tone": "",  
    "writingStyle": ""  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_TRANSLATOR	Feature name	✓
model	text	o3-mini	Model name	✓
conversationId	text	CONTENT_TRANSLATOR	Conversation ID	✓
promptObject.originalLanguage	text	vi	Original language	✓
promptObject.targetLanguage	text	en	Target language	✓
promptObject.prompt	text	xin chào bạn	Content to translate	✓
promptObject.domain	text	-	Translation domain	✗
promptObject.tone	text	-	Translation tone	✗
promptObject.writingStyle	text	-	Writing style	✗

Response Payload

```
{}
```

GPT-o1

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_TRANSLATOR",  
  "model": "o1-preview",  
  "conversationId": "CONTENT_TRANSLATOR",  
  "promptObject": {  
    "originalLanguage": "vi",  
    "targetLanguage": "en",  
    "prompt": "xin chào bạn",  
    "domain": "",  
    "tone": "",  
    "writingStyle": ""  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_TRANSLATOR	Feature name	✓
model	text	o1-preview	Model name	✓
conversationId	text	CONTENT_TRANSLATOR	Conversation ID	✓
promptObject.originalLanguage	text	vi	Original language	✓
promptObject.targetLanguage	text	en	Target language	✓
promptObject.prompt	text	xin chào bạn	Content to translate	✓
promptObject.domain	text	-	Translation domain	✗
promptObject.tone	text	-	Translation tone	✗
promptObject.writingStyle	text	-	Writing style	✗

Response Payload

```
{}
```

GPT-o1 Mini

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_TRANSLATOR",  
  "model": "o1-mini",  
  "conversationId": "CONTENT_TRANSLATOR",  
  "promptObject": {  
    "originalLanguage": "vi",  
    "targetLanguage": "en",  
    "prompt": "xin chào bạn",  
    "domain": "",  
    "tone": "",  
    "writingStyle": ""  
  }  
}'
```



```
}  
'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_TRANSLATOR	Feature name	✓
model	text	o1-mini	Model name	✓
conversationId	text	CONTENT_TRANSLATOR	Conversation ID	✓
promptObject.originalLanguage	text	vi	Original language	✓
promptObject.targetLanguage	text	en	Target language	✓
promptObject.prompt	text	xin chào bạn	Content to translate	✓
promptObject.domain	text	-	Translation domain	✗
promptObject.tone	text	-	Translation tone	✗
promptObject.writingStyle	text	-	Writing style	✗

Response Payload

```
{}
```

GPT-4o-mini

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_TRANSLATOR",  
  "model": "gpt-4o-mini",  
  "conversationId": "CONTENT_TRANSLATOR",  
  "promptObject": {  
    "originalLanguage": "vi",  
    "targetLanguage": "en",  
    "prompt": "xin chào bạn",  
    "domain": "",  
    "tone": "",  
    "writingStyle": ""  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_TRANSLATOR	Feature name	✓
model	text	gpt-4o-mini	Model name	✓
conversationId	text	CONTENT_TRANSLATOR	Conversation ID	✓
promptObject.originalLanguage	text	vi	Original language	✓
promptObject.targetLanguage	text	en	Target language	✓
promptObject.prompt	text	xin chào bạn	Content to translate	✓
promptObject.domain	text	-	Translation domain	✗
promptObject.tone	text	-	Translation tone	✗

promptObject.writingStyle	text	-	Writing style	✗
---------------------------	------	---	---------------	---

Response Payload

```
{}
```

GPT-4o

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_TRANSLATOR",  
  "model": "gpt-4o",  
  "conversationId": "CONTENT_TRANSLATOR",  
  "promptObject": {  
    "originalLanguage": "vi",  
    "targetLanguage": "en",  
    "prompt": "xin chào bạn",  
    "domain": "",  
    "tone": "",  
    "writingStyle": ""  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_TRANSLATOR	Feature name	✓
model	text	gpt-4o	Model name	✓
conversationId	text	CONTENT_TRANSLATOR	Conversation ID	✓
promptObject.originalLanguage	text	vi	Original language	✓
promptObject.targetLanguage	text	en	Target language	✓
promptObject.prompt	text	xin chào bạn	Content to translate	✓
promptObject.domain	text	-	Translation domain	✗
promptObject.tone	text	-	Translation tone	✗
promptObject.writingStyle	text	-	Writing style	✗

Response Payload

```
{}
```

GPT-4-turbo

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{
```

```

"type": "CONTENT_TRANSLATOR",
"model": "gpt-4-turbo",
"conversationId": "CONTENT_TRANSLATOR",
"promptObject": {
  "originalLanguage": "vi",
  "targetLanguage": "en",
  "prompt": "xin chào bạn",
  "domain": "",
  "tone": "",
  "writingStyle": ""
}
}'

```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_TRANSLATOR	Feature name	✓
model	text	gpt-4-turbo	Model name	✓
conversationId	text	CONTENT_TRANSLATOR	Conversation ID	✓
promptObject.originalLanguage	text	vi	Original language	✓
promptObject.targetLanguage	text	en	Target language	✓
promptObject.prompt	text	xin chào bạn	Content to translate	✓
promptObject.domain	text	-	Translation domain	✗
promptObject.tone	text	-	Translation tone	✗
promptObject.writingStyle	text	-	Writing style	✗

Response Payload

```

{}

```

GPT-3.5-turbo

Request Payload

```

curl --location '<https://api.1min.ai/api/features>' \\\
--header 'API-KEY: <api-key>' \\\
--header 'Content-Type: application/json' \\\
--data '{
  "type": "CONTENT_TRANSLATOR",
  "model": "gpt-3.5-turbo",
  "conversationId": "CONTENT_TRANSLATOR",
  "promptObject": {
    "originalLanguage": "vi",
    "targetLanguage": "en",
    "prompt": "xin chào bạn",
    "domain": "",
    "tone": "",
    "writingStyle": ""
  }
}'

```

Field name	Type	Supported value	Description	Required
------------	------	-----------------	-------------	----------

type	text	CONTENT_TRANSLATOR	Feature name	✓
model	text	gpt-3.5-turbo	Model name	✓
conversationId	text	CONTENT_TRANSLATOR	Conversation ID	✓
promptObject.originalLanguage	text	vi	Original language	✓
promptObject.targetLanguage	text	en	Target language	✓
promptObject.prompt	text	xin chào bạn	Content to translate	✓
promptObject.domain	text	-	Translation domain	✗
promptObject.tone	text	-	Translation tone	✗
promptObject.writingStyle	text	-	Writing style	✗

Response Payload

```
{}
```

Claude-3.5-haiku

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_TRANSLATOR",  
  "model": "claude-3-5-haiku-20241022",  
  "conversationId": "CONTENT_TRANSLATOR",  
  "promptObject": {  
    "originalLanguage": "vi",  
    "targetLanguage": "en",  
    "prompt": "xin chào bạn",  
    "domain": "",  
    "tone": "",  
    "writingStyle": ""  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_TRANSLATOR	Feature name	✓
model	text	claude-3-5-haiku-20241022	Model name	✓
conversationId	text	CONTENT_TRANSLATOR	Conversation ID	✓
promptObject.originalLanguage	text	vi	Original language	✓
promptObject.targetLanguage	text	en	Target language	✓
promptObject.prompt	text	xin chào bạn	Content to translate	✓
promptObject.domain	text	-	Translation domain	✗
promptObject.tone	text	-	Translation tone	✗
promptObject.writingStyle	text	-	Writing style	✗

Response Payload

```
{}
```

Claude-3.5-sonnet

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_TRANSLATOR",  
  "model": "claude-3-5-sonnet-20240620",  
  "conversationId": "CONTENT_TRANSLATOR",  
  "promptObject": {  
    "originalLanguage": "vi",  
    "targetLanguage": "en",  
    "prompt": "xin chào bạn",  
    "domain": "",  
    "tone": "",  
    "writingStyle": ""  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_TRANSLATOR	Feature name	✓
model	text	claude-3-5-sonnet-20240620	Model name	✓
conversationId	text	CONTENT_TRANSLATOR	Conversation ID	✓
promptObject.originalLanguage	text	vi	Original language	✓
promptObject.targetLanguage	text	en	Target language	✓
promptObject.prompt	text	xin chào bạn	Content to translate	✓
promptObject.domain	text	-	Translation domain	✗
promptObject.tone	text	-	Translation tone	✗
promptObject.writingStyle	text	-	Writing style	✗

Response Payload

```
{}
```

Claude-3-opus

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_TRANSLATOR",  
  "model": "claude-3-opus-20240229",  
  "conversationId": "CONTENT_TRANSLATOR",  
}
```

```
"promptObject": {
  "originalLanguage": "vi",
  "targetLanguage": "en",
  "prompt": "xin chào bạn",
  "domain": "",
  "tone": "",
  "writingStyle": ""
}
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_TRANSLATOR	Feature name	✓
model	text	claude-3-opus-20240229	Model name	✓
conversationId	text	CONTENT_TRANSLATOR	Conversation ID	✓
promptObject.originalLanguage	text	vi	Original language	✓
promptObject.targetLanguage	text	en	Target language	✓
promptObject.prompt	text	xin chào bạn	Content to translate	✓
promptObject.domain	text	-	Translation domain	✗
promptObject.tone	text	-	Translation tone	✗
promptObject.writingStyle	text	-	Writing style	✗

Response Payload

```
{}
```

Claude-3-sonnet

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\\
--header 'API-KEY: <api-key>' \\\
--header 'Content-Type: application/json' \\\
--data '{
  "type": "CONTENT_TRANSLATOR",
  "model": "claude-3-sonnet-20240229",
  "conversationId": "CONTENT_TRANSLATOR",
  "promptObject": {
    "originalLanguage": "vi",
    "targetLanguage": "en",
    "prompt": "xin chào bạn",
    "domain": "",
    "tone": "",
    "writingStyle": ""
  }
}
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_TRANSLATOR	Feature name	✓
model	text	claude-3-sonnet-20240229	Model name	✓

conversationId	text	CONTENT_TRANSLATOR	Conversation ID	✓
promptObject.originalLanguage	text	vi	Original language	✓
promptObject.targetLanguage	text	en	Target language	✓
promptObject.prompt	text	xin chào bạn	Content to translate	✓
promptObject.domain	text	-	Translation domain	✗
promptObject.tone	text	-	Translation tone	✗
promptObject.writingStyle	text	-	Writing style	✗

Response Payload

```
{}
```

Claude-3-haiku

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_TRANSLATOR",  
  "model": "claude-3-haiku-20240307",  
  "conversationId": "CONTENT_TRANSLATOR",  
  "promptObject": {  
    "originalLanguage": "vi",  
    "targetLanguage": "en",  
    "prompt": "xin chào bạn",  
    "domain": "",  
    "tone": "",  
    "writingStyle": ""  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_TRANSLATOR	Feature name	✓
model	text	claude-3-haiku-20240307	Model name	✓
conversationId	text	CONTENT_TRANSLATOR	Conversation ID	✓
promptObject.originalLanguage	text	vi	Original language	✓
promptObject.targetLanguage	text	en	Target language	✓
promptObject.prompt	text	xin chào bạn	Content to translate	✓
promptObject.domain	text	-	Translation domain	✗
promptObject.tone	text	-	Translation tone	✗
promptObject.writingStyle	text	-	Writing style	✗

Response Payload

```
{}
```

Mistral-large 2

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_TRANSLATOR",  
  "model": "mistral-large-latest",  
  "conversationId": "CONTENT_TRANSLATOR",  
  "promptObject": {  
    "originalLanguage": "vi",  
    "targetLanguage": "en",  
    "prompt": "xin chào bạn",  
    "domain": "",  
    "tone": "",  
    "writingStyle": ""  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_TRANSLATOR	Feature name	✓
model	text	mistral-large-latest	Model name	✓
conversationId	text	CONTENT_TRANSLATOR	Conversation ID	✓
promptObject.originalLanguage	text	vi	Original language	✓
promptObject.targetLanguage	text	en	Target language	✓
promptObject.prompt	text	xin chào bạn	Content to translate	✓
promptObject.domain	text	-	Translation domain	✗
promptObject.tone	text	-	Translation tone	✗
promptObject.writingStyle	text	-	Writing style	✗

Response Payload

```
{}
```

Mistral-small

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_TRANSLATOR",  
  "model": "mistral-small-latest",  
  "conversationId": "CONTENT_TRANSLATOR",  
  "promptObject": {  
    "originalLanguage": "vi",  
    "targetLanguage": "en",  
    "prompt": "xin chào bạn",
```



```

    "domain": "",
    "tone": "",
    "writingStyle": ""
  }
}'

```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_TRANSLATOR	Feature name	✓
model	text	mistral-small-latest	Model name	✓
conversationId	text	CONTENT_TRANSLATOR	Conversation ID	✓
promptObject.originalLanguage	text	vi	Original language	✓
promptObject.targetLanguage	text	en	Target language	✓
promptObject.prompt	text	xin chào bạn	Content to translate	✓
promptObject.domain	text	-	Translation domain	✗
promptObject.tone	text	-	Translation tone	✗
promptObject.writingStyle	text	-	Writing style	✗

Response Payload

```

{}

```

Mistral-nemo

Request Payload

```

curl --location '<https://api.1min.ai/api/features>' \\\
--header 'API-KEY: <api-key>' \\\
--header 'Content-Type: application/json' \\\
--data '{
  "type": "CONTENT_TRANSLATOR",
  "model": "mistral-nemo",
  "conversationId": "CONTENT_TRANSLATOR",
  "promptObject": {
    "originalLanguage": "vi",
    "targetLanguage": "en",
    "prompt": "xin chào bạn",
    "domain": "",
    "tone": "",
    "writingStyle": ""
  }
}'

```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_TRANSLATOR	Feature name	✓
model	text	mistral-nemo	Model name	✓
conversationId	text	CONTENT_TRANSLATOR	Conversation ID	✓
promptObject.originalLanguage	text	vi	Original language	✓
promptObject.targetLanguage	text	en	Target language	✓
promptObject.prompt	text	xin chào bạn	Content to translate	✓

promptObject.domain	text	-	Translation domain	✗
promptObject.tone	text	-	Translation tone	✗
promptObject.writingStyle	text	-	Writing style	✗

Response Payload

```
{}
```

Mistral Pixtral-12b

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_TRANSLATOR",  
  "model": "pixtral-12b",  
  "conversationId": "CONTENT_TRANSLATOR",  
  "promptObject": {  
    "originalLanguage": "vi",  
    "targetLanguage": "en",  
    "prompt": "xin chào bạn",  
    "domain": "",  
    "tone": "",  
    "writingStyle": ""  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_TRANSLATOR	Feature name	✓
model	text	pixtral-12b	Model name	✓
conversationId	text	CONTENT_TRANSLATOR	Conversation ID	✓
promptObject.originalLanguage	text	vi	Original language	✓
promptObject.targetLanguage	text	en	Target language	✓
promptObject.prompt	text	xin chào bạn	Content to translate	✓
promptObject.domain	text	-	Translation domain	✗
promptObject.tone	text	-	Translation tone	✗
promptObject.writingStyle	text	-	Writing style	✗

Response Payload

```
{}
```

Mixtral-8x22b

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_TRANSLATOR",  
  "model": "open-mixtral-8x22b",  
  "conversationId": "CONTENT_TRANSLATOR",  
  "promptObject": {  
    "originalLanguage": "vi",  
    "targetLanguage": "en",  
    "prompt": "xin chào bạn",  
    "domain": "",  
    "tone": "",  
    "writingStyle": ""  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_TRANSLATOR	Feature name	✓
model	text	open-mixtral-8x22b	Model name	✓
conversationId	text	CONTENT_TRANSLATOR	Conversation ID	✓
promptObject.originalLanguage	text	vi	Original language	✓
promptObject.targetLanguage	text	en	Target language	✓
promptObject.prompt	text	xin chào bạn	Content to translate	✓
promptObject.domain	text	-	Translation domain	✗
promptObject.tone	text	-	Translation tone	✗
promptObject.writingStyle	text	-	Writing style	✗

Response Payload

```
{}
```

Mixtral-8x7b

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_TRANSLATOR",  
  "model": "open-mixtral-8x7b",  
  "conversationId": "CONTENT_TRANSLATOR",  
  "promptObject": {  
    "originalLanguage": "vi",  
    "targetLanguage": "en",  
    "prompt": "xin chào bạn",  
    "domain": "",  
    "tone": "",  
    "writingStyle": ""  
  }  
}'
```

```
}  
'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_TRANSLATOR	Feature name	✓
model	text	open-mixtral-8×7b	Model name	✓
conversationId	text	CONTENT_TRANSLATOR	Conversation ID	✓
promptObject.originalLanguage	text	vi	Original language	✓
promptObject.targetLanguage	text	en	Target language	✓
promptObject.prompt	text	xin chào bạn	Content to translate	✓
promptObject.domain	text	-	Translation domain	✗
promptObject.tone	text	-	Translation tone	✗
promptObject.writingStyle	text	-	Writing style	✗

Response Payload

```
{}
```

Mistral-7b

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_TRANSLATOR",  
  "model": "open-mistral-7b",  
  "conversationId": "CONTENT_TRANSLATOR",  
  "promptObject": {  
    "originalLanguage": "vi",  
    "targetLanguage": "en",  
    "prompt": "xin chào bạn",  
    "domain": "",  
    "tone": "",  
    "writingStyle": ""  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_TRANSLATOR	Feature name	✓
model	text	open-mistral-7b	Model name	✓
conversationId	text	CONTENT_TRANSLATOR	Conversation ID	✓
promptObject.originalLanguage	text	vi	Original language	✓
promptObject.targetLanguage	text	en	Target language	✓
promptObject.prompt	text	xin chào bạn	Content to translate	✓
promptObject.domain	text	-	Translation domain	✗
promptObject.tone	text	-	Translation tone	✗

promptObject.writingStyle	text	-	Writing style	✗
---------------------------	------	---	---------------	---

Response Payload

```
{}
```

Llama-3.1-405b

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_TRANSLATOR",  
  "model": "meta/meta-llama-3.1-405b-instruct",  
  "conversationId": "CONTENT_TRANSLATOR",  
  "promptObject": {  
    "originalLanguage": "vi",  
    "targetLanguage": "en",  
    "prompt": "xin chào bạn",  
    "domain": "",  
    "tone": "",  
    "writingStyle": ""  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_TRANSLATOR	Feature name	✓
model	text	meta/meta-llama-3.1-405b-instruct	Model name	✓
conversationId	text	CONTENT_TRANSLATOR	Conversation ID	✓
promptObject.originalLanguage	text	vi	Original language	✓
promptObject.targetLanguage	text	en	Target language	✓
promptObject.prompt	text	xin chào bạn	Content to translate	✓
promptObject.domain	text	-	Translation domain	✗
promptObject.tone	text	-	Translation tone	✗
promptObject.writingStyle	text	-	Writing style	✗

Response Payload

```
{}
```

Llama-3-70b

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{
```

```

"type": "CONTENT_TRANSLATOR",
"model": "meta/meta-llama-3-70b-instruct",
"conversationId": "CONTENT_TRANSLATOR",
"promptObject": {
  "originalLanguage": "vi",
  "targetLanguage": "en",
  "prompt": "xin chào bạn",
  "domain": "",
  "tone": "",
  "writingStyle": ""
}
}'

```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_TRANSLATOR	Feature name	✓
model	text	meta/meta-llama-3-70b-instruct	Model name	✓
conversationId	text	CONTENT_TRANSLATOR	Conversation ID	✓
promptObject.originalLanguage	text	vi	Original language	✓
promptObject.targetLanguage	text	en	Target language	✓
promptObject.prompt	text	xin chào bạn	Content to translate	✓
promptObject.domain	text	-	Translation domain	✗
promptObject.tone	text	-	Translation tone	✗
promptObject.writingStyle	text	-	Writing style	✗

Response Payload

```

{}

```

Llama-2-70b

Request Payload

```

curl --location '<https://api.1min.ai/api/features>' \\\
--header 'API-KEY: <api-key>' \\\
--header 'Content-Type: application/json' \\\
--data '{
  "type": "CONTENT_TRANSLATOR",
  "model": "meta/llama-2-70b-chat",
  "conversationId": "CONTENT_TRANSLATOR",
  "promptObject": {
    "originalLanguage": "vi",
    "targetLanguage": "en",
    "prompt": "xin chào bạn",
    "domain": "",
    "tone": "",
    "writingStyle": ""
  }
}'

```

Field name	Type	Supported value	Description	Required
------------	------	-----------------	-------------	----------

type	text	CONTENT_TRANSLATOR	Feature name	✓
model	text	meta/llama-2-70b-chat	Model name	✓
conversationId	text	CONTENT_TRANSLATOR	Conversation ID	✓
promptObject.originalLanguage	text	vi	Original language	✓
promptObject.targetLanguage	text	en	Target language	✓
promptObject.prompt	text	xin chào bạn	Content to translate	✓
promptObject.domain	text	-	Translation domain	✗
promptObject.tone	text	-	Translation tone	✗
promptObject.writingStyle	text	-	Writing style	✗

Response Payload

```
{}
```

Command R

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_TRANSLATOR",  
  "model": "command",  
  "conversationId": "CONTENT_TRANSLATOR",  
  "promptObject": {  
    "originalLanguage": "vi",  
    "targetLanguage": "en",  
    "prompt": "xin chào bạn",  
    "domain": "",  
    "tone": "",  
    "writingStyle": ""  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_TRANSLATOR	Feature name	✓
model	text	command	Model name	✓
conversationId	text	CONTENT_TRANSLATOR	Conversation ID	✓
promptObject.originalLanguage	text	vi	Original language	✓
promptObject.targetLanguage	text	en	Target language	✓
promptObject.prompt	text	xin chào bạn	Content to translate	✓
promptObject.domain	text	-	Translation domain	✗
promptObject.tone	text	-	Translation tone	✗
promptObject.writingStyle	text	-	Writing style	✗

Response Payload

```
{}
```

Deepseek v3

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_TRANSLATOR",  
  "model": "deepseek-chat",  
  "conversationId": "CONTENT_TRANSLATOR",  
  "promptObject": {  
    "originalLanguage": "vi",  
    "targetLanguage": "en",  
    "prompt": "xin chào bạn",  
    "domain": "",  
    "tone": "",  
    "writingStyle": ""  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_TRANSLATOR	Feature name	✓
model	text	deepseek-chat	Model name	✓
conversationId	text	CONTENT_TRANSLATOR	Conversation ID	✓
promptObject.originalLanguage	text	vi	Original language	✓
promptObject.targetLanguage	text	en	Target language	✓
promptObject.prompt	text	xin chào bạn	Content to translate	✓
promptObject.domain	text	-	Translation domain	✗
promptObject.tone	text	-	Translation tone	✗
promptObject.writingStyle	text	-	Writing style	✗

Response Payload

```
{}
```

Grok-2

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CONTENT_TRANSLATOR",  
  "model": "grok-2",  
  "conversationId": "CONTENT_TRANSLATOR",
```



```
"promptObject": {
  "originalLanguage": "vi",
  "targetLanguage": "en",
  "prompt": "xin chào bạn",
  "domain": "",
  "tone": "",
  "writingStyle": ""
}
}'
```

Field name	Type	Supported value	Description	Required
type	text	CONTENT_TRANSLATOR	Feature name	✓
model	text	grok-2	Model name	✓
conversationId	text	CONTENT_TRANSLATOR	Conversation ID	✓
promptObject.originalLanguage	text	vi	Original language	✓
promptObject.targetLanguage	text	en	Target language	✓
promptObject.prompt	text	xin chào bạn	Content to translate	✓
promptObject.domain	text	-	Translation domain	✗
promptObject.tone	text	-	Translation tone	✗
promptObject.writingStyle	text	-	Writing style	✗

Response Payload

```
{}
```

Paraphraser API

Endpoint

<https://api.1min.ai/api/features>

Request Header

Field	Value
API-KEY	<api-key>
Content-Type	application/json

Gemini-1.5-flash

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \\\
--header 'API-KEY: <api-key>' \\\
--header 'Content-Type: application/json' \\\
--data '{
  "type": "PARAPHRASER",
  "model": "gemini-1.5-flash",
```

```

"conversationId": "PARAPHRASER",
"promptObject": {
  "numberOfSection": 3,
  "numberOfWord": 10,
  "tone": "informative",
  "prompt": "travel around the world"
}
}'

```

Field name	Type	Supported value	Description	Required
type	text	PARAPHRASER	Feature name	✓
model	text	gemini-1.5-flash	Model name	✓
conversationId	text	PARAPHRASER	Conversation ID	✓
promptObject.numberOfSection	number	3	Number of sections	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.tone	text	informative	Tone of paraphrase	✓
promptObject.prompt	text	travel around the world	Content to paraphrase	✓

Response Payload

```

{}

```

Gemini-1.5-pro

Request Payload

```

curl --location '<https://api.1min.ai/api/features>' \\\
--header 'API-KEY: <api-key>' \\\
--header 'Content-Type: application/json' \\\
--data '{
  "type": "PARAPHRASER",
  "model": "gemini-1.5-pro",
  "conversationId": "PARAPHRASER",
  "promptObject": {
    "numberOfSection": 3,
    "numberOfWord": 10,
    "tone": "informative",
    "prompt": "travel around the world"
  }
}'

```

Field name	Type	Supported value	Description	Required
type	text	PARAPHRASER	Feature name	✓
model	text	gemini-1.5-pro	Model name	✓
conversationId	text	PARAPHRASER	Conversation ID	✓
promptObject.numberOfSection	number	3	Number of sections	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.tone	text	informative	Tone of paraphrase	✓
promptObject.prompt	text	travel around the world	Content to paraphrase	✓

Response Payload

```
{}
```

Gemini-1.0-pro

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "PARAPHRASER",  
  "model": "gemini-1.0-pro",  
  "conversationId": "PARAPHRASER",  
  "promptObject": {  
    "numberOfSection": 3,  
    "numberOfWord": 10,  
    "tone": "informative",  
    "prompt": "travel around the world"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	PARAPHRASER	Feature name	✓
model	text	gemini-1.0-pro	Model name	✓
conversationId	text	PARAPHRASER	Conversation ID	✓
promptObject.numberOfSection	number	3	Number of sections	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.tone	text	informative	Tone of paraphrase	✓
promptObject.prompt	text	travel around the world	Content to paraphrase	✓

Response Payload

```
{}
```

GPT-o3 Mini

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "PARAPHRASER",  
  "model": "o3-mini",  
  "conversationId": "PARAPHRASER",  
  "promptObject": {  
    "numberOfSection": 3,  
    "numberOfWord": 10,  

```

```

    "tone": "informative",
    "prompt": "travel around the world"
  }
}'

```

Field name	Type	Supported value	Description	Required
type	text	PARAPHRASER	Feature name	✓
model	text	o3-mini	Model name	✓
conversationId	text	PARAPHRASER	Conversation ID	✓
promptObject.numberOfSection	number	3	Number of sections	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.tone	text	informative	Tone of paraphrase	✓
promptObject.prompt	text	travel around the world	Content to paraphrase	✓

Response Payload

```

{}

```

GPT-o1

Request Payload

```

curl --location '<https://api.1min.ai/api/features>' \\\
--header 'API-KEY: <api-key>' \\\
--header 'Content-Type: application/json' \\\
--data '{
  "type": "PARAPHRASER",
  "model": "o1-preview",
  "conversationId": "PARAPHRASER",
  "promptObject": {
    "numberOfSection": 3,
    "numberOfWord": 10,
    "tone": "informative",
    "prompt": "travel around the world"
  }
}'

```

Field name	Type	Supported value	Description	Required
type	text	PARAPHRASER	Feature name	✓
model	text	o1-preview	Model name	✓
conversationId	text	PARAPHRASER	Conversation ID	✓
promptObject.numberOfSection	number	3	Number of sections	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.tone	text	informative	Tone of paraphrase	✓
promptObject.prompt	text	travel around the world	Content to paraphrase	✓

Response Payload

```

{}

```

GPT-o1-Mini

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "PARAPHRASER",  
  "model": "o1-mini",  
  "conversationId": "PARAPHRASER",  
  "promptObject": {  
    "numberOfSection": 3,  
    "numberOfWord": 10,  
    "tone": "informative",  
    "prompt": "travel around the world"  
  }  
'
```

Field name	Type	Supported value	Description	Required
type	text	PARAPHRASER	Feature name	✓
model	text	o1-mini	Model name	✓
conversationId	text	PARAPHRASER	Conversation ID	✓
promptObject.numberOfSection	number	3	Number of sections	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.tone	text	informative	Tone of paraphrase	✓
promptObject.prompt	text	travel around the world	Content to paraphrase	✓

Response Payload

```
{}
```

GPT-4o-mini

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "PARAPHRASER",  
  "model": "gpt-4o-mini",  
  "conversationId": "PARAPHRASER",  
  "promptObject": {  
    "numberOfSection": 3,  
    "numberOfWord": 10,  
    "tone": "informative",  
    "prompt": "travel around the world"  
  }  
'
```

Field name	Type	Supported value	Description	Required
type	text	PARAPHRASER	Feature name	✓
model	text	gpt-4o-mini	Model name	✓
conversationId	text	PARAPHRASER	Conversation ID	✓
promptObject.numberOfSection	number	3	Number of sections	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.tone	text	informative	Tone of paraphrase	✓
promptObject.prompt	text	travel around the world	Content to paraphrase	✓

Response Payload

```
{}
```

GPT-4o

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "PARAPHRASER",  
  "model": "gpt-4o",  
  "conversationId": "PARAPHRASER",  
  "promptObject": {  
    "numberOfSection": 3,  
    "numberOfWord": 10,  
    "tone": "informative",  
    "prompt": "travel around the world"  
  }  
'
```

Field name	Type	Supported value	Description	Required
type	text	PARAPHRASER	Feature name	✓
model	text	gpt-4o	Model name	✓
conversationId	text	PARAPHRASER	Conversation ID	✓
promptObject.numberOfSection	number	3	Number of sections	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.tone	text	informative	Tone of paraphrase	✓
promptObject.prompt	text	travel around the world	Content to paraphrase	✓

Response Payload

```
{}
```

GPT-4-turbo

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "PARAPHRASER",  
  "model": "gpt-4-turbo",  
  "conversationId": "PARAPHRASER",  
  "promptObject": {  
    "numberOfSection": 3,  
    "numberOfWord": 10,  
    "tone": "informative",  
    "prompt": "travel around the world"  
  }  
'
```

Field name	Type	Supported value	Description	Required
type	text	PARAPHRASER	Feature name	✓
model	text	gpt-4-turbo	Model name	✓
conversationId	text	PARAPHRASER	Conversation ID	✓
promptObject.numberOfSection	number	3	Number of sections	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.tone	text	informative	Tone of paraphrase	✓
promptObject.prompt	text	travel around the world	Content to paraphrase	✓

Response Payload

```
{}
```

GPT-3.5b

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "PARAPHRASER",  
  "model": "gpt-3.5-turbo",  
  "conversationId": "PARAPHRASER",  
  "promptObject": {  
    "numberOfSection": 3,  
    "numberOfWord": 10,  
    "tone": "informative",  
    "prompt": "travel around the world"  
  }  
'
```

Field name	Type	Supported value	Description	Required
type	text	PARAPHRASER	Feature name	✓

model	text	gpt-3.5-turbo	Model name	✓
conversationId	text	PARAPHRASER	Conversation ID	✓
promptObject.numberOfSection	number	3	Number of sections	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.tone	text	informative	Tone of paraphrase	✓
promptObject.prompt	text	travel around the world	Content to paraphrase	✓

Response Payload

```
{}
```

Claude 3.5 Haiku

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "PARAPHRASER",  
  "model": "claude-3-5-haiku-20241022",  
  "conversationId": "PARAPHRASER",  
  "promptObject": {  
    "numberOfSection": 3,  
    "numberOfWord": 10,  
    "tone": "informative",  
    "prompt": "travel around the world"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	PARAPHRASER	Feature name	✓
model	text	claude-3-5-haiku-20241022	Model name	✓
conversationId	text	PARAPHRASER	Conversation ID	✓
promptObject.numberOfSection	number	3	Number of sections	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.tone	text	informative	Tone of paraphrase	✓
promptObject.prompt	text	travel around the world	Content to paraphrase	✓

Response Payload

```
{}
```

Claude 3.5 Sonnet

Request Payload


```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "PARAPHRASER",  
  "model": "claude-3-5-sonnet-20240620",  
  "conversationId": "PARAPHRASER",  
  "promptObject": {  
    "numberOfSection": 3,  
    "numberOfWord": 10,  
    "tone": "informative",  
    "prompt": "travel around the world"  
  }  
'
```

Field name	Type	Supported value	Description	Required
type	text	PARAPHRASER	Feature name	✓
model	text	claude-3-5-sonnet-20240620	Model name	✓
conversationId	text	PARAPHRASER	Conversation ID	✓
promptObject.numberOfSection	number	3	Number of sections	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.tone	text	informative	Tone of paraphrase	✓
promptObject.prompt	text	travel around the world	Content to paraphrase	✓

Response Payload

```
{}
```

Claude 3 Opus

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "PARAPHRASER",  
  "model": "claude-3-opus-20240229",  
  "conversationId": "PARAPHRASER",  
  "promptObject": {  
    "numberOfSection": 3,  
    "numberOfWord": 10,  
    "tone": "informative",  
    "prompt": "travel around the world"  
  }  
'
```

Field name	Type	Supported value	Description	Required
type	text	PARAPHRASER	Feature name	✓
model	text	claude-3-opus-20240229	Model name	✓
conversationId	text	PARAPHRASER	Conversation ID	✓
promptObject.numberOfSection	number	3	Number of sections	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.tone	text	informative	Tone of paraphrase	✓
promptObject.prompt	text	travel around the world	Content to paraphrase	✓

Response Payload

```
{}
```

Claude 3 Sonnet

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "PARAPHRASER",  
  "model": "claude-3-sonnet-20240229",  
  "conversationId": "PARAPHRASER",  
  "promptObject": {  
    "numberOfSection": 3,  
    "numberOfWord": 10,  
    "tone": "informative",  
    "prompt": "travel around the world"  
  }  
'
```

Field name	Type	Supported value	Description	Required
type	text	PARAPHRASER	Feature name	✓
model	text	claude-3-sonnet-20240229	Model name	✓
conversationId	text	PARAPHRASER	Conversation ID	✓
promptObject.numberOfSection	number	3	Number of sections	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.tone	text	informative	Tone of paraphrase	✓
promptObject.prompt	text	travel around the world	Content to paraphrase	✓

Response Payload

```
{}
```

Claude 3 Haiku

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "PARAPHRASER",  
  "model": "claude-3-haiku-20240307",  
  "conversationId": "PARAPHRASER",  
  "promptObject": {  
    "numberOfSection": 3,  
    "numberOfWord": 10,  
    "tone": "informative",  
    "prompt": "travel around the world"  
  }  
'
```

Field name	Type	Supported value	Description	Required
type	text	PARAPHRASER	Feature name	✓
model	text	claude-3-haiku-20240307	Model name	✓
conversationId	text	PARAPHRASER	Conversation ID	✓
promptObject.numberOfSection	number	3	Number of sections	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.tone	text	informative	Tone of paraphrase	✓
promptObject.prompt	text	travel around the world	Content to paraphrase	✓

Response Payload

```
{}
```

Mistral Large 2

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "PARAPHRASER",  
  "model": "mistral-large-latest",  
  "conversationId": "PARAPHRASER",  
  "promptObject": {  
    "numberOfSection": 3,  
    "numberOfWord": 10,  
    "tone": "informative",  
    "prompt": "travel around the world"  
  }  
'
```

```
}'
```

Field name	Type	Supported value	Description	Required
type	text	PARAPHRASER	Feature name	✓
model	text	mistral-large-latest	Model name	✓
conversationId	text	PARAPHRASER	Conversation ID	✓
promptObject.numberOfSection	number	3	Number of sections	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.tone	text	informative	Tone of paraphrase	✓
promptObject.prompt	text	travel around the world	Content to paraphrase	✓

Response Payload

```
{}
```

Mistral Small

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "PARAPHRASER",  
  "model": "mistral-small-latest",  
  "conversationId": "PARAPHRASER",  
  "promptObject": {  
    "numberOfSection": 3,  
    "numberOfWord": 10,  
    "tone": "informative",  
    "prompt": "travel around the world"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	PARAPHRASER	Feature name	✓
model	text	mistral-small-latest	Model name	✓
conversationId	text	PARAPHRASER	Conversation ID	✓
promptObject.numberOfSection	number	3	Number of sections	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.tone	text	informative	Tone of paraphrase	✓
promptObject.prompt	text	travel around the world	Content to paraphrase	✓

Response Payload

```
{}
```

Mistral Nemo

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "PARAPHRASER",  
  "model": "mistral-nemo",  
  "conversationId": "PARAPHRASER",  
  "promptObject": {  
    "numberOfSection": 3,  
    "numberOfWord": 10,  
    "tone": "informative",  
    "prompt": "travel around the world"  
  }  
'
```

Field name	Type	Supported value	Description	Required
type	text	PARAPHRASER	Feature name	✓
model	text	mistral-nemo	Model name	✓
conversationId	text	PARAPHRASER	Conversation ID	✓
promptObject.numberOfSection	number	3	Number of sections	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.tone	text	informative	Tone of paraphrase	✓
promptObject.prompt	text	travel around the world	Content to paraphrase	✓

Response Payload

```
{}
```

Mixtral Pixtral 12B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "PARAPHRASER",  
  "model": "pixtral-12b",  
  "conversationId": "PARAPHRASER",  
  "promptObject": {  
    "numberOfSection": 3,
```

```

    "numberOfWord": 10,
    "tone": "informative",
    "prompt": "travel around the world"
  }
}'

```

Field name	Type	Supported value	Description	Required
type	text	PARAPHRASER	Feature name	✓
model	text	pixtral-12b	Model name	✓
conversationId	text	PARAPHRASER	Conversation ID	✓
promptObject.numberOfSection	number	3	Number of sections	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.tone	text	informative	Tone of paraphrase	✓
promptObject.prompt	text	travel around the world	Content to paraphrase	✓

Response Payload

```

{}

```

Mixtral 8x22B

Request Payload

```

curl --location '<https://api.1min.ai/api/features>' \\\
--header 'API-KEY: <api-key>' \\\
--header 'Content-Type: application/json' \\\
--data '{
  "type": "PARAPHRASER",
  "model": "open-mixtral-8x22b",
  "conversationId": "PARAPHRASER",
  "promptObject": {
    "numberOfSection": 3,
    "numberOfWord": 10,
    "tone": "informative",
    "prompt": "travel around the world"
  }
}'

```

Field name	Type	Supported value	Description	Required
type	text	PARAPHRASER	Feature name	✓
model	text	open-mixtral-8x22b	Model name	✓
conversationId	text	PARAPHRASER	Conversation ID	✓
promptObject.numberOfSection	number	3	Number of sections	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.tone	text	informative	Tone of paraphrase	✓
promptObject.prompt	text	travel around the world	Content to paraphrase	✓

Response Payload

```
{}
```

Mixtral 8x7B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "PARAPHRASER",  
  "model": "open-mixtral-8x7b",  
  "conversationId": "PARAPHRASER",  
  "promptObject": {  
    "numberOfSection": 3,  
    "numberOfWord": 10,  
    "tone": "informative",  
    "prompt": "travel around the world"  
  }  
'
```

Field name	Type	Supported value	Description	Required
type	text	PARAPHRASER	Feature name	✓
model	text	open-mixtral-8x7b	Model name	✓
conversationId	text	PARAPHRASER	Conversation ID	✓
promptObject.numberOfSection	number	3	Number of sections	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.tone	text	informative	Tone of paraphrase	✓
promptObject.prompt	text	travel around the world	Content to paraphrase	✓

Response Payload

```
{}
```

Mistral 7B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "PARAPHRASER",  
  "model": "open-mistral-7b",  
  "conversationId": "PARAPHRASER",  
'
```

```
"promptObject": {
  "numberOfSection": 3,
  "numberOfWord": 10,
  "tone": "informative",
  "prompt": "travel around the world"
}
```

Field name	Type	Supported value	Description	Required
type	text	PARAPHRASER	Feature name	✓
model	text	open-mistral-7b	Model name	✓
conversationId	text	PARAPHRASER	Conversation ID	✓
promptObject.numberOfSection	number	3	Number of sections	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.tone	text	informative	Tone of paraphrase	✓
promptObject.prompt	text	travel around the world	Content to paraphrase	✓

Response Payload

```
{}
```

LLaMA 3.1-405B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\\
--header 'API-KEY: <api-key>' \\\
--header 'Content-Type: application/json' \\\
--data '{
  "type": "PARAPHRASER",
  "model": "meta/meta-llama-3.1-405b-instruct",
  "conversationId": "PARAPHRASER",
  "promptObject": {
    "numberOfSection": 3,
    "numberOfWord": 10,
    "tone": "informative",
    "prompt": "travel around the world"
  }
}
```

Field name	Type	Supported value	Description	Required
type	text	PARAPHRASER	Feature name	✓
model	text	meta/meta-llama-3.1-405b-instruct	Model name	✓
conversationId	text	PARAPHRASER	Conversation ID	✓
promptObject.numberOfSection	number	3	Number of sections	✓
promptObject.numberOfWord	number	10	Number of words	✓

promptObject.tone	text	informative	Tone of paraphrase	✓
promptObject.prompt	text	travel around the world	Content to paraphrase	✓

Response Payload

```
{}
```

LLaMA 3-70B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "PARAPHRASER",  
  "model": "meta/meta-llama-3-70b-instruct",  
  "conversationId": "PARAPHRASER",  
  "promptObject": {  
    "numberOfSection": 3,  
    "numberOfWord": 10,  
    "tone": "informative",  
    "prompt": "travel around the world"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	PARAPHRASER	Feature name	✓
model	text	meta/meta-llama-3-70b-instruct	Model name	✓
conversationId	text	PARAPHRASER	Conversation ID	✓
promptObject.numberOfSection	number	3	Number of sections	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.tone	text	informative	Tone of paraphrase	✓
promptObject.prompt	text	travel around the world	Content to paraphrase	✓

Response Payload

```
{}
```

LLaMA 2-70B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{
```

```

"type": "PARAPHRASER",
"model": "meta/llama-2-70b-chat",
"conversationId": "PARAPHRASER",
"promptObject": {
  "numberOfSection": 3,
  "numberOfWord": 10,
  "tone": "informative",
  "prompt": "travel around the world"
}
}'

```

Field name	Type	Supported value	Description	Required
type	text	PARAPHRASER	Feature name	✓
model	text	meta/llama-2-70b-chat	Model name	✓
conversationId	text	PARAPHRASER	Conversation ID	✓
promptObject.numberOfSection	number	3	Number of sections	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.tone	text	informative	Tone of paraphrase	✓
promptObject.prompt	text	travel around the world	Content to paraphrase	✓

Response Payload

```

{}

```

Command R

Request Payload

```

curl --location '<https://api.1min.ai/api/features>' \\\
--header 'API-KEY: <api-key>' \\\
--header 'Content-Type: application/json' \\\
--data '{
  "type": "PARAPHRASER",
  "model": "command",
  "conversationId": "PARAPHRASER",
  "promptObject": {
    "numberOfSection": 3,
    "numberOfWord": 10,
    "tone": "informative",
    "prompt": "travel around the world"
  }
}'

```

Field name	Type	Supported value	Description	Required
type	text	PARAPHRASER	Feature name	✓
model	text	command	Model name	✓
conversationId	text	PARAPHRASER	Conversation ID	✓

promptObject.numberOfSection	number	3	Number of sections	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.tone	text	informative	Tone of paraphrase	✓
promptObject.prompt	text	travel around the world	Content to paraphrase	✓

Response Payload

```
{}
```

DeepSeek

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "PARAPHRASER",  
  "model": "deepseek-chat",  
  "conversationId": "PARAPHRASER",  
  "promptObject": {  
    "numberOfSection": 3,  
    "numberOfWord": 10,  
    "tone": "informative",  
    "prompt": "travel around the world"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	PARAPHRASER	Feature name	✓
model	text	deepseek-chat	Model name	✓
conversationId	text	PARAPHRASER	Conversation ID	✓
promptObject.numberOfSection	number	3	Number of sections	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.tone	text	informative	Tone of paraphrase	✓
promptObject.prompt	text	travel around the world	Content to paraphrase	✓

Response Payload

```
{}
```

Grok-2

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  

```

```
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "PARAPHRASER",  
  "model": "grok-2",  
  "conversationId": "PARAPHRASER",  
  "promptObject": {  
    "numberOfSection": 3,  
    "numberOfWord": 10,  
    "tone": "informative",  
    "prompt": "travel around the world"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	PARAPHRASER	Feature name	✓
model	text	grok-2	Model name	✓
conversationId	text	PARAPHRASER	Conversation ID	✓
promptObject.numberOfSection	number	3	Number of sections	✓
promptObject.numberOfWord	number	10	Number of words	✓
promptObject.tone	text	informative	Tone of paraphrase	✓
promptObject.prompt	text	travel around the world	Content to paraphrase	✓

Response Payload

```
{}
```

Summarizer API

Endpoint

```
https://api.1min.ai/api/features
```

Request Header

Field	Value
API-KEY	<api-key>
Content-Type	application/json

Gemini 1.5 Flash

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "SUMMARIZER",
```

```

"model": "gemini-1.5-flash",
"conversationId": "SUMMARIZER",
"promptObject": {
  "numberOfBullet": 5,
  "numberOfWord": 10,
  "tone": "informative",
  "prompt": "Tomatoes are nutrient-rich fruits composed mostly of water, making up about 95% of their weight."
}
}'

```

Field name	Type	Supported value	Description	Required
type	text	SUMMARIZER	Feature name	✓
model	text	gemini-1.5-flash	Model name	✓
conversationId	text	SUMMARIZER	Conversation ID	✓
promptObject.numberOfBullet	number	5	Number of bullet points	✓
promptObject.numberOfWord	number	10	Number of words per bullet	✓
promptObject.tone	text	informative	Tone of summary	✓
promptObject.prompt	text	Tomatoes are nutrient-rich fruits...	Content to summarize	✓

Response Payload

```

{}

```

Gemini 1.5 Pro

Request Payload

```

curl --location '<https://api.1min.ai/api/features>' \\\
--header 'API-KEY: <api-key>' \\\
--header 'Content-Type: application/json' \\\
--data '{
  "type": "SUMMARIZER",
  "model": "gemini-1.5-pro",
  "conversationId": "SUMMARIZER",
  "promptObject": {
    "numberOfBullet": 5,
    "numberOfWord": 10,
    "tone": "informative",
    "prompt": "Tomatoes are nutrient-rich fruits composed mostly of water, making up about 95% of their weight."
  }
}'

```

Field name	Type	Supported value	Description	Required
type	text	SUMMARIZER	Feature name	✓
model	text	gemini-1.5-pro	Model name	✓
conversationId	text	SUMMARIZER	Conversation ID	✓
promptObject.numberOfBullet	number	5	Number of bullet points	✓

promptObject.numberOfWord	number	10	Number of words per bullet	✓
promptObject.tone	text	informative	Tone of summary	✓
promptObject.prompt	text	Tomatoes are nutrient-rich fruits...	Content to summarize	✓

Response Payload

```
{}
```

Gemini 1.0 Pro

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "SUMMARIZER",  
  "model": "gemini-1.0-pro",  
  "conversationId": "SUMMARIZER",  
  "promptObject": {  
    "numberOfBullet": 5,  
    "numberOfWord": 10,  
    "tone": "informative",  
    "prompt": "Tomatoes are nutrient-rich fruits composed mostly of water, making up about 95% of their weight."  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	SUMMARIZER	Feature name	✓
model	text	gemini-1.0-pro	Model name	✓
conversationId	text	SUMMARIZER	Conversation ID	✓
promptObject.numberOfBullet	number	5	Number of bullet points	✓
promptObject.numberOfWord	number	10	Number of words per bullet	✓
promptObject.tone	text	informative	Tone of summary	✓
promptObject.prompt	text	Tomatoes are nutrient-rich fruits...	Content to summarize	✓

Response Payload

```
{}
```

GPT-o3 Mini

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  

```

```
--data '{
  "type": "SUMMARIZER",
  "model": "o3-mini",
  "conversationId": "SUMMARIZER",
  "promptObject": {
    "numberOfBullet": 5,
    "numberOfWord": 10,
    "tone": "informative",
    "prompt": "Tomatoes are nutrient-rich fruits composed mostly of water, making up about 95% of their weight."
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	SUMMARIZER	Feature name	✓
model	text	o3-mini	Model name	✓
conversationId	text	SUMMARIZER	Conversation ID	✓
promptObject.numberOfBullet	number	5	Number of bullet points	✓
promptObject.numberOfWord	number	10	Number of words per bullet	✓
promptObject.tone	text	informative	Tone of summary	✓
promptObject.prompt	text	Tomatoes are nutrient-rich fruits...	Content to summarize	✓

Response Payload

```
{}
```

GPT-o1

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\\
--header 'API-KEY: <api-key>' \\\
--header 'Content-Type: application/json' \\\
--data '{
  "type": "SUMMARIZER",
  "model": "o1-preview",
  "conversationId": "SUMMARIZER",
  "promptObject": {
    "numberOfBullet": 5,
    "numberOfWord": 10,
    "tone": "informative",
    "prompt": "Tomatoes are nutrient-rich fruits composed mostly of water, making up about 95% of their weight."
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	SUMMARIZER	Feature name	✓
model	text	o1-preview	Model name	✓

conversationId	text	SUMMARIZER	Conversation ID	✓
promptObject.numberOfBullet	number	5	Number of bullet points	✓
promptObject.numberOfWord	number	10	Number of words per bullet	✓
promptObject.tone	text	informative	Tone of summary	✓
promptObject.prompt	text	Tomatoes are nutrient-rich fruits...	Content to summarize	✓

Response Payload

```
{}
```

Gemini-1.5 Flash

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "SUMMARIZER",
  "model": "gemini-1.5-flash",
  "conversationId": "SUMMARIZER",
  "promptObject": {
    "numberOfBullet": 5,
    "numberOfWord": 10,
    "tone": "informative",
    "prompt": "Tomatoes are nutrient-rich fruits composed mostly of water, making up about 95% of their weight."
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	SUMMARIZER	Feature name	✓
model	text	gemini-1.5-flash	Model name	✓
conversationId	text	SUMMARIZER	Conversation ID	✓
promptObject.numberOfBullet	number	5	Number of bullet points	✓
promptObject.numberOfWord	number	10	Number of words per bullet	✓
promptObject.tone	text	informative	Tone of summary	✓
promptObject.prompt	text	Tomatoes are nutrient-rich fruits...	Content to summarize	✓

Response Payload

```
{}
```

GPT-4o Mini

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
```



```
--header 'Content-Type: application/json' \
--data '{
  "type": "SUMMARIZER",
  "model": "gpt-4o-mini",
  "conversationId": "SUMMARIZER",
  "promptObject": {
    "numberOfBullet": 5,
    "numberOfWord": 10,
    "tone": "informative",
    "prompt": "Tomatoes are nutrient-rich fruits composed mostly of water, making up about 95% of their weight."
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	SUMMARIZER	Feature name	✓
model	text	gpt-4o-mini	Model name	✓
conversationId	text	SUMMARIZER	Conversation ID	✓
promptObject.numberOfBullet	number	5	Number of bullet points	✓
promptObject.numberOfWord	number	10	Number of words per bullet	✓
promptObject.tone	text	informative	Tone of summary	✓
promptObject.prompt	text	Tomatoes are nutrient-rich fruits...	Content to summarize	✓

Response Payload

```
{}
```

GPT-4o

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "SUMMARIZER",
  "model": "gpt-4o",
  "conversationId": "SUMMARIZER",
  "promptObject": {
    "numberOfBullet": 5,
    "numberOfWord": 10,
    "tone": "informative",
    "prompt": "Tomatoes are nutrient-rich fruits composed mostly of water, making up about 95% of their weight."
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	SUMMARIZER	Feature name	✓
model	text	gpt-4o	Model name	✓
conversationId	text	SUMMARIZER	Conversation ID	✓
promptObject.numberOfBullet	number	5	Number of bullet points	✓

promptObject.numberOfWork	number	10	Number of words per bullet	✓
promptObject.tone	text	informative	Tone of summary	✓
promptObject.prompt	text	Tomatoes are nutrient-rich fruits...	Content to summarize	✓

Response Payload

```
{}
```

GPT-4 Turbo

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "SUMMARIZER",
  "model": "gpt-4-turbo",
  "conversationId": "SUMMARIZER",
  "promptObject": {
    "numberOfBullet": 5,
    "numberOfWord": 10,
    "tone": "informative",
    "prompt": "Tomatoes are nutrient-rich fruits composed mostly of water, making up about 95% of their weight."
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	SUMMARIZER	Feature name	✓
model	text	gpt-4-turbo	Model name	✓
conversationId	text	SUMMARIZER	Conversation ID	✓
promptObject.numberOfBullet	number	5	Number of bullet points	✓
promptObject.numberOfWord	number	10	Number of words per bullet	✓
promptObject.tone	text	informative	Tone of summary	✓
promptObject.prompt	text	Tomatoes are nutrient-rich fruits...	Content to summarize	✓

Response Payload

```
{}
```

GPT-3.5 Turbo

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "SUMMARIZER",
  "model": "gpt-3.5-turbo",
```

```

    "conversationId": "SUMMARIZER",
    "promptObject": {
      "numberOfBullet": 5,
      "numberOfWord": 10,
      "tone": "informative",
      "prompt": "Tomatoes are nutrient-rich fruits composed mostly of water, making up about 95% of their weight."
    }
  }
}'

```

Field Description

Field name	Type	Supported value	Description	Required
type	text	SUMMARIZER	Feature name	✓
model	text	gpt-3.5-turbo	Model name	✓
conversationId	text	SUMMARIZER	Conversation ID	✓
promptObject.numberOfBullet	number	5	Number of bullet points	✓
promptObject.numberOfWord	number	10	Number of words per bullet	✓
promptObject.tone	text	informative	Tone of summary	✓
promptObject.prompt	text	Tomatoes are nutrient-rich fruits...	Content to summarize	✓

Response Payload

```

{}

```

Claude 3.5 Haiku

Request Payload

```

curl --location '<https://api.1min.ai/api/features>' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "SUMMARIZER",
  "model": "claude-3-5-haiku-20241022",
  "conversationId": "SUMMARIZER",
  "promptObject": {
    "numberOfBullet": 5,
    "numberOfWord": 10,
    "tone": "informative",
    "prompt": "Tomatoes are nutrient-rich fruits composed mostly of water, making up about 95% of their weight."
  }
}'

```

Field Description

Field name	Type	Supported value	Description	Required
type	text	SUMMARIZER	Feature name	✓
model	text	claude-3-5-haiku-20241022	Model name	✓
conversationId	text	SUMMARIZER	Conversation ID	✓
promptObject.numberOfBullet	number	5	Number of bullet points	✓

promptObject.numberOfWord	number	10	Number of words per bullet	✓
promptObject.tone	text	informative	Tone of summary	✓
promptObject.prompt	text	Tomatoes are nutrient-rich fruits...	Content to summarize	✓

Response Payload

```
{}
```

Claude 3.5 Sonnet

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "SUMMARIZER",  
  "model": "claude-3-5-sonnet-20240620",  
  "conversationId": "SUMMARIZER",  
  "promptObject": {  
    "numberOfBullet": 5,  
    "numberOfWord": 10,  
    "tone": "informative",  
    "prompt": "Tomatoes are nutrient-rich fruits composed mostly of water, making up about 95% of their weight."  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	SUMMARIZER	Feature name	✓
model	text	claude-3-5-sonnet-20240620	Model name	✓
conversationId	text	SUMMARIZER	Conversation ID	✓
promptObject.numberOfBullet	number	5	Number of bullet points	✓
promptObject.numberOfWord	number	10	Number of words per bullet	✓
promptObject.tone	text	informative	Tone of summary	✓
promptObject.prompt	text	Tomatoes are nutrient-rich fruits...	Content to summarize	✓

Response Payload

```
{}
```

Claude 3 Opus

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{
```

```
"type": "SUMMARIZER",
"model": "claude-3-opus-20240229",
"conversationId": "SUMMARIZER",
"promptObject": {
  "numberOfBullet": 5,
  "numberOfWord": 10,
  "tone": "informative",
  "prompt": "Tomatoes are nutrient-rich fruits composed mostly of water, making up about 95% of their weight."
}
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	SUMMARIZER	Feature name	✓
model	text	claude-3-opus-20240229	Model name	✓
conversationId	text	SUMMARIZER	Conversation ID	✓
promptObject.numberOfBullet	number	5	Number of bullet points	✓
promptObject.numberOfWord	number	10	Number of words per bullet	✓
promptObject.tone	text	informative	Tone of summary	✓
promptObject.prompt	text	Tomatoes are nutrient-rich fruits...	Content to summarize	✓

Response Payload

```
{}
```

Claude 3 Sonnet

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\\n--header 'API-KEY: <api-key>' \\\n--header 'Content-Type: application/json' \\\n--data '{\n  \"type\": \"SUMMARIZER\",\n  \"model\": \"claude-3-sonnet-20240229\",\n  \"conversationId\": \"SUMMARIZER\",\n  \"promptObject\": {\n    \"numberOfBullet\": 5,\n    \"numberOfWord\": 10,\n    \"tone\": \"informative\",\n    \"prompt\": \"Tomatoes are nutrient-rich fruits composed mostly of water, making up about 95% of their weight.\"\n  }\n}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	SUMMARIZER	Feature name	✓
model	text	claude-3-sonnet-20240229	Model name	✓

conversationId	text	SUMMARIZER	Conversation ID	✓
promptObject.numberOfBullet	number	5	Number of bullet points	✓
promptObject.numberOfWord	number	10	Number of words per bullet	✓
promptObject.tone	text	informative	Tone of summary	✓
promptObject.prompt	text	Tomatoes are nutrient-rich fruits...	Content to summarize	✓

Response Payload

```
{}
```

Claude 3 Haiku

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "SUMMARIZER",  
  "model": "claude-3-haiku-20240307",  
  "conversationId": "SUMMARIZER",  
  "promptObject": {  
    "numberOfBullet": 5,  
    "numberOfWord": 10,  
    "tone": "informative",  
    "prompt": "Tomatoes are nutrient-rich fruits composed mostly of water, making up about 95% of their weight."  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	SUMMARIZER	Feature name	✓
model	text	claude-3-haiku-20240307	Model name	✓
conversationId	text	SUMMARIZER	Conversation ID	✓
promptObject.numberOfBullet	number	5	Number of bullet points	✓
promptObject.numberOfWord	number	10	Number of words per bullet	✓
promptObject.tone	text	informative	Tone of summary	✓
promptObject.prompt	text	Tomatoes are nutrient-rich fruits...	Content to summarize	✓

Response Payload

```
{}
```

Mistral Large 2

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  

```

```
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "SUMMARIZER",  
  "model": "mistral-large-latest",  
  "conversationId": "SUMMARIZER",  
  "promptObject": {  
    "numberOfBullet": 5,  
    "numberOfWord": 10,  
    "tone": "informative",  
    "prompt": "Tomatoes are nutrient-rich fruits composed mostly of water, making up about 95% of their weight."  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	SUMMARIZER	Feature name	✓
model	text	mistral-large-latest	Model name	✓
conversationId	text	SUMMARIZER	Conversation ID	✓
promptObject.numberOfBullet	number	5	Number of bullet points	✓
promptObject.numberOfWord	number	10	Number of words per bullet	✓
promptObject.tone	text	informative	Tone of summary	✓
promptObject.prompt	text	Tomatoes are nutrient-rich fruits...	Content to summarize	✓

Response Payload

```
{}
```

Mistral Small

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "SUMMARIZER",  
  "model": "mistral-small-latest",  
  "conversationId": "SUMMARIZER",  
  "promptObject": {  
    "numberOfBullet": 5,  
    "numberOfWord": 10,  
    "tone": "informative",  
    "prompt": "Tomatoes are nutrient-rich fruits composed mostly of water, making up about 95% of their weight."  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	SUMMARIZER	Feature name	✓

model	text	mistral-small-latest	Model name	✓
conversationId	text	SUMMARIZER	Conversation ID	✓
promptObject.numberOfBullet	number	5	Number of bullet points	✓
promptObject.numberOfWord	number	10	Number of words per bullet	✓
promptObject.tone	text	informative	Tone of summary	✓
promptObject.prompt	text	Tomatoes are nutrient-rich fruits...	Content to summarize	✓

Response Payload

```
{}
```

Mistral Nemo

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "SUMMARIZER",
  "model": "mistral-nemo",
  "conversationId": "SUMMARIZER",
  "promptObject": {
    "numberOfBullet": 5,
    "numberOfWord": 10,
    "tone": "informative",
    "prompt": "Tomatoes are nutrient-rich fruits composed mostly of water, making up about 95% of their weight."
  }
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	SUMMARIZER	Feature name	✓
model	text	mistral-nemo	Model name	✓
conversationId	text	SUMMARIZER	Conversation ID	✓
promptObject.numberOfBullet	number	5	Number of bullet points	✓
promptObject.numberOfWord	number	10	Number of words per bullet	✓
promptObject.tone	text	informative	Tone of summary	✓
promptObject.prompt	text	Tomatoes are nutrient-rich fruits...	Content to summarize	✓

Response Payload

```
{}
```

Mistral Pixtral 12B

Request Payload


```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "SUMMARIZER",  
  "model": "pixtral-12b",  
  "conversationId": "SUMMARIZER",  
  "promptObject": {  
    "numberOfBullet": 5,  
    "numberOfWord": 10,  
    "tone": "informative",  
    "prompt": "Tomatoes are nutrient-rich fruits composed mostly of water, making up about 95% of their weight."  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	SUMMARIZER	Feature name	✓
model	text	pixtral-12b	Model name	✓
conversationId	text	SUMMARIZER	Conversation ID	✓
promptObject.numberOfBullet	number	5	Number of bullet points	✓
promptObject.numberOfWord	number	10	Number of words per bullet	✓
promptObject.tone	text	informative	Tone of summary	✓
promptObject.prompt	text	Tomatoes are nutrient-rich fruits...	Content to summarize	✓

Response Payload

```
{}
```

Mixtral 8x22B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "SUMMARIZER",  
  "model": "open-mixtral-8x22b",  
  "conversationId": "SUMMARIZER",  
  "promptObject": {  
    "numberOfBullet": 5,  
    "numberOfWord": 10,  
    "tone": "informative",  
    "prompt": "Tomatoes are nutrient-rich fruits composed mostly of water, making up about 95% of their weight."  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	SUMMARIZER	Feature name	✓
model	text	open-mixtral-8×22b	Model name	✓
conversationId	text	SUMMARIZER	Conversation ID	✓
promptObject.numberOfBullet	number	5	Number of bullet points	✓
promptObject.numberOfWord	number	10	Number of words per bullet	✓
promptObject.tone	text	informative	Tone of summary	✓
promptObject.prompt	text	Tomatoes are nutrient-rich fruits...	Content to summarize	✓

Response Payload

```
{}
```

Mixtral 8x7B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "SUMMARIZER",  
  "model": "open-mixtral-8×7b",  
  "conversationId": "SUMMARIZER",  
  "promptObject": {  
    "numberOfBullet": 5,  
    "numberOfWord": 10,  
    "tone": "informative",  
    "prompt": "Tomatoes are nutrient-rich fruits composed mostly of water, making up about 95% of their weight."  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	SUMMARIZER	Feature name	✓
model	text	open-mixtral-8×7b	Model name	✓
conversationId	text	SUMMARIZER	Conversation ID	✓
promptObject.numberOfBullet	number	5	Number of bullet points	✓
promptObject.numberOfWord	number	10	Number of words per bullet	✓
promptObject.tone	text	informative	Tone of summary	✓
promptObject.prompt	text	Tomatoes are nutrient-rich fruits...	Content to summarize	✓

Response Payload

```
{}
```

Mistral 7B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "SUMMARIZER",  
  "model": "open-mistral-7b",  
  "conversationId": "SUMMARIZER",  
  "promptObject": {  
    "numberOfBullet": 5,  
    "numberOfWord": 10,  
    "tone": "informative",  
    "prompt": "Tomatoes are nutrient-rich fruits composed mostly of water, making up about 95% of their weight."  
  }  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	SUMMARIZER	Feature name	✓
model	text	open-mistral-7b	Model name	✓
conversationId	text	SUMMARIZER	Conversation ID	✓
promptObject.numberOfBullet	number	5	Number of bullet points	✓
promptObject.numberOfWord	number	10	Number of words per bullet	✓
promptObject.tone	text	informative	Tone of summary	✓
promptObject.prompt	text	Tomatoes are nutrient-rich fruits...	Content to summarize	✓

Response Payload

```
{}
```

Llama 3.1 405B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "SUMMARIZER",  
  "model": "meta/meta-llama-3.1-405b-instruct",  
  "conversationId": "SUMMARIZER",  
  "promptObject": {  
    "numberOfBullet": 5,  
    "numberOfWord": 10,  
    "tone": "informative",  
    "prompt": "Tomatoes are nutrient-rich fruits composed mostly of water, making up about 95% of their weight."  
  }  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	SUMMARIZER	Feature name	✓
model	text	meta/meta-llama-3.1-405b-instruct	Model name	✓
conversationId	text	SUMMARIZER	Conversation ID	✓
promptObject.numberOfBullet	number	5	Number of bullet points	✓
promptObject.numberOfWord	number	10	Number of words per bullet	✓
promptObject.tone	text	informative	Tone of summary	✓
promptObject.prompt	text	Tomatoes are nutrient-rich fruits...	Content to summarize	✓

Response Payload

```
{}
```

Llama 3 70B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "SUMMARIZER",  
  "model": "meta/meta-llama-3-70b-instruct",  
  "conversationId": "SUMMARIZER",  
  "promptObject": {  
    "numberOfBullet": 5,  
    "numberOfWord": 10,  
    "tone": "informative",  
    "prompt": "Tomatoes are nutrient-rich fruits composed mostly of water, making up about 95% of their weight."  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	SUMMARIZER	Feature name	✓
model	text	meta/meta-llama-3-70b-instruct	Model name	✓
conversationId	text	SUMMARIZER	Conversation ID	✓
promptObject.numberOfBullet	number	5	Number of bullet points	✓
promptObject.numberOfWord	number	10	Number of words per bullet	✓
promptObject.tone	text	informative	Tone of summary	✓
promptObject.prompt	text	Tomatoes are nutrient-rich fruits...	Content to summarize	✓

Response Payload

```
{}
```

Llama 2 70B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "SUMMARIZER",  
  "model": "meta/llama-2-70b-chat",  
  "conversationId": "SUMMARIZER",  
  "promptObject": {  
    "numberOfBullet": 5,  
    "numberOfWord": 10,  
    "tone": "informative",  
    "prompt": "Tomatoes are nutrient-rich fruits composed mostly of water, making up about 95% of their weight."  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	SUMMARIZER	Feature name	✓
model	text	meta/llama-2-70b-chat	Model name	✓
conversationId	text	SUMMARIZER	Conversation ID	✓
promptObject.numberOfBullet	number	5	Number of bullet points	✓
promptObject.numberOfWord	number	10	Number of words per bullet	✓
promptObject.tone	text	informative	Tone of summary	✓
promptObject.prompt	text	Tomatoes are nutrient-rich fruits...	Content to summarize	✓

Response Payload

```
{}
```

Command R

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "SUMMARIZER",  
  "model": "command",  
  "conversationId": "SUMMARIZER",  
  "promptObject": {  
    "numberOfBullet": 5,  
    "numberOfWord": 10,  
    "tone": "informative",  
    "prompt": "Tomatoes are nutrient-rich fruits composed mostly of water, making up about 95% of their weight."  
  }  
}'
```

```
}  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	SUMMARIZER	Feature name	✓
model	text	command	Model name	✓
conversationId	text	SUMMARIZER	Conversation ID	✓
promptObject.numberOfBullet	number	5	Number of bullet points	✓
promptObject.numberOfWord	number	10	Number of words per bullet	✓
promptObject.tone	text	informative	Tone of summary	✓
promptObject.prompt	text	Tomatoes are nutrient-rich fruits...	Content to summarize	✓

Response Payload

```
{}
```

DeepSeek V3

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "SUMMARIZER",  
  "model": "deepseek-chat",  
  "conversationId": "SUMMARIZER",  
  "promptObject": {  
    "numberOfBullet": 5,  
    "numberOfWord": 10,  
    "tone": "informative",  
    "prompt": "Tomatoes are nutrient-rich fruits composed mostly of water, making up about 95% of their weight."  
  }  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	SUMMARIZER	Feature name	✓
model	text	deepseek-chat	Model name	✓
conversationId	text	SUMMARIZER	Conversation ID	✓
promptObject.numberOfBullet	number	5	Number of bullet points	✓
promptObject.numberOfWord	number	10	Number of words per bullet	✓
promptObject.tone	text	informative	Tone of summary	✓
promptObject.prompt	text	Tomatoes are nutrient-rich fruits...	Content to summarize	✓

Response Payload

```
{}
```

Grok 2

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "SUMMARIZER",  
  "model": "grok-2",  
  "conversationId": "SUMMARIZER",  
  "promptObject": {  
    "numberOfBullet": 5,  
    "numberOfWord": 10,  
    "tone": "informative",  
    "prompt": "Tomatoes are nutrient-rich fruits composed mostly of water, making up about 95% of their weight."  
  }  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	SUMMARIZER	Feature name	✓
model	text	grok-2	Model name	✓
conversationId	text	SUMMARIZER	Conversation ID	✓
promptObject.numberOfBullet	number	5	Number of bullet points	✓
promptObject.numberOfWord	number	10	Number of words per bullet	✓
promptObject.tone	text	informative	Tone of summary	✓
promptObject.prompt	text	Tomatoes are nutrient-rich fruits...	Content to summarize	✓

Response Payload

```
{}
```

Grammar Checker API

Endpoint

<https://api.1min.ai/api/features>

Request Header

Field	Value
API-KEY	<api-key>
Content-Type	application/json

Gemini 1.5 Flash

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "GRAMMAR_CHECKER",  
  "model": "gemini-1.5-flash",  
  "conversationId": "GRAMMAR_CHECKER",  
  "promptObject": {  
    "prompt": "hello my friedn"  
  }  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	GRAMMAR_CHECKER	Feature name	✓
model	text	gemini-1.5-flash	Model name	✓
conversationId	text	GRAMMAR_CHECKER	Conversation ID	✓
promptObject.prompt	text	hello my friedn	Sentence to check	✓

Response Payload

```
{}
```

Gemini 1.5 Pro

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "GRAMMAR_CHECKER",  
  "model": "gemini-1.5-pro",  
  "conversationId": "GRAMMAR_CHECKER",  
  "promptObject": {  
    "prompt": "hello my friedn"  
  }  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	GRAMMAR_CHECKER	Feature name	✓
model	text	gemini-1.5-pro	Model name	✓
conversationId	text	GRAMMAR_CHECKER	Conversation ID	✓
promptObject.prompt	text	hello my friedn	Sentence to check	✓

Response Payload

```
{}
```

Gemini 1.0 Pro

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "GRAMMAR_CHECKER",  
  "model": "gemini-1.0-pro",  
  "conversationId": "GRAMMAR_CHECKER",  
  "promptObject": {  
    "prompt": "hello my friedn"  
  }  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	GRAMMAR_CHECKER	Feature name	✓
model	text	gemini-1.0-pro	Model name	✓
conversationId	text	GRAMMAR_CHECKER	Conversation ID	✓
promptObject.prompt	text	hello my friedn	Sentence to check	✓

Response Payload

```
{}
```

GPT-o3 Mini

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "GRAMMAR_CHECKER",  
  "model": "o3-mini",  
  "conversationId": "GRAMMAR_CHECKER",  
  "promptObject": {  
    "prompt": "hello my friedn"  
  }  
'
```

Field Description

Field name	Type	Supported value	Description	Required
------------	------	-----------------	-------------	----------

type	text	GRAMMAR_CHECKER	Feature name	✓
model	text	o3-mini	Model name	✓
conversationId	text	GRAMMAR_CHECKER	Conversation ID	✓
promptObject.prompt	text	hello my friedn	Sentence to check	✓

Response Payload

```
{}
```

GPT-o1

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "GRAMMAR_CHECKER",  
  "model": "o1-preview",  
  "conversationId": "GRAMMAR_CHECKER",  
  "promptObject": {  
    "prompt": "hello my friedn"  
  }  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	GRAMMAR_CHECKER	Feature name	✓
model	text	o1-preview	Model name	✓
conversationId	text	GRAMMAR_CHECKER	Conversation ID	✓
promptObject.prompt	text	hello my friedn	Sentence to check	✓

Response Payload

```
{}
```

GPT-o1 Mini

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "GRAMMAR_CHECKER",  
  "model": "o1-mini",  
  "conversationId": "GRAMMAR_CHECKER",  
  "promptObject": {  
    "prompt": "hello my friedn"  
  }  
'
```

```
}  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	GRAMMAR_CHECKER	Feature name	✓
model	text	o1-mini	Model name	✓
conversationId	text	GRAMMAR_CHECKER	Conversation ID	✓
promptObject.prompt	text	hello my friedn	Sentence to check	✓

Response Payload

```
{}
```

GPT-4o Mini

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "GRAMMAR_CHECKER",  
  "model": "gpt-4o-mini",  
  "conversationId": "GRAMMAR_CHECKER",  
  "promptObject": {  
    "prompt": "hello my friedn"  
  }  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	GRAMMAR_CHECKER	Feature name	✓
model	text	gpt-4o-mini	Model name	✓
conversationId	text	GRAMMAR_CHECKER	Conversation ID	✓
promptObject.prompt	text	hello my friedn	Sentence to check	✓

Response Payload

```
{}
```

GPT-4o

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  

```

```
--data '{
  "type": "GRAMMAR_CHECKER",
  "model": "gpt-4o",
  "conversationId": "GRAMMAR_CHECKER",
  "promptObject": {
    "prompt": "hello my friedn"
  }
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	GRAMMAR_CHECKER	Feature name	✓
model	text	gpt-4o	Model name	✓
conversationId	text	GRAMMAR_CHECKER	Conversation ID	✓
promptObject.prompt	text	hello my friedn	Sentence to check	✓

Response Payload

```
{}
```

GPT-4 Turbo

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\\
--header 'API-KEY: <api-key>' \\\
--header 'Content-Type: application/json' \\\
--data '{
  "type": "GRAMMAR_CHECKER",
  "model": "gpt-4-turbo",
  "conversationId": "GRAMMAR_CHECKER",
  "promptObject": {
    "prompt": "hello my friedn"
  }
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	GRAMMAR_CHECKER	Feature name	✓
model	text	gpt-4-turbo	Model name	✓
conversationId	text	GRAMMAR_CHECKER	Conversation ID	✓
promptObject.prompt	text	hello my friedn	Sentence to check	✓

Response Payload

```
{}
```

GPT-3.5

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "GRAMMAR_CHECKER",  
  "model": "gpt-3.5-turbo",  
  "conversationId": "GRAMMAR_CHECKER",  
  "promptObject": {  
    "prompt": "hello my friedn"  
  }  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	GRAMMAR_CHECKER	Feature name	✓
model	text	gpt-3.5-turbo	Model name	✓
conversationId	text	GRAMMAR_CHECKER	Conversation ID	✓
promptObject.prompt	text	hello my friedn	Sentence to check	✓

Response Payload

```
{}
```

Claude 3.5 Haiku

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "GRAMMAR_CHECKER",  
  "model": "claude-3-5-haiku-20241022",  
  "conversationId": "GRAMMAR_CHECKER",  
  "promptObject": {  
    "prompt": "hello my friedn"  
  }  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	GRAMMAR_CHECKER	Feature name	✓
model	text	claude-3-5-haiku-20241022	Model name	✓
conversationId	text	GRAMMAR_CHECKER	Conversation ID	✓
promptObject.prompt	text	hello my friedn	Sentence to check	✓

Response Payload

```
{}
```

Claude 3.5 Sonnet

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "GRAMMAR_CHECKER",  
  "model": "claude-3-5-sonnet-20240620",  
  "conversationId": "GRAMMAR_CHECKER",  
  "promptObject": {  
    "prompt": "hello my friedn"  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	GRAMMAR_CHECKER	Feature name	✓
model	text	claude-3-5-sonnet-20240620	Model name	✓
conversationId	text	GRAMMAR_CHECKER	Conversation ID	✓
promptObject.prompt	text	hello my friedn	Sentence to check	✓

Response Payload

```
{}
```

Claude 3 Opus

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "GRAMMAR_CHECKER",  
  "model": "claude-3-opus-20240229",  
  "conversationId": "GRAMMAR_CHECKER",  
  "promptObject": {  
    "prompt": "hello my friedn"  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	GRAMMAR_CHECKER	Feature name	✓

model	text	claude-3-opus-20240229	Model name	✓
conversationId	text	GRAMMAR_CHECKER	Conversation ID	✓
promptObject.prompt	text	hello my friedn	Sentence to check	✓

Response Payload

```
{}
```

Claude 3 Sonnet

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "GRAMMAR_CHECKER",  
  "model": "claude-3-sonnet-20240229",  
  "conversationId": "GRAMMAR_CHECKER",  
  "promptObject": {  
    "prompt": "hello my friedn"  
  }  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	GRAMMAR_CHECKER	Feature name	✓
model	text	claude-3-sonnet-20240229	Model name	✓
conversationId	text	GRAMMAR_CHECKER	Conversation ID	✓
promptObject.prompt	text	hello my friedn	Sentence to check	✓

Response Payload

```
{}
```

Claude 3 Haiku

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "GRAMMAR_CHECKER",  
  "model": "claude-3-haiku-20240307",  
  "conversationId": "GRAMMAR_CHECKER",  
  "promptObject": {  
    "prompt": "hello my friedn"  
  }  
'
```

```
}  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	GRAMMAR_CHECKER	Feature name	✓
model	text	claude-3-haiku-20240307	Model name	✓
conversationId	text	GRAMMAR_CHECKER	Conversation ID	✓
promptObject.prompt	text	hello my friedn	Sentence to check	✓

Response Payload

```
{}
```

Mistral Large 2

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "GRAMMAR_CHECKER",  
  "model": "mistral-large-latest",  
  "conversationId": "GRAMMAR_CHECKER",  
  "promptObject": {  
    "prompt": "hello my friedn"  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	GRAMMAR_CHECKER	Feature name	✓
model	text	mistral-large-latest	Model name	✓
conversationId	text	GRAMMAR_CHECKER	Conversation ID	✓
promptObject.prompt	text	hello my friedn	Sentence to check	✓

Response Payload

```
{}
```

Mistral Small

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  

```



```
--data '{
  "type": "GRAMMAR_CHECKER",
  "model": "mistral-small-latest",
  "conversationId": "GRAMMAR_CHECKER",
  "promptObject": {
    "prompt": "hello my friedn"
  }
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	GRAMMAR_CHECKER	Feature name	✓
model	text	mistral-small-latest	Model name	✓
conversationId	text	GRAMMAR_CHECKER	Conversation ID	✓
promptObject.prompt	text	hello my friedn	Sentence to check	✓

Response Payload

```
{}
```

Mistral Nemo

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\\
--header 'API-KEY: <api-key>' \\\
--header 'Content-Type: application/json' \\\
--data '{
  "type": "GRAMMAR_CHECKER",
  "model": "mistral-nemo",
  "conversationId": "GRAMMAR_CHECKER",
  "promptObject": {
    "prompt": "hello my friedn"
  }
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	GRAMMAR_CHECKER	Feature name	✓
model	text	mistral-nemo	Model name	✓
conversationId	text	GRAMMAR_CHECKER	Conversation ID	✓
promptObject.prompt	text	hello my friedn	Sentence to check	✓

Response Payload

```
{}
```

Mistral Pixtral 12B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "GRAMMAR_CHECKER",  
  "model": "pixtral-12b",  
  "conversationId": "GRAMMAR_CHECKER",  
  "promptObject": {  
    "prompt": "hello my friedn"  
  }  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	GRAMMAR_CHECKER	Feature name	✓
model	text	pixtral-12b	Model name	✓
conversationId	text	GRAMMAR_CHECKER	Conversation ID	✓
promptObject.prompt	text	hello my friedn	Sentence to check	✓

Response Payload

```
{}
```

Mixtral 8x22B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "GRAMMAR_CHECKER",  
  "model": "open-mixtral-8x22b",  
  "conversationId": "GRAMMAR_CHECKER",  
  "promptObject": {  
    "prompt": "hello my friedn"  
  }  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	GRAMMAR_CHECKER	Feature name	✓
model	text	open-mixtral-8x22b	Model name	✓
conversationId	text	GRAMMAR_CHECKER	Conversation ID	✓
promptObject.prompt	text	hello my friedn	Sentence to check	✓

Response Payload

```
{}
```

Mixtral 8x7B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "GRAMMAR_CHECKER",  
  "model": "open-mixtral-8x7b",  
  "conversationId": "GRAMMAR_CHECKER",  
  "promptObject": {  
    "prompt": "hello my friedn"  
  }  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	GRAMMAR_CHECKER	Feature name	✓
model	text	open-mixtral-8x7b	Model name	✓
conversationId	text	GRAMMAR_CHECKER	Conversation ID	✓
promptObject.prompt	text	hello my friedn	Sentence to check	✓

Response Payload

```
{}
```

Mistral 7B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "GRAMMAR_CHECKER",  
  "model": "open-mistral-7b",  
  "conversationId": "GRAMMAR_CHECKER",  
  "promptObject": {  
    "prompt": "hello my friedn"  
  }  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	GRAMMAR_CHECKER	Feature name	✓

model	text	open-mistral-7b	Model name	✓
conversationId	text	GRAMMAR_CHECKER	Conversation ID	✓
promptObject.prompt	text	hello my friedn	Sentence to check	✓

Response Payload

```
{}
```

Llama 3.1 405B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "GRAMMAR_CHECKER",  
  "model": "meta/meta-llama-3.1-405b-instruct",  
  "conversationId": "GRAMMAR_CHECKER",  
  "promptObject": {  
    "prompt": "hello my friedn"  
  }  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	GRAMMAR_CHECKER	Feature name	✓
model	text	meta/meta-llama-3.1-405b-instruct	Model name	✓
conversationId	text	GRAMMAR_CHECKER	Conversation ID	✓
promptObject.prompt	text	hello my friedn	Sentence to check	✓

Response Payload

```
{}
```

Llama 3 70B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "GRAMMAR_CHECKER",  
  "model": "meta/meta-llama-3-70b-instruct",  
  "conversationId": "GRAMMAR_CHECKER",  
  "promptObject": {  
    "prompt": "hello my friedn"  
  }  
'
```

```
}  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	GRAMMAR_CHECKER	Feature name	✓
model	text	meta/meta-llama-3-70b-instruct	Model name	✓
conversationId	text	GRAMMAR_CHECKER	Conversation ID	✓
promptObject.prompt	text	hello my friedn	Sentence to check	✓

Response Payload

```
{}
```

Llama 2 70B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "GRAMMAR_CHECKER",  
  "model": "meta/llama-2-70b-chat",  
  "conversationId": "GRAMMAR_CHECKER",  
  "promptObject": {  
    "prompt": "hello my friedn"  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	GRAMMAR_CHECKER	Feature name	✓
model	text	meta/llama-2-70b-chat	Model name	✓
conversationId	text	GRAMMAR_CHECKER	Conversation ID	✓
promptObject.prompt	text	hello my friedn	Sentence to check	✓

Response Payload

```
{}
```

Command R

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  

```

```
--data '{
  "type": "GRAMMAR_CHECKER",
  "model": "command",
  "conversationId": "GRAMMAR_CHECKER",
  "promptObject": {
    "prompt": "hello my friedn"
  }
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	GRAMMAR_CHECKER	Feature name	✓
model	text	command	Model name	✓
conversationId	text	GRAMMAR_CHECKER	Conversation ID	✓
promptObject.prompt	text	hello my friedn	Sentence to check	✓

Response Payload

```
{}
```

DeepSeek V3

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\\
--header 'API-KEY: <api-key>' \\\
--header 'Content-Type: application/json' \\\
--data '{
  "type": "GRAMMAR_CHECKER",
  "model": "deepseek-chat",
  "conversationId": "GRAMMAR_CHECKER",
  "promptObject": {
    "prompt": "hello my friedn"
  }
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	GRAMMAR_CHECKER	Feature name	✓
model	text	deepseek-chat	Model name	✓
conversationId	text	GRAMMAR_CHECKER	Conversation ID	✓
promptObject.prompt	text	hello my friedn	Sentence to check	✓

Response Payload

```
{}
```

Grok 2

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "GRAMMAR_CHECKER",  
  "model": "grok-2",  
  "conversationId": "GRAMMAR_CHECKER",  
  "promptObject": {  
    "prompt": "hello my friedn"  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	GRAMMAR_CHECKER	Feature name	✓
model	text	grok-2	Model name	✓
conversationId	text	GRAMMAR_CHECKER	Conversation ID	✓
promptObject.prompt	text	hello my friedn	Sentence to check	✓

Response Payload

```
{}
```

AI for Audio

Text to Speech API

Endpoint

https://api.1min.ai/api/features

Request Header

Field	Value
API-KEY	<api-key>
Content-Type	application/json

Google TTS

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{
```

```

"type": "TEXT_TO_SPEECH",
"model": "google-tts",
"promptObject": {
  "audioEncoding": "MP3",
  "languageCode": "en-US",
  "name": "en-US-Casual-K",
  "pitch": 0,
  "speakingRate": 1,
  "text": "hello",
  "volumeGainDb": 0
}
}'

```

Field Description

Field name	Type	Supported value	Description	Required
type	text	TEXT_TO_SPEECH	Feature name	✓
model	text	google-tts	Model name	✓
promptObject.audioEncoding	text	MP3	Audio file format	✓
promptObject.languageCode	text	en-US	Language and region code	✓
<u>promptObject.name</u>	text	en-US-Casual-K	Voice name	✓
promptObject.pitch	number	0	Voice pitch adjustment	✓
promptObject.speakingRate	number	1	Speaking speed	✓
promptObject.text	text	hello	Text to convert to speech	✓
promptObject.volumeGainDb	number	0	Volume adjustment	✓

Response Payload

```

{}

```

ElevenLabs TTS

Request Payload

```

curl --location '<https://api.1min.ai/api/features>' \\\
--header 'API-KEY: <api-key>' \\\
--header 'Content-Type: application/json' \\\
--data '{
  "type": "TEXT_TO_SPEECH",
  "model": "elevenlabs-tts",
  "promptObject": {
    "apply_text_normalization": "auto",
    "language_code": "en",
    "model_id": "eleven_turbo_v2_5",
    "output_format": "mp3_44100_128",
    "text": "hello",
    "use_pvc_as_ivc": false,
    "voice_id": "9BWtsMINqrJLrRacOk9x",
    "voice_settings": {
      "stability": 0,
      "similarity_boost": 0,

```



```

    "style": 0,
    "use_speaker_boost": true
  }
}
}'

```

Field Description

Field name	Type	Supported value	Description	Required
type	text	TEXT_TO_SPEECH	Feature name	✓
model	text	elevenlabs-tts	Model name	✓
promptObject.apply_text_normalization	text	auto	Text normalization	✓
promptObject.language_code	text	en	Language code	✓
promptObject.model_id	text	eleven_turbo_v2_5	TTS model ID	✓
promptObject.output_format	text	mp3_44100_128	Audio output format	✓
promptObject.text	text	hello	Text to convert to speech	✓
promptObject.use_pvc_as_ivc	boolean	false	PVC/IVC setting	✓
promptObject.voice_id	text	9BWtsMINqrJLrRacOk9x	Specific voice ID	✓
promptObject.voice_settings.stability	number	0	Voice stability	✓
promptObject.voice_settings.similarity_boost	number	0	Similarity boost	✓
promptObject.voice_settings.style	number	0	Voice style	✓
promptObject.voice_settings.use_speaker_boost	boolean	true	Speaker boost	✓

Response Payload

```

{}

```

TTS-1 HD

Request Payload

```

curl --location '<https://api.1min.ai/api/features>' \\\
--header 'API-KEY: <api-key>' \\\
--header 'Content-Type: application/json' \\\
--data '{
  "type": "TEXT_TO_SPEECH",
  "model": "tts-1-hd",
  "promptObject": {
    "response_format": "mp3",
    "speed": 1,
    "text": "hello",
    "voice": "alloy"
  }
}'

```

Field Description

Field name	Type	Supported value	Description	Required
type	text	TEXT_TO_SPEECH	Feature name	✓

model	text	tts-1-hd	Model name	✓
promptObject.response_format	text	mp3	Audio file format	✓
promptObject.speed	number	1	Speech rate	✓
promptObject.text	text	hello	Text to convert to speech	✓
promptObject.voice	text	alloy	Voice type	✓

Response Payload

```
{}
```

TTS-1

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "TEXT_TO_SPEECH",  
  "model": "tts-1",  
  "promptObject": {  
    "response_format": "mp3",  
    "speed": 1,  
    "text": "hello",  
    "voice": "alloy"  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	TEXT_TO_SPEECH	Feature name	✓
model	text	tts-1	Model name	✓
promptObject.response_format	text	mp3	Audio file format	✓
promptObject.speed	number	1	Speech rate	✓
promptObject.text	text	hello	Text to convert to speech	✓
promptObject.voice	text	alloy	Voice type	✓

Response Payload

```
{}
```

Music Generator API

Endpoint

```
https://api.1min.ai/api/features
```

Request Header

Field	Value
API-KEY	<api-key>
Content-Type	application/json

Suno

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "MUSIC_GENERATOR",  
  "model": "music-s",  
  "promptObject": {  
    "task_type": "generate_music",  
    "prompt": "When I fall down I know I've got this weekend to live I'm gonna get my freak on It carries me",  
    "make_instrumental": false,  
    "model": "music-s"  
  }  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	MUSIC_GENERATOR	Feature name	✓
model	text	music-s	Model name	✓
promptObject.task_type	text	generate_music	Type of music generation task	✓
promptObject.prompt	text	When I fall down...	Text description of music	✓
promptObject.make_instrumental	boolean	false	Whether to create instrumental version	✓
promptObject.model	text	music-s	Confirm model for music generation	✓

Response Payload

```
{}
```

Udio

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "MUSIC_GENERATOR",  
  "model": "music-u",  
  "promptObject": {  
    "gpt_description_prompt": "",  
    "lyrics_type": "generate",  
  }  
'
```

```

    "make_instrumental": false,
    "model": "music-u",
    "prompt": "When I fall down I know I've got this weekend to live I'm gonna get my freak on It carries me",
    "seed": -1,
    "task_type": "generate_music"
  }
}'

```

Field Description

Field name	Type	Supported value	Description	Required
type	text	MUSIC_GENERATOR	Feature name	✓
model	text	music-u	Model name	✓
promptObject.gpt_description_prompt	text	""	Additional GPT description	✓
promptObject.lyrics_type	text	generate	Type of lyrics generation	✓
promptObject.make_instrumental	boolean	false	Whether to create instrumental version	✓
promptObject.model	text	music-u	Confirm model for music generation	✓
promptObject.prompt	text	When I fall down...	Text description of music	✓
promptObject.seed	number	-1	Random seed for generation	✓
promptObject.task_type	text	generate_music	Type of music generation task	✓

Response Payload

```
{}
```

MusicGen

Request Payload

```

curl --location '<https://api.1min.ai/api/features>' \\\
--header 'API-KEY: <api-key>' \\\
--header 'Content-Type: application/json' \\\
--data '{
  "type": "MUSIC_GENERATOR",
  "model": "meta/musicgen:671ac645ce5e552cc63a54a2bbff63fcf798043055d2dac5fc9e36a837eedcfb",
  "promptObject": {
    "model_version": "stereo-melody-large",
    "duration": 8,
    "output_format": "mp3",
    "classifier_free_guidance": 3,
    "normalization_strategy": "loudness",
    "temperature": 1,
    "top_k": 250,
    "top_p": 0
  }
}'

```

Field Description

Field name	Type	Supported value	Description	Required
------------	------	-----------------	-------------	----------

type	text	MUSIC_GENERATOR	Feature name	✓
model	text	meta/musicgen:...	Model name and hash	✓
promptObject.model_version	text	stereo-melody-large	Version of the model	✓
promptObject.duration	number	8	Length of music in seconds	✓
promptObject.output_format	text	mp3	Audio file format	✓
promptObject.classifier_free_guidance	number	3	Guidance scale	✓
promptObject.normalization_strategy	text	loudness	Audio normalization method	✓
promptObject.temperature	number	1	Randomness of generation	✓
promptObject.top_k	number	250	Top-k sampling parameter	✓
promptObject.top_p	number	0	Top-p sampling parameter	✓

Response Payload

```
{}
```

Speech to Text API

Endpoint

```
https://api.1min.ai/api/features
```

Request Header

Field	Value
API-KEY	<api-key>
Content-Type	application/json

Whisper-1

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "SPEECH_TO_TEXT",  
  "model": "whisper-1",  
  "promptObject": {  
    "audioUrl": "development/audios/2025_02_20_16_17_35_429_Noi_Nay_-_NhacHayVN.mp3",  
    "response_format": "text"  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	SPEECH_TO_TEXT	Feature name	✓
model	text	whisper-1	Model name	✓

promptObject.audioUrl	text	development/audios/...	Path to audio file	✓
promptObject.response_format	text	text	Format of transcription response	✓

Response Payload

```
{}
```

Long Speech

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "SPEECH_TO_TEXT",  
  "model": "latest_long",  
  "promptObject": {  
    "audioUrl": "development/audios/2025_02_20_16_26_08_652_New_Recording.m4a",  
    "language": "vi-VN"  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	SPEECH_TO_TEXT	Feature name	✓
model	text	latest_long	Model name	✓
promptObject.audioUrl	text	development/audios/...	Path to audio file	✓
promptObject.language	text	vi-VN	Language code for transcription	✓

Response Payload

```
{}
```

Short Speech

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "SPEECH_TO_TEXT",  
  "model": "latest_short",  
  "promptObject": {  
    "audioUrl": "development/audios/2025_02_20_16_26_08_652_New_Recording.m4a",  
    "language": "en-US"  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	SPEECH_TO_TEXT	Feature name	✓
model	text	latest_short	Model name	✓
promptObject.audioUrl	text	development/audios/...	Path to audio file	✓
promptObject.language	text	en-US	Language code for transcription	✓

Response Payload

```
{}
```

Phone Call

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "SPEECH_TO_TEXT",  
  "model": "phone_call",  
  "promptObject": {  
    "audioUrl": "development/audios/2025_02_20_16_26_08_652_New_Recording.m4a",  
    "language": "vi-VN"  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	SPEECH_TO_TEXT	Feature name	✓
model	text	phone_call	Model name	✓
promptObject.audioUrl	text	development/audios/...	Path to audio file	✓
promptObject.language	text	vi-VN	Language code for transcription	✓

Response Payload

```
{}
```

Telephony

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "SPEECH_TO_TEXT",  
  "model": "telephony",  
  "promptObject": {
```

```
"audioUrl": "development/audios/2025_02_20_16_26_08_652_New_Recording.m4a",
"language": "en-US"
}
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	SPEECH_TO_TEXT	Feature name	✓
model	text	telephony	Model name	✓
promptObject.audioUrl	text	development/audios/...	Path to audio file	✓
promptObject.language	text	en-US	Language code for transcription	✓

Response Payload

```
{}
```

Telephony Short

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "SPEECH_TO_TEXT",  
  "model": "telephony_short",  
  "promptObject": {  
    "audioUrl": "development/audios/2025_02_20_16_26_08_652_New_Recording.m4a",  
    "language": "en-US"  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	SPEECH_TO_TEXT	Feature name	✓
model	text	telephony_short	Model name	✓
promptObject.audioUrl	text	development/audios/...	Path to audio file	✓
promptObject.language	text	en-US	Language code for transcription	✓

Response Payload

```
{}
```

Medical Dictation

Request Payload


```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "SPEECH_TO_TEXT",  
  "model": "medical_dictation",  
  "promptObject": {  
    "audioUrl": "development/audios/2025_02_20_16_26_08_652_New_Recording.m4a",  
    "language": "en-US"  
  }  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	SPEECH_TO_TEXT	Feature name	✓
model	text	medical_dictation	Model name	✓
promptObject.audioUrl	text	development/audios/...	Path to audio file	✓
promptObject.language	text	en-US	Language code for transcription	✓

Response Payload

```
{}
```

Medical Conversation

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "SPEECH_TO_TEXT",  
  "model": "medical_conversation",  
  "promptObject": {  
    "audioUrl": "development/audios/2025_02_20_16_26_08_652_New_Recording.m4a",  
    "language": "en-US"  
  }  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	SPEECH_TO_TEXT	Feature name	✓
model	text	medical_conversation	Model name	✓
promptObject.audioUrl	text	development/audios/...	Path to audio file	✓
promptObject.language	text	en-US	Language code for transcription	✓

Response Payload

```
{}
```

Audio Translator API

Endpoint

<https://api.1min.ai/api/features>

Request Header

Field	Value
API-KEY	<api-key>
Content-Type	application/json

Whisper-1

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "AUDIO_TRANSLATOR",  
  "model": "whisper-1",  
  "promptObject": {  
    "audioUrl": "development/audios/2025_02_20_17_02_10_079_New_Recording.m4a",  
    "response_format": "text",  
    "temperature": 0  
  }  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	AUDIO_TRANSLATOR	Feature name	✓
model	text	whisper-1	Model name	✓
promptObject.audioUrl	text	development/audios/...	Path to audio file	✓
promptObject.response_format	text	text	Format of translation response	✓
promptObject.temperature	number	0	Randomness of generation	✓

Response Payload

```
{}
```

Text to Video API

Endpoint

https://api.1min.ai/api/features

Request Header

Field	Value
API-KEY	<api-key>
Content-Type	application/json

Luma AI

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "TEXT_TO_VIDEO",  
  "model": "luma",  
  "promptObject": {  
    "prompt": "a fish is swimming",  
    "length": 5,  
    "enhancePrompt": true  
  }  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	TEXT_TO_VIDEO	Feature name	✓
model	text	luma	Model name	✓
promptObject.prompt	text	a fish is swimming	Text description of video	✓
promptObject.length	number	5	Length of video in seconds	✓
promptObject.enhancePrompt	boolean	true	Whether to enhance input prompt	✓

Response Payload

```
{}
```

Kling

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "TEXT_TO_VIDEO",  
  "model": "kling",  
  "promptObject": {  
    "duration": 5,  
  }  
'
```

```

    "negative_prompt": "coral",
    "aspect_ratio": "16:9",
    "version": "1.0",
    "mode": "std",
    "camera_control_type": "default",
    "cfg_scale": 0.5,
    "prompt": "a fish is swimming"
  }
}'

```

Field Description

Field name	Type	Supported value	Description	Required
type	text	TEXT_TO_VIDEO	Feature name	✓
model	text	kling	Model name	✓
promptObject.duration	number	5	Length of video in seconds	✓
promptObject.negative_prompt	text	coral	Prompt to avoid in generation	✓
promptObject.aspect_ratio	text	16:9	Video aspect ratio	✓
promptObject.version	text	1.0	Model version	✓
promptObject.mode	text	std	Generation mode	✓
promptObject.camera_control_type	text	default	Camera control setting	✓
promptObject.cfg_scale	number	0.5	Classifier-free guidance scale	✓
promptObject.prompt	text	a fish is swimming	Text description of video	✓

Response Payload

```

{}

```

Animate Diff

Request Payload

```

curl --location '<https://api.1min.ai/api/features>' \\\
--header 'API-KEY: <api-key>' \\\
--header 'Content-Type: application/json' \\\
--data '{
  "type": "TEXT_TO_VIDEO",
  "model": "lucataco/animate-diff:beecf59c4aee8d81bf04f0381033dfa10dc16e845b4ae00d281e2fa377e48a9f",
  "promptObject": {
    "prompt": "a fish is swimming",
    "path": "toonyou_beta3.safetensors",
    "n_prompt": "coral",
    "guidance_scale": 7.5,
    "motion_module": "mm_sd_v15_v2",
    "seed": 0,
    "steps": 25
  }
}'

```

Field Description

Field name	Type	Supported value	Description	Required
type	text	TEXT_TO_VIDEO	Feature name	✓
model	text	lucataco/animate-diff:...	Model name and hash	✓
promptObject.prompt	text	a fish is swimming	Text description of video	✓
promptObject.path	text	toonyou_beta3.safetensors	Path to model weights	✓
promptObject.n_prompt	text	coral	Negative prompt to avoid	✓
promptObject.guidance_scale	number	7.5	Guidance scale for generation	✓
promptObject.motion_module	text	mm_sd_v15_v2	Motion module version	✓
promptObject.seed	number	0	Random seed for generation	✓
promptObject.steps	number	25	Number of diffusion steps	✓

Response Payload

```
{}
```

TongYi

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "TEXT_TO_VIDEO",  
  "model": "cjwbw/damo-text-to-video:1e205ea73084bd17a0a3b43396e49ba0d6bc2e754e9283b2df49fad2dcf95755",  
  "promptObject": {  
    "prompt": "a fish is swimming",  
    "num_frames": 50,  
    "fps": 8,  
    "num_inference_steps": 50  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	TEXT_TO_VIDEO	Feature name	✓
model	text	cjwbw/damo-text-to-video:...	Model name and hash	✓
promptObject.prompt	text	a fish is swimming	Text description of video	✓
promptObject.num_frames	number	50	Number of frames in video	✓
promptObject.fps	number	8	Frames per second	✓
promptObject.num_inference_steps	number	50	Number of inference steps	✓

Response Payload

```
{}
```

Image to Video API

Endpoint

https://api.1min.ai/api/features

Request Header

Field	Value
API-KEY	<api-key>
Content-Type	application/json

Luma AI

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "IMAGE_TO_VIDEO",  
  "model": "luma",  
  "promptObject": {  
    "imageUrl": "development/images/2025_02_20_22_51_50_777_human.jpg",  
    "imageTailUrl": "",  
    "length": 5,  
    "prompt": "girl holding chess board",  
    "enhancePrompt": true  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	IMAGE_TO_VIDEO	Feature name	✓
model	text	luma	Model name	✓
promptObject.imageUrl	text	development/images/...	Path to input image	✓
promptObject.imageTailUrl	text	""	Optional second image path	✓
promptObject.length	number	5	Length of video in seconds	✓
promptObject.prompt	text	girl holding chess board	Descriptive prompt for video	✓
promptObject.enhancePrompt	boolean	true	Whether to enhance input prompt	✓

Response Payload

```
{}
```

Kling

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "IMAGE_TO_VIDEO",  
  "model": "kling",  
  "promptObject": {  
    "imageUrl": "development/images/2025_02_20_23_00_23_130_human.jpg",  
    "duration": 5,  
    "version": "1.0",  
    "aspect_ratio": "16:9",  
    "cfg_scale": 0.5,  
    "mode": "std",  
    "negative_prompt": "earring",  
    "prompt": "the girl blinked"  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	IMAGE_TO_VIDEO	Feature name	✓
model	text	kling	Model name	✓
promptObject.imageUrl	text	development/images/...	Path to input image	✓
promptObject.duration	number	5	Length of video in seconds	✓
promptObject.version	text	1.0	Model version	✓
promptObject.aspect_ratio	text	16:9	Video aspect ratio	✓
promptObject.cfg_scale	number	0.5	Classifier-free guidance scale	✓
promptObject.mode	text	std	Generation mode	✓
promptObject.negative_prompt	text	earring	Prompt to avoid in generation	✓
promptObject.prompt	text	the girl blinked	Descriptive prompt for video	✓

Response Payload

```
{}
```

Youtube Summarizer API

Endpoint

```
https://api.1min.ai/api/features
```

Request Header

Field	Value
API-KEY	<api-key>
Content-Type	application/json

Gemini 1.5 Flash

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_SUMMARIZER",  
  "model": "gemini-1.5-flash",  
  "conversationId": "YOUTUBE_SUMMARIZER",  
  "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",  
    "language": "English"  
  }  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_SUMMARIZER	Feature name	✓
model	text	gemini-1.5-flash	Model name	✓
conversationId	text	YOUTUBE_SUMMARIZER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.language	text	English	Language for summary	✓

Response Payload

```
{}
```

Gemini 1.5 Pro

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_SUMMARIZER",  
  "model": "gemini-1.5-pro",  
  "conversationId": "YOUTUBE_SUMMARIZER",  
  "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",  
    "language": "English"  
  }  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_SUMMARIZER	Feature name	✓
model	text	gemini-1.5-pro	Model name	✓
conversationId	text	YOUTUBE_SUMMARIZER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.language	text	English	Language for summary	✓

Response Payload

```
{}
```

Gemini 1.0 Pro

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "YOUTUBE_SUMMARIZER",
  "model": "gemini-1.0-pro",
  "conversationId": "YOUTUBE_SUMMARIZER",
  "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",
  "promptObject": {
    "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",
    "language": "English"
  }
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_SUMMARIZER	Feature name	✓
model	text	gemini-1.0-pro	Model name	✓
conversationId	text	YOUTUBE_SUMMARIZER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.language	text	English	Language for summary	✓

Response Payload

```
{}
```

GPT-o3 Mini

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_SUMMARIZER",  
  "model": "o3-mini",  
  "conversationId": "YOUTUBE_SUMMARIZER",  
  "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",  
    "language": "English"  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_SUMMARIZER	Feature name	✓
model	text	o3-mini	Model name	✓
conversationId	text	YOUTUBE_SUMMARIZER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.language	text	English	Language for summary	✓

Response Payload

```
{}
```

GPT-o1

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_SUMMARIZER",  
  "model": "o1-preview",  
  "conversationId": "YOUTUBE_SUMMARIZER",  
  "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",  
    "language": "English"  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_SUMMARIZER	Feature name	✓

model	text	o1-preview	Model name	✓
conversationId	text	YOUTUBE_SUMMARIZER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.language	text	English	Language for summary	✓

Response Payload

```
{}
```

GPT-o1 Mini

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_SUMMARIZER",  
  "model": "o1-mini",  
  "conversationId": "YOUTUBE_SUMMARIZER",  
  "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",  
    "language": "English"  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_SUMMARIZER	Feature name	✓
model	text	o1-mini	Model name	✓
conversationId	text	YOUTUBE_SUMMARIZER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.language	text	English	Language for summary	✓

Response Payload

```
{}
```

GPT-4o Mini

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{
```

```

"type": "YOUTUBE_SUMMARIZER",
"model": "gpt-4o-mini",
"conversationId": "YOUTUBE_SUMMARIZER",
"videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",
"promptObject": {
  "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",
  "language": "English"
}
}'

```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_SUMMARIZER	Feature name	✓
model	text	gpt-4o-mini	Model name	✓
conversationId	text	YOUTUBE_SUMMARIZER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.language	text	English	Language for summary	✓

Response Payload

```

{}

```

GPT-4o

Request Payload

```

curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "YOUTUBE_SUMMARIZER",
  "model": "gpt-4o",
  "conversationId": "YOUTUBE_SUMMARIZER",
  "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",
  "promptObject": {
    "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",
    "language": "English"
  }
}'

```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_SUMMARIZER	Feature name	✓
model	text	gpt-4o	Model name	✓
conversationId	text	YOUTUBE_SUMMARIZER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓

promptObject.language	text	English	Language for summary	✓
-----------------------	------	---------	----------------------	---

Response Payload

```
{}
```

GPT-4 Turbo

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_SUMMARIZER",  
  "model": "gpt-4-turbo",  
  "conversationId": "YOUTUBE_SUMMARIZER",  
  "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",  
    "language": "English"  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_SUMMARIZER	Feature name	✓
model	text	gpt-4-turbo	Model name	✓
conversationId	text	YOUTUBE_SUMMARIZER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.language	text	English	Language for summary	✓

Response Payload

```
{}
```

GPT-3.5 Turbo

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_SUMMARIZER",  
  "model": "gpt-3.5-turbo",  
  "conversationId": "YOUTUBE_SUMMARIZER",  
  "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",  
    "language": "English"  
  }  
}'
```

```
"videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",
"language": "English"
}
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_SUMMARIZER	Feature name	✓
model	text	gpt-3.5-turbo	Model name	✓
conversationId	text	YOUTUBE_SUMMARIZER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.language	text	English	Language for summary	✓

Response Payload

```
{}
```

Claude 3.5 Haiku

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \\\
--header 'API-KEY: <api-key>' \\\
--header 'Content-Type: application/json' \\\
--data '{
  "type": "YOUTUBE_SUMMARIZER",
  "model": "claude-3-5-haiku-20241022",
  "conversationId": "YOUTUBE_SUMMARIZER",
  "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",
  "promptObject": {
    "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",
    "language": "English"
  }
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_SUMMARIZER	Feature name	✓
model	text	claude-3-5-haiku-20241022	Model name	✓
conversationId	text	YOUTUBE_SUMMARIZER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.language	text	English	Language for summary	✓

Response Payload

```
{}
```

Claude 3.5 Sonnet

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_SUMMARIZER",  
  "model": "claude-3-5-sonnet-20240620",  
  "conversationId": "YOUTUBE_SUMMARIZER",  
  "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",  
    "language": "English"  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_SUMMARIZER	Feature name	✓
model	text	claude-3-5-sonnet-20240620	Model name	✓
conversationId	text	YOUTUBE_SUMMARIZER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.language	text	English	Language for summary	✓

Response Payload

```
{}
```

Claude 3 Opus

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_SUMMARIZER",  
  "model": "claude-3-opus-20240229",  
  "conversationId": "YOUTUBE_SUMMARIZER",  
  "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",  
    "language": "English"  
  }  
}'
```

```
}  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_SUMMARIZER	Feature name	✓
model	text	claude-3-opus-20240229	Model name	✓
conversationId	text	YOUTUBE_SUMMARIZER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.language	text	English	Language for summary	✓

Response Payload

```
{}
```

Claude 3 Sonnet

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_SUMMARIZER",  
  "model": "claude-3-sonnet-20240229",  
  "conversationId": "YOUTUBE_SUMMARIZER",  
  "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",  
    "language": "English"  
  }  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_SUMMARIZER	Feature name	✓
model	text	claude-3-sonnet-20240229	Model name	✓
conversationId	text	YOUTUBE_SUMMARIZER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.language	text	English	Language for summary	✓

Response Payload

```
{}
```


Claude 3 Haiku

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_SUMMARIZER",  
  "model": "claude-3-haiku-20240307",  
  "conversationId": "YOUTUBE_SUMMARIZER",  
  "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",  
    "language": "English"  
  }  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_SUMMARIZER	Feature name	✓
model	text	claude-3-haiku-20240307	Model name	✓
conversationId	text	YOUTUBE_SUMMARIZER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.language	text	English	Language for summary	✓

Response Payload

```
{}
```

Mistral Large 2

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_SUMMARIZER",  
  "model": "mistral-large-latest",  
  "conversationId": "YOUTUBE_SUMMARIZER",  
  "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",  
    "language": "English"  
  }  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_SUMMARIZER	Feature name	✓
model	text	mistral-large-latest	Model name	✓
conversationId	text	YOUTUBE_SUMMARIZER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.language	text	English	Language for summary	✓

Response Payload

```
{}
```

Mistral Small

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "YOUTUBE_SUMMARIZER",
  "model": "mistral-small-latest",
  "conversationId": "YOUTUBE_SUMMARIZER",
  "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",
  "promptObject": {
    "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",
    "language": "English"
  }
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_SUMMARIZER	Feature name	✓
model	text	mistral-small-latest	Model name	✓
conversationId	text	YOUTUBE_SUMMARIZER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.language	text	English	Language for summary	✓

Response Payload

```
{}
```

Mistral Nemo

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_SUMMARIZER",  
  "model": "mistral-nemo",  
  "conversationId": "YOUTUBE_SUMMARIZER",  
  "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",  
    "language": "English"  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_SUMMARIZER	Feature name	✓
model	text	mistral-nemo	Model name	✓
conversationId	text	YOUTUBE_SUMMARIZER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.language	text	English	Language for summary	✓

Response Payload

```
{}
```

Mistral Pixtral 12B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_SUMMARIZER",  
  "model": "pixtral-12b",  
  "conversationId": "YOUTUBE_SUMMARIZER",  
  "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",  
    "language": "English"  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_SUMMARIZER	Feature name	✓

model	text	pixtral-12b	Model name	✓
conversationId	text	YOUTUBE_SUMMARIZER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.language	text	English	Language for summary	✓

Response Payload

```
{}
```

Mixtral 8x22B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_SUMMARIZER",  
  "model": "open-mixtral-8x22b",  
  "conversationId": "YOUTUBE_SUMMARIZER",  
  "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",  
    "language": "English"  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_SUMMARIZER	Feature name	✓
model	text	open-mixtral-8x22b	Model name	✓
conversationId	text	YOUTUBE_SUMMARIZER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.language	text	English	Language for summary	✓

Response Payload

```
{}
```

Mixtral 8x7B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{
```

```

"type": "YOUTUBE_SUMMARIZER",
"model": "open-mixtral-8x7b",
"conversationId": "YOUTUBE_SUMMARIZER",
"videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",
"promptObject": {
  "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",
  "language": "English"
}
}'

```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_SUMMARIZER	Feature name	✓
model	text	open-mixtral-8x7b	Model name	✓
conversationId	text	YOUTUBE_SUMMARIZER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.language	text	English	Language for summary	✓

Response Payload

```

{}

```

Mistral 7B

Request Payload

```

curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "YOUTUBE_SUMMARIZER",
  "model": "open-mistral-7b",
  "conversationId": "YOUTUBE_SUMMARIZER",
  "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",
  "promptObject": {
    "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",
    "language": "English"
  }
}'

```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_SUMMARIZER	Feature name	✓
model	text	open-mistral-7b	Model name	✓
conversationId	text	YOUTUBE_SUMMARIZER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓

promptObject.language	text	English	Language for summary	✓
-----------------------	------	---------	----------------------	---

Response Payload

```
{}
```

Llama 3.1 405B

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "YOUTUBE_SUMMARIZER",
  "model": "meta/meta-llama-3.1-405b-instruct",
  "conversationId": "YOUTUBE_SUMMARIZER",
  "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",
  "promptObject": {
    "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",
    "language": "English"
  }
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_SUMMARIZER	Feature name	✓
model	text	meta/meta-llama-3.1-405b-instruct	Model name	✓
conversationId	text	YOUTUBE_SUMMARIZER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.language	text	English	Language for summary	✓

Response Payload

```
{}
```

Llama 3 70B

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "YOUTUBE_SUMMARIZER",
  "model": "meta/meta-llama-3-70b-instruct",
  "conversationId": "YOUTUBE_SUMMARIZER",
  "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",
  "promptObject": {
```

```
"videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",
"language": "English"
}
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_SUMMARIZER	Feature name	✓
model	text	meta/meta-llama-3-70b-instruct	Model name	✓
conversationId	text	YOUTUBE_SUMMARIZER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.language	text	English	Language for summary	✓

Response Payload

```
{}
```

Llama 2 70B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\\
--header 'API-KEY: <api-key>' \\\
--header 'Content-Type: application/json' \\\
--data '{
  "type": "YOUTUBE_SUMMARIZER",
  "model": "meta/llama-2-70b-chat",
  "conversationId": "YOUTUBE_SUMMARIZER",
  "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",
  "promptObject": {
    "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",
    "language": "English"
  }
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_SUMMARIZER	Feature name	✓
model	text	meta/llama-2-70b-chat	Model name	✓
conversationId	text	YOUTUBE_SUMMARIZER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.language	text	English	Language for summary	✓

Response Payload

```
{}
```

Command R

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_SUMMARIZER",  
  "model": "command",  
  "conversationId": "YOUTUBE_SUMMARIZER",  
  "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",  
    "language": "English"  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_SUMMARIZER	Feature name	✓
model	text	command	Model name	✓
conversationId	text	YOUTUBE_SUMMARIZER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.language	text	English	Language for summary	✓

Response Payload

```
{}
```

DeepSeek

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_SUMMARIZER",  
  "model": "deepseek-chat",  
  "conversationId": "YOUTUBE_SUMMARIZER",  
  "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",  
    "language": "English"  
  }  
}'
```



```
}  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_SUMMARIZER	Feature name	✓
model	text	deepseek-chat	Model name	✓
conversationId	text	YOUTUBE_SUMMARIZER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.language	text	English	Language for summary	✓

Response Payload

```
{}
```

Grok 2

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_SUMMARIZER",  
  "model": "grok-2",  
  "conversationId": "YOUTUBE_SUMMARIZER",  
  "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=4GpNYaDkBcs>",  
    "language": "English"  
  }  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_SUMMARIZER	Feature name	✓
model	text	grok-2	Model name	✓
conversationId	text	YOUTUBE_SUMMARIZER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.language	text	English	Language for summary	✓

Response Payload

```
{}
```

YouTube Transcriber API

Endpoint

`https://api.1min.ai/api/features`

Request Header

Field	Value
API-KEY	<api-key>
Content-Type	application/json

Gemini 1.5 Flash

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_TRANSCRIBER",  
  "model": "gemini-1.5-flash",  
  "conversationId": "YOUTUBE_TRANSCRIBER",  
  "videoUrl": "<https://www.youtube.com/watch?v=oAANQqa8Kfc&t=3s>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=oAANQqa8Kfc&t=3s>"  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSCRIBER	Feature name	✓
model	text	gemini-1.5-flash	Model name	✓
conversationId	text	YOUTUBE_TRANSCRIBER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓

Response Payload

```
{}
```

GPT-o1 - OpenAI

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{
```

```

"type": "YOUTUBE_TRANSCRIBER",
"model": "o1-preview",
"conversationId": "YOUTUBE_TRANSCRIBER",
"videoUrl": "<https://www.youtube.com/watch?v=oAANQqa8Kfc&t=3s>",
"promptObject": {
  "videoUrl": "<https://www.youtube.com/watch?v=oAANQqa8Kfc&t=3s>"
}
}'

```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSCRIBER	Feature name	✓
model	text	o1-preview	Model name	✓
conversationId	text	YOUTUBE_TRANSCRIBER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓

Response Payload

```

{}

```

Gemini 1.5 Pro

Request Payload

```

curl --location '<https://api.1min.ai/api/features>' \\\
--header 'API-KEY: <api-key>' \\\
--header 'Content-Type: application/json' \\\
--data '{
  "type": "YOUTUBE_TRANSCRIBER",
  "model": "gemini-1.5-pro",
  "conversationId": "YOUTUBE_TRANSCRIBER",
  "videoUrl": "<https://www.youtube.com/watch?v=oAANQqa8Kfc&t=3s>",
  "promptObject": {
    "videoUrl": "<https://www.youtube.com/watch?v=oAANQqa8Kfc&t=3s>"
  }
}'

```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSCRIBER	Feature name	✓
model	text	gemini-1.5-pro	Model name	✓
conversationId	text	YOUTUBE_TRANSCRIBER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓

Response Payload

```
{}
```

Gemini 1.0 Pro

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "YOUTUBE_TRANSCRIBER",
  "model": "gemini-1.0-pro",
  "conversationId": "YOUTUBE_TRANSCRIBER",
  "videoUrl": "<https://www.youtube.com/watch?v=oAANQqa8Kfc&t=3s>",
  "promptObject": {
    "videoUrl": "<https://www.youtube.com/watch?v=oAANQqa8Kfc&t=3s>"
  }
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSCRIBER	Feature name	✓
model	text	gemini-1.0-pro	Model name	✓
conversationId	text	YOUTUBE_TRANSCRIBER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/..	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/..	YouTube video URL	✓

Response Payload

```
{}
```

GPT-o3 Mini

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "YOUTUBE_TRANSCRIBER",
  "model": "o3-mini",
  "conversationId": "YOUTUBE_TRANSCRIBER",
  "videoUrl": "<https://www.youtube.com/watch?v=oAANQqa8Kfc&t=3s>",
  "promptObject": {
    "videoUrl": "<https://www.youtube.com/watch?v=oAANQqa8Kfc&t=3s>"
  }
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSCRIBER	Feature name	✓
model	text	o3-mini	Model name	✓
conversationId	text	YOUTUBE_TRANSCRIBER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓

Response Payload

```
{}
```

GPT-o1 Mini

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "YOUTUBE_TRANSCRIBER",
  "model": "o1-mini",
  "conversationId": "YOUTUBE_TRANSCRIBER",
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",
  "promptObject": {
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>"
  }
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSCRIBER	Feature name	✓
model	text	o1-mini	Model name	✓
conversationId	text	YOUTUBE_TRANSCRIBER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓

Response Payload

```
{}
```

GPT-4o Mini

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "YOUTUBE_TRANSCRIBER",
```

```

"model": "gpt-4o-mini",
"conversationId": "YOUTUBE_TRANSCRIBER",
"videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",
"promptObject": {
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>"
}
}'

```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSCRIBER	Feature name	✓
model	text	gpt-4o-mini	Model name	✓
conversationId	text	YOUTUBE_TRANSCRIBER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓

Response Payload

```

{}

```

GPT-4o

Request Payload

```

curl --location '<https://api.1min.ai/api/features>' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "YOUTUBE_TRANSCRIBER",
  "model": "gpt-4o",
  "conversationId": "YOUTUBE_TRANSCRIBER",
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",
  "promptObject": {
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>"
  }
}'

```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSCRIBER	Feature name	✓
model	text	gpt-4o	Model name	✓
conversationId	text	YOUTUBE_TRANSCRIBER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓

Response Payload

```

{}

```

GPT-4 Turbo

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "YOUTUBE_TRANSCRIBER",
  "model": "gpt-4-turbo",
  "conversationId": "YOUTUBE_TRANSCRIBER",
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",
  "promptObject": {
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>"
  }
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSCRIBER	Feature name	✓
model	text	gpt-4-turbo	Model name	✓
conversationId	text	YOUTUBE_TRANSCRIBER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓

Response Payload

```
{}
```

GPT-3.5 Turbo

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "YOUTUBE_TRANSCRIBER",
  "model": "gpt-3.5-turbo",
  "conversationId": "YOUTUBE_TRANSCRIBER",
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",
  "promptObject": {
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>"
  }
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSCRIBER	Feature name	✓

model	text	gpt-3.5-turbo	Model name	✓
conversationId	text	YOUTUBE_TRANSCRIBER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓

Response Payload

```
{}
```

Claude 3.5 Haiku

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "YOUTUBE_TRANSCRIBER",
  "model": "claude-3-5-haiku-20241022",
  "conversationId": "YOUTUBE_TRANSCRIBER",
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",
  "promptObject": {
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>"
  }
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSCRIBER	Feature name	✓
model	text	claude-3-5-haiku-20241022	Model name	✓
conversationId	text	YOUTUBE_TRANSCRIBER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓

Response Payload

```
{}
```

Claude 3.5 Sonnet

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "YOUTUBE_TRANSCRIBER",
  "model": "claude-3-5-sonnet-20240620",
  "conversationId": "YOUTUBE_TRANSCRIBER",
```



```
"videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",
"promptObject": {
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>"
}
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSCRIBER	Feature name	✓
model	text	claude-3-5-sonnet-20240620	Model name	✓
conversationId	text	YOUTUBE_TRANSCRIBER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓

Response Payload

```
{}
```

Claude 3 Opus

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_TRANSCRIBER",  
  "model": "claude-3-opus-20240229",  
  "conversationId": "YOUTUBE_TRANSCRIBER",  
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>"  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSCRIBER	Feature name	✓
model	text	claude-3-opus-20240229	Model name	✓
conversationId	text	YOUTUBE_TRANSCRIBER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓

Response Payload

```
{}
```

Claude 3 Sonnet

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_TRANSCRIBER",  
  "model": "claude-3-sonnet-20240229",  
  "conversationId": "YOUTUBE_TRANSCRIBER",  
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>"  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSCRIBER	Feature name	✓
model	text	claude-3-sonnet-20240229	Model name	✓
conversationId	text	YOUTUBE_TRANSCRIBER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓

Response Payload

```
{}
```

Claude 3 Haiku

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_TRANSCRIBER",  
  "model": "claude-3-haiku-20240307",  
  "conversationId": "YOUTUBE_TRANSCRIBER",  
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>"  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSCRIBER	Feature name	✓
model	text	claude-3-haiku-20240307	Model name	✓
conversationId	text	YOUTUBE_TRANSCRIBER	Conversation ID	✓

videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓

Response Payload

```
{}
```

Mistral Large 2

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_TRANSCRIBER",  
  "model": "mistral-large-latest",  
  "conversationId": "YOUTUBE_TRANSCRIBER",  
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>"  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSCRIBER	Feature name	✓
model	text	mistral-large-latest	Model name	✓
conversationId	text	YOUTUBE_TRANSCRIBER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓

Response Payload

```
{}
```

Mistral Small

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_TRANSCRIBER",  
  "model": "mistral-small-latest",  
  "conversationId": "YOUTUBE_TRANSCRIBER",  
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>"  
  }  
}'
```

```
}  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSCRIBER	Feature name	✓
model	text	mistral-small-latest	Model name	✓
conversationId	text	YOUTUBE_TRANSCRIBER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓

Response Payload

```
{}
```

Mistral Nemo

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_TRANSCRIBER",  
  "model": "mistral-nemo",  
  "conversationId": "YOUTUBE_TRANSCRIBER",  
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>"  
  }  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSCRIBER	Feature name	✓
model	text	mistral-nemo	Model name	✓
conversationId	text	YOUTUBE_TRANSCRIBER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓

Response Payload

```
{}
```

Mistral Pixtral 12B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_TRANSCRIBER",  
  "model": "pixtral-12b",  
  "conversationId": "YOUTUBE_TRANSCRIBER",  
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>"  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSCRIBER	Feature name	✓
model	text	pixtral-12b	Model name	✓
conversationId	text	YOUTUBE_TRANSCRIBER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓

Response Payload

```
{}
```

Mixtral 8x22B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_TRANSCRIBER",  
  "model": "open-mixtral-8x22b",  
  "conversationId": "YOUTUBE_TRANSCRIBER",  
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>"  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSCRIBER	Feature name	✓
model	text	open-mixtral-8x22b	Model name	✓
conversationId	text	YOUTUBE_TRANSCRIBER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓

promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
-----------------------	------	---	-------------------	---

Response Payload

```
{}
```

Mixtral 8x7B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_TRANSCRIBER",  
  "model": "open-mixtral-8x7b",  
  "conversationId": "YOUTUBE_TRANSCRIBER",  
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>"  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSCRIBER	Feature name	✓
model	text	open-mixtral-8x7b	Model name	✓
conversationId	text	YOUTUBE_TRANSCRIBER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓

Response Payload

```
{}
```

Mistral 7B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_TRANSCRIBER",  
  "model": "open-mistral-7b",  
  "conversationId": "YOUTUBE_TRANSCRIBER",  
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>"  
  }  
}'
```

```
}  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSCRIBER	Feature name	✓
model	text	open-mistral-7b	Model name	✓
conversationId	text	YOUTUBE_TRANSCRIBER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓

Response Payload

```
{}
```

Llama 3.1 405B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_TRANSCRIBER",  
  "model": "meta/meta-llama-3.1-405b-instruct",  
  "conversationId": "YOUTUBE_TRANSCRIBER",  
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>"  
  }  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSCRIBER	Feature name	✓
model	text	meta/meta-llama-3.1-405b-instruct	Model name	✓
conversationId	text	YOUTUBE_TRANSCRIBER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓

Response Payload

```
{}
```

Llama 3 70B

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_TRANSCRIBER",  
  "model": "meta/meta-llama-3-70b-instruct",  
  "conversationId": "YOUTUBE_TRANSCRIBER",  
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>"  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSCRIBER	Feature name	✓
model	text	meta/meta-llama-3-70b-instruct	Model name	✓
conversationId	text	YOUTUBE_TRANSCRIBER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓

Response Payload

```
{}
```

Llama 2 70B

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_TRANSCRIBER",  
  "model": "meta/llama-2-70b-chat",  
  "conversationId": "YOUTUBE_TRANSCRIBER",  
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>"  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSCRIBER	Feature name	✓
model	text	meta/llama-2-70b-chat	Model name	✓
conversationId	text	YOUTUBE_TRANSCRIBER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓

promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
-----------------------	------	---	-------------------	---

Response Payload

```
{}
```

Command R

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_TRANSCRIBER",  
  "model": "command",  
  "conversationId": "YOUTUBE_TRANSCRIBER",  
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>"  
  }  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSCRIBER	Feature name	✓
model	text	command	Model name	✓
conversationId	text	YOUTUBE_TRANSCRIBER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓

Response Payload

```
{}
```

DeepSeek

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_TRANSCRIBER",  
  "model": "deepseek-chat",  
  "conversationId": "YOUTUBE_TRANSCRIBER",  
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>"  
  }  
'
```

```
}  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSCRIBER	Feature name	✓
model	text	deepseek-chat	Model name	✓
conversationId	text	YOUTUBE_TRANSCRIBER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓

Response Payload

```
{}
```

Grok 2

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_TRANSCRIBER",  
  "model": "grok-2",  
  "conversationId": "YOUTUBE_TRANSCRIBER",  
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>"  
  }  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSCRIBER	Feature name	✓
model	text	grok-2	Model name	✓
conversationId	text	YOUTUBE_TRANSCRIBER	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓

Response Payload

```
{}
```

YouTube Translator API

Endpoint

https://api.1min.ai/api/features

Request Header

Field	Value
API-KEY	<api-key>
Content-Type	application/json

Gemini 1.5 Flash

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_TRANSLATOR",  
  "model": "gemini-1.5-flash",  
  "conversationId": "YOUTUBE_TRANSLATOR",  
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
    "targetLanguage": "Vietnamese"  
  }  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSLATOR	Feature name	✓
model	text	gemini-1.5-flash	Model name	✓
conversationId	text	YOUTUBE_TRANSLATOR	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.targetLanguage	text	Vietnamese	Target language for translation	✓

Response Payload

```
{}
```

Gemini 1.5 Pro

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_TRANSLATOR",  
  "model": "gemini-1.5-pro",  
  "conversationId": "YOUTUBE_TRANSLATOR",  
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
    "targetLanguage": "Vietnamese"  
  }  
'
```

```

"conversationId": "YOUTUBE_TRANSLATOR",
"videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",
"promptObject": {
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",
  "targetLanguage": "Vietnamese"
}
}'

```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSLATOR	Feature name	✓
model	text	gemini-1.5-pro	Model name	✓
conversationId	text	YOUTUBE_TRANSLATOR	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.targetLanguage	text	Vietnamese	Target language for translation	✓

Response Payload

```

{}

```

Gemini 1.0 Pro

Request Payload

```

curl --location '<https://api.1min.ai/api/features>' \\\
--header 'API-KEY: <api-key>' \\\
--header 'Content-Type: application/json' \\\
--data '{
  "type": "YOUTUBE_TRANSLATOR",
  "model": "gemini-1.0-pro",
  "conversationId": "YOUTUBE_TRANSLATOR",
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",
  "promptObject": {
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",
    "targetLanguage": "Vietnamese"
  }
}'

```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSLATOR	Feature name	✓
model	text	gemini-1.0-pro	Model name	✓
conversationId	text	YOUTUBE_TRANSLATOR	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.targetLanguage	text	Vietnamese	Target language for translation	✓

Response Payload

```
{}
```

GPT-o3 Mini

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_TRANSLATOR",  
  "model": "o3-mini",  
  "conversationId": "YOUTUBE_TRANSLATOR",  
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
    "targetLanguage": "Vietnamese"  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSLATOR	Feature name	✓
model	text	o3-mini	Model name	✓
conversationId	text	YOUTUBE_TRANSLATOR	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.targetLanguage	text	Vietnamese	Target language for translation	✓

Response Payload

```
{}
```

GPT-o1

Request Payload

```
curl --location 'https://api.1min.ai/api/features' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_TRANSLATOR",  
  "model": "o1-preview",  
  "conversationId": "YOUTUBE_TRANSLATOR",  
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
    "targetLanguage": "Vietnamese"  
  }  
}'
```

```
}  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSLATOR	Feature name	✓
model	text	o1-preview	Model name	✓
conversationId	text	YOUTUBE_TRANSLATOR	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.targetLanguage	text	Vietnamese	Target language for translation	✓

Response Payload

```
{}
```

bGPT-4o Mini

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_TRANSLATOR",  
  "model": "gpt-4o-mini",  
  "conversationId": "YOUTUBE_TRANSLATOR",  
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
    "targetLanguage": "English"  
  }  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSLATOR	Feature name	✓
model	text	gpt-4o-mini	Model name	✓
conversationId	text	YOUTUBE_TRANSLATOR	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.targetLanguage	text	English	Target language for translation	✓

Response Payload

```
{}
```

GPT-4o

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_TRANSLATOR",  
  "model": "gpt-4o",  
  "conversationId": "YOUTUBE_TRANSLATOR",  
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
    "targetLanguage": "English"  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSLATOR	Feature name	✓
model	text	gpt-4o	Model name	✓
conversationId	text	YOUTUBE_TRANSLATOR	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.targetLanguage	text	English	Target language for translation	✓

Response Payload

```
{}
```

GPT-4 Turbo

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_TRANSLATOR",  
  "model": "gpt-4-turbo",  
  "conversationId": "YOUTUBE_TRANSLATOR",  
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
    "targetLanguage": "English"  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSLATOR	Feature name	✓
model	text	gpt-4-turbo	Model name	✓
conversationId	text	YOUTUBE_TRANSLATOR	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.targetLanguage	text	English	Target language for translation	✓

Response Payload

```
{}
```

GPT-3.5 Turbo

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_TRANSLATOR",  
  "model": "gpt-3.5-turbo",  
  "conversationId": "YOUTUBE_TRANSLATOR",  
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
    "targetLanguage": "English"  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSLATOR	Feature name	✓
model	text	gpt-3.5-turbo	Model name	✓
conversationId	text	YOUTUBE_TRANSLATOR	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.targetLanguage	text	English	Target language for translation	✓

Response Payload

```
{}
```

Claude 3.5 Haiku

Request Payload


```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_TRANSLATOR",  
  "model": "claude-3-5-haiku-20241022",  
  "conversationId": "YOUTUBE_TRANSLATOR",  
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
    "targetLanguage": "English"  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSLATOR	Feature name	✓
model	text	claude-3-5-haiku-20241022	Model name	✓
conversationId	text	YOUTUBE_TRANSLATOR	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.targetLanguage	text	English	Target language for translation	✓

Response Payload

```
{}
```

Claude 3.5 Sonnet

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_TRANSLATOR",  
  "model": "claude-3-5-sonnet-20240620",  
  "conversationId": "YOUTUBE_TRANSLATOR",  
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
    "targetLanguage": "English"  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSLATOR	Feature name	✓

model	text	claude-3-5-sonnet-20240620	Model name	✓
conversationId	text	YOUTUBE_TRANSLATOR	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.targetLanguage	text	English	Target language for translation	✓

Response Payload

```
{}
```

Claude 3 Opus

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_TRANSLATOR",  
  "model": "claude-3-opus-20240229",  
  "conversationId": "YOUTUBE_TRANSLATOR",  
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
    "targetLanguage": "English"  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSLATOR	Feature name	✓
model	text	claude-3-opus-20240229	Model name	✓
conversationId	text	YOUTUBE_TRANSLATOR	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.targetLanguage	text	English	Target language for translation	✓

Response Payload

```
{}
```

Claude 3 Sonnet

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{
```

```

"type": "YOUTUBE_TRANSLATOR",
"model": "claude-3-sonnet-20240229",
"conversationId": "YOUTUBE_TRANSLATOR",
"videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",
"promptObject": {
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",
  "targetLanguage": "English"
}
}'

```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSLATOR	Feature name	✓
model	text	claude-3-sonnet-20240229	Model name	✓
conversationId	text	YOUTUBE_TRANSLATOR	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.targetLanguage	text	English	Target language for translation	✓

Response Payload

```

{}

```

Claude 3 Haiku

Request Payload

```

curl --location 'https://api.1min.ai/api/features' \
--header 'API-KEY: <api-key>' \
--header 'Content-Type: application/json' \
--data '{
  "type": "YOUTUBE_TRANSLATOR",
  "model": "claude-3-haiku-20240307",
  "conversationId": "YOUTUBE_TRANSLATOR",
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",
  "promptObject": {
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",
    "targetLanguage": "English"
  }
}'

```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSLATOR	Feature name	✓
model	text	claude-3-haiku-20240307	Model name	✓
conversationId	text	YOUTUBE_TRANSLATOR	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓

promptObject.targetLanguage	text	English	Target language for translation	✓
-----------------------------	------	---------	---------------------------------	---

Response Payload

```
{}
```

Mistral Large 2

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_TRANSLATOR",  
  "model": "mistral-large-latest",  
  "conversationId": "YOUTUBE_TRANSLATOR",  
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
    "targetLanguage": "English"  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSLATOR	Feature name	✓
model	text	mistral-large-latest	Model name	✓
conversationId	text	YOUTUBE_TRANSLATOR	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.targetLanguage	text	English	Target language for translation	✓

Response Payload

```
{}
```

Mistral Small

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_TRANSLATOR",  
  "model": "mistral-small-latest",  
  "conversationId": "YOUTUBE_TRANSLATOR",  
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
    "targetLanguage": "English"  
  }  
}'
```

```
"videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",
"targetLanguage": "English"
}
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSLATOR	Feature name	✓
model	text	mistral-small-latest	Model name	✓
conversationId	text	YOUTUBE_TRANSLATOR	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.targetLanguage	text	English	Target language for translation	✓

Response Payload

```
{}
```

Mistral Nemo

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\\
--header 'API-KEY: <api-key>' \\\
--header 'Content-Type: application/json' \\\
--data '{
  "type": "YOUTUBE_TRANSLATOR",
  "model": "mistral-nemo",
  "conversationId": "YOUTUBE_TRANSLATOR",
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",
  "promptObject": {
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",
    "targetLanguage": "English"
  }
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSLATOR	Feature name	✓
model	text	mistral-nemo	Model name	✓
conversationId	text	YOUTUBE_TRANSLATOR	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.targetLanguage	text	English	Target language for translation	✓

Response Payload

```
{}
```

Mistral Pixtral 12B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_TRANSLATOR",  
  "model": "pixtral-12b",  
  "conversationId": "YOUTUBE_TRANSLATOR",  
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
    "targetLanguage": "English"  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSLATOR	Feature name	✓
model	text	pixtral-12b	Model name	✓
conversationId	text	YOUTUBE_TRANSLATOR	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.targetLanguage	text	English	Target language for translation	✓

Response Payload

```
{}
```

Mixtral 8x22B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_TRANSLATOR",  
  "model": "open-mixtral-8x22b",  
  "conversationId": "YOUTUBE_TRANSLATOR",  
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
    "targetLanguage": "English"  
  }  
}'
```

```
}  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSLATOR	Feature name	✓
model	text	open-mixtral-8×22b	Model name	✓
conversationId	text	YOUTUBE_TRANSLATOR	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.targetLanguage	text	English	Target language for translation	✓

Response Payload

```
{}
```

Mixtral 8x7B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_TRANSLATOR",  
  "model": "open-mixtral-8×7b",  
  "conversationId": "YOUTUBE_TRANSLATOR",  
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
    "targetLanguage": "English"  
  }  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSLATOR	Feature name	✓
model	text	open-mixtral-8×7b	Model name	✓
conversationId	text	YOUTUBE_TRANSLATOR	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.targetLanguage	text	English	Target language for translation	✓

Response Payload

```
{}
```

Mistral 7B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_TRANSLATOR",  
  "model": "open-mistral-7b",  
  "conversationId": "YOUTUBE_TRANSLATOR",  
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
    "targetLanguage": "English"  
  }  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSLATOR	Feature name	✓
model	text	open-mistral-7b	Model name	✓
conversationId	text	YOUTUBE_TRANSLATOR	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.targetLanguage	text	English	Target language for translation	✓

Response Payload

```
{}
```

Llama 3.1 405B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_TRANSLATOR",  
  "model": "meta/meta-llama-3.1-405b-instruct",  
  "conversationId": "YOUTUBE_TRANSLATOR",  
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
    "targetLanguage": "English"  
  }  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSLATOR	Feature name	✓
model	text	meta/meta-llama-3.1-405b-instruct	Model name	✓
conversationId	text	YOUTUBE_TRANSLATOR	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.targetLanguage	text	English	Target language for translation	✓

Response Payload

```
{}
```

Llama 3 70B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_TRANSLATOR",  
  "model": "meta/meta-llama-3-70b-instruct",  
  "conversationId": "YOUTUBE_TRANSLATOR",  
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
    "targetLanguage": "English"  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSLATOR	Feature name	✓
model	text	meta/meta-llama-3-70b-instruct	Model name	✓
conversationId	text	YOUTUBE_TRANSLATOR	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.targetLanguage	text	English	Target language for translation	✓

Response Payload

```
{}
```

Llama 2 70B

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_TRANSLATOR",  
  "model": "meta/llama-2-70b-chat",  
  "conversationId": "YOUTUBE_TRANSLATOR",  
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
    "targetLanguage": "English"  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSLATOR	Feature name	✓
model	text	meta/llama-2-70b-chat	Model name	✓
conversationId	text	YOUTUBE_TRANSLATOR	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.targetLanguage	text	English	Target language for translation	✓

Response Payload

```
{}
```

Command R

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_TRANSLATOR",  
  "model": "command",  
  "conversationId": "YOUTUBE_TRANSLATOR",  
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
    "targetLanguage": "English"  
  }  
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSLATOR	Feature name	✓

model	text	command	Model name	✓
conversationId	text	YOUTUBE_TRANSLATOR	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.targetLanguage	text	English	Target language for translation	✓

Response Payload

```
{}
```

DeepSeek

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "YOUTUBE_TRANSLATOR",  
  "model": "deepseek-chat",  
  "conversationId": "YOUTUBE_TRANSLATOR",  
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
  "promptObject": {  
    "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",  
    "targetLanguage": "English"  
  }  
'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSLATOR	Feature name	✓
model	text	deepseek-chat	Model name	✓
conversationId	text	YOUTUBE_TRANSLATOR	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.targetLanguage	text	English	Target language for translation	✓

Response Payload

```
{}
```

Grok 2

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{
```

```

"type": "YOUTUBE_TRANSLATOR",
"model": "grok-2",
"conversationId": "YOUTUBE_TRANSLATOR",
"videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",
"promptObject": {
  "videoUrl": "<https://www.youtube.com/watch?v=OlulrDOixEg>",
  "targetLanguage": "English"
}
}'

```

Field Description

Field name	Type	Supported value	Description	Required
type	text	YOUTUBE_TRANSLATOR	Feature name	✓
model	text	grok-2	Model name	✓
conversationId	text	YOUTUBE_TRANSLATOR	Conversation ID	✓
videoUrl	text	https://www.youtube.com/...	Full YouTube video URL	✓
promptObject.videoUrl	text	https://www.youtube.com/...	YouTube video URL	✓
promptObject.targetLanguage	text	English	Target language for translation	✓

Response Payload

```

{}

```

AI for Code

Code Generator API

Endpoint

```

https://api.1min.ai/api/features

```

Request Header

Field	Value
API-KEY	<api-key>
Content-Type	application/json

GPT-4o

Request Payload

```

curl --location '<https://api.1min.ai/api/features>' \\\
--header 'API-KEY: <api-key>' \\\
--header 'Content-Type: application/json' \\\
--data '{
  "type": "CODE_GENERATOR",
  "model": "gpt-4o",
  "conversationId": "CODE_GENERATOR",

```

```
"promptObject": {
  "prompt": "what is NPM?"
}
}'
```

Field Description

Field name	Type	Supported value	Description	Required
type	text	CODE_GENERATOR	Feature name	✓
model	text	gpt-4o	Model name	✓
conversationId	text	CODE_GENERATOR	Conversation ID	✓
promptObject.prompt	text	what is NPM?	Prompt for code generation	✓

Response Payload

```
{}
```

Claude 3.5 Haiku

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  
--data '{  
  "type": "CODE_GENERATOR",  
  "model": "claude-3-5-haiku-20241022",  
  "conversationId": "CODE_GENERATOR",  
  "promptObject": {  
    "prompt": "what is NPM?"  
  }  
}'
```

Field name	Type	Supported value	Description	Required
type	text	CODE_GENERATOR	Feature name	✓
model	text	claude-3-5-haiku-20241022	Model name	✓
conversationId	text	CODE_GENERATOR	Conversation ID	✓
promptObject.prompt	text	what is NPM?	Prompt for code generation	✓

Response Payload

```
{}
```

Claude 3.5 Sonnet

Request Payload

```
curl --location '<https://api.1min.ai/api/features>' \\  
--header 'API-KEY: <api-key>' \\  
--header 'Content-Type: application/json' \\  

```

```
--data '{
  "type": "CODE_GENERATOR",
  "model": "claude-3-5-sonnet-20240620",
  "conversationId": "CODE_GENERATOR",
  "promptObject": {
    "prompt": "what is NPM?"
  }
}'
```

Field name	Type	Supported value	Description	Required
type	text	CODE_GENERATOR	Feature name	✓
model	text	claude-3-5-sonnet-20240620	Model name	✓
conversationId	text	CODE_GENERATOR	Conversation ID	✓
promptObject.prompt	text	what is NPM?	Prompt for code generation	✓

Response Payload

```
{}
```

References

Feature list

```
// Chat Features
```

```
CHAT_WITH_AI: "CHAT_WITH_AI",
CHAT_WITH_PDF: "CHAT_WITH_PDF",
```

```
// Image Processing & Editing
```

```
IMAGE_GENERATOR: "IMAGE_GENERATOR",
IMAGE_TO_PROMPT: "IMAGE_TO_PROMPT",
IMAGE_VARIATOR: "IMAGE_VARIATOR",
IMAGE_EDITOR: "IMAGE_EDITOR",
IMAGE_UPSCALER: "IMAGE_UPSCALER",
BACKGROUND_REPLACER: "BACKGROUND_REPLACER",
BACKGROUND_REMOVER: "BACKGROUND_REMOVER",
TEXT_REMOVER: "TEXT_REMOVER",
SEARCH_AND_REPLACE: "SEARCH_AND_REPLACE",
IMAGE_3D_GENERATOR: "IMAGE_3D_GENERATOR",
IMAGE_EXTENDER: "IMAGE_EXTENDER",
IMAGE_INPAINTER: "IMAGE_INPAINTER",
IMAGE_OBJECT_REMOVER: "IMAGE_OBJECT_REMOVER",
FACE_SWAPPER: "FACE_SWAPPER",
```

```
// Content Writing & Generation
```

```
GRAMMAR_CHECKER: "GRAMMAR_CHECKER",
KEYWORD_RESEARCH: "KEYWORD_RESEARCH",
CONTENT_GENERATOR_BLOG_ARTICLE: "CONTENT_GENERATOR_BLOG_ARTICLE",
CONTENT_GENERATOR_LINKEDIN_COMMENT: "CONTENT_GENERATOR_LINKEDIN_COMMENT",
```

```

CONTENT_GENERATOR_X_COMMENT: "CONTENT_GENERATOR_X_COMMENT",
CONTENT_GENERATOR_FACEBOOK_COMMENT: "CONTENT_GENERATOR_FACEBOOK_COMMENT",
CONTENT_GENERATOR_BRAND_VOICE: "CONTENT_GENERATOR_BRAND_VOICE",
CONTENT_GENERATOR_EMAIL: "CONTENT_GENERATOR_EMAIL",
CONTENT_GENERATOR_EMAIL_REPLY: "CONTENT_GENERATOR_EMAIL_REPLY",
CONTENT_GENERATOR_INSTAGRAM_POST: "CONTENT_GENERATOR_INSTAGRAM_POST",
CONTENT_GENERATOR_FACEBOOK_POST: "CONTENT_GENERATOR_FACEBOOK_POST",
CONTENT_GENERATOR_TIKTOK_DESCRIPTION: "CONTENT_GENERATOR_TIKTOK_DESCRIPTION",
CONTENT_GENERATOR_LINKEDIN_POST: "CONTENT_GENERATOR_LINKEDIN_POST",
CONTENT_GENERATOR_X_TWEET: "CONTENT_GENERATOR_X_TWEET",
CONTENT_GENERATOR_GOOGLE_ADS: "CONTENT_GENERATOR_GOOGLE_ADS",
CONTENT_GENERATOR_FACEBOOK_ADS: "CONTENT_GENERATOR_FACEBOOK_ADS",

// Content Transformation & Optimization
CONTENT_EXPANDER: "CONTENT_EXPANDER",
CONTENT_SHORTENER: "CONTENT_SHORTENER",
CONTENT_TRANSLATOR: "CONTENT_TRANSLATOR",
REWRITER: "REWRITER",
PARAPHRASER: "PARAPHRASER",
SUMMARIZER: "SUMMARIZER",
YOUTUBE_SUMMARIZER: "YOUTUBE_SUMMARIZER",
YOUTUBE_TRANSCRIBER: "YOUTUBE_TRANSCRIBER",
YOUTUBE_TRANSLATOR: "YOUTUBE_TRANSLATOR",

// Video Generation & Processing
IMAGE_TO_VIDEO: "IMAGE_TO_VIDEO",
TEXT_TO_VIDEO: "TEXT_TO_VIDEO",

// Audio & Music
AUDIO_TRANSLATOR: "AUDIO_TRANSLATOR",
SPEECH_TO_TEXT: "SPEECH_TO_TEXT",
TEXT_TO_SPEECH: "TEXT_TO_SPEECH",
MUSIC_GENERATOR: "MUSIC_GENERATOR",

// Code & Presentation
CODE_GENERATOR: "CODE_GENERATOR",
PRESENTATION_GENERATOR: "PRESENTATION_GENERATOR"

```

Model list

```

// OpenAI
O3_MINI: "o3-mini",
O1_PREVIEW: "o1-preview",
O1_MINI: "o1-mini",
GPT4O_MINI: "gpt-4o-mini",
GPT4O: "gpt-4o",
GPT4_TURBO: "gpt-4-turbo",
GPT4: "gpt-4",
GPT35: "gpt-3.5-turbo",
DALLE2: "dall-e-2",
DALLE3: "dall-e-3",
WHISPER: "whisper-1",
TTS1: "tts-1",

```

```

TTS1_HD: "tts-1-hd",

// StabilityAI
STABLE_IMAGE_CORE: "stable-image",
STABLE_DIFFUSION_XL_1_0: "stable-diffusion-xl-1024-v1-0",
STABLE_DIFFUSION_1_6: "stable-diffusion-v1-6",
STABLE_DIFFUSION_ESRGAN_V1_X2PLUS: "esrgan-v1-x2plus",
STABLE_VIDEO_DIFFUSION: "stable-video-diffusion",

// Clipdrop.co
CLIPDROP: "clipdrop",

// Midjourney
MIDJOURNEY: "midjourney",
MIDJOURNEY_6_1: "midjourney_6_1",

// Leonardo.ai
LEONARDO_PHOENIX: "6b645e3a-d64f-4341-a6d8-7a3690fbf042",
LEONARDO_LIGHTNING_XL: "b24e16ff-06e3-43eb-8d33-4416c2d75876",
LEONARDO_ANIME_XL: "e71a1c2f-4f80-4800-934f-2c68979d8cc8",
LEONARDO_DIFFUSION_XL: "1e60896f-3c26-4296-8ecc-53e2afecc132",
LEONARDO_KINO_XL: "aa77f04e-3eec-4034-9c07-d0f619684628",
LEONARDO_VISION_XL: "5c232a9e-9061-4777-980a-ddc8e65647c6",
LEONARDO_ALBEDO_BASE_XL: "2067ae52-33fd-4a82-bb92-c2c55e7d2786",

// Claude
CLAUDE_INSTANT: "claude-instant-1.2",
CLAUDE2: "claude-2.1",
CLAUDE3_5_SONNET: "claude-3-5-sonnet-20240620",
CLAUDE3_OPUS: "claude-3-opus-20240229",
CLAUDE3_SONNET: "claude-3-sonnet-20240229",
CLAUDE3_HAIKU: "claude-3-haiku-20240307",
CLAUDE3_5_HAIKU: "claude-3-5-haiku-20241022",

// GoogleAI
GEMINI: "gemini-1.0-pro",
GEMINI_1_5: "gemini-1.5-pro",
GEMINI_1_5_FLASH: "gemini-1.5-flash",
GOOGLE_TTS: "google-tts",
GOOGLE_SPEECH_LATEST_LONG: "latest_long",
GOOGLE_SPEECH_LATEST_SHORT: "latest_short",
GOOGLE_SPEECH_PHONE_CALL: "phone_call",
GOOGLE_SPEECH_TELEPHONY: "telephony",
GOOGLE_SPEECH_TELEPHONY_SHORT: "telephony_short",
GOOGLE_SPEECH_MEDICAL_DICTATION: "medical_dictation",
GOOGLE_SPEECH_MEDICAL_CONVERSATION: "medical_conversation",
CHAT_BISON: "chat-bison@002",

// MistralAI
MISTRAL_LARGE_2: "mistral-large-latest",
MISTRAL_SMALL: "mistral-small-latest",
MISTRAL_NEMO: "mistral-nemo",
PIXTRAL_12B: "pixtral-12b",
MIXTRAL_8x22B: "open-mixtral-8x22b",

```



```

MIXTRAL_8×7B: "open-mixtral-8×7b",
MISTRAL_7B: "open-mistral-7b",

// Replicate
LLAMA: "meta/llama-2-70b-chat",
LLAMA_3_70B_INSTRUCT: "meta/meta-llama-3-70b-instruct",
LLAMA_3_1_405B_INSTRUCT: "meta/meta-llama-3.1-405b-instruct",
METHEXIS_INC_IMG2PROMPT: "methexis-inc/img2prompt:50adaf2d3ad20a6f911a8a9e3ccf777b263b8596fbd2c8fc26e8",
ALI_VILAB_DAMO: "cjbwb/damo-text-to-video:1e205ea73084bd17a0a3b43396e49ba0d6bc2e754e9283b2df49fad2dcf9",
ANIMATE_DIFF: "lucataco/animate-diff:beecf59c4aee8d81bf04f0381033dfa10dc16e845b4ae00d281e2fa377e48a9f",
HOTSHOT_XL: "lucataco/hotshot-xl:78b3a6257e16e4b241245d65c8b2b81ea2e1ff7ed4c55306b511509ddbdf327a",
FLUX_SCHNELL: "black-forest-labs/flux-schnell",
FLUX_DEV: "black-forest-labs/flux-dev",
FLUX_PRO: "black-forest-labs/flux-pro",
FLUX_PRO_1_1: "black-forest-labs/flux-1.1-pro",
MUSICGEN: "meta/musicgen:671ac645ce5e552cc63a54a2bbff63fcf798043055d2dac5fc9e36a837eedcfb",

// TTAPI
LUMA: "luma",
QUBICO_IMAGE_TOOLKIT: "Qubico/image-toolkit",
SUNO: "suno",
KLING: "kling",
MUSIC_U: "music-u",
MUSIC_S: "music-s",

// Cohere
COMMAND: "command",

// DeepSeek
DEEPSEEK: "deepseek-chat",

// xAI
GROK2: "grok-2",

// ElevenLabs
ELEVENLABS: "elevenlabs-tts",

// Legacy
MISTRAL: "mistralai/mixtral-8×7b-instruct-v0.1"

```

Discussion

Please join these groups:

<https://discord.gg/st68nbJvcu>

<https://www.linkedin.com/groups/14453142/>

<https://www.facebook.com/groups/429454479803549>