# FHIR Bulk Data Access The Basics of Population APIs

## **Michael Turman**

Product Manager, Open Platforms, Cerner Corporation

*November 13<sup>th</sup>, 2020* 



# **Key Questions**


What is FHIR Bulk Data Access?

How is FHIR Bulk Data being defined?




# What is FHIR Bulk Data Access?







# **Create Value**



FHIR Bulk Data Access will provide...

standardization

integration


stability

cost reduction

scale.



# **Enable Innovation**



FHIR Bulk Data Access will enable...

cohort analysis

clinical research

quality measures calculation

public health reporting

data liquidity

new opportunities.



# **Product Scope**

#### **Bulk Data is:**

- FHIR Resources
- FHIR Operation API (read-only)
- SMART Backend Services Authorization

#### Bulk Data is not:

- Data sharing agreements
- Real-time data access
- Patient Matching
- Data Transformation



#### **Allergies and Intolerances**

- Substance (Medication)
- Substance (Drug Class)
- Reaction

#### Assessment and Plan of Treatment

 Assessment and Plan of Treatment

#### **Care Team Members**

Care Team Members

#### **Clinical Notes**

- · Consultation Note
- · Discharge Summary Note
- · History & Physical
- Imaging Narrative
- Laboratory Report Narrative
- Pathology Report Narrative
- Procedure Note
- Progress Note

#### Goals

Patient Goals

#### **Health Concerns**

Health Concerns

#### **Immunizations**

Immunizations

#### Laboratory

- Tests
- Values/Results

#### Medications

Medications

#### **Patient Demographics**

- First Name
- Last Name
- Previous Name
- Middle Name (including Middle Initial)
- Suffix
- Birth Sex
- Date of Birth
- Race
- Ethnicity
- Preferred Language
- Current Address
- Previous Address
- Phone Number
- Phone Number Type
- Email Address

#### **Problems**

Problems

#### Procedures

Procedures

#### **Provenance**

- · Author Time Stamp
- · Author Organization

#### **Smoking Status**

· Smoking Status

#### Unique Device Identifier(s) for a Patient's Implantable Device(s)

 Unique Device Identifier(s) for a Patient's Implantable Device(s)

#### Vital Signs

- Diastolic Blood Pressure
- Systolic Blood Pressure
- Body Height
- Body Weight
- Heart Rate
- · Respiratory Rate
- Body Temperature
- Pulse Oximetry
- Inhaled Oxygen Concentration
- BMI Percentile (2 20 Years)
- Weight-for-length Percentile (Birth - 36 Months)
- Head Occipital-frontal Circumference Percentile (Birth - 36 Months)



# 21st Century Cures Act – Final Rule

#### 7. STANDARDIZED API FOR PATIENT AND POPULATION SERVICES CRITERION

We proposed to adopt a new API criterion in § 170.315(g)(10)...The new criterion focuses on supporting two types of API-enabled services: (1) Services for which a single patient's data is the focus and (2) services for which multiple patients' data are the focus.... This certification criterion will align industry efforts around FHIR Release 4 and advance interoperability of API-enabled "read" services for single and multiple patients.

§ 170.215 Application Programming Interface Standards.

To enable consistent health IT implementation of API enabled "read" services for multiple patients, we have finalized the adoption of the Bulk IG *[FHIR Bulk Data Access (Flat FHIR) (v1.0.0: STU 1)]*, including *mandatory support for the "group-export"* "OperationDefinition" in § 170.215(a)(4).




# How is FHIR Bulk Data being defined?



# **Authorization Flow**

## SMART Backend Services Authorization



Formalizes the access pattern for system-level scopes to FHIR resources using OAuth2.0

## Registration

Bulk Data Client will register public key(s) with FHIR server (JWKS or URL)

Bulk Data Client will be assigned an OAuth client ID

App registration will also include resource scope, data source access, and group access, among other configuration settings.


# Client Authorization Signed JWT Identity Verification Bearer Token Server

## **Request Authorization**

Bulk Data Client will sign JWT with a private key

FHIR server will provide short-lived access token for initiating requests

# **Request Flow**





# Request Flow: Initiate Export

## **Export Request**

Request Header

Accept: application/fhir+json

Prefer: respond-async

## **Endpoints**

GET [FHIR Server Base]/Patient/\$export

GET [FHIR Server Base]/Group/[group id]/\$export

GET [FHIR Server Base]/\$export

### **Query Parameters**

\_outputFormat

since

type

### **Export Response**

Response Header

Status: 202 Accepted

Content-Location: [Content-Location URL]







# Request Flow: Status Polling

## **Status Request**

Request Header

Accept: application/json

**Endpoints** 

GET [Content-Location URL]

### **Status Response**

#### **In-Progress**

Response Header

Status: 202 Accepted

X-Progress: "In-Progress"

Retry-After: [x]

#### **Error**

Response Header


Status: 500 Internal Server Error


#### Complete

Response Header

Status: 200 OK

Expires: [date/time]







# Request Flow: Completed Request

```
Response Header
Status: 200 OK
Expires: [date/time]
Content-Type: application/json
Body
 "transactionTime": "[instant]",
 "request" : "[base]/Group/[group_id]/$export",
 "requiresAccessToken" : true,
 "output" : [{
  "type" : "Patient",
  "url" : "https://serverpath2/patient file 1.ndjson"
 },{
  "type" : "Patient",
  "url" : "https://serverpath2/patient_file_2.ndjson"
 },{
  "type" : "AllergyIntolerance",
  "url" : "https://serverpath2/allergyIntolerance file 1.ndjson"
 }],
 "error" : [{
  "type" : "OperationOutcome",
  "url" : "https://serverpath2/err file 1.ndjson"
```

# Request Flow: File Retrieval

## File Request

Request Header

Accept: application/fhir+ndjson

**Endpoints** 

GET [File-Location URL]




#### File Response

Response Header

Status: 200 OK

Content-Type: application/fhir+ndjson

## Output File



```
{"id": "33abc11a", "name": [{"given": ["Herman"], "family": ["Munster"]}], "gender": "male"}
{"id": "44def22b", "name": [{"given": ["Lily"], "family": ["Munster"]}], "gender": "female"}
{"id": "55ghi44c", "name": [{"given": ["Eddie"], "family": ["Munster"]}], "gender": "male"}
```



# **Key Questions**

## What is FHIR Bulk Data Access?

A standardized approach to extracting large volumes of clinical data from certified HIT systems.

# How is FHIR Bulk Data being defined?

An asynchronous data request pattern that aligns with FHIR standards and resources. Authentication is performed at a system-to-system level using OAuth2.



## Resources

FHIR Bulk Data IG

https://hl7.org/fhir/uv/bulkdata/

**SMART BE Services Authorization** 

https://hl7.org/fhir/uv/bulkdata/authorization/index.html

**Cerner Open Developer Experience** 

https://code.cerner.com/

**Cerner Ignite APIs Reference Pages** 

https://wiki.cerner.com/display/reference/Cerner+Ignite+APIs+for+
Millennium+Reference+Pages

**Cerner FHIR Developers Google Group** 

https://groups.google.com/g/cerner-fhir-developers

