

PAULT DOCUMENTATION

2026 02 19 Polish Pass Design

Source: docs/plans/2026-02-19-polish-pass-design.md

Theme: Clean Technical

Generated: February 26, 2026

2. Accessibility

TagPillView.swift (all instances — search, inspector, AI tabs)

```
// On the outer HStack / capsule:
.accessibilityLabel("\(name) tag")
.accessibilityAddTraits(onTap != nil ? .isButton : [])

// On the xmark remove button:
.accessibilityLabel("Remove \(name) tag")
```

MenuBarContentView.swift — chevron expand/collapse

```
Image(systemName: isExpanded ? "chevron.up" : "chevron.down")
.accessibilityLabel(isExpanded ? "Collapse" : "Expand")
.accessibilityHint("Double tap to \(isExpanded ? "collapse" : "expand") prompt actions")
```

MenuBarContentView.swift — action buttons

```
Button(action: onCopy) { ... }
.accessibilityHint("Copies prompt text to clipboard")

// Favorite toggle:
.accessibilityHint(prompt.isFavorite ? "Removes from favorites" : "Adds to favorites")

// Archive toggle:
.accessibilityHint(prompt.isArchived ? "Unarchives this prompt" : "Archives this prompt")
```

3. Constants.swift

New file: Pault/Constants.swift

```
import Carbon
import CoreGraphics

enum AppConstants {
    enum Windows {
        static let mainDefault = CGSize(width: 900, height: 600)
        static let aboutDefault = CGSize(width: 400, height: 280)
        static let promptDefault = CGSize(width: 700, height: 620)
        static let prefsDefault = CGSize(width: 460, height: 360)
        static let menuBarDefault = CGSize(width: 320, height: 480)
    }
    enum Hotkey {
        static let defaultKeyCode: UInt32 = 0x23 // P key
        static let defaultModifiers: UInt32 = UInt32(cmdKey | shiftKey)
    }
    enum Timing {
        static let toastDuration: TimeInterval = 1.5
    }
}
```

Files updated

| File | Change |

|-----|-----|

```
| PaultApp.swift | 4 .defaultSize(...) calls → AppConstants.Windows.* |
| PreferencesView.swift | .frame(width:height:) + Reset button key code → AppConstants |
| MenuBarContentView.swift | .frame(width:height:) →
AppConstants.Windows.menuBarDefault |
| CopyToast.swift | 1.5 duration → AppConstants.Timing.toastDuration |
| GlobalHotkeyManager.swift | keyCodeP can alias or be replaced by
AppConstants.Hotkey.defaultKeyCode |
```

Files Modified

- Pault/CopyToast.swift — generalise into StatusToast
- Pault/AttachmentsStripView.swift — add @State toast triggers + .statusToast modifier
- Pault/TagPillView.swift — add accessibility annotations
- Pault/MenuBarContentView.swift — add accessibility hints + use AppConstants
- Pault/PaultApp.swift — use AppConstants.Windows
- Pault/PreferencesView.swift — use AppConstants
- Pault/GlobalHotkeyManager.swift — use AppConstants.Hotkey
- Pault/Constants.swift — **new file**

Verification

1. **StatusToast:** Add a file via drag-drop to a prompt, then trigger an error (e.g., duplicate or corrupt file) — red toast should appear and auto-dismiss
2. **Accessibility:** Enable VoiceOver (Cmd+F5), navigate to a tag pill — should announce "Tag name tag, button"; navigate to menubar row chevron — should announce expand/collapse hint
3. **Constants:** `grep -r "900, height: 600\|0x23\|1\.5" Pault/` should return zero results after the change (except inside Constants.swift itself)
4. **Tests:** `xcodebuild test` — all existing tests pass